

2022-23 CATALOGUE

- General Laboratory Chemicals & Solvents
- Bioreagents, Biochemicals & Speciality Fine Chemicals
- Nanotechnology Products
- Dehydrated Culture Media
- BioLit® DNA & Protein Tools
- Bio-Indenta®

SISCO RESEARCH LABORATORIES PVT. LTD.

endless process of science...

An ISO 9001:2015 Company

Quality Policy




National Accreditation Board for Testing and Calibration Laboratories

CERTIFICATE OF ACCREDITATION

SISCO RESEARCH LABORATORIES PRIVATE LIMITED

has been assessed and accredited in accordance with the standard

ISO/IEC 17025:2017

"General Requirements for the Competence of Testing & Calibration Laboratories"

for its facilities at

II-4, TALOJA INDUSTRIAL AREA, MIDC, PADGHE, NAVI MUMBAI PANVEL, RAIGAD, MAHARASHTRA, INDIA

in the field of

TESTING

Certificate Number: TC-10140

Issue Date: 13/12/2021 Valid Until: 12/12/2023

This certificate remains valid for the Scope of Accreditation as specified in the annexure subject to continued satisfactory compliance to the above standard & the relevant requirements of NABL.

Name of Legal Identity : Sisco Research Laboratories Private Limited

Signed for and on behalf of NABL

N. Venkateswaran
Chief Executive Officer


DNV·GL

MANAGEMENT SYSTEM CERTIFICATE

This is to certify that the management system of

Sisco Research Laboratories Pvt. Ltd.

HO: 608-B, Satellite Gazebo, Andheri - Ghatkopar Link Road, Chakala, Andheri - East, Mumbai - 400 099, Maharashtra, India
and the sites as mentioned in the appendix accompanying this certificate

has been found to conform to the Quality Management System standard:

ISO 9001:2015

This certificate is valid for the following scope:

Manufacture and supply of laboratory chemicals & reagents, dehydrated culture media and fine chemicals


CERTIFICATE OF VERIFICATION

INTERNATIONAL CERTIFICATION SERVICES PVT. LTD.

This is to certify that the products of

SISCO RESEARCH LABORATORIES PVT. LTD.

Admin. Office: 608/B, Satellite Gazebo, Andheri Ghatkopar Link Road, Chakala, Andheri (East), Mumbai - 400 099, Maharashtra, India.
Factory: D-88/2, TTC Industrial Area, Turbhe, Navi Mumbai - 400 705, Maharashtra, India.


PRODUCT

Dehydrated Culture Media, Dehydrated Culture Media Ingredients, Supplements And Kits

MENTIONED IN ANNEXURE 1 (Page 2 to 7)

Registration No. : RP91/8279
Registered Date : 01st September, 2010
Reassessment Date : 27th September, 2019
Issue Date : 10th October, 2019
Expiry Date : 30th August, 2022

Director
International Certification Services Pvt. Ltd.



Food & Drugs Administration (Maharashtra State)

License Retention With Products

LICENSE No : 25/KD/713
& Dt : 25/07/2020

Sir,

Ref :- Your Inward Application vide Inward Id:- 146571 (RNW) Dated :- 09/06/2020


Food & Drugs Administration (Maharashtra State)

CERTIFICATE No :60998022

GMP CERTIFICATE

This is to certify that SISCO RESEARCH LABORATORIES PVT LTD.,(7113621), PLOT NO II-4, TALOJA INDUSTRIAL AREA, MIDC, TALOJA, PANVEL - 410208 Dist - RAIGAD is holding valid Drugs Manufacturing License in

Form 25, License No. KD/713 , Iss Dt: 24/06/2010, Val Dt: 23/06/2025, Ren Dt: 24/06/2020,

issued by this administration under the provision of DRUGS & COSMETICS ACT 1940 & RULES THERE UNDER. Under the said licenses the firm is permitted to manufacture and sell their products covered under the

Categories of : Bulk Drugs / API, Excipient

The firm has employed competent technical persons in manufacturing and quality control departments. The said firm observes GOOD MANUFACTURING PRACTICES (GMP) in the manufacturing and testing of the said categories of products by and large as laid down in revised Schedule 'M' of the Drugs & Cosmetics Rules 1945.

The manufacturing plant is subject to regular inspection by the Competent Authority under The Act.

This Certificate is issued for : purpose of Various Tenders of Government And Export.-(For Registration Purpose)

This Certificate is Valid for a period : 05/02/2021 - 04/02/2022

VIRAJ TUKARAM PAENKAR

FDA MAHARASHTRA

Division	MFG ID No	Type-GMP Certificate	CERTIFICATE No	Issue Dt / Validity Dt
KONKAN (RAI)	711621	GMP-162409-1191/2021	60998022	05/02/2021 - 04/02/2022

We, at Sisco Research Laboratories Pvt. Ltd., shall always strive to provide the best quality Laboratory Reagents and Biochemicals, Microbiological Culture Media, Supplements & Kits, and BioLit™ range of protein and DNA tools required for teaching, research, analysis and manufacture of high quality products for better quality of life.

We shall always maintain and upgrade our products and services to meet the highest International Quality Standards.

It is our constant endeavor to achieve maximum customer satisfaction by implementing an efficient customer relationship management system to meet the requirements and expectations of our valued customers.

To achieve our goals, we have instituted a quality management system conforming to ISO 9001:2015, ISO 17025:2017, CE Certification for our Microbiology range of products and an FDA Approval for select range of Pharmacopoeial products; and are firmly committed to continually improving its effectiveness through technological advancement, enhancement of skills, cultivation of a suitable work environment and dedicated team work

From the desk of the

Managing Director

Dear Scientists, Research Scholars and Trade Partners

The world is at the cusp of several opportunities such as patent expiry, biosimilar boom, greater focus of MNC's on development on NCE's (new chemical entity) and NBE's (new biological entity), industry-academia linkages and collaborations, automation driven manufacturing standards apart from many others.

The Indian pharmaceutical & life-science industry is likely to reach USD 130 billion by 2030, growing at a CAGR of 12.3 percent from USD 40.8 billion in 2020. The current market size of the life-science research industry including pharmaceuticals in India is estimated to be valued above USD 50 billion (2020-21) with a growth rate of 10-12 percent. The impressive growth is despite the COVID-19 pandemic and may be attributed to the industry's strong credentials in formulation development capabilities, trained workforce, and reputation in international markets such as North America and Europe.

The Indian government has taken a slew of initiatives to support the Indian pharmaceutical industry. Initiatives such as the production linked incentive (PLI) schemes, medical device and bulk drug parks are likely to boost domestic production of active pharmaceutical ingredients (APIs), biopharmaceuticals, complex generics, patented drugs, and various medical devices and transform India as the global manufacturing hub. This is a major step towards realizing its vision of "Aatmanirbhar Bharat".

And why is India's prominence increasing?

- Attractive Foreign Investments
- Streamlined Regulatory Framework
- Fostering of an ecosystem of research and innovation
- Promotion of domestic manufacturing
- Digital technology disruption
- Boosting supportive infrastructure

Although unprecedented, the COVID-19 crisis showcased exemplary resilience of the Indian healthcare system and collectively as a nation. It acted as a catalyst to bring the focus of the Indian population towards being more health conscious and government towards the importance of boosting the pharma sector and strengthening healthcare. Going forward, the responsibility lies with the pharma stakeholders (government, industry, and academia) to continue stepping forward with similar momentum towards the journey of transforming the Indian healthcare ecosystem. Hence, with the implementation of these steps, India can not only continue being the pharmacy of the world, but the leading choice for the global pharma market.

SRL has embarked on this long journey and has made sustainable strides since its inception. The latest feather in our cap is the successful completion of the NABL (ISO 17025:2017) accreditation which puts us in a pivotal position for testing efficiency and regulatory requirements both in industry and institutions for domestic and export markets.

Our social media handles are generously showcasing our developments and garnering positive interests from industry and academia and making it easy for the customers to procure SRL products with convenience and speed.

Our company has introduced several new offerings including plasticware for molecular biology applications, novel organic reagents, nano compounds and several life science reagents.

We wish to thank all our customers and trade partners for being a part of our growth and also contributing in our endeavor with a burning desire to lead a better future.

S. K. Agarwal

Managing Director
20th May 2022



Quality Control

Quality control facilities in our manufacturing plants

- Anaerobic Culture Jars
- Analytical Balances
- Antibiotic Zone Reader
- Atomic Absorption Spectrophotometer (AAS)
- Autoclaves
- Bacteriological Incubator
- B.O.D. Incubator
- Calorimeter
- Conductivity Meters
- Colony Counter
- Cyclomixer
- Electrophoresis Equipments
- FTIR Spectrophotometer
- Gas Chromatograph (w/Head space)
- Gel-Strength Indicator
- High Speed Centrifuges
- HPLC Instrument
- Hot Air Ovens
- IR Spectrophotometer
- Karl-Fischer Apparatus
- Kjedhal's Apparatus
- Lab Furnace
- Laminar Air Flow Bench
- Melting Point Apparatus
- Micro-Ovens
- Microscopes
- pH Meters
- Polarograph
- Potentiometric Titrator
- Refractive Index Apparatus
- Rotary Flask Shaker
- TLC Equipments
- Transilluminator
- Turbidometer
- UV Cabinet
- UV Spectrophotometers
- Viscometer
- other support instruments

It is the precise instrumental, chemical, biochemical and microbiological analysis which enables SRL to guarantee that its products shall always meet the highest international standards.







Contents

17-70 **Part A** General Laboratory Chemicals & Solvents

Part B Bioreagents, Biochemicals & Speciality Fine Chemicals 71-150

151-154 **Part B1** Animal Cell Culture

Part C Nanotechnology Products (Carbon Nanotubes, Nanodispersants and Nanodispersions, Nanowires, Nanofilms and Nanopowders) 155-168

171-175 Products In Bulk

Chemical Products Classification 176-190

191-251 **Part D** Dehydrated Culture Media
• Product Listing • Media Supplements
• ChroMed™ • Media Kits

Part E BioLit® • DNA & Protein Tools 253-279

281-285 Bio-Indenta™ Global searching station for Unlisted Compounds

International Business



You will find the **SRL** brand in 6 different regions around the world and in more than 100 countries. Our main motive has always been to provide our products to customers in different corners of the world, wherever there is an industry or an institution that is working on improving the quality of our lives through research, innovation, quality control and manufacturing. Having more than 40 authorized agents and distributors and more than 100 trade partners, **SRL** is always on the lookout to make brighter and long lasting partnerships with companies that have a similar goal in mind, i.e. to be the best in their business. Before we appoint trade partners, we make it a point to conduct systematic checks to ensure that our partners are in a position to offer better sales support and post-sales services to their valued customers who choose an **SRL** product. We welcome new partnerships for growth and prosperity.

Our global reach

Europe & Eurasia

- Austria
- Azerbaijan
- Belgium
- Bulgaria
- Cyprus
- Czech Republic
- Denmark
- Finland
- France
- Germany
- Greece
- Hungary
- Ireland
- Italy
- Malta
- Moldova
- Netherlands
- Norway
- Poland
- Portugal
- Russia
- Spain
- Sweden
- Switzerland
- Turkey
- Turkmenistan
- United Kingdom
- Uzbekistan

Africa

- Benin
- Botswana
- Chad
- Cameroon
- Djibouti
- Ethiopia
- Ghana
- Kenya
- Madagascar
- Malawi
- Mali
- Mauritius
- Mozambique
- Namibia
- Nigeria
- Rwanda
- Seychelles
- South Africa
- Tanzania
- Uganda
- Zambia
- Zimbabwe

Middle East

- Bahrain
- Egypt
- Jordan
- Kuwait
- Lebanon
- Morocco
- Oman
- Qatar
- Saudi Arabia
- Tunisia
- United Arab Emirates

Central Asia

- Bangladesh
- Bhutan
- Kazakhstan
- Maldives
- Nepal
- Srilanka
- Tajikstan

North & South America

- Argentina
- Brazil
- Canada
- Chile
- Costa Rica
- Ecuador
- Guatemala
- Jamaica
- Mexico
- Peru
- Trinidad & Tobago
- Venezuela
- United States of America

East Asia & Pacific

- Australia
- Brunei
- Burma
- Cambodia
- China
- Fiji
- Indonesia
- Japan
- Laos
- Malaysia
- Mongolia
- New Zealand
- Philippines
- Singapore
- South Korea
- Thailand
- Vietnam

SRL®

overseas customers can reach us at export@srlchem.com

Depots

Hyderabad

123/124, Murthy Building,
Prashanti Nagar, Kukatpally,
Hyderabad 500 072.
Telangana, India.
Telefax: +91-40-2307 0166
e-mail: hyderabad@srlchem.com

Chennai

Plot No.: 8B,
Self Help Industrial Estate,
Keeelkattalai, Kovilambakkam,
Chennai 600 117,
Tamil Nadu, India.
Telephone: +91-9962005587 /
+91-44-22682215
Email: chennai@srlchem.com

Delhi

69/6A, (Part A)
Rama Road Industrial Area,
Najafgarh Road,
New Delhi 110 015, India.
Tele Fax: +91-11-4591 4530
Email: delhi@srlchem.com

Mumbai

Raj Rajeshwari Logistic Park,
Gala No. 3-8, Bldg.No. B-4,
Behind Mini Punjab Grill,
Vehale, Bhatala,
Bhiwandi 421 302,
Maharashtra, India.
Telephone: +91-93229 31625 /
96191 47231
Email: bhiwandi@srlchem.com

Kolkata

46, N.S.C. Bose Road,
P.O. Malancha Mahinagar,
District: South 24 Paraganas,
Before Malancha Bazaar
Kolkata 700 145,
West Bengal, India.
Telephone: +91-8334800445
Email: kolkata@srlchem.com



SISCO RESEARCH LABORATORIES PVT. LTD.

Administrative Office:
608-B, Satellite Gazebo, Near Solitaire Corporate Park,
Andheri Ghatkopar Link Road, Chakala, Andheri (East),
Mumbai 400 099. India
Tel.: +91-22-4268 5800 • Fax: +91-22-4268 5801
• E-mail: marketing@srlchem.com

Website: www.srlchem.com

Label Explanation



for Laboratory & Research Chemicals

Sisco Research Laboratories Pvt. Ltd.
Plant Site 2: H-4, MIDC, Taloja - 410 208,
Maharashtra. India. ✆ +91-22-42685800.
email: customercare@srlchem.com

Net Content: 100 g

Batch No:
Mfg. Date:

Important : No Liability accepted for accidents arising in handling or use. "Packed for servicing industry (including industrial quality control laboratories academic and research institutions universities etc.)"

35825 (1944318) **[151-21-3]**

Sodium Lauryl Sulphate
High purity
(sodium dodecyl sulphate, SDS)

$C_{12}H_{25}SO_4Na$
M.W. 288.38

www.srlchem.com

Specifications
Assay . . . . . min 99.5%
pH(1% aq soln) 6.0-7.5
A10% aq. 210nm . . . . max 0.1
220nm . . . max 0.06
230nm . . . max 0.04
260nm . . . max 0.02

Maximum Limits of Impurities
Loss on drying 1%
Chloride (Cl) 0.01%
Iron (Fe) 0.0001%
Phosphate(PO_4). . . . 0.0001%
Heavy metals (Pb) . . 0.0002%

For Laboratory Use Only

for Dehydrated Culture Media, Ingredients, Supplements & Kits

Sisco Research Laboratories Pvt. Ltd.
Plant Site 1: D-88/2, MIDC, Turbhe-400705,
New Mumbai. India. ✆ +91-22-42685800.
email: customercare@srlchem.com

IVD CE

Net Content : 100 gms

Received on dt : _____

Opened on dt : _____

LOT **Batch No :**
Mfg. Date :
Best Before :

25°C
8°C

Important : No Liability accepted for accidents arising in handling or use. "Packed for servicing industry (including industrial quality control laboratories academic and research institutions universities etc.)"

REF **76875 (MM 011)**
MacConkey Agar

For the selective isolation, cultivation and differentiation of coliforms and enteric pathogens based on the ability to ferment lactose.

www.srlchem.com

Composition	gm/lit.
Peptone	17.00
Agar	13.50
Lactose	10.00
Sodium chloride	5.00
Bile salts	1.50
Proteose peptone	3.00
Neutral Red	0.03
Crystal Violet	0.001

Final pH at 25°C : 7.1 ± 0.2
Formula standardized/adjusted to meet performance criteria.


Directions :
- Add 50.03 gm powder to distilled/ deionized water.
- Bring volume to 1.0 liter and mix thoroughly.
- Gently heat and bring to boiling.
- Autoclave at 15 psi pressure at 121°C for 15 minutes.

For Laboratory Use Only

for BioLit™ DNA & Protein Tools

BioLit™
92972(BLL001) 50 µg

lot:5416089




Website

Consistently we follow in all aspects of our products and services contin
even more comprehensively on our website. Some of the most revolutio
information we offer,









Stock Check

Online COA

1. Interactive Product Pages

- Technical product specifications & print-ready Product Data sheets
  - (containing technical & application for each product)
- LIVE Stock Checks
  - Check the stocks of your desired product packing in real time at each of our
    - Manufacturing Sites
    - Distribution Depots
- Avail prices in more than 17 Global Currencies
- Access to H.S. Codes & MSDS of all products

2. Quick Links for viewing and downloads

- Product search by keywords, CAS, application, grade
- Certificate of Analysis (COA)
- Material Safety Data Sheet (MSDS)
- Latest Catalog Download
- Technical Product Brochures
- Picture gallery for product packaging

3. Online Transactions

- Get quotations
- Place Orders
- Ask us a Technical Query
- Apply for a position with us

4. Locate your nearest SRL Stockists & Distributor

- Indian Stockist network provided City-wise & State-wise
- Global Distributors provided country-wise

5. Multi-Lingual Display

- Read content in more than 80 Global languages of your \ preference

6. News and Information

- Follow our developments and road shows
- Path-breaking research developments in the Bioscience industry
- Latest SRL product offerings and highlights

7. Regulatory Certifications, now available online.

Click and Download our

- ISO 9001-2015, ISO 17025:2017 Quality Management Certificate
- FDA (Food & Drug Association) Certificate
- CE (European Conformity) Certificate
- GMP (Good Manufacturing Practices) Certificate

www.srlchem.com is ideal for researchers, scientists and customers who are always looking for new molecules, product information and availabilities at the click of a button!

Order your **CD** today...

It's **FREE!**



Trademark & Grades of SRL

No part of this book may be reproduced by any mechanical, photographic or electronic process or in the form of a phonographic audio/audio visual recording, nor may it be stored in a retrieval system, transmitted or otherwise copied for public or private use, without written permission from the publisher.

Trademarks owned by Sisco Research Laboratories Pvt Ltd

Registered Trademarks

SRL® **Bio-Indenta®** **BioLit®** **SafeDye™** **ChroMed®**

Seralose® **FluroBronze®** **Seralite®** **Serabeads®** **ExiPlus®**

"All trademarks mentioned in the catalogue other than those mentioned here, are not property/owned by Sisco Research Laboratories Pvt. Ltd. (SRL)"

Grades of Purity

SRL products adhere to highest grades of quality. However, we understand that our multiple grades may tend to overlap and disorient users. The explanations below give an approximate representation of the **SRL** grades and most closely suited applications of our products.

AAS	Products for Atomic Absorption Spectrocopy specially suited for AAS instrumentation.
ACS/AR/Reagent Grade	Complying with the specifications of American Chemical Society (ACS) reference manuals/ANALAR specifications, for critical laboratory analysis and quality production applications.
Dried/Specially Dried	Containing highly reduced water content for 'anhydrous' reactions, synthesis and assay studies.
Cell Culture	Low endotoxin products specially suited for cell culture DNA, RNA, Genetics applications.
Electronic Grade	Very low ionic impurities and suited for electronics and high-end applications.
ExiPlus™	Complying with the compendial specifications of USP (United States Pharmacopoeia) or BP (British Pharmacopoeia) or Ph.Eur (European Pharmacopoeia) or all. For production, quality control and laboratory applications.
Extrapure	Purified grade suited for general laboratory or synthesis.
GC-HS	For Gas Chromatography assay. Suited for use in GC instrumentation with Head Space.
High Purity/Ultrapure	Having very high levels of assay/purity (typically 3N (99.9%), 4N (99.99%), 5N (99.999%) or more) as compared to similar products in their class/category. Specially synthesized and purified for critical applications with low elemental impurities.
HPCL/UV	For High Pressure Liquid Chromatography or Ultra Violet Spectroscopy. Suited for use in HPLC or UV instrumentation.
Microbiology/Bacteriology	For microbiological application and bacteriological studies.
Microscopy	Typically dyes, stains and indicators (powders and solutions) used for microscopy and histological applications.
Molecular Biology	For molecular biology, cell culture, tissue culture, genetics, and all such applications, tested 'non-detected' for DNAse, RNAse and Protease.
NMR Spectroscopy	Solvents for NMR studies suited to most advanced NMR instrumentation.
OAS	Organic Analytical Standard for reference studies.
Pure/Technical/Practical/Grade	General, commercial grade for synthesis and routine applications.
OAS/CHR/Reference Standard Grade	Organic Analytical Standard/Chromatographically Harmonized Reagent to be used as in reference studies as an analytically pure standard.
Scintillation	Ideal for scintillation studies.
Tissue Culture	Ideal for plant tissue culture application & studied.

For Pharmaceutical Grade Labelled Products

IP	Indian Pharmacopoeia.
BP	British Pharmacopoeia.
USP-NF	United States Pharmacopoeia & The National Formulary.

For Dehydrated Culture Media

Harmonized	Dehydrated media prepared as mentioned in ICH Guidelines.
Bacteriology	For microbiological application and bacteriological studies.
BactoBio/Bacto	For microbiological preparation and cell culture media.
(I/P)	Dehydrated media prepared as mentioned in IP (Indian Pharmacopoeia).
(U/P)	Dehydrated media prepared as mentioned in USP (United States Pharmacopoeia).
(B/S)	Dehydrated media prepared as mentioned in BIS (Bureau Of Indian Standards).
(I)	Dehydrated media prepared as mentioned in ISO (International Standards Organization) Guidelines.

Production Capabilities

We invite you to tour and audit our plant and discuss any queries with our technical team

Our Bulk Manufacturing facilities follow cutting edge bio-techniques for producing many of our specialized products in bulk volumes. Multi-purpose process vessels and unit operations ensure consistent high quality batch-after-batch in a timely manner.



Our production facilities include –

- SS & Glass-lined Reactors with distillation columns
- All Glass Reactors
- SS Centrifuges
- SS Nutsche Filters
- SS Sparkler Filters
- SS Pulverizers, Sifters and Blenders
- Vacuum Tray Dryers
- SS Rotocone Vacuum Dryers, etc.

To support these unit operations, our utilities include –

- Chilled Brine Plant
- Cooling Water and Chilled Water Plant
- Boiler and Oil Heating System
- High Pressure Vacuum System
- Micron-filter Air Purification System
- DM Water Plant, Nitrogen Plant, Scrubbers, etc.



Contact info@srlchem.com for more info.

Keeping strong the SRL quality promise.

Bulk Manufacturing & Custom Synthesis (BMCS) Business



Developing bulk specialty chemicals and customized new molecules in compliance with your in-house specifications supported by complete tech-packs.

Today, **SRL** is not only known for its high quality laboratory chemicals, but it is also been recognized as an important supplier of various fine chemicals as raw materials. Our company is manufacturing reagents and powders in bulk scale to meet the critical requirements of several industries that we serve. As a supplier of key technologies, we want to grow along with our customers in the pharmaceutical and biopharmaceutical industries. This expansion of capacity and modernization is our response to the growing global demand for and high requirements placed on quality and product safety for final pharmaceutical and biopharmaceutical formulations. SRL has an extensive product range and supports its customers in all phases of the drug manufacturing process, from research, quality control and commercial production, through to providing service in concrete safety and regulatory issues.


SRL's Bulk Manufacturing and Custom Synthesis (BMCS) business has broadened its production at our Taloja MIDC site to include existing and new bulk fine chemicals which are being manufactured at commercial scales. Production of the raw materials have been on since 2011 at this site and complements the existing offering of highly regulated active and non-active pharmaceutical ingredients manufactured here. Most of the products manufactured at the Taloja MIDC bulk plant facility meet and exceed IP, BP, USP & Ph. Eur regulation; follow Current Good Manufacturing Practices (cGMPs) for biopharmaceutical production; and comply with International Consortium for Innovation and Quality in Pharmaceutical Development.

Target Audience:

- Active Pharmaceutical Ingredients (API) (Human & Veterinary)
- Antibodies
- Biosimilars
- Biocides, Insecticides & Crop Sciences
- Bio-Fermentation (Upstream & Downstream)
- Blood Plasma
- Diagnostic Kit
- Excipients & Intermediates (Organic & Inorganic)
- Formulations (New & Generic)
- Home Care & Sanitation
- Hormones
- Injectables
- Neutraceuticals
- Peptides
- Personal Care Products
- Protein Purification
- Vaccines (Human & Veterinary)

Reaction Capabilities:

- Acid Chloride Preparations
- Aldol & Crossed Aldol Reaction
- Assymetric Reduction
- Bromination
- Caroxylation
- Cryogenic Reaction
- Cyclization
- Cyclo Addition (4 + 2, 4 + 3) Reaction
- Dehydration
- Esterification
- Formylation
- Friedel – Craft
- Grignard Reaction
- Heck Reaction
- Hydrochloride preparation
- Iodination
- Ion exchange Reactions
- Jones Oxidation
- Lithiation Chemistry
- Mignonac Reaction
- Mitosonobu Esterification
- Nitration
- Nitrosation
- Oximination
- Pachmann Condensation
- Perkin Reaction
- Sandmeyer Reaction
- Sonogashira Coupling
- Sulfonation
- Suzuki Coupling
- Swern Oxidation
- Williamson's Ether Synthesis
- Writing-Homer Reaction







We offer:

The BMCS division at the MIDC Taloja facility include difficult-to-source materials available from research-to commercial-scale volumes. The program takes advantage of SRL's purification, re-crystallization and distillation competencies to manufacture a short list of catalog products in the commercial product segment.

You will find our ExiPlus grade of products that are complying to the compendia specifications of Indian Pharmacopoeia (IP), British Pharmacopoeia (BP), United States Pharmacopoeia (USP), National Formulatory (NF) and European Pharmacopoeia (Ph. Eur). We are well versed in providing these products for production requirements. Alternately, our highly researched ACS and AR grades are anyway much better and stringent in their impurity limits and are also being used as raw materials in various industries. We also are highly skilled in providing additional value through quality documentation packages, readily-available inventory and multiple batches to support customer qualification activities

Tech-packs:

SRL not only provides the raw materials through its BMCS program, but we also cater to the strict documentation requirements which our customers ask. Since the last decade, India has become a hub for the regulated as well as the non-regulated pharmaceutical markets, and to serve them we offer complete vendor questionnaire documents with all the technical, commercial and ethical information that we can provide.

* Document support:

- Aflatoxin free statement
- Allergen free certificate
- Brief description of manufacturing locations, capabilities
- Certificate of analysis (COA) / Method of analysis (MOA)
- Company Organogram
- Dioxan free certificate
- GC, HPLC, NMR graphs
- Gluten free certificate
- Kosher & Halal certificate
- Latex free statement
- List of equipment and instrumentation
- Material safety data sheet (MSDS)
- Melamine free certificate
- Metal catalyst statement
- Microbial contamination certificate
- Quality management certificate (QMS)
- Residual solvent & impurity profiling
- Route of synthesis (ROS) / Process flow chart
- Stability data
- TSE/BSE Declaration
- Vendor Questionnaire (VQ)



Post Sales Support:

We at **SRL** take special care to value our customers with utmost seriousness post-sales. Customers requiring additional services of more document support, pre-shipment sampling for repeat orders, production planning for scale-up and addressing non-conformity issues are some of the areas which we address. In times of product rejections due to storage or any other issues, we provide a complete CAPA (Corrective And Preventive Action) analysis document and such documents are recorded for future product improvements.

Today we provide a helping hand to the world's top 100 pharmaceutical companies to file successful ANDA (Abbreviated New Drug Application) filings in both regulated and non-regulated markets. We are ready to partner with you, so do get in touch with us on marketing@srlchem.com

* Document support provided depends on individual product and its chemistry. Not all documents are available for all BMCS products.



ExiPlus Range

(Products confirming to the reagent specifications of USP, BP & Ph. EUR)

Exiplus range of products has been carefully designed to meet the requirements of scientists working in the manufacture of drugs, active pharmaceutical ingredients, bio-pharmaceutical & neutraceutical products in semi-bulk or bulk scale. ExiPlus products are the safest and most reliable products to meet the needs of students, researchers working in quality control, research and development laboratories in premier institutions all over the world.

Offering more than 300 ExiPlus World-class reagents and biochemicals, that are manufactured in compliance with the reagent specifications of various pharmacopeia such as United States Pharmacopeia (USP), British Pharmacopeia (BP), European Pharmacopeia (Ph.Eur).

Take the ExiPlus advantage, why loose a good chance:

- ExiPlus for use as an excipient
- ExiPlus for use as an active pharmaceutical ingredient
- ExiPlus for use in biopharmaceutical production
- ExiPlus for use in neutraceutical production
- ExiPlus for use in critical research and development

The quality of our raw materials and our extensive documentation support enable you to do your work quickly and cost-effectively. With ExiPlus SRL provides its customers with a high level of safety in QC, R&D and production activities. We provide you with all necessary technical documents such as Product Data Sheets, CoA, MoA and other documentary support can be made available upon request.

ExiPlus will simplify your life so let's make life simple.

ACS Grade Reagents

(Products confirming to the reagent specifications set by the American Chemical Society Committee)

Our ACS grade of reagents and chemicals are manufactured and tested to meet the specifications set by the American Chemical Society (ACS) Committee on Analytical Reagents. The specifications listed in this catalog are based on the ACS Reagent Chemicals Tenth Edition.

SRL offers more than 200 reagents and chemicals complying with ACS grade reagent specifications of very high quality for use in laboratory for both quality control in academics and industries. They are superior grade reagents that are contaminant-free that are being preferred world-wide because of the stringent specifications set by the American Chemical Society (ACS) committee. Many customers of SRL want to purchase an ACS grade product instead of an AR grade product, however both grades of products are considered to be superior for routine analytical testing applications.

Some common Application of ACS grade products:

- ACS reagents for industrial cleaning purposes
- ACS reagents for routine quality control
- ACS reagents for chemical process development
- ACS reagents for commercial scale-up of manufacture
- ACS reagents for analytical applications wherein UV absorption is not critical
- ACS reagents for the metal & steel industry

We provide you with all necessary technical documents such as Product Data Sheets, CoA, MoA and other documentary support can be made available upon request. We provide many products in various pack sizes and also at affordable prices so that students and scientists can benefit from the ultrapure purity of the ACS grade reagent manufactured, tested and packed for the most stress-free and reliable experience.

Come and try our ACS grade, because it's worth it!

Part A - General Laboratory Chemicals & Solvents

Carrageenan (Kappa) Refined ex. Eucheuma Cottonii
Glycerol Tributyrate (Tributyrin)
Humic Acid Potassium Salt (Potassium Humate)
Hydrochloric Acid 4M Solution in Dioxane
Hydroxylamine 50% Soln. in Water
1-Octanol (1-Octyl Alcohol) for HPLC & UV Spectroscopy
Phthalic Anhydride ACS
Polyethylene Glycol 8000 (PEG 8000) ExiPlus, Multi-Compendial
Polyethylene Glycol 8000 (PEG 8000) for molecular biology
Sodium Alginate HV
Sodium Phosphate Dibasic Dodecahydrate
Sodium Phosphate Dibasic Heptahydrate ACS
Sodium Tetraborate Pentahydrate (Borax Pentahydrate)
Tetradecylammonium Bromide for HPLC
o-Xylene extrapure AR

Part B - Bioreagents, Biochemicals & Specialty Fine Chemicals

Acetoxime (Acetone Oxime)
8-Anilino-1-Naphthalene Sulphonic Acid Ammonium Salt Hydrate (ANS Hydrate)
8-Anilino-1-Naphthalenesulphonic Acid (ANS)
Bicinchoninic Acid Disodium Salt (BCA)
5-Chloro-7-Iodo-8-Quinolinol (Clioquinol, Iodochlorohydroxyquinoline) ExiPlus
Citrazinic Acid
1,3-Dibromo-5,5-Dimethylhydantoin (DBDMH)
5,5-Dimethylhydantoin (DMH)
5,7-Diiodo-8-Quinolinol (Diiodohydroxyquinoline, Iodoquinol) ExiPlus
3,4-Ethylenedioxythiophene (EDOT)
1-Fluoro-2,4-Dinitrobenzene (FDNB) for HPLC
N-a-Fmoc-N-e-4-Methyltrityl-L-Lysine (FMOC-Lys(MTT)-OH)
D-Glucono-1,5-Lactone
4-Hexylresorcinol
D-Luciferin Sodium Salt ex. Firefly
1,3,6-Naphthalenetrisulfonic Trisodium Salt Hydrate (NTSA Sodium Hydrate)
Nitrofurantoin
Phosphomycin Disodium Salt (Fosfomycin Disodium Salt)
Pyromellitic Dianhydride (PMDA)
Rink Amide MBHA Resin (100-200 mesh)
2,2,4,4-Tetramethyl-1,3-Cyclobutanediol (CBDO) (mixture of isomers)

Part B1 - Animal Cell Culture


N-Acetyl-DL-Tryptophan for cell culture
Sodium Butyrate for cell culture
TRICINE Buffer for cell culture
Magnesium Chloride Hexahydrate for cell culture

Part D - Dehydrated Culture Media

Blood Free Campylobacter Selectivity Agar Base
Fraser Supplement (250mg/vl)
Listeria Motility Medium (l)
LPM Agar Base (Lithium Phenylethanol Moxalactam)
Malt Extract Broth Base for bacteriology
Ornithine Decarboxylase Broth
L-Ornithine Decarboxylase Broth (l)
Phenol Red Dextrose Broth
Phenol Red Lactose Broth
Schaedler Agar w/o Thioglycollate
Schaedler Agar
Soyabean Casein Digest Medium (SCDM) (Gamma Irradiated)
Tryptone Glucose Yeast Extract Broth
Tryptone Soya Agar (TSA) BioVeg
Tryptone Soya Yeast Extract Broth

Part E - BioLit (DNA & Protein Tools)

DNA Decontam Surface Decontamination Spray
RNAse Decontam Surface Decontamination Spray
Borate Buffer (20X) (Amine-free)
Express Coating Buffer (1X, pH 6.4) for Antigens and Antibodies
SDS PAGE Sample Buffer (2X) (Reducing) (Laemmli Buffer 2X)
SDS PAGE Sample Buffer (5X) (Reducing) (Laemmli Buffer 5X)
SDS PAGE Sample Buffer (5X) (Reducing) w/ DTT w/ BPB
SDS PAGE Sample Buffer (5X) (Non-Reducing) w/o DTT w/ BPB
T7 RNA Polymerase (50U/ul) (w/10X IVT Buffer)
RNA Loading Buffer (5X)
Microcentrifuge Tube and Screw Cap (0.5ml), Self Standing, Conical, O-Ring, Clear, Non-Hinged, Sterile, Molecular Grade
Microcentrifuge Tube and Screw Cap (1.5ml), Self Standing, Conical, O-Ring, Clear, Non-Hinged ,Sterile, Molecular Grade



COVID-19 Diagnostic Products

Bulk Raw Materials for COVID-19 RT-PCR Viral Extraction Kit, Viral Transport Media (VTM) Kit & Rapid Antigen Test (RAT) Kits

The ongoing COVID-19 pandemic has underpinned the central position of diagnostic testing in outbreak control. The value of integrated diagnostics in the management of the current COVID-19 wave and possible future COVID-19 waves is high, especially for the molecular detection of the virus, and for the qualification and quantification of the immunological host response. With the importance of quality control and mass production of diagnostic kits, we at **SRL** offer selected range of biochemical's as bulk raw materials to the Diagnostic Industry primarily focusing on "COVID" diagnosis.

Our below selected range are of utmost high quality meeting International Standards for use in RT-PCR Viral Extraction Kit, Viral Transport Media (VTM) Kits and Rapid Antigen Test (RAT) Kits.

Antibiotics

Prdt. Code	Product Name	CAS No.	Packing Unit
54713	Amphotericin B (AMT)	1397-89-3	250mg, 1gm, 5gms
37636	Gentamicin Sulphate (GM)	1405-41-0	1gm, 5gms, 25gms
16828	Nystatin (Mycostatin) for cell culture, 85%	1400-61-9	250mg, 1gm, 5gms
62799	Ofloxacin (OFX), 98%	82419-36-1	1gm, 5gms
83011	Polymyxin B Sulphate (Aerosporin, PXNS), 6000U/mg	1405-20-5	250mg, 1gm
91014	Streptomycin Sulphate (STM)	3810-74-0	5gms, 25gms, 100gms
86684	Sulphamethoxazole (SMX), 99%	723-46-6	5gms, 25gms


Molecular Biology Reagents & Others

Prdt. Code	Product Name	CAS No.	Packing Unit
78529	10× Phosphate Buffered Saline (PBS) for molecular biology		100ml, 500ml
95131	1× Phosphate Buffered Saline (PBS) for molecular biology		100ml, 500ml
85171	Albumin Bovine (pH 6-7) fraction V for molecular biology (Bovine Serum Albumin, BSA), 98%	9048-46-8	5gms, 10gms, 25gms, 100gms, 500gms
50027	EDTA Disodium Salt Dihydrate extrapure AR, ACS, ExiPlus, 99.5%	6381-92-6	100gms, 500gms, 5kg
45539	Guanidine Hydrochloride (GHC) for molecular biology, 99.5%	50-01-1	100gms, 500gms, 1kg, 5kg
80272	Guanidine Thiocyanate (GTC) for molecular biology, 99%	593-84-0	100gms, 500gms, 1kg, 5kg
38445	Isopropanol (IPA) for molecular biology, 99.8%	67-63-0	100ml, 500ml, 1000ml
68313	Phenol Red ACS, ExiPlus	143-74-8	25gms, 100gms
20924	Polyadenylic Acid Potassium Salt (POLY A Potassium) extrapure	26763-19-9	25mg
65296	Polysorbate 20 (Tween 20) for molecular biology	9005-64-5	100gms, 500gms
84984	Potassium Chloride for molecular biology, 99.5%	7447-40-7	500gms, 1kg
54358	Potassium Dihydrogen Orthophosphate for molecular biology, 99.5%	7778-77-0	250gms, 500gms, 5kg
49936	Proteinase K ex. Tritirachium Album (Type A) for molecular biology, 30U/mg	39450-01-6	10mg, 25mg, 100mg, 500mg , 1gm
33205	Sodium Chloride for molecular biology, 99.9%	7647-14-5	500gms, 1kg, 5kg
59443	Sodium Phosphate Monobasic Anhydrous for molecular biology, 99%	7558-80-7	250gms
37969	Tris Buffer Superior for molecular biology, 99.9%	77-86-1	100gms, 500gms, 5kg
64518	Triton X-100 for molecular biology	9002-93-1	100ml, 500ml

PCR & RNA Accessory Reagents

Prdt. Code	Product Name	CAS No.	Packing Unit
66886	DEPC-Treated Water	7732-18-5	100ml, 500ml
18821	dNTP Mix (10mM each)		1ml, 5×1ml
76516	M-MLV (Recombinant)		5000units, 10000units
75044	Oligo (dT) 15 primer		50ul
53704	Random Hexamer Primer, 6-mer		50ul
37351	RNA Mini Spin Column Set (2ml SC w/ CT each)		50Nos., 100Nos.
92030	RNasin (RNase inhibitor)		1000units

Cell Culture Reagents



Amino Acids

- L-Alanine
- L-Arginine
- L-Asparagine Monohydrate
- L-Cysteine
- L-Cystine
- L-Glutamic Acid
- L-Lysine (free base) Anhydrous
- L-Proline
- L-Serine
- L-Threonine
- L-Tryptophan
- L-Tyrosine
- L-Valine

Antibiotics

- Ampicillin Sodium Salt (AMP-Na)
- Blasticidin S Hydrochloride
- Carbenicillin Disodium Salt
- Chloramphenicol (CFP)
- ß-Cyclodextrin, base (BCD)
- Cycloheximide
- Erythromycin
- G-418 Sulphate (Geneticin)
- Gentamicin Sulphate (GM)
- Hygromycin B (HGR)
- Kanamycin Monosulphate (KM)
- Streptomycin Sulphate
- Tetracycline Hydrochloride (TC)

Buffers

- Glycine
- HEPES Buffer
- HEPES Sodium Salt
- Imidazole
- MES Hydrate Buffer
- PIPES Buffer
- Sodium Acetate Trihydrate

Carbohydrates & Derivatives

- Agar powder
- D-Fructose
- Gelrite Gellan Gum
- Lactose Monohydrate
- D-Maltose
- D-Mannose
- D-Ribose
- D-Sorbitol Powder
- Sucrose
- D-Trehalose Dihydrate

Dyes, Stains & Indicators

- Acridine Orange hemi (Zinc Chloride) Salt
- Alcian Blue
- Alizarin Red S
- DAPI Dihydrochloride (4,6-Diamidino-2 Phenylindole Dihydrochloride)
- New Methylene Blue N Zinc Chloride Double Salt
- Toluidine Blue O
- Trypan Blue
- Thiazolyl Blue Tetrazolium Bromide (MTT)

Enzyme Substrates

- 5-Bromo-4-Chloro-3-Indolyl-b-D Galactopyranoside (X-Gal)
- 5-Bromo-4-Chloro-3-Indolyl-B-D Glucuronide Cyclohexylammonium Salt
- 5-Bromo-4-Chloro-3-Indolyl-b-D Glucopyranoside (X-Glu, X-Glc)
- 5-Bromo-4-Chloro-3-Indolyl Phosphate Disodium Salt (BCIP)
- Nitro Blue Tetrazolium Chloride (Nitro BT) (NBT)

Inorganic Reagents

- Ammonium Chloride
- Ammonium Sulphate
- Calcium Chloride Dihydrate
- Ferrous Sulphate
- Magnesium Chloride Anhydrous
- Magnesium Chloride Hexahydrate
- Magnesium Sulphate Heptahydrate
- Potassium Acetate
- Potassium Chloride
- Potassium Dihydrogen Orthophosphate
- Potassium Phosphate Dibasic Anhydrous
- Potassium Sulphate
- Silver Nitrate
- Sodium Bicarbonate
- Sodium Chloride
- Sodium Phosphate Monobasic Anhydrous
- Zinc Chloride
- Zinc Sulphate Heptahydrate

Organic Reagents

- Adenine Sulphate
- Citric Acid Anhydrous
- Ferric Citrate Trihydrate
- Glutathione Oxidized (GSSG)
- Glutathione Reduced (GSH)
- Lactic Acid
- Polysorbate 20 (Tween 20)
- Putrescine Dihydryochloride
- Urea

Plant Growth Regulators

- Abscisic Acid
- DICAMBA (3,6-Dichloro-2 Methoxybenzoic Acid; 3,6-Dichloro-o Anisic Acid)
- 2,4-Dichlorophenoxyacetic Acid (2,4-D)
- EDTA Disodium Salt Dihydrate
- Gibberellic Acid (Ga3)
- Indole-3-Acetic Acid (IAA)
- Indole-3-Butyric Acid (IBA)
- Kinetin
- Naphthalene-1-Acetic Acid extrapure
- Thidiazuron (TDZ)
- Zeatin mixed Isomers

Proteins & Enzymes

- Albumin Bovine (pH 6.5-7.5) fraction V for tissue culture (Bovine Serum Albumin, BSA), 98%
- r-Albumin Human - Type LL ex. Yeast, 99% (Low Lipid)
- r-Albumin Human - Type Standard ACF ex. Plants, 97% (Animal Component Free)
- r-Albumin Human - Type EG ex. Yeast, 99% (Excipient use)
- r-Albumin Human - Type LE ex. Yeast, 98% (Low Endotoxin)
- r-CRP ex. E.Coli (Recombinant C-reactive protein)
- r-Insulin ex. Human
- r-Trypsin 1x Solution with EDTA in Phosphate Buffer for cell culture (AOF), 150U/ml
- r-Trypsin - Type Standard ACF ex. Porcine, 800U/mg

Vitamins

- L-Ascorbic Acid (Vitamin C)
- D-Biotin (Vitamin H)
- Folic Acid (Vitamin M)
- Inositol (Vitamin B8)
- Thiamine Hydrochloride (Vitamin B1 hydrochloride)
- DL-a-Tocopherol Acetate (Vitamin E Acetate)
- Vitamin B12 (Cyanocobalamin)





Part A

General Laboratory Chemicals & Solvents



code	product name	unit price ₹	packing
95237 [60-35-5]	**Acetamide pure, 98%**	750.00	500g
81658 [103-84-4]	**Acetanilide extrapure, 99%**	1250.00	500g
68175 [103-84-4]	**Acetanilide ExiPlus, Multi-Compendial, 99%** meets compendial specs of USP	1530.00	500g
18439 [64-19-7]	**Acetic Acid 1N Aq. Solution**	610.00	1000ml
72690 [64-19-7]	**Acetic Acid 2.5M Aq. Solution**	610.00	1000ml
90868 [64-19-7]	**Acetic Acid Glacial extrapure, 99.5%**	290.00 1350.00 12750.00	500ml 2500ml 25lit
85801 [64-19-7]	**Acetic Acid Glacial extrapure AR, 99.9%**	330.00 1430.00	500ml 2500ml
93602 [64-19-7]	**Acetic Acid Glacial extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.9%** meets compendial specs of USP, BP, Ph.Eur	360.00 1520.00	500ml 2500ml
73215 [64-19-7]	**Acetic Acid Dried, 99.9%, water 0.05%**	490.00 910.00	500ml 1000ml
32532 [64-19-7]	**Acetic Acid for HPLC, 99.9%**	650.00 1080.00	500ml 1000ml
59788 [64-19-7]	**Acetic Acid Glacial for molecular biology, 99.9%**	650.00 1950.00	100ml 500ml
31566 [67-64-1]	**Acetone pure, 99%**	310.00 1380.00 11620.00	500ml 2500ml 25lit
66951 [67-64-1]	**Acetone extrapure, 99%**	320.00 1420.00	500ml 2500ml
15168 [67-64-1]	**Acetone extrapure AR, 99.5%**	380.00 730.00 1590.00	500ml 1000ml 2500ml
27648 [67-64-1]	**Acetone extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%** meets compendial specs of USP, BP	400.00 760.00 1640.00	500ml 1000ml 2500ml
35007 [67-64-1]	**Acetone Dried, 99%, water 0.005%**	470.00 1660.00	500ml 2500ml
89140 [67-64-1]	**Acetone GC-HS, 99.9%** for OVI & residual solvent analysis	620.00 1110.00 1470.00	250ml 500ml 1000ml
11340 [67-64-1]	**Acetone for HPLC & UV Spectroscopy, 99.9%**	510.00 830.00 1860.00	500ml 1000ml 2500ml
12312 [67-64-1]	**Acetone electronic grade, 99.9%**	810.00 1720.00	1000ml 2500ml
27498 [67-64-1]	**Acetone for molecular biology, 99.8%**	370.00 560.00 860.00 2940.00	100ml 250ml 500ml 2500ml

code	product name	unit price ₹	packing
12972 [666-52-4] 🌡	**Acetone-d6 for NMR spectroscopy, 99.5 Atom %D**	8330.00	10ml
75185 [666-52-4] 🌡	**Acetone-d6 (with 1% TMS) for NMR spectroscopy, 99.5 Atom %D**	8580.00	10ml
49967 [75-05-8]	**Acetonitrile (ACN) extrapure, 99%** (Methyl cyanide)	670.00 2980.00 27480.00	500ml 2500ml 25lit
84578 [75-05-8]	**Acetonitrile (ACN) extrapure AR, 99.5%** (Methyl cyanide)	700.00 3130.00	500ml 2500ml
82745 [75-05-8]	**Acetonitrile (ACN) extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%** (Methyl cyanide) meets compendial specs of USP, BP, Ph.Eur	820.00 3270.00	500ml 2500ml
90135 [75-05-8]	**Acetonitrile (ACN) GC-HS, 99.9%** for OVI & residual solvent analysis (Methyl cyanide)	690.00 1040.00 1950.00	250ml 500ml 1000ml
58209 [75-05-8]	**Acetonitrile (ACN) for HPLC & UV spectroscopy, 99.9%** (Methyl cyanide)	920.00 3730.00	500ml 2500ml
24899 [75-05-8]	**Acetonitrile (ACN) Gradient grade for HPLC, 99.9%** (Methyl cyanide)	1950.00 4240.00	1000ml 2500ml
62006 [75-05-8]	**Acetonitrile (ACN) for molecular biology, 99.9%** (Methyl cyanide)	720.00 1080.00	250ml 500ml
62076 [75-05-8]	**Acetonitrile (ACN) for DNA synthesis, 99.9%** (Methyl cyanide)	2230.00 5260.00	1000ml 2500ml
26483 [2206-26-0] 🌡	**Acetonitrile-d3 for NMR spectroscopy, 99.8 Atom %D** (Deuterated acetonitrile)	8040.00	10g
67418	**Aceto Orcein**	440.00	100ml
15873 [98-86-2]	**Acetophenone extrapure, 99%**	690.00 3030.00	500ml 2500ml
22506 [98-86-2]	**Acetophenone extrapure AR, 99.5%**	850.00 3570.00	500ml 2500ml
96169 [123-54-6]	**Acetylacetone extrapure, 99%** (2,4-pentanedione)	1560.00	500ml
24212 [123-54-6]	**Acetylacetone extrapure AR, 99.5%** (2,4-pentanedione)	910.00 2160.00	250ml 1000ml
39522 [3244-88-0]	**Acid Fuchsin** (C.I. 42685) (Acid violet 19, fuchsin S, fuchsin acid, rubine S) Widely used in tissue staining Absorption Maxima — 540-543nm	650.00 2160.00	25g 100g
50190 [123334-10-1]	**Acid Fuchsin Calcium Salt (Acid Rubin), 60%** (C.I. 42685) (Acid Magenta, Rubin S) A stain certified for use in Altmann's mitochondrial stain, Mallory's Stain & Van Geison Stain	3610.00 13220.00	25g 100g

Storage : ♦ -20°C • 0-4°C 🌡 2-8°C ✔ 8-25°C

code	product name	unit price ₹	packing
22794 [79-06-1]	**Acrylamide extrapure, 99%**	700.00 5760.00	500g 5kg
89314 [79-06-1]	**Acrylamide 1x cryst. extrapure, 99.5%** for routine electrophoresis	440.00 1680.00	100g 500g
15657 [79-06-1]	**Acrylamide 3x cryst. extrapure AR, 99.9%** for electrophoresis	700.00 2900.00 5700.00 25760.00	100g 500g 1kg 5kg
61346 [79-06-1]	**Acrylamide 3x cryst. molecular biology, 99.9%** DNase, RNase,protease not detected	800.00 3500.00 6200.00 27560.00	100g 500g 1kg 5kg
29787 [79-06-1]	**Acrylamide 40% aq. solution for molecular biology**	3000.00 5400.00	250ml 500ml
	Preweighed Acrylamide 3x / Bis-acrylamide 3x Premix for electrophoresis Available in three different ratios. Just add distilled water to form stock solution. Suitable for molecular biology & biochemistry		
24263	**Acrylamide / Bis-acrylamide** Premix Powder, Ratio 19:1	1140.00 5970.00	30g (100ml stock soln.) 200g (665ml stock soln.)
10762	**Acrylamide / Bis-acrylamide** Premix Powder, Ratio 29:1	1140.00 5970.00	30g (100ml stock soln.) 200g (665ml stock soln.)
74379	**Acrylamide / Bis-acrylamide** Premix Powder, Ratio 37.5:1	1140.00 5970.00	30g (100ml stock soln.) 200g (665ml stock soln.)
67394	**30% Acrylamide / Bis-acrylamide Mix Solution (Ratio 29:1)**	1560.00	100ml
60452 [79-10-7]	**Acrylic Acid (Stabilized) pure, 99%** (Stabilized with 0.02% hydroquinone)	790.00 3780.00	500ml 2500ml
41666 [107-13-1]	**Acrylonitrile (Stabilized) pure, 99%** (Vinyl cyanide)	590.00 2580.00	500ml 2500ml
60064 [124-04-9]	**Adipic Acid pure, 99%**	580.00	500g
38573 [124-04-9]	**Adipic Acid ExiPlus, Multi-Compendial, 99%** meets compendial specs of USP, BP, Ph.Eur	700.00	500g
84210 [112945-52-5]	**Silica Gel Fumed 200 (Hydrophilic)** (Silicon Dioxide amorphous) (equivalent to Aerosil 200)	470.00 990.00 6600.00	100g 250g 2.5kg
19661 [9002-18-0]	**Agar powder regular grade for bacteriology**	1030.00 2220.00 4260.00 8400.00 40830.00	100g 250g 500g 1kg 5kg
85473 [9002-18-0]	**Agar powder for tissue culture** gelling temp ~38°C (Superior gel clarity) Gel strength (1.5% gel) — min. 800 gm/cm^2	1400.00 2450.00 4670.00 44330.00	100g 250g 500g 5kg

code	product name	unit price ₹	packing
24970 [9002-18-0]	**Agar powder Bacto grade** suitable for tissue culture & microbiology Highly purified for high gel strength & gives superior gel clarity. Gelling temp ~36°C Gel strength (1.5% gel) — min. 1000 gm/cm^2	1640.00 6540.00	100g 500g
51942 [9002-18-0]	**Agar Granulated Bacto grade** for bacteriology	Discontinued	
26741 [8001-99-8]	**Ajowan Seed Oil extrapure** (Ajwain Oil) Thymol content — 20%+	1290.00 5330.00	100ml 500ml
48863 [107-95-9]	**β-Alanine extrapure CHR, 99%** for biochemistry	300.00 1010.00 8630.00	25g 100g 1kg
71178 [56-41-7]	**L-Alanine extrapure CHR, 99%** for biochemistry	220.00 540.00 2270.00 4320.00	25g 100g 500g 1kg
71777 [56-41-7]	**L-Alanine for tissue culture, 99%**	270.00 650.00 2600.00	25g 100g 500g
50683 [56-41-7]	**L-Alanine ExiPlus, Multi-Compendial, 99%** meets compendial specs of USP, BP	740.00 2810.00	100g 500g
87279	**Albert's Stain A Solution**	160.00 410.00	125ml 500ml
35652	**Albert's Stain B Solution**	160.00 410.00	125ml 500ml
17996 [63393-96-4]	**Aliquat 336, 88%** (Tricaprylylmethylammonium chloride)	1870.00 7270.00	250ml 1000ml
99564 [2244-11-3]	**Alloxan Monohydrate extrapure, 98%** (2,4,5,6-Tetraoxypyrimidine, 5,6-Dioxyuracil)	370.00 810.00 3000.00	10g 25g 100g
19093 [107-18-6]	**Allyl Alcohol pure, 99%**	920.00 4380.00	500ml 2500ml
69098 [107-11-9]	**Allylamine pure, 99%** (2-Propen-1-ylamine, 3-amino-1-propene)	1010.00 1570.00 3130.00	25ml 100ml 250ml
73056 [106-95-6]	**Allyl Bromide pure, 98%** (3-Bromo-1-propene)	1410.00 2690.00 5190.00	250ml 500ml 1000ml
92459 [107-05-1]	**Allyl Chloride pure, 98%** (3-Chloro-1-propene)	700.00 3350.00	500ml 2500ml
45262 [8007-69-0]	**Almond Oil pure**	6810.00	500ml
54568 [142-03-0]	**Aluminium Acetate Basic Hydrate(aluminium subacetate) extrapure, 98%** (Aluminum hydroxide acetate hydrate)	1180.00 2880.00	100g 500g
64132 [7784-26-1]	**Aluminium Ammonium Sulphate Dodecahydrate pure, 99%** (Ammonium alum, alum ammonia, ammonium aluminium sulphate)	260.00	500g



code	product name	unit price ₹	packing
83147 [7784-26-1]	**Aluminium Ammonium Sulphate Dodecahydrate extrapure AR, 99.5%** (Ammonium alum, alum ammonia, ammonium aluminium sulphate)	370.00	500g
61315 [7784-26-1]	**Aluminium Ammonium Sulphate Dodecahydrate extapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%** (Ammonium alum, alum ammonia, ammonium aluminium sulphate)	400.00 3900.00	500g 5kg
93606	**Aluminium AAS Standard Solution in 1N HCl** contains 1000 mg/lit (exact concentration on label)	2290.00	250ml
90015 [7784-13-6]	**Aluminium Chloride Hexahydrate pure**	750.00	500g
23700 [7784-13-6]	**Aluminium Chloride Hexahydrate extrapure AR, 99%**	800.00	500g
35543 [21645-51-2]	**Aluminium Hydroxide Gel extrapure AR, ExiPlus, Multi-Compendial, 47-60%** meets compendial specs of IP	510.00 2340.00	500g 5kg
12283 [555-31-7]	**Aluminium Isopropoxide (powder) extrapure, 98%** (AIP, Aluminum isopropylate, Aluminum triisopropoxide, 2-Propanol aluminium salt)	1020.00	500g
57395 [7429-90-5]	**Aluminium Metal powder, 99%, -325 mesh**	840.00	500g
92309 [7784-27-2]	**Aluminium Nitrate Nonahydrate extrapure, 98%**	480.00	500g
19302 [7784-27-2]	**Aluminium Nitrate Nonahydrate extrapure AR, ACS, 98.5%**	2170.00	500g
58095 [24304-00-5]	**Aluminium Nitride pure, 98%, ~635 mesh**	3000.00 4080.00 19200.00	5g 50g 250g
66289 [1344-28-1]	**Aluminium Oxide Activated (Acidic) (Alumina) for column chromatography**	540.00 5150.00 24720.00	500g 5kg 25kg
71461 [1344-28-1]	**Aluminium Oxide Activated (Acidic) (Alumina) ExiPlus, Multi-Compendial** meets compendial specs of USP, BP	560.00 5460.00	500g 5kg
34321 [1344-28-1]	**Aluminium Oxide Activated (Basic) (Alumina) for column chromatography**	430.00 4010.00 18920.00	500g 5kg 25kg
61492 [1344-28-1]	**Aluminium Oxide Activated (Basic) (Alumina) ExiPlus, Multi-Compendial, for column chromatography** meets compendial specs of BP, Ph.Eur	460.00 4150.00	500g 5kg
39882 [1344-28-1]	**Aluminium Oxide Activated (Neutral) (Alumina) for column chromatography**	450.00 4230.00 20170.00	500g 5kg 25kg
62690 [1344-28-1]	**Aluminium Oxide G (Neutral) (Alumina) for TLC** (with binder)	600.00 5670.00	500g 5kg

code	product name	unit price ₹	packing
34641 [7784-24-9]	**Aluminium Potassium Sulphate Dodecahydrate extrapure, 99%** (Potash alum, potassium aluminium sulphate)	270.00 1020.00	500g 2.5kg
42889 [7784-24-9]	**Aluminium Potassium Sulphate Dodecahydrate extrapure AR, 99.5%** (Potash alum, potassium aluminium sulphate)	330.00 1320.00	500g 2.5kg
42550 [7784-24-9]	**Aluminium Potassium Sulphate Dodecahydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%** (Potash alum, potassium aluminium sulphate) meets compendial specs of USP, BP	430.00 1800.00	500g 2.5kg
53016 [7784-31-8]	**Aluminium Sulphate Octadecahydrate extrapure, 98%**	220.00	500g
11820 [569-58-4]	**Aluminon extrapure** (Aurintricarboxylic acid ammonium salt, ATA, ammonium aurintricarboxylate) Reagent for Aluminium	420.00 960.00	10g 25g
55745 [915-67-3]	**Amaranth (Acid Red 27) (C.I. 16185), 85-95%**	180.00 630.00	25g 100g
	Amberlite - See Seralite		
57432 [83-07-8]	**4-Aminoantipyrine (Ampyrone) extrapure AR, 99%** (4-Amino-2,3-dimethyl-1-phenyl-3-pyrazolin-5-one)	1190.00 4110.00	25g 100g
82623 [60-32-2]	**6-Aminocaproic Acid extrapure, 99%** (6-Aminohexanoic acid)	1190.00 3780.00 18360.00	25g 100g 500g
85996 [60-32-2]	**Aminocaproic Acid IP** (6-Aminohexanoic acid)	39960.00	1000g
99093 [60-32-2]	**Aminocaproic Acid BP, 98.5-101%** (6-Aminohexanoic acid)	39960.00	1000g
50445 [60-32-2]	**Aminocaproic Acid USP 98.5-101%** (6-Aminohexanoic acid)	45360.00	1000g
78719 [1336-21-6]	**Ammonia Solution extrapure AR, 25%** (Ammonium Hydroxide 25%)	210.00 640.00	500ml 2500ml
14388 [1336-21-6]	**Ammonia Solution extrapure AR, 30%** (Ammonium Hydroxide 30%)	250.00 710.00	500ml 2500ml
44683 [631-61-8]	**Ammonium Acetate extrapure AR, 98%**	330.00	500g
62778 [631-61-8]	**Ammonium Acetate extrapure AR, ACS, ExiPlus, Multi-Compendial, 98%** meets compendial specs of USP, BP, Ph.Eur	390.00	500g
78844 [631-61-8]	**Ammonium Acetate for HPLC, 99%**	630.00	500g
37829 [631-61-8]	**Ammonium Acetate for molecular biology, 98%** DNase, RNase, protease not detected	310.00 870.00	100g 500g
26757 [1066-33-7]	**Ammonium Bicarbonate extrapure AR, 99%** (Ammonium hydrogen carbonate)	240.00 2240.00	500g 5kg
38586 [7789-09-5]	**Ammonium Dichromate pure, 98%** (Ammonium bichromate)	880.00 8500.00	500g 5kg

Storage : ♦ -20°C • 0-4°C 🌡 2-8°C ✔ 8-25°C

code	product name	unit price ₹	packing
99470 [7789-09-5]	**Ammonium Bichromate extrapure AR, 99.5%** (Ammonium dichromate)	Discontinued	
67077 [7789-09-5]	**Ammonium dichromate extrapure AR, ACS, 99.5%** (Ammonium bichromate)	960.00 9250.00	500g 5kg
13664 [1341-49-7]	**Ammonium Bifluoride pure, 98%**	570.00 4900.00	500g 5kg
95407 [31886-41-6]	**Ammonium Bismuth Citrate extrapure AR, 43-46% Bi** for microbiology	1480.00 5650.00	100g 500g
46813 [12124-97-9]	**Ammonium Bromide pure, 99%**	820.00	500g
40553 [16774-21-3]	**Ammonium Ceric Nitrate extrapure AR, 99%** (Ammonium cerium (IV) nitrate, ceric ammonium nitrate)	1100.00 2430.00	100g 250g
42077 [16774-21-3]	**Ammonium Ceric Nitrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%** (Ammonium cerium (IV) nitrate, ceric ammonium nitrate) meets compendial specs of BP	1460.00 3030.00	100g 250g
42725 [16774-21-3]	**Ammonium Ceric Nitrate 0.05N Solution**	370.00	500ml
38134 [10378-47-9]	**Ammonium Ceric Sulphate Dihydrate extrapure AR, 99%** (Ammonium cerium (IV) sulphate dihydrate)	1370.00 4120.00	100g 500g
23757 [10378-47-9]	**Ammonium Ceric Sulphate Dihydrate extrapure AR, ACS, 99%** (Ammonium cerium (IV) sulphate dihydrate)	1610.00 4480.00	100g 500g
25103 [12125-02-9]	**Ammonium Chloride extrapure AR, 99.5%**	330.00 3070.00 12980.00	500g 5kg 25kg
96452 [12125-02-9]	**Ammonium Chloride extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%** meets compendial specs of USP, BP	340.00	500g
16992 [12125-02-9]	**Ammonium Chloride for molecular biology, 99.5%** DNase, RNase, protease not detected	870.00	500g
35309 [12125-02-9]	**Ammonium Chloride for tissue culture, 99.5%**	960.00	500g
11505 [3458-72-8]	**Ammonium Citrate Tribasic extrapure AR, 98.5%** (Triammonium hydrogen citrate)	910.00	500g
35442 [1185-57-5]	**Ammonium Ferric Citrate pure, 16.5-22.5% Fe** (Ammonium iron (III) citrate)	630.00 6050.00	500g 5kg
63571 [7783-83-7] 🌡	**Ammonium Ferric Sulphate Dodecahydrate extrapure, 98%** (Ammonium iron (III) sulphate dodecahydrate, ferric alum)	310.00	500g
29168 [7783-83-7] 🌡	**Ammonium Ferric Sulphate Dodecahydrate extrapure AR, ACS, 99%** (Ammonium iron (III) sulphate dodecahydrate, ferric alum)	370.00	500g

code	product name	unit price ₹	packing
89944 [7783-85-9]	**Ammonium Ferrous Sulphate Hexahydrate extrapure, 98%** (Diammonium iron (II) sulphate hexahydrate)	220.00 390.00 1840.00	500g 1kg 5kg
84937 [7783-85-9]	**Ammonium Ferrous Sulphate Hexahydrate extrapure AR, 99%** (Diammonium iron (II) sulphate hexahydrate)	330.00 3030.00	500g 5kg
61732 [7783-85-9]	**Ammonium Ferrous Sulphate Hexahydrate extrapure AR, ACS, 99%** (Diammonium iron (II) sulphate hexahydrate)	350.00 3240.00	500g 5kg
11605 [13826-83-0]	**Ammonium Fluoborate pure, 98%** (Ammonium tetrafluoroborate)	1030.00 2500.00	100g 500g
49813 [12125-01-8]	**Ammonium Fluoride pure, 98%**	810.00	500g
38431 [12125-01-8]	**Ammonium Fluoride ACS, ExiPlus, Multi-Compendial, 98%** meets compendial specs of USP	1310.00	500g
25142 [540-69-2]	**Ammonium Formate pure, 98%** (Formic acid ammonium salt)	440.00	500g
27858 [540-69-2]	**Ammonium Formate extrapure AR, 98%** (Formic acid ammonium salt)	470.00	500g
50504 [540-69-2]	**Ammonium Formate extrapure AR, ExiPlus, Multi-Compendial, 98%** (Formic acid ammonium salt) meets compendial specs of BP, Ph.Eur	540.00	500g
51775 [12027-06-4]	**Ammonium Iodide extrapure, 99%**	1940.00 3610.00 7480.00	50g 100g 250g
23185 [7803-55-6]	**Ammonium Metavanadate extrapure, 98%**	900.00 4300.00	100g 500g
15068 [7803-55-6]	**Ammonium Metavanadate extrapure AR, 99%**	1050.00 4500.00	100g 500g
94314 [7803-55-6]	**Ammonium Metavanadate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%** meets compendial specs of USP	1160.00 4600.00	100g 500g
69429 [12054-85-2]	**Ammonium Molybdate Tetrahydrate pure, 98%** (Ammonium heptamolybdate)	1080.00 2640.00 5160.00	100g 500g 1kg
10299 [12054-85-2]	**Ammonium Molybdate Tetrahydrate extrapure AR, 99%** (Ammonium heptamolybdate)	1320.00 3120.00 6120.00	100g 250g 500g
82615 [12054-85-2]	**Ammonium Molybdate Tetrahydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%** (Ammonium heptamolybdate) meets compendial specs of USP, BP, Ph.Eur	1570.00 3240.00 6360.00	100g 250g 500g
32910 [27546-07-2]	**Ammonium Dimolybdate extrapure, 99%, 56.5% Mo**	1680.00 3360.00	100g 250g
85044 [7785-20-8]	**Ammonium Nickel Sulphate Hexahydrate pure, 98%** (Diammonium nickel (II) sulphate hexahydrate)	1300.00	500g



code	product name	unit price ₹	packing
55517 [7785-20-8]	**Ammonium Nickel Sulphate Hexahydrate extrapure AR, 98%** (di-Ammonium nickel (II) sulphate hexahydrate)	2400.00	500g
85084 [6009-70-7]	**Ammonium Oxalate Monohydrate extrapure, 98%**	350.00	500g
72913 [6009-70-7]	**Ammonium Oxalate Monohydrate extrapure AR, 99%**	380.00	500g
53621 [6009-70-7]	**Ammonium Oxalate Monohydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%** meets compendial specs of USP, BP, Ph.Eur	440.00	500g
82381 [7727-54-0] 🌡	**Ammonium Persulphate pure, 98%** (Ammonium peroxodisulphate)	380.00 3470.00	500g 5kg
84569 [7727-54-0] 🌡	**Ammonium Persulphate extrapure AR, 99%** (Ammonium peroxodisulphate)	420.00 3570.00	500g 5kg
29534 [7727-54-0] 🌡	**Ammonium Persulphate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%** (Ammonium peroxodisulphate) meets compendial specs of BP, Ph.Eur	450.00 4350.00	500g 5kg
28575 [7727-54-0] 🌡	**Ammonium Persulphate for electrophoresis, 99%** (Ammonium peroxodisulphate)	220.00 680.00	25g 100g
65553 [7727-54-0] 🌡	**Ammonium Persulphate for molecular biology, 99%** (Ammonium peroxodisulphate) DNase, RNase, protease not detected	240.00 600.00 1950.00	25g 100g 500g
30468 [7783-28-0]	**Ammonium Phosphate Dibasic extrapure AR, 99%** (Diammonium hydrogen orthophosphate)	960.00 9000.00	500g 5kg
65984 [7783-28-0]	**Ammonium Phosphate Dibasic extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%** (Diammonium hydrogen orthophosphate) meets compendial specs of USP, Ph.Eur	1050.00 9750.00	500g 5kg
61563 [7722-76-1]	**Ammonium Phosphate Monobasic extrapure AR, 99%** (Ammonium dihydrogen orthophosphate)	730.00	500g
58611 [7722-76-1]	**Ammonium Phosphate Monobasic extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%** (Ammonium dihydrogen orthophosphate) meets compendial specs of USP	760.00	500g
24678 [7722-76-1]	**Ammonium Phosphate Monobasic for HPLC, 99%** (Ammonium dihydrogen orthophosphate)	1580.00	500g
50012 [7773-06-0]	**Ammonium Sulphamate (High Purity) ACS, ExiPlus, Multi-Compendial, 99.5%** for determination of sulphonamides in blood meets compendial specs of USP, BP, Ph.Eur	500.00 2410.00	100g 500g
62419 [7773-06-0]	**Ammonium Sulphamate (High Purity) extrapure AR, 99.5%** for determination of sulphonamides in blood	650.00 2970.00	100g 500g
88064 [7783-20-2]	**Ammonium Sulphate extrapure AR, 99.5%**	250.00 1950.00 9630.00	500g 5kg 25kg
88004 [7783-20-2]	**Ammonium Sulphate for tissue culture, 99.5%**	260.00 1950.00	500g 5kg
26339 [7783-20-2]	**Ammonium Sulphate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%** meets compendial specs of USP, BP, Ph.Eur	270.00 2160.00	500g 5kg
92567 [7783-20-2]	**Ammonium Sulphate Enzyme grade, 99.5%**	370.00 1310.00	250g 1kg
82126 [7783-20-2]	**Ammonium Sulphate for molecular biology, 99.5%** DNase, RNase, protease not detected	720.00 1410.00 13010.00	250g 500g 5kg
95876 [3164-29-2]	**Ammonium Tartrate Dibasic pure, 99%**	670.00 1280.00	250g 500g
56357 [3164-29-2]	**Ammonium Tartrate Dibasic extrapure AR, 99%**	720.00 1400.00	250g 500g
81016 [1762-95-4]	**Ammonium Thiocyanate extrapure AR, 99%**	690.00	500g
70158 [1762-95-4]	**Ammonium Thiocyanate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%** meets compendial specs of USP, BP, Ph.Eur	720.00	500g
67550 [123-92-2]	**Amyl Acetate pure, 98%** (Isoamyl acetate)	560.00 1920.00	500ml 2500ml
28605 [71-41-0]	**n-Amyl Alcohol pure, 99%** (1-Pentanol)	850.00 3350.00	500ml 2500ml
22557 [71-41-0]	**n-Amyl Alcohol extrapure AR, 99%** (1-Pentanol)	1140.00 4320.00	500ml 2500ml
31906 [71-41-0]	**n-Amyl Alcohol extrapure AR, ACS, 99%** (1-Pentanol)	1300.00 4860.00	500ml 2500ml
83344 [28983-56-4]	**Aniline Blue (water soluble)** (Methyl blue, acid blue 93)	700.00 2430.00	25g 100g
22285 [62-53-3]	**Aniline extrapure AR, 99.5%**	560.00 2560.00	500ml 2500ml
46774 [142-04-1]	**Aniline Hydrochloride pure, 99%**	710.00 1260.00	250g 500g
69980 [542-16-5]	**Aniline Sulphate pure, 98%** (Aminobenzene, phenylamine, benzenamine) storage : 15-20°C	780.00 1450.00	250g 500g
36381 [104-94-9]	**p-Anisidine pure, 98%** (4-Aminoanisole, 4-Methoxyaniline) (Light sensitive & carcinogenic)	330.00 1510.00	100g 500g
41010 [120-12-7]	**Anthracene extrapure, 99% Reagent Grade**	840.00 2640.00 12350.00	25g 100g 500g
61273 [120-12-7]	**Anthracene (High Purity) scintillation grade, 99.7%**	1550.00 5800.00 14210.00	25g 100g 250g
78531 [84-65-1]	**Anthraquinone pure, 98%** (9,10-Anthraquinone, Anthradione)	340.00 1160.00	25g 500g
97400	**Antimony AAS Standard Solution in 2N HCl** contains 1000 mg/lit (exact concentration on label)	2440.00	250ml

code	product name	unit price ₹	packing
66105 [7440-36-0]	**Antimony Metal Lumps, 98%**	900.00	100g
12042 [7440-36-0]	**Antimony Metal Powder extrapure, 99%, -200 mesh**	2390.00	250g
67577 [7440-36-0]	**Antimony Metal Ingots ultrapure, 99.999%**	5570.00 11450.00	10g 25g
47448 [28300-74-5]	**Antimony Potassium Tartrate Hemihydrate pure, 98%**	1240.00 2310.00	250g 500g
83896 [28300-74-5]	**Antimony Potassium Tartrate Hemihydrate extrapure AR, 99.5%**	620.00 2540.00	100g 500g
60274 [10025-91-9]	**Antimony Trichloride pure, 98%**	710.00 2980.00	100g 500g
63365 [10025-91-9]	**Antimony Trichloride extrapure AR, 99%**	770.00 3250.00	100g 500g
97628 [10025-91-9]	**Antimony Trichloride extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%** meets compendial specs of USP, BP, Ph.Eur	1060.00 3640.00	100g 500g
37157 [1309-64-4]	**Antimony Trioxide extrapure, 99%**	2600.00	500g
98063 [1309-64-4]	**Antimony Trioxide extrapure AR, 99%**	690.00 2840.00	100g 500g
82829 [1345-04-6]	**Antimony Trisulfide pure, 98%**	3670.00	500g
24766 [68425-36-5]	**Arachis Oil pure** (Peanut Oil) Suitable for the delivery of lipophilic compounds Saponification Range - 185-196	1280.00 2040.00	250ml 500ml
66637 [74-79-3]	**L-Arginine (free base) extrapure CHR, 99%** for biochemistry	280.00 880.00 7780.00	25g 100g 1kg
16178 [74-79-3]	**L-Arginine for tissue culture, 99%**	310.00 990.00 7150.00	25g 100g 1kg
17863 [74-79-3]	**L-Arginine (free base) ExiPlus, Multi-Compendial, 99%** for biochemistry meets compendial specs of BP	360.00 1000.00 8470.00	25g 100g 1kg
55453 [1119-34-2]	**L-Arginine Hydrochloride extrapure CHR, 99%** for biochemistry	310.00 690.00 5970.00	25g 100g 1kg
23006 [50-81-7]	**L-Ascorbic Acid extrapure AR, 99.7%** (Vitamin C)	360.00 1520.00 12960.00	100g 500g 5kg
40704 [50-81-7]	**L-Ascorbic Acid extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.7%** (Vitamin C) meets compendial specs of BP	390.00 1620.00 14580.00	100g 500g 5kg
14116 [50-81-7]	**L-Ascorbic Acid for molecular biology, 99.7%** (Vitamin C)	240.00 540.00 2060.00	25g 100g 500g
32488 [50-81-7]	**L-Ascorbic Acid for tissue culture, 99.7%** (Vitamin C)	510.00 1840.00	100g 500g

code	product name	unit price ₹	packing
12535 [5743-28-2]	**L-Ascorbic Acid Calcium Salt Dihydrate extrapure, 99%** (Calcium-L-Ascorbate Dihydrate)	1390.00 5770.00	100g 500g
65265 [134-03-2]	**L-Ascorbic Acid Sodium Salt extrapure, 99%** (Sodium-L-Ascorbate, vitamin C sodium salt)	360.00 1730.00	100g 500g
L-Ascorbic acid sodium salt is used as an antioxidant, an acidity regulator and an antimicrobial in food stuffs. As a reductant, it is involved in the isolation of chloroplasts. It acts as a coenzyme for many hydroxylation reactions. It plays a vital role to eliminate chronic and acute infections.			
64848 [617-45-8]	**DL-Aspartic Acid extrapure CHR, 99%** for biochemistry	560.00	100g
84025 [56-84-8]	**L-Aspartic Acid extrapure CHR, 99%** for biochemistry	420.00 1780.00 3360.00	100g 500g 1kg
81245 [56-84-8]	**L-Aspartic Acid ExiPlus, Multi-Compendial, 99%** for biochemistry meets compendial specs of BP	460.00 3540.00	100g 1kg
78087 [2465-27-2]	**Auramine O** (C.I. 41000, Basic yellow 2) Used for fluorescence microscopy Dye Content — 80%, Absorption Maxima — 440nm	170.00 440.00 1620.00	25g 100g 500g
10013 [543-80-6]	**Barium Acetate extrapure, 98%**	850.00	500g
16985 [543-80-6]	**Barium Acetate extrapure AR, 99%**	1060.00	500g
45569 [543-80-6]	**Barium Acetate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%** meets compendial specs of BP, Ph.Eur	1480.00	500g
56009	**Barium AAS Standard Solution in 0.5N HNO_3** contains 1000 mg/lit (exact concentration on label)	2020.00	250ml
32005 [7791-28-8]	**Barium Bromide Dihydrate extrapure, 98%**	1410.00	500 Gms
35145 [513-77-9]	**Barium Carbonate pure, 98.5%**	600.00	500g
58434 [513-77-9]	**Barium Carbonate extrapure AR, 99%**	750.00	500g
66323 [513-77-9]	**Barium Carbonate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%** meets compendial specs of BP, Ph.Eur	1120.00	500g
78118 [10326-27-9]	**Barium Chloride Dihydrate pure, 99%**	340.00 3120.00	500g 5kg
68554 [10326-27-9]	**Barium Chloride Dihydrate extrapure AR, 99%**	420.00 4050.00	500g 5kg
92996 [10326-27-9]	**Barium Chloride Dihydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%** meets compendial specs of USP, BP, Ph.Eur	470.00 4300.00	500g 5kg



code	product name	unit price ₹	packing
49669 [10294-40-3]	**Barium Chromate pure, 98%**	1620.00	500g
86732 [7787-32-8]	**Barium Fluoride pure, 97%**	1540.00	500g
85499 [12230-71-6]	**Barium Hydroxide Octahydrate pure, 98%**	330.00	500g
43469 [12230-71-6]	**Barium Hydroxide Octahydrate extrapure AR, 98%**	880.00	500g
84482 [12230-71-6]	**Barium Hydroxide Octahydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 98%** meets compendial specs of USP, BP, Ph.Eur	1020.00	500g
10290 [10022-31-8]	**Barium Nitrate extrapure, 98%**	440.00 4140.00	500g 5kg
88030 [10022-31-8]	**Barium Nitrate extrapure AR, ACS, 99%**	690.00	500g
80355 [7727-43-7]	**Barium Sulphate extrapure, 97%**	270.00 2400.00	500g 5kg
90115 [7727-43-7]	**Barium Sulphate extrapure AR, 98%**	540.00 5000.00	500g 5kg
40251 [7727-43-7]	**Barium Sulphate extrapure AR, ExiPlus, Multi-Compendial, 98%** meets compendial specs of Ph.Eur	600.00 5500.00	500g 5kg
24031 [8012-89-3]	**Bees Wax pure** Suitable for histology Saponification Value — 87-104	960.00	500g
82949	**Benedict's Reagent Quantitative**	330.00	500ml
35003	**Benedict's Reagent Qualitative**	220.00 550.00	500ml 2500ml
92118 [1302-78-9]	**Bentonite pure** (Aluminium Silicate Hydrate, Montmorillonite)	220.00 2080.00	500g 5kg
37278 [100-52-7]	**Benzaldehyde pure, 99%**	630.00 2580.00 20810.00	500ml 2500ml 25lit
34087 [100-52-7]	**Benzaldehyde extrapure AR, 99%**	780.00 2910.00	500ml 2500ml
82149 [100-52-7]	**Benzaldehyde extrapure AR, ExiPlus, Multi-Compendial, 99%** meets compendial specs of BP, Ph.Eur	1020.00 3390.00	500ml 2500ml
43648 [68391-01-5]	**Benzalkonium Chloride (BKC), 50% solution in water** (Alkylbenzyldimethylammonium chloride)	480.00 3450.00	500ml 5 ltr
87688 [55-21-0]	**Benzamide pure, 98%**	360.00 1520.00	100g 500g
99515 [71-43-2]	**Benzene extrapure, 99%** (Sulphur free)	310.00 1200.00 11450.00	500ml 2500ml 25lit
16410 [71-43-2]	**Benzene extrapure AR, 99.7%**	350.00 1240.00	500ml 2500ml
58857 [71-43-2]	**Benzene extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.7%** meets compendial specs of USP, BP, Ph.Eur	360.00 1310.00	500ml 2500ml

code	product name	unit price ₹	packing
95582 [71-43-2]	**Benzene GC-HS, 99.9%** for OVI & residual solvent analysis	650.00 1040.00	500ml 1000ml
36823 [71-43-2]	**Benzene for HPLC & UV Spectroscopy, 99.8%**	480.00 910.00	500ml 1000ml
68438 [71-43-2]	**Benzene scintillation grade, 99.9%**	360.00 550.00	500ml 1000ml
69981 [71-43-2]	**Benzene Dried, 99.7%, water 0.005%**	770.00	1000ml
31332 [1076-43-3]	**Benzene-d6 for NMR spectroscopy, 99.5 Atom %D**	8720.00	10ml
27094 [121-54-0]	**Benzethonium Chloride extrapure, 98%** (Hyamine 1622, (Diisobutylphenoxyethoxyethyl) dimethylbenzylammonium chloride, phemerol chloride)	1900.00 5050.00 9460.00	25g 100g 250g
36805 [65-85-0]	**Benzoic Acid pure, 99.5%**	430.00 3710.00	500g 5kg
64239 [65-85-0]	**Benzoic Acid extrapure AR, 99.9%**	680.00 5510.00	500g 5kg
10105 [65-85-0]	**Benzoic Acid extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.9%** meets compendial specs of BP	1020.00 6070.00	500g 5kg
56626 [93-97-0]	**Benzoic Anhydride pure, 98%**	1460.00 5100.00	100g 500g
56518 [119-53-9]	**Benzoin extrapure, 99%**	500.00 770.00	100g 250g
51448 [119-61-9]	**Benzophenone extrapure, 99%** (Diphenylketone)	1200.00	500g
42810 [119-61-9]	**Benzophenone ExiPlus, Multi-Compendial, 99%** (Diphenylketone) meets compendial specs of USP, BP, Ph.Eur	1400.00	500g
98101 [95-14-7]	**Benzotriazole pure, 97%**	500.00 1150.00 3930.00	100g 250g 1kg
92300 [100-51-6]	**Benzyl Alcohol extrapure, 99%,**	590.00 1120.00 2400.00 23000.00	500ml 1000ml 2500ml 25lit
97005 [100-51-6]	**Benzyl Alcohol extrapure AR, 99%**	660.00 1200.00 2800.00	500ml 1000ml 2500ml
84758 [100-51-6] ✔	**Benzyl Alcohol extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.7%, aldehyde 100ppm** meets compendial specs of USP, Ph.Eur	1040.00 4400.00	500ml 2500ml
84199 [120-51-4]	**Benzyl Benzoate pure, 99%**	670.00 2670.00	500ml 2500ml
28482 [100-44-7]	**Benzyl Chloride extrapure, 99%**	470.00 1890.00	500ml 2500ml
41322 [5892-10-4]	**Bismuth (III) Carbonate Basic pure, 80%** (Bismuth subcarbonate)	1130.00	100g
51451 [7787-60-2]	**Bismuth (III) Chloride pure, 99%** (Bismuth trichloride)	1870.00	100g

code	product name	unit price ₹	packing
82797 [99-26-3]	**Bismuth (III) Gallate Basic ExiPlus, Multi-Compendial, 52-57%** (Bismuth subgallate, Gallic acid bismuth basic salt)	1650.00 6660.00	100g 500g
80053 [7440-69-9]	**Bismuth Metal Lumps, 99.5%**	960.00 4200.00	100g 500g
24008 [7440-69-9]	**Bismuth Metal Ingots ultrapure, 99.99%**	2640.00 7200.00	10g 50g
72217 [7440-69-9]	**Bismuth Metal Powder extrapure, 99.5%, -325 mesh** arsenic free	1920.00	100g
29444	**Bismuth AAS Standard Solution in 0.5N HNO_3** contains 1000 mg Bi/lit (exact concentration on label)	2110.00	250ml
72918 [10035-06-0]	**Bismuth (III) Nitrate Pentahydrate extrapure, 98%** (Bismuth trinitrate pentahydrate)	700.00 3210.00	100g 500g
19737 [10035-06-0]	**Bismuth (III) Nitrate Pentahydrate extrapure AR, 98.5%** (Bismuth trinitrate pentahydrate)	780.00 3740.00	100g 500g
84869 [10035-06-0]	**Bismuth (III) Nitrate Pentahydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 98.5%** (Bismuth trinitrate pentahydrate) meets compendial specs of BP, Ph.Eur	890.00 4280.00	100g 500g
89049 [1304-76-3]	**Bismuth (III) Oxide extrapure, 99%** (Bismuth trioxide)	900.00 4200.00	100g 500g
32915 [1304-85-4]	**Bismuth (III) Nitrate Basic extrapure AR, 79%, BiNO3** (Bismuth (III) subnitrate, bismuth (III) oxynitrate)	1470.00 6150.00	100g 500g
18473 [7787-68-0]	**Bismuth (III) Sulphate pure, 90%** (Bismuth trisulphate)	1650.00 6400.00	100g 500g
17798 [108-19-0]	**Biuret extrapure AR, 97%** (Allophanic acid amide, Carbamoylurea)	1040.00 3770.00	25g 100g
56580 [1330-43-4]	**Sodium Tetraborate (Borax Anhydrous) extrapure AR, 99%** (Disodium tetraborate)	1350.00 3040.00 9910.00	100g 500g 2.5kg
38631 [1303-96-4]	**Sodium Tetraborate Decahydrate (Borax Decahydrate) extrapure, 99%** (Disodium tetraborate decahydrate)	210.00 2000.00	500g 5kg
19486 [1303-96-4]	**Sodium Tetraborate Decahydrate (Borax Decahydrate) extrapure AR, 99.5%** (Disodium tetraborate decahydrate)	350.00 3100.00	500g 5kg
77668 [1303-96-4]	**Sodium Tetraborate Decahydrate (Borax Decahydrate) extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%** (Disodium tetraborate decahydrate) meets compendial specs of BP, Ph.Eur	380.00 3300.00	500g 5kg
29701 [12179-04-3] **new**	**Sodium Tetraborate Pentahydrate (Borax Pentahydrate) extrapure AR, 99.5%** (Disodium tetraborate pentahydrate)	450.00 4200.00	500g 5kg

code	product name	unit price ₹	packing
18952 [10043-35-3]	**Boric Acid extrapure, 99.5%**	420.00 3900.00	500g 5kg
80266 [10043-35-3]	**Boric Acid extrapure AR, 99.5%**	550.00 4420.00	500g 5kg
61871 [10043-35-3]	**Boric Acid extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%** meets compendial specs of USP, BP	590.00 5460.00	500g 5kg
22311 [10043-35-3]	**Boric Acid for molecular biology, 99.5%** DNase, RNase, protease not detected	590.00 980.00 1820.00	250g 500g 1kg
64765	**Boron AAS Standard Solution in H_2O** contains 1000 mg/lit (exact concentration on label)	1780.00	250ml
52519 [109-63-7] 🌡	**Boron Trifluoride Diethyl Etherate pure, 45-50% BF3** (Boron trifluoride ethyl etherate)	1540.00 5750.00	500ml 2500ml
82076 ✔	**Bouins Picro Formal Fixing Solution (Bouins Fluid & Reagent)** (Histopathology fixative)	140.00 380.00	100ml 500ml
49617 [633-03-4]	**Brilliant Green** (CI No. 42040)	240.00 700.00 5990.00	25g 100g 1kg
74183	**Brilliant Yellow Indicator Papers** (1 book = 20 leaves, User friendly Smart Case)	360.00	10 books
93883 [9002-92-0]	**Brij-30®** (Polyethylene glycol dodecyl ether, brij-L4) A non-ionic detergent for use in various protein methods.	1520.00 2670.00	500ml 1000ml
89429 [9002-92-0]	**Brij-35® (Main Component)** (Polyoxyethylene lauryl ether, brij-L23, C12E23) A non-ionic detergent for use in various protein methods.	750.00 1300.00	250g 500g
97698 [9002-92-0]	**Brij-35® (30% Aq. solution)** (Polyoxyethylene lauryl ether, brij-L23, C12E23) A non-ionic detergent for use in various protein methods.	610.00 970.00	100ml 500ml
43808 [9004-95-9]	**Brij-58®** (Polyethylene glycol cetyl ether, cetomacrogol 1000, C16E20)	1460.00	500g
64062 [76-60-8]	**Bromocresol Green (BCG) extrapure AR**	220.00 760.00 3590.00	1g 5g 25g
52512 [76-60-8]	**Bromocresol Green (BCG) ACS, ExiPlus, Multi-Compendial** meets compendial specs of BP, Ph.Eur	820.00 3840.00	5g 25g
11456 [62625-32-5]	**Bromocresol Green Sodium Salt (water soluble) ACS** (3',3",5',5-Tetrabromo-m-cresolsulfonphthalein sodium salt) Dye Content — 90%	700.00 2940.00	5g 25g
17375 [115-40-2]	**Bromocresol Purple**	300.00 1020.00	5g 25g
24836 [62625-30-3]	**Bromocresol Purple Sodium Salt for molecular biology** (5,5-Dibromo-o-cresolsulfonphthalein sodium salt) Dye Content — 90%	300.00 750.00	5g 25g



code	product name	unit price ₹	packing
55551 [115-40-2]	**Bromocresol Purple ACS, ExiPlus, Multi-Compendial** meets compendial specs of BP, Ph.Eur	390.00 1150.00	5g 25g
77644 [75-25-2]	**Bromoform extrapure, 98%** (Tribromomethane)	8050.00	250ml
44669 [75-25-2]	**Bromoform Specially Purified extrapure, 99%** (Tribromomethane) for separation of minerals	8340.00	250ml
11458 [115-39-9]	**Bromophenol Blue extrapure AR**	220.00 810.00	5g 25g
93676 [115-39-9]	**Bromophenol Blue ACS, ExiPlus, Multi-Compendial** meets compendial specs of BP, Ph.Eur	280.00 980.00	5g 25g
42888 [16574-43-9]	**Bromopyrogallol Red extrapure AR** (Dibromopyrogallolsulfonphthaleine)	820.00 3200.00 6130.00	1g 5g 10g
48214 [76-59-5]	**Bromothymol Blue**	350.00 1330.00	5g 25g
72752 [76-59-5]	**Bromothymol Blue ACS, ExiPlus, Multi-Compendial** meets compendial specs of BP, Ph.Eur	400.00 1380.00	5g 25g
11902	**Bromothymol Blue Indicator Papers** (1 book = 20 leaves, User friendly Smart Case)	340.00	10 books
44798 [76-59-5]	**Bromothymol Blue Solution** for bacteriological culture media additive pH indicator	140.00 420.00	100ml 500ml
87767	**Buffer Capsules pH 4 (BC4)** Dissolve contents of 1 capsule in 100ml distilled water to prepare solution of pH 4 at 20°C	210.00	10caps
95323	**Buffer Capsules pH 6 (BC6)** Dissolve contents of 1 capsule in 100ml distilled water to prepare solution of pH 6 at 20°C	210.00	10caps
18533	**Buffer Capsules pH 7 (BC7)** Dissolve contents of 1 capsule in 100ml distilled water to prepare solution of pH 7 at 20°C	210.00	10caps
74399	**Buffer Capsules pH 9.2 (BC9.2)** Dissolve contents of 1 capsule in 100ml distilled water to prepare solution of pH 9.2 at 20°C	210.00	10caps
45899	**Buffer Solution pH 4 (BS4)**	350.00	500ml
97409	**Buffer Solution pH 7 (BS7)**	350.00	500ml
52031	**Buffer Solution pH 9.2 (BS9.2)**	350.00	500ml
74887 [2386-54-1]	**Butane Sulphonic Acid Sodium Salt Anhydrous for HPLC, 99%** ion pairing reagent for HPLC	570.00 1390.00 5280.00 11310.00	5g 25g 100g 250g
99919 [2386-54-1]	**Butane Sulphonic Acid Sodium Salt Monohydrate for HPLC, 99%** ion pairing reagent for HPLC	550.00 1330.00 5030.00 11120.00	5g 25g 100g 250g
28118 [123-86-4]	**Butyl Acetate pure, 99%**	460.00 1690.00 14510.00	500ml 2500ml 25lit

code	product name	unit price ₹	packing
80870 [123-86-4]	**Butyl Acetate extrapure AR, 99.5%**	660.00 2610.00	500ml 2500ml
30389 [123-86-4]	**Butyl Acetate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%** meets compendial specs of USP, BP, Ph.Eur	730.00 2970.00	500ml 2500ml
78487 [123-86-4]	**Butyl Acetate GC-HS, 99.9%** for OVI & residual solvent analysis	950.00 1590.00 2890.00	250ml 500ml 1000ml
47364 [141-32-2]	**n-Butyl Acrylate pure, 99%**	640.00 2670.00	500ml 2500ml
19147 [71-36-3]	**n-Butyl Alcohol pure, 99%** (1-Butanol, n-butanol)	400.00 1750.00 15810.00	500ml 2500ml 25lit
72768 [71-36-3]	**n-Butyl Alcohol extrapure AR, 99.5%** (1-Butanol, n-butanol)	470.00 1860.00	500ml 2500ml
15612 [71-36-3]	**n-Butyl Alcohol extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%** (1-Butanol, n-butanol) meets compendial specs of BP, Ph.Eur	520.00 1970.00	500ml 2500ml
83903 [71-36-3]	**N-Butyl Alcohol GC-HS, 99.9%** for OVI & residual solvent analysis (1-Butanol, n-butanol)	630.00 1970.00	250ml 1000ml
43706 [71-36-3]	**n-Butyl Alcohol for HPLC & UV Spectroscopy, 99.9%** (1-Butanol, n-butanol)	770.00 1370.00	500ml 1000ml
95725 [78-92-2]	**sec-Butyl Alcohol extrapure, 99%** (2-Butanol, sec-butanol)	450.00 1750.00 16350.00	500ml 2500ml 25lit
58308 [78-92-2]	**sec-Butyl Alcohol extrapure AR, 99.5%** (2-Butanol, sec-butanol)	500.00 1970.00	500ml 2500ml
99336 [78-92-2]	**sec-Butyl Alcohol extrapure AR, ExiPlus, Multi-Compendial, 99.5%** (2-Butanol, sec-butanol) meets compendial specs of BP, Ph.Eur	550.00 2180.00	500ml 2500ml
21835 [75-65-0]	**tert-Butyl Alcohol extrapure, 99%** (2-Methyl-2-propanol trimethyl carbinol)	400.00 1530.00 14720.00	500ml 2500ml 25lit
70816 [75-65-0]	**tert-Butyl Alcohol extrapure AR, 99.5%** (2-Methyl-2-propanol, trimethylcarbinol)	420.00 1750.00	500ml 2500ml
41609 [75-65-0]	**tert-Butyl Alcohol extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%** (2-Methyl-2-propanol, trimethylcarbinol) meets compendial specs of USP	440.00 1910.00	500ml 2500ml
90248 [75-65-0]	**tert-Butyl Alcohol for HPLC, 99.7%**	1860.00	1000ml
76035 [109-73-9]	**n-Butylamine pure, 99%**	550.00 2460.00	500ml 2500ml
54997 [109-73-9]	**n-Butylamine extrapure AR, 99%**	680.00	500ml

Storage : ♦ -20°C • 0-4°C 🌡 2-8°C ✔ 8-25°C

code	product name	unit price ₹	packing
12302 [75-64-9]	**tert-Butylamine pure, 99%**	710.00 3380.00	500ml 2500ml
55005 [75-64-9]	**tert-Butylamine extrapure AR, 99.5%**	820.00	500ml
60004 [25013-16-5] ✔	**Butylated Hydroxyanisole (BHA) ExiPlus, Multi-Compendial, 98%** (2-tert-butyl-4-methoxyphenol) meets compendial specs of USP, BP	850.00 2620.00	100g 500g
38033 [128-37-0]	**Butylated Hydroxytoluene (BHT) pure, 99%** (2,6-di-tert-butyl-p-cresol)	930.00 8940.00	500g 5kg
82010 [128-37-0]	**Butylated Hydroxytoluene (BHT) ExiPlus, Multi-Compendial, 99%** (2,6-di-tert-butyl-p-cresol) meets compendial specs of BP	1010.00 9810.00	500g 5kg
32701 [1948-33-0]	**tert-Butyl Hydroquinone (TBHQ) extrapure AR, 98%**	1370.00 13080.00	250g 2.5kg
79927 [1634-04-4]	**tert-Butyl Methyl Ether pure, 98%**	500.00 2000.00	500ml 2500ml
19465 [1634-04-4]	**tert-Butyl Methyl Ether extrapure AR, 99.5%**	650.00 2820.00	500ml 2500ml
65701 [1634-04-4]	**tert-Butyl Methyl Ether extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%** meets compendial specs of USP	810.00 3120.00	500ml 2500ml
91087 [1634-04-4]	**tert-Butyl Methyl Ether for HPLC, 99.5%**	1750.00 3600.00	1000ml 2500ml
81503 [107-92-6]	**n-Butyric Acid extrapure, 99%**	480.00 1970.00	500ml 2500ml
55964 [107-92-6]	**n-Butyric Acid extrapure AR, 99.5%**	320.00 990.00	250ml 1000ml
82749 [5743-04-4]	**Cadmium Acetate Dihydrate pure, 98%**	1590.00	500g
84627 [5743-04-4]	**Cadmium Acetate Dihydrate extrapure AR, 99%**	530.00 1980.00	100g 500g
98469	**Cadmium AAS Standard Solution in 0.5N HNO_3** contains 1000 mg/lit (exact concentration on label)	2360.00	250ml
25442 [513-78-0]	**Cadmium Carbonate pure, 97%**	470.00 1970.00	100g 500g
15411 [10108-64-2]	**Cadmium Chloride Dried Anhydrous pure, 97%**	2000.00 8120.00	100g 500g
99643 [10108-64-2]	**Cadmium Chloride Dried Anhydrous ACS, 99%**	2380.00 9500.00	100g 500g
48076 [35658-65-2]	**Cadmium Chloride Monohydrate pure, 99%**	510.00 2280.00	100g 500g
87355 [7790-80-9]	**Cadmium Iodide pure, 99%**	920.00 2990.00	25g 100g
48392 [7440-43-9]	**Cadmium Metal Lumps, 99%**	480.00	100g
85545 [7440-43-9]	**Cadmium Metal Powder extrapure, 99.5%, -200 mesh**	1800.00 6240.00	25g 100g

code	product name	unit price ₹	packing
70434 [10022-68-1]	**Cadmium Nitrate Tetrahydrate extrapure AR, ACS, 99%**	1320.00	500g
29996 [1306-19-0]	**Cadmium Oxide pure, 99%**	460.00 1080.00 2040.00	25g 100g 500g
39818 [1306-19-0]	**Cadmium Oxide extrapure AR, 99.7%**	780.00 1680.00	100g 250g
15806 [7790-84-3]	**Cadmium Sulphate 8/3 Hydrate pure, 98%**	580.00 1480.00	100g 500g
43019 [7790-84-3]	**Cadmium Sulphate 8/3 Hydrate ACS, 98%**	660.00 2280.00	100g 500g
98002 [1306-23-6]	**Cadmium Sulphide Orange extrapure, 99%**	900.00 2280.00	100g 500g
22905 [1306-23-6]	**Cadmium Sulphide Orange ultrapure, 99.995%**	6000.00 12120.00	5g 25g
19267 [58-08-2]	**Caffeine Anhydrous pure, 98%**	1310.00 3220.00 6110.00	100g 250g 500g
47633 [58-08-2]	**Caffeine Anhydrous ExiPlus, Multi-Compendial, 98.5%** meets compendial specs of BP, USP, Ph.Eur	1420.00 3440.00	100g 250g
44509 [8011-96-9]	**Calamine pure, 98%**	650.00 1230.00	500g 1kg
28162 [8011-96-9]	**Calamine ExiPlus, Multi-Compendial, 98%** meets compendial specs of BP, USP	910.00	500g
70214 [5743-26-0]	**Calcium Acetate Monohydrate extrapure AR, 99%**	960.00	500g
21606 [5743-26-0]	**Calcium Acetate Monohydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%** meets compendial specs of USP	1180.00	500g
58056 [114460-21-8]	**Calcium Acetate Hydrate extrapure AR, 99%**	530.00 4580.00	500g 5kg
60934 [114460-21-8]	**Calcium Acetate Hydrate ultrapure, 99.9965%**	3600.00 11010.00	5g 100g
96493 [9005-35-0]	**Calcium Alginate ex. Brown Algae pure, 18% Ash, 15% moisture** (Alginic Acid Calcium Salt)	660.00 1970.00	100g 500g
36920	**Calcium AAS Standard Solution in 0.5N HNO_3** contains 1000 mg/lit (exact concentration on label)	2080.00	250ml
67162 [471-34-1]	**Calcium Carbonate extrapure 98%**	200.00 1460.00	500g 5kg
87293 [471-34-1]	**Calcium Carbonate extrapure AR, 99%**	250.00 1690.00 7020.00	500g 5kg 25kg
37683 [471-34-1]	**Calcium Carbonate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%** meets compendial specs of USP, BP	500.00 3930.00	500g 5kg



code	product name	unit price ₹	packing
70650 [10035-04-8]	**Calcium Chloride Dihydrate extrapure AR, 99.5%**	360.00	500g
31944 [10035-04-8]	**Calcium Chloride Dihydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%** meets compendial specs of USP, BP	560.00	500g
56949 [10035-04-8]	**Calcium Chloride Dihydrate for tissue culture, 99.5%**	990.00	500g
97080 [10035-04-8]	**Calcium Chloride Dihydrate for molecular biology, 99.5%** DNase, RNase, protease not detected	310.00 1420.00	100g 500g
84336 [10043-52-4]	**Calcium Chloride Fused pure, 90%-95%**	210.00 1500.00	500g 5kg
77838 [5785-44-4]	**Calcium Citrate Tribasic Tetrahydrate pure, 98%**	550.00	500g
97388 [5785-44-4]	**Calcium Citrate Tribasic Tetrahydrate ExiPlus, Multi-Compendial, 98%** meets compendial specs of USP	620.00	500g
57055 [7789-75-5]	**Calcium Fluoride extrapure, 97%** (Fluorite, Fluorospar)	310.00 1140.00	100g 500g
52434 [544-17-2]	**Calcium Formate pure, 98%** (Formic acid calcium salt)	570.00	500g
85610 [1305-62-0]	**Calcium Hydroxide extrapure AR, 96%**	530.00 4150.00	500g 5kg
74471 [1305-62-0]	**Calcium Hydroxide extrapure AR, ACS, ExiPlus, Multi-Compendial, 96%** meets compendial specs of USP, BP, Ph.Eur	750.00 5560.00	500g 5kg
31549 [7789-80-2]	**Calcium Iodate Anhydrous (Lautarite) pure, 98%**	1900.00 4030.00	100g 250g
56571 [71626-98-7]	**Calcium Iodide Hydrate pure, 98%**	3200.00 8300.00	25g 100g
94212 [10102-68-8]	**Calcium Iodide Tetrahydrate pure, 98%**	3560.00 4740.00	10g 25g
96342 [7440-70-2]	**Calcium Metal Granular (10-20mesh) extrapure, 98%**	550.00 2400.00	100g 500g
79225 [13477-34-4]	**Calcium Nitrate Tetrahydrate extrapure AR, ACS, 99%**	310.00	500g
16807 [1305-78-8]	**Calcium Oxide Powder pure, 95%**	240.00 1690.00	500g 5kg
51007 [10031-30-8]	**Calcium Phosphate Monobasic Monohydrate extrapure, 95%** (Calcium tetrahydrogen diorthophosphate monohydrate)	690.00	500g
34878 [7758-87-4]	**Calcium Phosphate Tribasic, 90%** (Tricalcium phosphate)	530.00 4950.00	500g 5kg
59781 [4075-81-4]	**Calcium Propionate pure, 97%**	490.00	500g
94044 [10101-41-4]	**Calcium Sulphate Dihydrate pure, 98%**	310.00	500g
12955 [10101-41-4]	**Calcium Sulphate Dihydrate extrapure AR, 99%**	Discontinued	
69095 [10101-41-4]	**Calcium Sulphate Dihydrate extrapure AR, ACS, 99%**	440.00	500g
64813 [76-22-2]	**Camphor pure, 96%**	560.00 2730.00	100g 500g
23764 [334-48-5]	**Capric Acid pure, 99%**	880.00 4120.00	500ml 2500ml
51840 [110-42-9]	**Capric Acid Methyl Ester (Methyl Decanoate) extrapure, 99%** (Methyl caprate)	1820.00 5830.00	250ml 1000ml
89028 [142-62-1]	**Caproic Acid extrapure, 99%** (n-Hexanoic acid)	420.00 1240.00 5210.00	100ml 500ml 2500ml
88889 [124-07-2]	**Caprylic Acid pure, 99%**	1300.00 6050.00	500ml 2500ml
	Caprylic Acid Sodium Salt – see Sodium Caprylate		
15343 [67-56-1]	**Carbinol pure, 99%**	250.00 670.00 5750.00	500ml 2500ml 25lit
82911 [67-56-1]	**Carbinol extrapure AR, 99.8%** (Acetone free)	270.00 520.00 730.00	500ml 1000ml 2500ml
85902 [67-56-1]	**Carbinol GC-HS, 99.9%** for OVI & residual solvent analysis	730.00 1400.00	500ml 1000ml
63713 [67-56-1]	**Carbinol for HPLC & UV Spectroscopy, 99.8%**	370.00 500.00 970.00	500ml 1000ml 2500ml
68990 [67-56-1]	**Carbinol electronic grade, 99.8%**	1190.00	2500ml
12903 [67-56-1]	**Carbinol Dried extrapure AR, 99.8%, water 0.02%**	360.00 500.00	500ml 1000ml
34883 [67-56-1]	**Carbinol for molecular biology, 99.5%**	910.00 1640.00 3510.00	500ml 1000ml 2500ml
39058 [4197-24-4]	**Carbol Fuchsin**	380.00 1020.00	25g 100g
93049 [9003-01-4]	**Carbopol 934 (Carboxy Vinyl Polymer 934) extrapure**	1530.00 2840.00	500g 1kg
51159 [9003-01-4]	**Carbopol 940 (Carboxy Vinyl Polymer 940) extrapure**	1530.00 2840.00	500g 1kg
93797 [9004-32-4]	**Carboxy Methyl Cellulose Sodium Salt, (Medium Viscosity 250-350 CPS)** (Carmellose Sodium)	980.00	500g
59938 [9004-32-4]	**Carboxy Methyl Cellulose Sodium Salt, (High Viscosity 400-800 CPS)** (Carmellose Sodium)	980.00	500g
35298 [9004-32-4]	**Carboxy Methyl Cellulose Sodium Salt, (High Viscosity 1100-1900 CPS)** (Carmellose Sodium)	980.00	500g

code	product name	unit price ₹	packing
97048 [1390-65-4]	**Carmine** (C.I.No. 75470)	750.00 3530.00	5g 25g
32385 [11114-20-8] **new**	**Carrageenan (Kappa) Refined ex. Eucheuma Cottonii** (k-Carrageenan, Irish moss)	1300.00 2600.00 8100.00	25g 100g 500g
16145 [8001-79-4]	**Castor Oil pure** Saponification Range - 176-187	590.00 2570.00	500ml 2500ml
26080 [120-80-9]	**Catechol extrapure, 99%** (Pyrocatechol, 1,2-dihydroxybenzene)	450.00 1080.00	100g 500g
31018 [8000-27-9]	**Cedarwood Oil Natural for microscopy** (Cedar Oil, Immersion Oil Natural, Juniperus Virginiana)	730.00 1980.00 3950.00	30ml 125ml 500ml
60705 [1562-90-9]	**Celestine Blue, 98%-102%** (C.I. No. 51050)	3150.00	5g
82523 [91053-39-3]	**Celite 545, size 20-40 micrometer** (filter aid)	500.00 940.00	500g 1kg
23505 [1306-38-3]	**Ceric Oxide extrapure AR, 99.9%** (Cerium (IV) oxide)	1480.00 6150.00	100g 500g
80983 [13590-82-4]	**Ceric Sulphate Anhydrous extrapure AR, 98%** (Ceric (IV) sulfate, cerium disulfate)		Discontiued
92425 [10294-42-5]	**Ceric Sulphate Tetrahydrate extrapure AR, 80%** (Ceric (IV) sulfate tetrahydrate, Cerium disulfate tetrahydrate)	770.00 2300.00 9200.00	25g 100g 500g
61414 [13590-82-4]	**Ceric Sulphate 0.1N Solution**	620.00	500ml
66676 [18618-55-8]	**Cerous Chloride Heptahydrate extrapure AR, 99%** (Cerium (III) chloride heptahydrate)	690.00 1960.00 5870.00	25g 100g 500g
57320 [10294-41-4]	**Cerous Nitrate Hexahydrate extrapure AR, 99.9%** (Cerium (III) nitrate hexahydrate, cerium trinitrate hexahydrate)	1400.00 5290.00	100g 500g
81586 [1119-97-7]	**Cetrimide extrapure AR, 99%** (Tetradecyltrimethyl ammonium bromide)	750.00 2490.00 22430.00	100g 500g 5kg
33001 [8005-44-5]	**Cetostearyl Alcohol pure** Saponification Value - max 2.0	820.00 8000.00	500g 5kg
40629 [36653-82-4]	**Cetyl Alcohol pure, 97%** (1-Hexadecanol)	580.00 5450.00	500g 5kg
83438 [7440-44-0]	**Charcoal Activated (280) (Acid Washed) extrapure AR, ACS, ExiPlus Multi-Compendial,** (Activated carbon) Suitable for soil testing meets compendial specs of USP, BP, Ph.Eur MB Value — min.280	240.00 510.00 4360.00	100g 500g 5kg
55192 [7440-44-0]	**Charcoal Activated (400) (Acid Washed) Superior extrapure AR** (Activated carbon) Acid Washed, MB Value — min.400	280.00 770.00 6540.00	100g 500g 5kg
48088 [7440-44-0]	**Charcoal Activated (950) Granular extrapure** (Activated carbon) Mesh Iodine Value — min.950	550.00 4910.00	500g 5kg
84795	**Chlorine Test Indicator Papers** (1 book = 20 leaves, User friendly Smart Case)	390.00	10 books
64905 [7080-50-4]	**Chloramine-T Trihydrate extrapure AR, 98%** (N-Chloro-p-toluenesulphonamide sodium salt)	660.00 1420.00 2620.00	100g 250g 500g
29611 [95-51-2]	**o-Chloroaniline extrapure, 99%** (2-Chloroaniline)	710.00 3400.00	500ml 2500ml
89370 [108-90-7]	**Chlorobenzene extrapure, 99%**	400.00 1540.00 11360.00	500ml 2500ml 25lit
46364 [108-90-7]	**Chlorobenzene extrapure AR, 99.5%**	240.00 730.00 1640.00	250ml 1000ml 2500ml
10124 [108-90-7]	**Chlorobenzene extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%** meets compendial specs of USP, BP	540.00 2060.00	500ml 2500ml
35680 [3114-55-4]	**Chlorobenzene-d5 for NMR spectroscopy, 99 Atom %D**	7190.00 22460.00	1ml 5ml
33023 [59-50-7]	**p-Chloro-m-Cresol (PCMC)pure, 98%** (4-Chloro-3-methylphenol)	1090.00 1820.00	250g 500g
80908 [88-04-0]	**4-Chloro-3,5-Dimethylphenol (PCMX) extrapure, 99%** (4-Chloro-3,5-xylenol, Chloroxylenol, p-Chloro-m-Xylenol)	880.00 3060.00	100g 500g
96712 [67-66-3]	**Chloroform extrapure, 99%**	300.00 1090.00 10900.00	500ml 2500ml 25lit
84155 [67-66-3]	**Chloroform extrapure AR, 99.5%** (Stabilized with ethanol)	380.00 1310.00	500ml 2500ml
32022 [67-66-3]	**Chloroform extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.8%** (Stabilized with ethanol) meets compendial specs of USP, BP, Ph.Eur	460.00 1480.00	500ml 2500ml
96764 [67-66-3]	**Chloroform for molecular biology, 99.8%**	480.00 2060.00	100ml 500ml
30792 [67-66-3]	**Chloroform for HPLC & UV spectroscopy, 99.8%**	470.00 790.00 1530.00	500ml 1000ml 2500ml
14423 [67-66-3]	**Chloroform GC-HS, 99.9%** for OVI & residual solvent analysis	610.00 1040.00 1960.00	250ml 500ml 1000ml
51126 [67-66-3]	**Chloroform Dried, 99.5%, water 0.005%** (Stabilized with ethanol)	500.00 970.00 2180.00	500ml 1000ml 2500ml



code	product name	unit price ₹	packing
90603 [865-49-6] 🌡	**Chloroform-d (w/o TMS, Stab w/ Ag) for NMR spectroscopy, 99.8 Atom %D** Stabilized with silver wire/foil (100ml~150gm) Assay — min.99.8 Atom% D, Water — max.0.01%	6540.00	100ml
20996 [865-49-6] 🌡	**Chloroform-d (with 1% TMS, Stab w/ Ag) for NMR spectroscopy, 99.8 Atom %D** Stabilized with silver wire/foil (100ml~150gm) Assay — min.99.8% Atom% D	7090.00	100ml
57034 [865-49-6] 🌡	**Chloroform-d (with 0.03% TMS, Stab w/ Ag) for NMR spectroscopy, 99.8 Atom %D** (100ml~150gm) Assay — min.99.8% Atom% D	6870.00	100ml
39657 [937-14-4]	**3-Chloroperoxybenzoic Acid (mCPBA) pure, 55-75%** (3-Chloroperbenzoic acid, m-chloroperoxybenzoic acid)	580.00 1940.00 7620.00	25g 100g 500g
Used as an oxidant in organic synthesis. mCPBA is often preferred to other peroxy acids because of its relative ease of handling.			
59271 [128-09-6]	**N-Chlorosuccinimide extrapure, 98%**	670.00 1280.00 4260.00	100g 250g 1kg
47048 [1667-99-8]	**Chromeazurol S (Chromazurol S)** (C.I. No. 43825) (Mordant blue 29) Metal (pM) Indicator for determination of flouride	1460.00 2470.00	10g 25g
86183	**Chromium AAS Standard Solution in 0.5N HNO_3** contains 1000 mg/lit (exact concentration on label)	2260.00	250ml
72232 [10060-12-5]	**Chromium (III) Chloride Hexahydrate extrapure AR, 98%** (Chromic chloride hexahydrate, Chromium trichloride hexahydrate)	1120.00	500g
74767 [7789-02-8]	**Chromium (III) Nitrate Nonahydrate pure, 96-98%** (Chromic nitrate nonahydrate)	1470.00	500g
21295 [39380-78-4]	**Chromium (III) Sulphate Basic extrapure, 22.5% Cr** (Chromosal B, Basic chromic sulphate)	550.00 2560.00	500g 2.5kg
57555 [7440-47-3]	**Chromium Powder, 99%, ~100 mesh**	1100.00 5000.00	100g 500g
21817 [1333-82-0]	**Chromium (VI) Oxide pure, 99%** (Chromic acid, chromic anhydride, chromium trioxide)	920.00 1800.00	500g 1kg
61365 [1333-82-0]	**Chromium (VI) Oxide ACS, ExiPlus, Multi-Compendial, 99%** (Chromic acid, chromic anhydride, chromium trioxide) meets compendial specs of USP, Ph.Eur	1050.00 1920.00	500g 1kg
36505 [4438-16-8]	**Chrysoidine R** (Basic orange 1, methylchrysoidine)	210.00 590.00	25g 100g
31126 [532-82-1]	**Chrysoidine Y** (C.I. No. 11270) (4-Phenylazo-m-phenylenediamine monohydrochloride, basic orange 2, chrysoidine G)	210.00 590.00	25g 100g
29955 [140-10-3]	**Cinnamic Acid extrapure, 99%**	870.00 3150.00	250g 1kg
23277 [140-10-3]	**Cinnamic Acid ExiPlus, Multi-Compendial, 99%** meets compendial specs of BP, Ph.Eur	1940.00	250g
78213 [77-92-9]	**Citric Acid Anhydrous extrapure, 99%**	510.00 4910.00	500g 5kg
16842 [77-92-9]	**Citric Acid Anhydrous extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%** meets compendial specs of BP, Ph.Eur, USP	530.00 5180.00	500g 5kg
36890 [77-92-9]	**Citric Acid Anhydrous for tissue culture, 99%**	600.00 5670.00	500g 5kg
49897 [5949-29-1]	**Citric Acid Monohydrate extrapure, 99.5%**	430.00 4150.00	500g 5kg
43667 [5949-29-1]	**Citric Acid Monohydrate extrapure AR, 99.7%**	450.00 4260.00	500g 5kg
53884 [5949-29-1]	**Citric Acid Monohydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.7%** meets compendial specs of BP, Ph.Eur, USP	500.00 4710.00	500g 5kg
49393 [6147-53-1]	**Cobalt (II) Acetate Tetrahydrate extrapure AR, 99%** (Cobaltous acetate tetrahydrate)	1560.00 3600.00 6960.00	100g 250g 500g
75141 [6147-53-1]	**Cobalt (II) Acetate Tetrahydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%** (Cobaltous acetate tetrahydrate) meets compendial specs of BP	1680.00 3780.00 7320.00	100g 250g 500g
66112	**Cobalt AAS Standard Solution in 0.5N HCl** contains 1000 mg/lit (exact concentration on label)	2810.00	250ml
37917 [12602-23-2]	**Cobalt (II) Carbonate pure, 40-50% Co** (Cobaltous carbonate)	2340.00 5580.00 10800.00	100g 250g 500g
99412 [7791-13-1]	**Cobalt (II) Chloride Hexahydrate pure, 99%** (Cobaltous chloride hexahydrate)	1080.00 5040.00	100g 500g
36018 [7791-13-1]	**Cobalt (II) Chloride Hexahydrate extrapure AR, 99%** (Cobaltous chloride hexahydrate) reagent for Zn and plant tissue culture	1140.00 5280.00	100g 500g
88282 [7791-13-1]	**Cobalt (II) Chloride Hexahydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%** (Cobaltous chloride hexahydrate) meets compendial specs of USP, BP, Ph.Eur reagent for Zn and plant tissue culture	1260.00 5460.00	100g 500g
14386 [7440-48-4]	**Cobalt Metal Powder, 99.5%, -325mesh**	4200.00 10080.00	100g 250g

code	product name	unit price ₹	packing
14941 [10026-22-9]	**Cobalt (II) Nitrate Hexahydrate extrapure, 97%** (Cobaltous nitrate hexahydrate)	960.00 4080.00	100g 500g
85942 [10026-22-9]	**Cobalt (II) Nitrate Hexahydrate extrapure AR, ACS, 99%** (Cobaltous nitrate hexahydrate)	1140.00 2520.00 4560.00	100g 250g 500g
21722 [1308-06-1]	**Cobalt (II,III) Oxide pure, 99%** (Tricobalt tetraoxide)	3300.00 7560.00 14640.00	100g 250g 500g
25710 [10026-24-1]	**Cobalt (II) Sulphate Heptahydrate pure, 98%** (Cobaltous sulphate heptahydrate)	900.00 3840.00	100g 500g
42752 [10026-24-1]	**Cobalt (II) Sulphate Heptahydrate extrapure AR, 99%** (Cobaltous sulphate heptahydrate)	960.00 4080.00	100g 500g
	'Cocktails' For Scintillation		
46069	**Cocktail 'O' scintillation grade** contents per litre: 6g PPO and 0.2g POPOP in toluene	910.00 1820.00	1000ml 2500ml
48656	**Cocktail 'T' scintillation grade** contents per litre: 5g PPO and 0.15g POPOP in toluene and Triton X-100	850.00 1760.00	1000ml 2500ml
38087	**Cocktail 'W' scintillation grade** contents per litre: 10g PPO, 0.25g POPOP and 100g naphthalene in 1,4-dioxan	1860.00 4340.00	1000ml 2500ml
36672	**Collodion Flexible pure** Refractive Index (20°C) — 1.339	2020.00	500ml
54494	**Congo Red Indicator Papers** (1 book = 20 leaves, User friendly Smart Case)	330.00	10 books
57380	**Copper AAS Standard Solution in 1N HNO_3** contains 1000 mg/lit (exact concentration on label)	2040.00	250ml
72033 [7440-50-8]	**Copper Metal powder extrapure, 99.5%, -200 mesh** (electrolytic)	2180.00	500g
42577 [7440-50-8]	**Copper Metal Turnings, 99.5%, 40-100 mesh**	600.00 2500.00	100g 500g
28007 [95-48-7]	**o-Cresol pure, 98%**	670.00 3160.00	500ml 2500ml
77744 [108-39-4]	**m-Cresol pure, 98%** (3-Methylphenol)	2080.00 9810.00	500ml 2500ml
48620 [108-39-4]	**m-Cresol extrapure AR, 99%** for spectral analysis (3-Methylphenol)	2290.00	500ml
63997 [106-44-5]	**p-Cresol pure, 98.5%**	1070.00	500ml
89599 [1733-12-6]	**Cresol Red**	230.00 690.00	5g 25g
21442 [10510-54-0]	**Cresyl Violet Acetate, 70%** Dye Content — 70%	680.00 2570.00	1g 5g

code	product name	unit price ₹	packing
28376 [548-62-9]	**Crystal Violet** (Gention violet, methyl violet 10B) (CI No. 42555)	660.00 2510.00 11990.00	25g 100g 500g
17610 [548-62-9]	**Crystal Violet ACS, ExiPlus, Multi-Compendial** (Gention violet, methyl violet 10B) (CI No. 42555) meets compendial specs of BP, Ph.Eur	770.00 2840.00 13630.00	25g 100g 500g
94666 [17455-13-9]	**18-Crown-6-Ether pure, 99%**	340.00 990.00 3220.00 14840.00	10g 25g 100g 500g
74472 [8014-13-9]	**Cumin Seed Oil extrapure, aldehyde, 28%** Aldehyde content — 28% (after fraction blend)	3230.00 14910.00	100ml 500ml
87431 [6046-93-1]	**Cupric Acetate Monohydrate pure, 98%** (Copper (II) acetate monohydrate)	1590.00	500g
67912 [6046-93-1]	**Cupric Acetate Monohydrate extrapure AR, 99%** (Copper (II) acetate monohydrate)	1370.00	250g
57060 [6046-93-1]	**Cupric Acetate Monohydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%** (Copper (II) acetate monohydrate) meets compendial specs of BP, Ph.Eur	1890.00	250g
11204 [7789-45-9]	**Cupric Bromide pure, 99%** (Copper (II) bromide)	1380.00 5870.00	100g 500g
13945 [12069-69-1]	**Cupric Carbonate Basic pure, 95%** (Copper (II) carbonate basic, copper (II) hydroxide carbonate)	1560.00	500g
92315 [7447-39-4]	**Cupric Chloride pure, 98%** (Copper (II) chloride)	1440.00	500g
89797 [10125-13-0]	**Cupric Chloride Dihydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%** (Copper (II) chloride dihydrate) meets compendial specs of UPS, BP, Ph.Eur	1220.00	500g
92272 [10125-13-0]	**Cupric Chloride 0.3M Solution**	730.00 1330.00	500ml 1000ml
87367 [10031-43-3]	**Cupric Nitrate Trihydrate extrapure, 98%** (Copper (II) nitrate trihydrate)	560.00 1070.00	250g 500g
46704 [10031-43-3]	**Cupric Nitrate Trihydrate extrapure AR, ACS, 99.5%** (Copper (II) nitrate trihydrate)	1220.00	500g
51120 [1317-38-0]	**Cupric Oxide pure, 79% Cu** (Copper (II) oxide)	420.00 1700.00 16000.00	100g 500g 5kg
38869 [7758-99-8]	**Cupric Sulphate Pentahydrate pure, 99%** (Copper (II) sulphate pentahydrate)	760.00 7440.00	500g 5kg
61298 [7758-99-8]	**Cupric Sulphate Pentahydrate extrapure AR, 99.5%** (Copper (II) sulphate pentahydrate)	840.00 7680.00	500g 5kg
71244 [7758-99-8]	**Cupric Sulphate Pentahydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%** (Copper (II) sulphate pentahydrate) meets compendial specs of BP, Ph.Eur	960.00 8740.00	500g 5kg



code	product name	unit price ₹	packing
90445 [7758-99-8]	**Cupric Sulphate 0.1M Solution**	530.00	1000ml
29497 [7787-70-4]	**Cuprous Bromide pure, 98.5%** (Copper (I) Bromide)	750.00 2190.00	100g 500g
26375 [7758-89-6]	**Cuprous Chloride pure, 96%** (Copper (I) chloride, copper monochloride	1330.00	500g
93095 [7681-65-4]	**Cuprous Iodide extrapure AR, 99%** Copper (I) Iodide)	2200.00 10310.00	100g 500g
83086 [1317-39-1]	**Cuprous Oxide pure, 86% Cu** (Copper (I) oxide)	660.00 2520.00	100g 500g
97461 [458-37-7]	**Curcumin (Turmeric Yellow)** (C.I. No. 75300)	660.00 1200.00	5g 10g
20259 [110-82-7]	**Cyclohexane extrapure, 99%**	390.00 1420.00 13080.00	500ml 2500ml 25lit
46616 [110-82-7]	**Cyclohexane extrapure AR, 99.5%**	440.00 1620.00	500ml 2500ml
23292 [110-82-7]	**Cyclohexane GC-HS, 99.9%** for OVI & residual solvent analysis	420.00 1200.00	250ml 1000ml
46300 [110-82-7]	**Cyclohexane for HPLC & UV Spectroscopy, 99.9%**	550.00 880.00 1860.00	500ml 1000ml 2500ml
92604 [110-82-7]	**Cyclohexane Dried, 99.5%, water 0.005%**	480.00 930.00	500ml 1000ml
34781 [110-82-7]	**Cyclohexane extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%** meets compendial specs of USP, BP, Ph.Eur	550.00 1750.00	500ml 2500ml
31726 [108-94-1]	**Cyclohexanone extrapure, 99%**	440.00 1970.00	500ml 2500ml
89635 [108-94-1]	**Cyclohexanone extrapure AR, 99.5%**	590.00 2400.00	500ml 2500ml
12183 [108-91-8]	**Cyclohexylamine pure, 99%** (Aminocyclohexane)	500.00 820.00	500ml 1000ml
45658 [108-91-8]	**Cyclohexylamine extrapure AR, 99.5%** (Aminocyclohexane)	270.00 490.00	250ml 500ml
85606 [91771-62-9]	**Cypriol Oil extrapure, 99%** (Cyperus Root Oil (cyperus scariosus), Nagarmotha Oil)	8720.00 43600.00	100ml 500ml
95322 [52-90-4]	**L-Cysteine extrapure CHR, 99%** for biochemistry	410.00 1360.00 6110.00 37870.00	25g 100g 500g 5kg
69029 [7048-04-6]	**L-Cysteine Hydrochloride Monohydrate, ExiPlus, Multi-Compendial, 99%** for biochemistry meets compendial specs of USP	260.00 880.00 3570.00 5990.00	25g 100g 500g 1kg
25961 [52-90-4]	**L-Cysteine for tissue culture, 99%**	660.00 1290.00	25g 100g
35751 [56-89-3]	**L-Cystine extrapure CHR, 99%** for biochemistry	330.00 1100.00 10190.00	25g 100g 1kg

code	product name	unit price ₹	packing
83172 [56-89-3]	**L-Cystine for tissue culture, 99%**	380.00 1190.00 5340.00	25g 100g 500g
13886 [71-30-7]	**Cytosine extrapure, 99%** for biochemistry	760.00 3370.00 9440.00	5g 25g 100g
10323 [71-30-7]	**Cytosine ExiPlus, Multi-Compendial, 99%** for biochemistry meets compendial specs of BP, Ph.Eur	830.00 3570.00 9920.00	5g 25g 100g
93995 [8049-11-4]	**Devardas Alloy (45% Al, 50% Cu, 5% Zn) extrapure**	590.00 2360.00	100g 500g
37163 [8049-11-4]	**Devardas Alloy (45% Al, 50% Cu, 5% Zn) extrapure AR, ACS**	790.00 1690.00	100g 250g
61500 [9004-53-9]	**Dextrin (White)** practical grade	300.00	500g
42738 [50-99-7]	**Dextrose extrapure** (D-Glucose) anhydrous	290.00 2370.00	500g 5kg
51758 [50-99-7]	**Dextrose extrapure AR, ACS** (D-Glucose) anhydrous	310.00 2850.00 12370.00	500g 5000g 25kg
16191 [14431-43-7]	**Dextrose Monohydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%** (D-Glucose monohydrate) meets compendial specs of USP, BP	270.00 2490.00 10890.00	500g 5kg 25kg
40799 [3012-65-5]	**Diammonium Hydrogen Citrate Anhydrous, ACS, 98%** (Ammonium citrate dibasic, ammonium hydrogen citrate) An electrolyte support compound for MALDI matricies	370.00 830.00 34560.00	100g 500g 25kg
81434 [84-74-2]	**Dibutyl Phthalate pure, 98%**	490.00 2300.00	500ml 2500ml
12088 [79-43-6]	**Dichloroacetic Acid pure, 99%**	2360.00 6050.00 20560.00	100ml 500ml 2500ml
52153 [95-50-1]	**o-Dichlorobenzene pure, 99%**	1000.00	1000ml
61012 [95-50-1]	**o-Dichlorobenzene extrapure AR, 99%**	360.00 1190.00 2610.00	250ml 1000ml 2500ml
79510 [107-06-2]	**1,2-Dichloroethane extrapure, 99%** (Ethylene dichloride)	390.00 1240.00	500ml 2500ml
69566 [107-06-2]	**1,2-Dichloroethane extrapure AR, 99.5%** (Ethylene dichloride)	450.00 850.00 1760.00	500ml 1000ml 2500ml
87988 [107-06-2]	**1,2-Dichloroethane for HPLC & UV Spectroscopy, 99.9%** (Ethylene dichloride)	1040.00 1730.00	500ml 1000ml
63462 [107-06-2]	**1,2-Dichloroethane Dried, 99.5%, water 0.005%** (Ethylene dichloride)	1520.00	1000ml

code	product name	unit price ₹	packing
79126 [76-54-0]	**2,7-Dichlorofluorescein (DCF) extrapure AR, ACS, 90%** (Fluorescein 27)	660.00 2810.00	5g 25g
	A dye for fluoresence and laser studies. An orange reagent used as a fluorescent indicator for the presence of oils and fats. The lipid environment can effect the fluorescence color. DCF fluoresces pink in saturated lipids and bright yellow in unsaturated lipids. Acrylics can give a positive result.		
56825 [75-09-2]	**Dichloromethane (DCM) pure, 99%** (Methylene chloride)	360.00 1340.00 11380.00	500ml 2500ml 25lit
24532 [75-09-2]	**Dichloromethane (DCM) extrapure AR, 99.5%** (Methylene chloride)	430.00 1690.00 15810.00	500ml 2500ml 25lit
45368 [75-09-2]	**Dichloromethane (DCM) extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%** (Methylene chloride) meets compendial specs of USP, BP	440.00 1760.00	500ml 2500ml
29103 [75-09-2]	**Dichloromethane (DCM) GC-HS, 99.9%** for OVI & residual solvent analysis (Methylene chloride)	450.00 1760.00	250ml 1000ml
58628 [75-09-2]	**Dichloromethane (DCM) for HPLC & UV spectroscopy, 99.9%** (Methylene chloride)	500.00 820.00 1820.00	500ml 1000ml 2500ml
43551 [75-09-2]	**Dichloromethane (DCM) Dried, 99.5%, water 0.005%** (Methylene chloride)	410.00 790.00	500ml 1000ml
41512 [75-09-2]	**Dichloromethane (DCM) for molecular biology, 99.9%** (Methylene chloride)	660.00 1150.00	250ml 500ml
93075 [1665-00-5]	**Dichloromethane-d2 (DCM-d2) for NMR spectroscopy, 99.5 Atom %D** (Methylene chloride-d2)	17990.00	10ml
55287 [620-45-1]	**2,6-Dichlorophenol Indophenol Sodium Salt extrapure AR, 98%**	310.00 1200.00 4910.00	1g 5g 25g
35551 [620-45-1]	**2,6-Dichlorophenol Indophenol Sodium Salt ACS, ExiPlus, Multi-Compendial, 98%** meets compendial specs of USP	330.00 1340.00 5240.00	1g 5g 25g
31499 [94-75-7]	**2,4-Dichlorophenoxyacetic Acid (2,4-D) for tissue culture, 98%**	680.00 1250.00 5060.00	25g 100g 500g
77833 [461-58-5]	**Dicyandiamide pure, 98%** (1-Cyanoguanidine,dicyanodiamide)	750.00	500g
61335 [77-73-6]	**Dicyclopentadiene extrapure, 93%** (Stabilized with BHT)	370.00 1760.00	100ml 500ml
71164 [111-42-2]	**Diethanolamine pure, 98%**	510.00	500ml
47001 [111-42-2]	**Diethanolamine ACS, ExiPlus, Multi-Compendial, 98.5%** meets compendial specs of BP, Ph.Eur	560.00 2360.00	500ml 2500ml

code	product name	unit price ₹	packing
59161	**5M Diethanolamine Substrate Buffer (5M DEA w/ 2.5 mM MgCl2) for phosphatase**	2250.00	100ml
	DEA Solution used along with PNPP to make a working phosphate solution for PNPP substrate analysis		
31255 [109-89-7]	**Diethylamine pure, 99%**	420.00 820.00 1880.00 15450.00	500ml 1000ml 2500ml 25lit
64912 [109-89-7]	**Diethylamine extrapure AR, 99.5%**	430.00 540.00 1040.00 2120.00	250ml 500ml 1000ml 2500ml
28298 [109-89-7]	**Diethylamine for HPLC, 99.5%**	2060.00	1000ml
77141 [100-37-8]	**2-Diethylaminoethanol (DEAE) extrapure, 99%**	710.00 3170.00	500ml 2500ml
59351 [91-66-7]	**N,N-Diethylaniline pure, 98%**	1400.00 6800.00	500ml 2500ml
44369 [91-66-7]	**N,N-Diethylaniline extrapure AR, 99%**	1600.00 7500.00	500ml 2500ml
36303 [105-58-8]	**Diethyl Carbonate extrapure, 99%**	550.00 2550.00	500ml 2500ml
83040 [111-46-6]	**Diethylene Glycol (Digol) pure, 98%**	410.00 1460.00 11790.00	500ml 2500ml 25lit
68811 [111-46-6]	**Diethylene Glycol (Digol) extrapure AR , 99%**	470.00 1910.00	500ml 2500ml
93616 [112-36-7]	**Diethylene Glycol Diethyl Ether (Ethyl Diglyme, DEGDEE) pure, 99%**	880.00 4260.00	100ml 500ml
44284 [111-96-6]	**Diethylene Glycol Dimethyl Ether pure, 99%** (2-Methoxy ethyl ether, Diglyme)	990.00 4360.00 40880.00	500ml 2500ml 25lit
20882 [111-90-0]	**Diethylene Glycol Monoethyl Ether (DGMEE) pure, 98%** (Carbitol, Ethyldiglycol)	600.00 2280.00	500ml 2500ml
53422 [96-22-0]	**Diethyl Ketone (3-Pentatone) extrapure, 99%**	1490.00	500ml
98389 [105-53-3]	**Diethyl Malonate extrapure, 99%**	790.00 3570.00	500ml 2500ml
39378 [105-53-3]	**Diethyl Malonate extrapure AR, 99.5%**	1040.00 3880.00	500ml 2500ml
61252 [95-92-1]	**Diethyl Oxalate pure, 99%**	480.00 2060.00	500ml 2500ml
75995 [6283-63-2]	**N,N-Diethyl-p-Phenylenediamine Sulphate Salt (DEPPDA Sulphate) extrapure, 98%** (4-Amino-N,N-diethylaniline sulfate salt)	3270.00 9270.00	25g 100g
16150 [84-66-2]	**Diethyl Phthalate pure, 99%**	580.00 2360.00	500ml 2500ml
78652 [64-67-5]	**Diethyl Sulphate extrapure, 99%** a powerful ethylating agent	490.00 2370.00	500ml 2500ml



code	product name	unit price ₹	packing
77205 [108-18-9]	**Diisopropylamine pure, 98%**	900.00 4310.00 41420.00	500ml 2500ml 25lit
67519 [108-20-3]	**Diisopropylether pure, 98%**	450.00 1820.00	500ml 2500ml
63282 [108-23-3]	**Diisopropylether extrapure AR, 99%**	540.00 2050.00	500ml 2500ml
89299 [108-23-3]	**Diisopropylether Dried, 99% water 0.0025%**	980.00 1760.00	500ml 1000ml
91837 [7087-68-5]	**N,N-Diisopropylethylamine (DIPEA) extrapure, 98%** (Ethylene Diisopropylamine, N,N-Ethyldiisopropylamine, DIEA)	350.00 800.00 3060.00	100ml 250ml 1000ml
61125 [110-71-4]	**1,2-Dimethoxyethane (Monoglyme, EGDME) extrapure, 99%** (Ethylene Glycol Dimethylether)	900.00 4040.00 38700.00	500ml 2500ml 25lit
94378 [110-71-4]	**1,2-Dimethoxyethane (Monoglyme, EGDME) extrapure AR , 99.5%** (Ethylene Glycol Dimethylether)	2400.00	500ml
80675 [127-19-5]	**N,N-Dimethylacetamide (DMA) extrapure, 99%**	490.00 1990.00 19080.00	500ml 2500ml 25lit
60991 [127-19-5]	**N,N-Dimethylacetamide (DMA) extrapure AR, 99.5%**	580.00 2080.00	500ml 2500ml
79220 [127-19-5]	**N,N-Dimethylacetamide (DMA) extrapure AR, ExiPlus, Multi-Compendial, 99.5%** meets compendial specs of USP, BP	670.00 2300.00	500ml 2500ml
70926 [127-19-5]	**N,N-Dimethylacetamide (DMA) GC-HS, 99.9%** for OVI & residual solvent analysis	500.00 950.00 1760.00	250ml 500ml 1000ml
98189 [127-19-5]	**N,N-Dimethylacetamide (DMA) for HPLC, 99.8%**	830.00 1340.00	500ml 1000ml
10652 [124-40-3]	**Dimethylamine 40% Solution pure**	260.00 1200.00	500ml 2500ml
14003 [100-10-7]	**p-Dimethylaminobenzaldehyde extrapure AR, 99%** (Ehrlich's reagent) for determination of amines, indoles and ergot alcohols	1590.00 14830.00	100g 1kg
77086 [100-10-7]	**p-Dimethylaminobenzaldehyde extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%** meets compendial specs of USP, BP, Ph.Eur (Ehrlich's reagent) for determination of amines, indoles and ergot alcohols	1750.00 15810.00	100g 1kg
12566 [121-69-7]	**N,N-Dimethylaniline pure, 98%**	600.00 2890.00	500ml 2500ml
20364 [121-69-7]	**N,N-Dimethylaniline extrapure AR, 99.5%**	720.00 3270.00	500ml 2500ml
16616 [68-12-2]	**N,N-Dimethylformamide (DMF) extrapure, 99%**	540.00 2510.00 23980.00	500ml 2500ml 25lit
21974 [68-12-2]	**N,N-Dimethylformamide (DMF) extrapure AR, 99.5%**	570.00 2570.00	500ml 2500ml

code	product name	unit price ₹	packing
79121 [68-12-2]	**N,N-Dimethylformamide (DMF) extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.8%** meets compendial specs of BP	600.00 2730.00	500ml 2500ml
50591 [68-12-2]	**N,N-Dimethylformamide (DMF) for HPLC & UV spectroscopy, 99.9%**	660.00 1200.00	500ml 1000ml
46165 [68-12-2]	**N,N-Dimethylformamide (DMF) GC-HS, 99.9%** for OVI & residual solvent analysis	510.00 800.00 1420.00	250ml 500ml 1000ml
93186 [68-12-2]	**N,N-Dimethylformamide (DMF) Dried, 99.5%, water 0.005%**	670.00 1260.00	500ml 1000ml
24017 [68-12-2]	**N,N-Dimethylformamide (DMF) for molecular biology, 99.9%**	480.00 1150.00	100ml 500ml
52794 [4637-24-5]	**N,N-Dimethylformamide Dimethylacetal extrapure, 95%** (1,1-Dimethoxy-N,N-dimethylmethylamine)	660.00 3110.00	100ml 500ml
81890 [95-45-4]	**Dimethylglyoxime extrapure AR, 99%** (2,3-Butanedione dioxime) reagent for Co,Fe,Ni,Pd,Re	820.00 3380.00	100g 500g
19711 [95-45-4]	**Dimethylglyoxime extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%** meets compendial specs of BP, Ph.Eur (2,3-Butanedione dioxime) reagent for Co,Fe,Ni,Pd,Re	930.00 3600.00	100g 500g
92574 [75006-64-3]	**Dimethylglyoxime Disodium Salt Octahydrate extrapure AR, 99%**	1060.00	250g
33158 [80-73-9]	**1,3-Dimethyl-2-Imidazolidinone (DMI) pure, 99%** (used as an aprotic solvent)	1190.00 5030.00 24670.00	100ml 500ml 2500ml
35161 [80-73-9]	**1,3-Dimethyl-2-Imidazolidinone (DMI) GC-HS, 99.9%** for OVI & residual solvent analysis	1390.00 5300.00	100ml 500ml
60496 [80-73-9]	**1,3-Dimethyl-2-Imidazolidinone (DMI) ExiPlus, Multi-Compendial, 99%** meets compendial specs of BP, Ph.Eur (used as an aprotic solvent)	1580.00 5450.00	100ml 500ml
43404 [67-68-5]	**Dimethyl Sulphoxide (DMSO) extrapure, 99%**	1530.00 7250.00 70850.00	500ml 2500ml 25lit
28580 [67-68-5]	**Dimethyl Sulphoxide (DMSO) extrapure AR, 99.5%**	1640.00 7360.00 72490.00	500ml 2500ml 25lit
66444 [67-68-5]	**Dimethyl Sulphoxide (DMSO) extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.9%** meets compendial specs of Ph.Eur, USP	1800.00 7630.00	500ml 2500ml
12767 [67-68-5]	**Dimethyl Sulphoxide (DMSO) GC-HS, 99.9%** for OVI & residual solvent analysis	1040.00 1970.00 3710.00	250ml 500ml 1000ml
30239 [67-68-5]	**Dimethyl Sulphoxide (DMSO) for HPLC & UV spectroscopy, 99.8%**	1910.00 3600.00	500ml 1000ml

Storage : ♦ -20°C • 0-4°C 🌡 2-8°C ✔ 8-25°C

code	product name	unit price ₹	packing
66120 [67-68-5]	**Dimethyl Sulphoxide (DMSO) Dried, 99.5%, water 0.005%**	1860.00	500ml
24075 [67-68-5]	**Dimethyl Sulphoxide (DMSO) for molecular biology, 99.8%**	880.00 1860.00 3270.00	100ml 250ml 500ml
47809 [2206-27-1]	**Dimethyl Sulphoxide-d6 (DMSO-d6), for NMR spectroscopy 99.8 Atom %D**	11450.00	25g
69545 [2206-27-1]	**Dimethyl Sulphoxide-d6 (with 0.03% TMS) (DMSO-d6 w/ 0.03% TMS) for NMR spectroscopy, 99.8 Atom %D**	10690.00	25g
42009 [96-31-1]	**N,N'-Dimethylurea (1,3-Dimethylurea) extrapure, 99%**	510.00 4580.00	500g 5kg
43981 [117-81-7]	**Dioctyl Phthalate pure, 98%**	460.00	500ml
56353 [577-11-7]	**Dioctyl Sodium Sulfosuccinate (DOSS) ExiPlus, Multi-Compendial, 98%** (Aerosol OT, Ducusate Sodium, Sodium bis(2-"ethylhexyl) sulphosuccinate) meets compendial specs of USP, BP	1680.00 15770.00	500g 5kg
43324 [123-91-1]	**1,4-Dioxane pure, 99%**	640.00 2400.00 20240.00	500ml 2500ml 25lit
88797 [123-91-1]	**1,4-Dioxane extrapure AR, 99.5%**	700.00 2790.00	500ml 2500ml
95536 [123-91-1]	**1,4-Dioxane extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%** meets compendial specs of BP, Ph.Eur	780.00 3390.00	500ml 2500ml
29469 [123-91-1]	**1,4-Dioxane Dried, 99.5%, water 0.005%**	630.00	250ml
79218 [123-91-1]	**1,4-Dioxane GC-HS, 99.9%** for OVI & residual solvent analysis	610.00 2190.00	250ml 1000ml
43294 [123-91-1]	**1,4-Dioxane for HPLC & UV Spectroscopy, 99.9%**	1100.00 1680.00	500ml 1000ml
65679 [123-91-1]	**1,4-Dioxane scintillation grade, 99.5%**	670.00 1280.00 2910.00	500ml 1000ml 2500ml
82736 [646-06-0]	**1,3-Dioxolane extrapure AR, 99%**	1310.00 6000.00	500ml 2500ml
98342 [122-39-4]	**Diphenylamine extrapure AR, 99%** reagent for determination of nitrate redox indicator	290.00 880.00	100g 500g
41149 [122-39-4]	**Diphenylamine extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%** meets compendial specs of USP, BP, Ph.Eur reagent for determination of nitrate redox indicator	330.00 1040.00	100g 500g

code	product name	unit price ₹	packing
62567 [538-62-5]	**1,5-Diphenylcarbazone (mixture with Diphenylcarbazide) extrapure AR, ACS** (1,5-Diphenylcarbazone, Phenylazoformic acid-2-phenylhydrazide)	550.00 2420.00 8770.00	5g 25g 100g
75522 [92-71-7]	**2,5-Diphenyloxazole scintillation grade (PPO), 99%**	1400.00 4860.00 22440.00	25g 100g 500g
89595 [92-71-7]	**2,5-Diphenyloxazole scintillation grade (PPO) ExiPlus, Multi-Compendial, 99%** meets compendial specs of BP	5830.00 25470.00	100g 500g
43478 [34590-94-8]	**Dipropylene Glycol Monomethyl Ether (Mixture of Isomers) extrapure, 99%**	930.00 4360.00	500ml 2500ml
21636 [7758-16-9]	**Sodium Acid Pyrophosphate (SAPP) extrapure, 95%** (Sodium pyrophosphate dibasic, Disodium diphosphate dibasic, Disodium dihydrogen diphosphate)	240.00 880.00	100g 500g
88738 [6106-24-7]	**Disodium Tartrate Dihydrate extrapure, 99%**	980.00	500g
16261 [6106-24-7]	**Disodium Tartrate Dihydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%** meets compendial specs of USP, BP, Ph.Eur	670.00 1220.00	250g 500g
12852 [6106-24-7]	**Disodium Tartrate Dihydrate Calibration Standard (For Karl Fischer Titration), 99.5%**	5790.00	100g
25821 [2386-53-0]	**Dodecane Sulphonic Acid Sodium Salt Anhydrous for HPLC, 99%** (Sodium 1-dodecanesulfonate)	820.00 2080.00 7090.00	5g 25g 100g
56085 [112-53-8]	**1-Dodecanol pure, 98%** (Dodecyl alcohol, lauryl alcohol)	670.00 3060.00	500ml 2500ml
93498 [112-53-8]	**1-Dodecanol ACS, ExiPlus, Multi-Compendial, 98%** (Dodecyl alcohol, lauryl alcohol) meets compendial specs of USP, BP	830.00	500ml
	Dowex - See Seralite		
88147	**DPX Mountant for histology**	380.00 720.00 1240.00	250ml 500ml 1000ml
85675	**Dragendorff's Reagent** Test reagent for alkaloids (Dragendroff's reagent is a solution of potassium bismuth iodide prepared from basic bismuth nitrate ($Bi(NO_3)_3$), tartaric acid, and potassium iodide (KI))	1700.00	125ml
40648 [60-00-4]	**EDTA Free Acid extrapure, 99%** (Ethylenediaminetetraacetic Acid Free Acid)	290.00 1260.00 11560.00	100g 500g 5kg
18240 [60-00-4]	**EDTA free acid extrapure AR, 99%** (Ethylenediaminetetraacetic Acid Free Acid)	330.00 1420.00 12270.00	100g 500g 5kg
73816 [60-00-4]	**EDTA free acid extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%** (Ethylenediaminetetraacetic Acid Free Acid) meets compendial specs of BP, Ph.Eur	1550.00 14170.00	500g 5kg



code	product name	unit price ₹	packing
44478 [25102-12-9]	**EDTA Dipotassium Salt pure, 98%** (Ethylenediaminetetraacetic Acid Dipotassium Salt)	310.00 1170.00	100g 500g
62196 [25102-12-9]	**EDTA Dipotassium Salt extrapure AR, 99%** (Ethylenediaminetetraacetic Acid Dipotassium Salt)	330.00 1220.00 11600.00	100g 500g 5kg
12070 [6381-92-6]	**EDTA Disodium Salt Dihydrate pure, 98%** (Ethylenediaminetetraacetic Acid Disodium Salt Dihydrate)	220.00 1050.00 10140.00	100g 500g 5kg
40088 [6381-92-6]	**EDTA Disodium Salt Dihydrate extrapure AR, 99.5%** (Ethylenediaminetetraacetic Acid Disodium Salt Dihydrate)	290.00 1310.00 12540.00	100g 500g 5kg
50027 [6381-92-6]	**EDTA Disodium Salt Dihydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%** (Ethylenediaminetetraacetic Acid Disodium Salt Dihydrate) meets compendial specs of USP	310.00 1420.00 13410.00	100g 500g 5kg
43272 [6381-92-6]	**EDTA Disodium Salt Dihydrate for molecular biology, 99.5%** (Ethylenediaminetetraacetic Acid Disodium Salt Dihydrate) DNase, RNase, protease not detected	430.00 1710.00 2950.00 14170.00	100g 500g 1000g 5kg
35108 [6381-92-6]	**EDTA Disodium Salt Dihydrate for tissue culture, 99.5%**	360.00 1590.00	100g 500g
48960 [6381-92-6]	**EDTA Disodium Salt 0.01M Solution**	430.00 850.00	500ml 1000ml
73557 [6381-92-6]	**EDTA Disodium Salt 0.05M Solution**	190.00 330.00	500ml 1000ml
96540 [6381-92-6]	**EDTA Disodium Salt 0.1M Solution**	370.00 670.00	500ml 1000ml
35888 [6381-92-6]	**EDTA Disodium Salt 0.5M Solution**	430.00 850.00	500ml 1000ml
41000 [14402-88-1]	**EDTA Magnesium Disodium Complex (EDTA Mg) pure** (Ethylenediaminetetraacetic Acid Magnesium Disodium Complex, Chelated Magnesium EDTA, EDTA Mg) Active Ingredient — 6.0%(±0.5) as Mg	230.00 980.00	100g 500g
59389 [15708-41-5]	**EDTA Ferric Monosodium Salt extrapure, 12-14% Fe** (Ethylenediaminetetraacetic Acid Ferric Monosodium Salt)	260.00 1040.00	100g 500g
15078 [10378-23-1]	**EDTA Tetrasodium Dihydrate extrapure, 98%** (Ethylenediaminetetraacetic acid tetrasodium salt dihydrate)	320.00 990.00	100g 500g
24377 [13235-36-4]	**EDTA Tetrasodium Tetrahydrate extrapure, 99%** (Ethylenediaminetetraacetic acid tetrasodium salt tetrahydrate)	350.00 970.00	100g 500g
78036 [10378-23-1]	**EDTA Tetrasodium Salt Dihydrate extrapure AR, 99%** (Ethylenediaminetetraacetic acid tetrasodium salt dihydrate)	890.00 2400.00	100g 500g
45247 [10378-23-1]	**EDTA Tetrasodium Salt Dihydrate for molecular biology, 99.5%** (Ethylenediaminetetraacetic acid tetrasodium salt dihydrate)	1520.00 4230.00	100g 500g
71867 [67762-27-0]	**Emulsifying Wax pure** Saponification Value — max.2.0	610.00	500g
29391 [17372-87-1]	**Eosin Yellow (water soluble)** (C.I.No. 45380)	300.00 860.00 4190.00	25g 100g 500g
22115 [106-89-8]	**Epichlorohydrin pure, 98%** (1-Chloro-2,3-epoxypropane)	550.00 2610.00	500ml 2500ml
73317 [106-89-8]	**Epichlorohydrin extrapure AR, 99%** (1-Chloro-2,3-epoxypropane)	760.00 3330.00	500ml 2500ml
40876 [1787-61-7]	**Eriochrome Black T extrapure AR** (Solochrome black T)	350.00 1040.00	25g 100g
76512 [3564-18-9]	**Eriochrome Cyanine R** (C.I. No 43820) Suitable for determination of Aluminium	830.00 1930.00	10g 25g
98188 [3844-45-9]	**Erioglaucine Disodium Salt** (C.I. 42090) (Acid blue 9, brilliant blue FCF, alphazurine FG) Dye Content — 50% Erioglaucine is a widely used acid aminotriphenylmethane dye of an intense blue colour	620.00 1530.00	10g 25g
69059 [16423-68-0]	**Erythrosin B, 90%** (C.I.No. 45430) Suitable for use in Jackson Dye for plant anatomy staining in woody tissues	900.00 3380.00	25g 100g
73961 [8007-09-8]	**Eschka's Mixture extrapure AR, 38%**	6070.00 23040.00	250g 1kg
40942 [141-43-5]	**Ethanolamine (MEA, Monoethanolamine, 2-Aminoethanol) extrapure, 99%**	540.00 2400.00	500ml 2500ml
57100 [141-43-5]	**Ethanolamine (MEA, Monoethanolamine, 2-Aminoethanol) extrapure, AR, 99%**	620.00 2680.00	500ml 1500ml
74683 [141-43-5]	**Ethanolamine (MEA, Monoethanolamine, 2-Aminoethanol) extrapure, AR, ACS, ExiPlus, Multi-Compendial, 99%** meets compendial specs of BP	700.00 3170.00	500ml 2500ml
17220 [1239-45-8]	**Ethidium Bromide extrapure, 95%** (Homidium bromide) for electrophoresis A fluorescent probe for nucleic acids	620.00 2690.00	1g 5g
93079 [1239-45-8]	**Ethidium Bromide for molecular biology, 95%** (Homidium bromide) for electrophoresis DNase, RNase, protease not detected A fluorescent probe for nucleic acids	670.00 2940.00	1g 5g
16201	**Ethidium Bromide Solution (10mg/ml)** A fluorescent probe for nucleic acids	2940.00	10ml

Storage : ♦ -20°C • 0-4°C 🌡 2-8°C ✔ 8-25°C

code	product name	unit price ₹	packing
89362 [141-78-6]	**Ethyl Acetate pure, 99%**	310.00 1450.00 13630.00	500ml 2500ml 25lit
66183 [141-78-6]	**Ethyl Acetate extrapure AR, 99.5%**	340.00 1590.00	500ml 2500ml
62952 [141-78-6]	**Ethyl Acetate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%** meets compendial specs of USP, BP, Ph.Eur	430.00 1750.00	500ml 2500ml
72598 [141-78-6]	**Ethyl Acetate Dried, 99.5%, water 0.005%**	400.00 770.00	500ml 1000ml
73106 [141-78-6]	**Ethyl Acetate GC-HS, 99.9%** for OVI & residual solvent analysis	660.00 1150.00	500ml 1000ml
26614 [141-78-6]	**Ethyl Acetate for HPLC & UV spectroscopy, 99.9%**	480.00 900.00 2020.00	500ml 1000ml 2500ml
22636 [141-97-9]	**Ethyl Acetoacetate pure, 99%**	680.00 2650.00	500ml 2500ml
33123 [75-04-7]	**Ethylamine Solution 70% in water pure**	560.00 2670.00	500ml 2500ml
37810 [74-96-4]	**Ethyl Bromide extrapure, 99%** (Bromoethane)	1150.00 2200.00	250ml 500ml
87095 [110-80-5]	**Ethyl Cellosolve pure, 99%** (Ethylene glycol monoethylether)	460.00 1920.00	500ml 2500ml
30166 [1678-91-7]	**Ethylcyclohexane extrapure, 99%**	1560.00 6030.00	500ml 2500ml
65428 [107-15-3]	**Ethylene Diamine pure, 99%** (1,2-Diaminoethane)	880.00 4300.00 41000.00	500ml 2500ml 25lit
70790 [107-15-3]	**Ethylene Diamine extrapure AR, 99.5%** (1,2-Diaminoethane)	980.00 4500.00	500ml 2500ml
47471 [107-21-1]	**Ethylene Glycol (MEG, Monoethylene Glycol) pure, 98%** (Ethanediol)	410.00 1700.00 14310.00	500ml 2500ml 25lit
95361 [107-21-1]	**Ethylene Glycol (MEG, Monoethylene Glycol) extrapure AR, 99%** (Ethanediol)	500.00 1810.00	500ml 2500ml
27466 [122-99-6]	**Ethylene Glycol Monophenylether pure, 99%** (Phenyl cellosolve, 2-phenoxyethanol)	850.00 3330.00	500ml 2500ml
82832 [2807-30-9]	**Ethylene Glycol Monopropyl Ether extrapure, 99%** (2-Propoxyethanol, Propyl glycol, Propyl cellosolve)	2730.00 11990.00	500ml 2500ml
25049 [60-29-7]	**Ethyl Ether pure, 99%** (Diethyl ether)	440.00 1760.00 14900.00	500ml 2500ml 25lit
64665 [60-29-7]	**Ethyl Ether extrapure AR, 99.5%** (Diethyl ether)	500.00 2050.00	500ml 2500ml
83416 [60-29-7]	**Ethyl Ether extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%** (Diethyl ether) meets compendial specs of BP	550.00 2120.00	500ml 2500ml

code	product name	unit price ₹	packing
83131 [60-29-7]	**Ethyl Ether Dried, 99.5%, water 0.005%** (Diethyl ether)	540.00 1030.00 2250.00	500ml 1000ml 2500ml
68329 [60-29-7]	**Ethyl Ether for HPLC & UV Spectroscopy, 99.9%**	4120.00	1000ml
87796 [60-29-7]	**Ethyl Ether GC-HS, 99.9%** for OVI & residual solvent analysis	2310.00 4360.00	500ml 1000ml
36979 [109-94-4]	**Ethyl Formate pure, 98%**	700.00 3030.00 22070.00	500ml 2500ml 25lit
50371 [2390-59-2]	**Ethyl Violet (C.I. No. 42600)** for microscopy	880.00	25g
89474	**Fehling's solution A**	320.00	500ml
12603	**Fehling's solution B** (It is recommended to mix equal volume of solutions A & B immediately before use)	480.00	500ml
72287 [7705-08-0]	**Ferric Chloride Anhydrous pure, 98%** (Iron (III) chloride)	280.00 2330.00	500g 5000g
18831 [3522-50-7]	**Ferric Citrate Trihydrate pure, 18-20% Fe** (Iron (III) citrate trihydrate)	980.00	500g
92273 [3522-50-7]	**Ferric Citrate Trihydrate for tissue culture, 18-20% Fe** (Iron (III) citrate trihydrate	1030.00	500g
72655 [10025-77-1]	**Ferric Chloride Hexahydrate extrapure AR, ACS, 97%** (Iron (III) chloride hexahydrate)	640.00 6110.00	500g 5kg
87144 [7782-61-8]	**Ferric Nitrate Nonahydrate extrapure AR, ACS, 98%** (Iron (III) nitrate nonahydrate)	740.00	500g
69325 [1309-37-1]	**Ferric Oxide Red extrapure, 95%** (Iron (III) Oxide Red)	440.00	500g
39102 [15244-10-7]	**Ferric Sulphate Hydrate pure, 19-21% Fe** (Iron (III) Sulphate Hydrate)	430.00 3820.00	500g 5kg
14621 [15244-10-7]	**Ferric Sulphate Hydrate extrapure AR, 19-21% Fe** (Iron (III) Sulphate Hydrate)	640.00 5670.00	500g 5kg
74871 [15244-10-7]	**Ferric Sulphate Hydrate for tissue culture, 19-21% Fe** (Iron (III) Sulphate Hydrate)	880.00 7200.00	500g 5kg
57888 [14634-91-4]	**Ferroin solution AR** (Redox indicator)	940.00	100ml
37323 [14634-91-4]	**Ferroin solution AR, ExiPlus** (Redox indicator) meets compendial specs of BP, Ph.Eur	970.00	100ml
82984 [13478-10-9]	**Ferrous Chloride Tetrahydrate extrapure, 98%** (Iron (II) chloride tetrahydrate)	600.00 5450.00	500g 5kg
31929 [7782-63-0]	**Ferrous Sulphate Heptahydrate pure, 98%** (Iron (II) sulphate heptahydrate)	220.00 1310.00	500g 5kg
97868 [7782-63-0]	**Ferrous Sulphate Heptahydrate extrapure AR, 99.5%** (Iron (II) sulphate heptahydrate)	320.00 2620.00	500g 5kg



code	product name	unit price ₹	packing
93668 [7782-63-0]	**Ferrous Sulphate Heptahydrate for tissue culture, 99.5%**	410.00	500g
53072 [75-12-7]	**Formamide pure, 98.5%** (Methanamide)	780.00 3820.00 36630.00	500ml 2500ml 25lit
71714 [75-12-7]	**Formamide extrapure AR, 99.5%** (Methanamide)	930.00 4150.00	500ml 2500ml
74841 [75-12-7]	**Formamide extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%** (Methanamide) meets compendial specs of BP, Ph.Eur	1040.00	500ml
30349 [75-12-7]	**Formamide for molecular biology, 99.5%** (Methanamide)	1310.00 2180.00	500ml 1000ml
83256 [75-12-7]	**Formamide for UV Spectroscopy, 99%** (Methanamide)	1970.00 3710.00	500ml 1000ml
62673 [64-18-6]	**Formic Acid extrapure AR, 98%**	610.00	500ml
42868 [57-48-7]	**D-Fructose extrapure** for bochemistry (D-Leavulose)	210.00 710.00 5160.00 21220.00	100g 500g 5kg 25kg
68823 [57-48-7]	**D-Fructose for tissue culture** (D-Leavulose)	310.00 1380.00	100g 500g
86364 [110-17-8]	**Fumaric Acid pure, 99%**	590.00 5450.00	500g 5kg
79503 [110-17-8]	**Fumaric Acid extrapure AR, 99%**	240.00 880.00	100g 500g
97328 [110-17-8]	**Fumaric Acid extrapure AR, ExiPlus, Multi-Compendial, 99%** meets compendial specs of BP, Ph.Eur	950.00	500g
14277 [632-99-5]	**Fuchsin Basic** (Basic fuchsin) (C.I.No. 42510)	280.00 770.00	25g 100g
62967	**Fusion Mixture extrapure**	430.00	500g
24016	**Fusion Mixture extrapure AR**	540.00	500g
13142 [5995-86-8]	**Gallic Acid pure, 98%** (3,4,5-Trihydroxybenzoic acid)	1220.00 3630.00	100g 500g
42306 [5995-86-8]	**Gallic Acid ACS, ExiPlus, Multi-Compendial, 98%** (3,4,5-Trihydroxybenzoic acid) meets compendial specs of BP	1520.00 4120.00	100g 500g
83740 [9000-70-8]	**Gelatin Powder ex. Porcine (Type B), 120g Bloom**	1340.00 11890.00	500g 5kg
95110 [77-06-5]	**Gibberellic Acid (GA3), 90%**	140.00 1330.00 10520.00	1g 10g 100g
94857 [77-06-5]	**Gibberellic Acid (GA3) for tissue culture, 90%**	160.00 1490.00 11280.00	1g 10g 100g
24367 [468-44-0, 510-75-8]	**Gibberellic Acid (GA4+7), 90%**	1100.00 4500.00 18530.00	1g 5g 25g

code	product name	unit price ₹	packing
45881 [51811-82-6]	**Giemsa Stain**	600.00 2290.00	25g 100g
72402 ✔	**Giemsa Stain Solution** (Giemsa azur-eosin-methylene blue solution)	310.00 610.00 1100.00	100ml 250ml 500ml
20149 [56-86-0]	**L-Glutamic Acid extrapure CHR, 99%** for biochemistry	280.00 450.00 7540.00	100g 250g 5kg
18376 [56-86-0]	**L-Glutamic Acid ExiPlus, Multi-Compendial, 99%** for biochemistry meets compendial specs of BP	490.00 850.00	100g 250g
50277 [56-86-0]	**L-Glutamic Acid for tissue culture, 99%**	790.00 3510.00	100g 500g
23229 [6106-04-3]	**L-Glutamic Acid Monosodium Salt Monohydrate (MSG) extrapure, 99%** CHR for biochemistry (Monosodium Glutamate, Monosodium L-Glutamate)	470.00 4360.00 19620.00	500g 5kg 25kg
42595 [56-81-5]	**Glycerol (Glycerine) Anhydrous pure, 99%**	660.00 2840.00 27250.00	500ml 2500ml 25lit
77453 [56-81-5]	**Glycerol (Glycerine) Anhydrous extrapure AR, 99.5%**	710.00 3060.00	500ml 2500ml
59991 [56-81-5]	**Glycerol (Glycerine) Anhydrous extrapure AR ACS, ExiPlus, Multi-Compendial, 99.5%** meets compendial specs of USP, BP	790.00 3490.00	500ml 2500ml
62417 [56-81-5]	**Glycerol (Glycerine) for molecular biology, 99.5%** DNase, RNase, protease not detected	440.00 1420.00	100ml 500ml
85916 [60-01-5] **new**	**Glycerol Tributyrate (Tributyrin) pure, 97%**	1410.00 6270.00	100ml 500ml
25853 [56-40-6]	**Glycine pure, 99%** (Aminoacetic acid)	990.00 9490.00	500g 5kg
66327 [56-40-6]	**Glycine extrapure AR, 99.5%** (Aminoacetic acid) (suitable for electrophoresis)	280.00 1040.00 9710.00 43600.00	100g 500g 5kg 25kg
64072 [56-40-6]	**Glycine for molecular biology, 99.5%** (Aminoacetic acid) DNase, RNase, protease not detected	440.00 1420.00 2620.00 12540.00	100g 500g 1kg 5kg
72938 [56-40-6]	**Glycine for tissue culture, 99.5%**	1180.00 10600.00	500g 5kg
52574 [56-40-6]	**Glycine for electrophoresis, 99.5%** (Aminoacetic acid) DNase, RNase, protease not detected	1590.00 6710.00	100g 500g
69422 [56-40-6]	**Glycine extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%** (Aminoacetic acid) meets compendial specs of BP (suitable for electrophoresis)	1200.00 10580.00	500g 5kg

code	product name	unit price ₹	packing
40682 [56-40-6]	**Glycine IP** (Aminoacetic acid)	2840.00	1000g
74072 [56-40-6]	**Glycine BP** (Aminoacetic acid)	2950.00	1000g
37449 [56-40-6]	**Glycine USP** (Aminoacetic acid)	3110.00	1000g
38063 [79-14-1]	**Glycolic Acid extrapure, 70%**	1520.00 7320.00	500ml 2500ml
27194	**Gold AAS Standard Solution in 0.5N HCl** contains 1000mg/lit (exact concentration on label)	4970.00	250ml
59611 [16961-25-4] 🌡	**Gold Chloride Hydrate (Tetrachloroauric Acid) ultrapure, 99.99%, ~49% Au**	10360.00 17870.00	500mg 1g
12023 [16961-25-4] 🌡	**Gold Chloride Trihydrate (Tetrachloroauric acid) pure, ~49% Au**	8460.00 13500.00	500mg 1g
93281 [13682-61-6] ✔	**Gold Potassium Chloride (Potassium Tetrachloroaurate (III)) extrapure, 99.99%**	9920.00 17510.00	500mg 1g
10436 [12298-68-9]	**Gram's Iodine, 33% I for microscopy**	330.00 810.00 2880.00	5g 25g 100g
59538 [7782-42-5]	**Graphite Synthetic (Type 1) pure, 98% C, 50mesh**	300.00 1360.00	500g 2.5kg
19123 [7782-42-5]	**Graphite Synthetic (Type 2) pure, 97% C, 100mesh**	420.00 1950.00	500g 2.5kg
26870 [7782-42-5]	**Graphite Synthetic (Type 3) pure, 96% C, 325mesh**	650.00 3120.00	500g 2.5kg
59345 [7782-42-5]	**Graphite Synthetic (Type 4) pure, 96% C, 625mesh**	1060.00 4950.00	500g 2.5kg
86601 [593-85-1]	**Guanidine Carbonate extrapure, 99%**	550.00 2380.00	100g 500g
54542 [50-01-1]	**Guanidine Hydrochloride (GHC) pure, 99%**	440.00 1420.00 2730.00 13080.00	100g 500g 1kg 5kg
25722 [50-01-1]	**Guanidine Hydrochloride (GHC) extrapure, 99%** for biochemistry	660.00 3060.00 5240.00 22890.00	100g 500g 1kg 5kg
45539 [50-01-1]	**Guanidine Hydrochloride (GHC) for molecular biology, 99.5%** DNase, RNase, protease not detected	770.00 3490.00 6000.00 26160.00	100g 500g 1kg 5kg
80272 [593-84-0]	**Guanidine Thiocyanate (GTC) for molecular biology, 99%** (Guanidine isothiocyanate) Suitable for RNA preparation DNase, RNase, protease not detected	880.00 4200.00 8180.00 34880.00	100g 500g 1kg 5kg
20222 [9000-30-0]	**Guar Gum extrapure**	620.00	500g
90970 [9000-01-5]	**Acacia (Gum Acacia) extrapure** (Gum Arabic)	560.00 4830.00 23580.00	500g 5kg 25kg
90938 [9000-01-5]	**Acacia (Gum Acacia) (enzyme free) extrapure AR** (Gum Arabic)	850.00	500g
39758	**Hematoxylin Solution (Delafield)**	490.00	125ml
78631	**Hematoxylin Solution (Ehrlich)**	490.00	125ml
40362	**Hematoxylin Solution (Harris)**	650.00	125ml
48441	**Hematoxylin Solution (Mayer's)**	270.00	100ml
19241 [142-82-5]	**n-Heptane extrapure, 99%**	720.00 3560.00 25230.00	500ml 2500ml 25lit
94979 [142-82-5]	**n-Heptane extrapure AR, 99%**	830.00 1640.00 3940.00 32700.00	500ml 1000ml 2500ml 25lit
96979 [142-82-5]	**n-Heptane extrapure AR, ExiPlus, Multi-Compendial, 99%** meets compendial specs of USP, BP, Ph.Eur	1040.00 4480.00	500ml 2500ml
90731 [142-82-5]	**n-Heptane for HPLC & UV spectoscopy, 99.5%**	1060.00 2060.00	500ml 1000ml
94373 [22767-50-6]	**Heptane Sulphonic Acid Sodium Salt Anhydrous for HPLC, 99%** ion pairing reagent for HPLC	1200.00 4360.00 10690.00	25g 100g 250g
55272 [207300-90-1]	**Heptane Sulphonic Acid Sodium Salt Monohydrate for HPLC, 99%** ion pairing reagent for HPLC	1200.00 4360.00 10690.00	25g 100g 250g
55120 [111-70-6]	**n-Heptanol extrapure, 98%** (n-Heptyl alcohol)	1310.00 5330.00	500ml 2500ml
60805 [67-72-1]	**Hexachloroethane pure, 99%** (Perchloroethane)	910.00 7870.00	500g 5kg
36027 [18497-13-7]	**Hexachloroplatinic Acid Hexahydrate (Platinum Chloride Hexahydrate), ACS, 38-40% Pt** (platinic chloride hexahydrate)	3710.00 8660.00 42280.00	250mg 1g 5g
81451 [100-97-0]	**Hexamine pure, 99%** (Hexamethylenetetramine, HMTA	430.00	500g
92391 [100-97-0]	**Hexamine extrapure AR, 99.5%**	310.00 520.00	100g 500g
91454 [110-54-3]	**n-Hexane pure, 95%**	610.00 2910.00 24640.00	500ml 2500ml 25lit
65764 [110-54-3]	**n-Hexane for HPLC, 95%**	1000.00 1640.00 3570.00	500ml 1000ml 2500ml
77045 [110-54-3]	**n-Hexane pure, 99%**	720.00 3330.00 27570.00	500ml 2500ml 25lit
12534 [110-54-3]	**n-Hexane extrapure AR, 99%**	740.00 3450.00	500ml 2500ml



code	product name	unit price ₹	packing
27226 [110-54-3]	**n-Hexane extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%** meets compendial specs of USP, BP, Ph.Eur	950.00 4480.00	500ml 2500ml
33823 [110-54-3]	**n-Hexane for HPLC, 99%**	1050.00 1720.00 4140.00	500ml 1000ml 2500ml
40501 [110-54-3]	**n-Hexane GC-HS, 99.9%** for OVI & residual solvent analysis	1070.00 3150.00	250ml 1000ml
29114 [110-54-3]	**n-Hexane Dried, 99%, water 0.005%**	1340.00 2610.00	500ml 1000ml
49346 [2832-45-3]	**Hexane Sulphonic Acid Sdium Salt Anhydrous for HPLC, 99%** ion pairing reagent for HPLC	1200.00 4360.00 10690.00	25g 100g 250g
78597 [207300-91-2]	**Hexane Sulphonic Acid Sodium Salt Monohydrate extrapure, 99%** ion pairing reagent for HPLC	1200.00 4360.00 10690.00	25g 100g 250g
70389 [107-41-5]	**Hexylene Glycol pure, 99%** (2-Methyl-2,4-pentanediol)	1420.00 6540.00 63220.00	500ml 2500ml 25lit
38885 [351-50-8]	**D-Histidine extrapure, 99%** for biocemistry	3030.00 13650.00	5g 25g
94495 [71-00-1]	**L-Histidine (base) extrapure CHR, 99%** for biochemistry	970.00 3030.00 29030.00	25g 100g 1kg
42437 [71-00-1]	**L-Histidine ExiPlus, Multi-Compendial, 99%** for biochemistry meets compendial specs of USP, BP, Ph.Eur	1340.00 3390.00 29950.00	25g 100g 1kg
28061 [5934-29-2]	**L-Histidine Hydrochloride Monohydrate extrapure CHR, 99%** for biochemistry	710.00 2610.00 24860.00	25g 100g 1kg
59764 [68514-28-3] **new**	**Humic Acid Potassium Salt (Potassium Humate)pure, 70% Humic, 15% Fulvic**	380.00 3500.00	500g 5kg
53931 [7803-57-8]	**Hydrazine Hydrate extrapure, 80%** (Hydrazinium hydroxide)	1970.00 8720.00	500ml 2500ml
99313 [10034-93-2]	**Hydrazine Sulphate pure, 99%**	440.00 1950.00	100g 500g
33243 [10034-93-2]	**Hydrazine Sulphate extraure AR, 99.5%**	550.00 2300.00	100g 500g
78110 [10034-93-2]	**Hydrazine Sulphate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%** meets compendial specs of USP, BP, Ph.Eur	710.00 2610.00	100g 500g
21435 [10035-10-6]	**Hydrobromic Acid pure, 48-49% in water**	850.00 4030.00	500ml 2500ml
30106 [10035-10-6]	**Hydrobromic Acid pure, ~33%** (33% in glacial acetic acid)	1290.00 4600.00	500ml 2500ml
40918 [7647-01-0]	**Hydrochloric Acid 0.01M Aq. Solution**	200.00 360.00	500ml 1000ml
79661 [7647-01-0]	**Hydrochloric Acid 0.05N Aq. Solution**	200.00 360.00	500ml 1000ml

code	product name	unit price ₹	packing
99790 [7647-01-0]	**Hydrochloric Acid 0.1N Aq. Solution**	160.00 290.00	500ml 1000ml
30988 [7647-01-0]	**Hydrochloric Acid 0.5N Aq. Solution**	180.00 330.00	500ml 1000ml
62889 [7647-01-0]	**Hydrochloric Acid 1N Aq. Solution**	300.00 550.00	500ml 1000ml
87039 [7647-01-0]	**Hydrochloric Acid 2N Aq. Solution**	330.00 620.00	500ml 1000ml
80096 [7647-01-0]	**Hydrochloric Acid 3N Aq. Solution**	360.00 660.00	500ml 1000ml
65955 [7647-01-0]	**Hydrochloric Acid 4N Aq. Solution**	390.00 730.00	500ml 1000ml
34472 [7647-01-0]	**Hydrochloric Acid 5N Aq. Solution**	420.00 770.00	500ml 1000ml
17560 [7647-01-0]	**Hydrochloric Acid 6N Aq. Solution**	440.00 810.00	500ml 1000ml
72775 [7647-01-0] **new**	**Hydrochloric Acid 4M Solution in Dioxane**	1400.00 3460.00	1000ml 2500ml
56059 [5470-11-1]	**Hydroxylamine Hydrochloride pure, 98%**	330.00 1310.00	100g 500g
66164 [5470-11-1]	**Hydroxylamine Hydrochloride extrapure AR, 99%**	500.00 1680.00	100g 500g
65508 [5470-11-1]	**Hydroxylamine Hydrochloride extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%** meets compendial specs of USP, BP, Ph.Eur	600.00 1860.00	100g 500g
47748 [7803-49-8] **new**	**Hydroxylamine 50% Soln. in Water**	3460.00 5940.00 16740.00	50ml 100ml 500ml
13877 [10039-54-0]	**Hydroxylamine Sulphate pure, 99%**	210.00 650.00	100g 500g
83032 [10039-54-0]	**Hydroxylamine Sulphate extrapure AR, ACS, 99%**	260.00 830.00	100g 500g
44439 [622-40-2]	**4-(2-Hydroxyethyl)morpholine (4-HEM) extrapure, 99%** (2-Morpholinoethanol, 4-Morpholineethanol)	390.00 1420.00	100ml 500ml
91113 [148-24-3]	**8-Hydroxyquinoline (8-Quinolinol) extrapure, 99.5%** A monoprotic bidentate chelating agent and dye	930.00 3930.00	100g 500g
23264 [148-24-3]	**8-Hydroxyquinoline (8-Quinolinol) extrapure AR, ACS, 99.5%** A monoprotic bidentate chelating agent and dye	1070.00 4500.00	100g 500g
26356 [6303-21-5]	**Hypophosphorous Acid pure, 30-32% in water** (Phosphinic acid)	2600.00	500ml
92379 [6303-21-5]	**Hypophosphorous Acid extrapure AR, 50% in water** (Phosphinic acid)	3000.00	500ml
64556 [8029-68-3]	**Ichthammol pure, 50%** (Ammonium Bituminosulfpnate)	5700.00	500g
65712 [288-32-4]	**Imidazole pure, 99%**	370.00 1460.00	100g 500g

Storage : ♦ -20°C • 0-4°C 🌡 2-8°C ✔ 8-25°C

code	product name	unit price ₹	packing
32822 [288-32-4]	**Imidazole extrapure AR, 99%** (glyoxaline) for biochemistry useful pH range 6.2-7.8	550.00 2070.00 84880.00	100g 500g 25kg
This is a highly purified material suitable for determination of penicillins by spectroscopic methods.			
78496 [288-32-4]	**Imidazole extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%** (glyoxaline) for biochemistry meets compendial specs of USP, BP, Ph.Eur useful pH range 6.2-7.8	670.00 2330.00	100g 500g
This is a highly purified material suitable for determination of penicillins by spectroscopic methods.			
61510 [288-32-4]	**Imidazole for molecular biology, 99.5%** (glyoxaline) buffer substance DNase RNase, protease not detected useful pH range 6.2-7.8	610.00 1820.00 7040.00	25g 100g 500g
10722 [288-32-4]	**Imidazole for tissue culture, 99.5%**	1950.00	100g
73017 [8000-27-9]	**Immersion Oil Synthetic for microscopy**	320.00 730.00 2550.00 24260.00	30ml 125ml 500ml 5lit

Indicator Papers

SRL Indicator pH Papers are made using high quality Whatman Papers giving the most accurate results for quick determination of pH Values and specific chemical reaction points. Applications in Laboratories & Industry, The Smart Case is a user-friendly plastic box with single and multiple book holding containers which enable convenient handling for the mobile user.

72874	**Indicator Papers pH 1.0 - 14.0 Full Range** (1 book = 20 leaves, User friendly Smart Case with Colour Scale)	400.00	10 books
12794	**Indicator Papers pH 1.0 - 10.0 Wide Range** (1 book = 25 leaves,Provided with Colour Scale)	790.00	4 books
47603	**Indicator Papers pH 2.0 - 4.5 Narrow Range** (1 book = 20 leaves, User friendly Smart Case with Colour Scale)	430.00	10 books
27671	**Indicator Papers pH 2.0 - 10.5 Wide Range** (1 book = 20 leaves, User friendly Smart Case with Colour Scale)	380.00	10 books
84794	**Indicator Papers pH 3.5 - 6.0 Narrow Range** (1 book = 20 leaves, User friendly Smart Case with Colour Scale)	380.00	10 books
82811	**Indicator Papers pH 3.8 - 5.3 Narrow Range** (1 book = 20 leaves, User friendly Smart Case with Colour Scale)	400.00	10 books
98044	**Indicator Papers pH 3.8 - 5.4 Narrow Range** (1 book = 25 leaves,Provided with Colour Scale)	400.00	4 books
36120	**Indicator Papers pH 5.0 - 7.5 Narrow Range** (1 book = 20 leaves, User friendly Smart Case with Colour Scale)	380.00	10 books
61169	**Indicator Papers pH 6.5 - 9.0 Narrow Range** (1 book = 20 leaves, User friendly Smart Case with Colour Scale)	380.00	10 books
94744	**Indicator Papers pH 8.0 - 10.5 Narrow Range** (1 book = 20 leaves, User friendly Smart Case with Colour Scale)	410.00	10 books

code	product name	unit price ₹	packing
63214	**Indium AAS Standard Solution in 1N HCl** contains 1000 mg/litre (exact concentration on label)	3230.00	250ml
88318 [87-51-4]	**Indole-3-Acetic Acid (IAA) pure, 98%** (heteroauxin)	430.00 1390.00 4900.00	5g 25g 100g
96788 [87-51-4]	**Indole-3-Acetic Acid (IAA) for tissue culture, 98%** (heteroauxin)	650.00 2400.00 7200.00	5g 25g 100g
18676 [771-51-7]	**Indole-3-Acetonitrile pure, 99%**	1590.00 5940.00 20970.00	5g 25g 100g
40407 [133-32-4]	**Indoe-3-Butyric Acid (IBA) pure, 98%**	520.00 1760.00 5530.00	5g 25g 100g
60289 [133-32-4]	**Indole-3-Butyric Acid (IBA) for tissue culture, 98%**	750.00 2620.00 8180.00	5g 25g 100g
35095 [771-50-6]	**Indole-3-Carboxylic Acid pure, 99%**	1260.00 5030.00	5g 25g
67892 [7790-99-0]	**Iodine Monochloride extrapure, 98%**	890.00 2800.00 6500.00	25g 100g 250g
66098 [7790-99-0]	**Iodine Monochloride Solution (1M in Acetic Acid) (Wij's Solution) extrapure** (Chloroiodide solution)	670.00 1220.00	250ml 500ml
40415 [12029-98-0]	**Iodine Pentoxide extrapure AR, 99%**	3170.00 6330.00	25g 100g
52539 [7553-56-2]	**Iodine Resublimed AR, 99.8%**	2990.00 14030.00	100g 500g
37524 [7553-56-2]	**Iodine Resublimed AR, ACS, ExiPlus, Multi-Compendial, 99.8%** meets compendial specs of USP, BP, Ph.Eur	3110.00 14950.00	100g 500g
68017 [7553-56-2]	**Iodine 0.01N Solution**	550.00 1030.00	500ml 1000ml
12445 [7553-56-2]	**Iodine 0.1N Solution**	1410.00	500ml
59802 [7553-56-2]	**Iodine 1N Solution**	1730.00	500ml
84644 [865-44-1]	**Iodine Trichloride extrapure, 97%**	2820.00	25g
36388 [75-47-8]	**Iodoform pure, 99%** (Triiodomethane)	10250.00	250g
70031 [516-12-1]	**N-Iodosuccinimide extrapure, 99%** (1-Iodo-2,5-pyrrolidinedion)	460.00 1620.00 6190.00	5g 25g 100g

Ion Exchange Resins

52228	**Seralite SRA-400** 20-50 mesh standard grade (equivalent to Amberlite IRA-400) Ion exchange capacity — 3.5meq/g(dry) or 1.4meq/g(wet) Ionic form — Cl^- Active group — Quarternary ammonium	580.00 1080.00	250g 500g

This is a strongly basic anion exchange resin consisting of a copolymer of cross-linked polystyrene and divinylbenzene which is a subsequently chlorinated and treated with a tertiaryamine.



code	product name	unit price ₹	packing
14891	**Seralite SRC-120** 20-50 mesh standard grade (equivalent to Amberlite IRC-120) Ion exchange capacity — 5meq/g(dry)or 2.5meq/g(wet) Ionic form — H^+ Active group — Sulphonic This is a strongly acidic cation exchange resin formed by copolymerising styrene with divinylbenzene and sulphonating the product.	660.00	500g
89830	**Seralite WRC-50** 20-50 mesh standard grade (equivalent to Amberlite IRC-50) Ion exchange capacity — 10meq/g(dry) or 5meq/g(wet) Ionic form — H^+ This is a weakly acidic acidic cation exchange resin with a polyacrylic divinylbenzene matrix.	630.00 1220.00	250g 500g
22157 [7439-88-5]	**Iridium Metal Powder extrapure, 99.9%, Ir content 46%**	7090.00 29430.00 55590.00	100mg 500mg 1g
50716 [14996-61-3]	**Iridium Trichloride Hydrate extrapure, 99%**	9500.00 35000.00 165000.00	250mg 1g 5g
84425	**Iron AAS Standard Solution in 0.5N HNO_3** contains 1000 mg/lit (exact concentration on label)	1800.00	250ml
64857 [7439-89-6]	**Iron Metal Powder (Electrolytic), 99.5%, mesh -200**	710.00 1000.00 4540.00	500g 1kg 5kg
90354 [91-56-5]	**Isatin extrapure AR, 99%** (2,3-Indolinedione)	1030.00 3540.00	25g 100g
57020 [123-51-3]	**Isoamyl Alcohol pure, 99%** (Isopentyl Alcohol) (for Milk Testing)	400.00 1750.00	500ml 2500ml
69931 [123-51-3]	**Isoamyl Alcohol extrapure AR, 99%** (Isopentyl alcohol)	570.00 1010.00 2080.00	500ml 1000ml 2500ml
88719 [123-51-3]	**Isoamyl Alcohol extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%** (Isopentyl alcohol) meets compendial specs of USP, BP, Ph.Eur	660.00 1200.00 2510.00	500ml 1000ml 2500ml
69412 [78-83-1]	**Isobutanol pure, 99%** (Iso-butyl alcohol, 2-methyl-1-propanol)	360.00 700.00 1460.00 12320.00	500ml 1000ml 2500ml 25lit
98646 [78-83-1]	**Isobutanol extrapure AR, 99.5%** (Iso-butyl alcohol, 2-methyl-1-propanol)	450.00 840.00 1760.00	500ml 1000ml 2500ml
34159 [78-83-1]	**Isobutanol GC-HS, 99.9%** for OVI & residual solvent analysis	560.00 1010.00 1770.00	250ml 500ml 1000ml
52497 [110-19-0]	**Isobutyl Acetate extrapure, 98%** (Acetic acid isobutyl ester)	640.00 2920.00 26800.00	500ml 2500ml 25lit
41867 [78-84-2] 🌡	**Isobutyraldehyde extrapure, 99%** (2-methylpropionaldehyde)	440.00 1950.00	500ml 2500ml
53502 [540-84-1]	**Isooctane extrapure, 99%** (2,2,4-Trimethylpentane)	870.00 4120.00 37060.00	500ml 2500ml 25lit
57075 [540-84-1]	**Isooctane extrapure AR, 99.5%** (2,2,4-Trimethylpentane)	1080.00 4720.00 40880.00	500ml 2500ml 25lit
81399 [540-84-1]	**Isooctane extrapure AR, ACS, 99.5%** (2,2,4-Trimethylpentane)	1130.00 5090.00	500ml 2500ml
68930 [540-84-1]	**Isooctane for HPLC & UV spectroscopy, 99.8%** (2,2,4-Trimethylpentane)	1370.00 2420.00 5090.00	500ml 1000ml 2500ml
98605 [540-84-1]	**Isooctane Dried, 99.5%, water 0.005%** (2,2,4-trimethylpentane)	2060.00	1000ml
67800 [67-63-0]	**Isopropanol pure, 99%** (2-Propanol, IPA)	570.00 1890.00 15980.00	500ml 2500ml 25lit
62986 [67-63-0]	**Isopropanol extrapure AR, 99.5%** (2-Propanol, IPA)	620.00 1970.00	500ml 2500ml
11768 [67-63-0]	**Isopropanol extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%** (2-Propanol, IPA) meets compendial specs of USP, BP, Ph.Eur	750.00 2290.00	500ml 2500ml
38445 [67-63-0]	**Isopropanol for molecular biology, 99.8%** (2-Propanol, IPA)	670.00 1640.00 2400.00	100ml 500ml 1000ml
10140 [67-63-0]	**Isopropanol GC-HS, 99.9%** for OVI & residual solvent analysis (2-Propanol, IPA)	930.00 1740.00	500ml 1000ml
44036 [67-63-0]	**Isopropanol for HPLC & UV spectroscopy, 99.8%** (2-Propanol, IPA)	730.00 1260.00 2280.00	500ml 1000ml 2500ml
48906 [67-63-0]	**Isopropanol electronic grade, 99.5%** (2-Propanol, IPA)	2060.00	2500ml
13627 [108-22-5]	**Isopropenyl Acetate extrapure, 99%**	700.00 1300.00	250ml 500ml
35858 [75-31-0]	**Isopropylamine (MIPA) extrapure, 99%** (Monoisopropylamine)	520.00 2180.00	500ml 2500ml
73716 [110-27-0]	**Isopropyl Myristate pure, 90%**	860.00 3940.00	500ml 2500ml
32009 [110-27-0]	**Isopropyl Myristate ExiPlus, Multi-Compendial, 90%** meets compendial specs of USP, Ph.Eur	960.00 4240.00	500ml 2500ml
42822 [110-27-0]	**Isopropyl Myristate extrapure AR, 98% (0.2µm filtered)** Specially filtered for synthesis applications	1820.00 7890.00	500ml 2500ml
36494 [9002-13-5]	**Jack Bean Meal ex. Urease extrapure** (Crude Urease)	270.00 1220.00	100g 500g
20489 [2869-83-2]	**Janus Green B (JG-B), 65%** (C.I. No. 11050) (Diazin Green, Union Green B)	760.00 3040.00	5g 25g
86543 [62851-42-7]	**Jenner's Stain (Eosin-methylene blue)**	630.00 2390.00	25g 100g
57080 [1332-58-7]	**Kaolin Light extrapure**	200.00	500g

code	product name	unit price ₹	packing
34469	**Karl Fischer Reagent (Pyridine free)** single solution for titrimetric determination of water 1 ml reagent = ~5 mg water	3240.00 3240.00	500 ml 2x250 ml (twin pack)
93762 [79-33-4]	**L-Lactic Acid pure, 88%** (L-(+)-Lactic Acid)	780.00 3270.00	500ml 2500ml
41242 [79-33-4]	**L-Lactic Acid extrapure AR, 88%** (L-(+)-Lactic Acid)	840.00 3490.00	500ml 2500ml
21206 [79-33-4]	**L-Lactic Acid extrapure AR, ACS, ExiPlus, Multi-Compendial, 88%** (L-(+)-Lactic Acid) meets compendial specs of BP, Ph.Eur	950.00 4040.00	500ml 2500ml
62878 [79-33-4]	**L-Lactic Acid for tissue culture, 88%** (L-(+)-Lactic Acid)	660.00	100 ml
54492 [79-33-4]	**L-Lactic Acid 0.1N Solution**	250.00 470.00	500ml 1000ml
41158 [79-33-4]	**L-Lactic Acid 1N Solution**	420.00 780.00	500ml 1000ml
25957 [10039-26-6, 64044-51-5]	**Lactose Monohydrate extrapure AR** for bacteriology	530.00 5000.00	500g 5000g
67091 [10039-26-6, 64044-51-5]	**Lactose Monohydrate extrapure AR, ACS, ExiPlus, Multi-Compendial** for bacteriology meets compendial specs of USP, BP	590.00 5300.00	500g 5kg
33525 [10039-26-6, 64044-51-5]	**Lactose Monohydrate for tissue culture**	660.00 6330.00	500g 5kg
19459	**Lanthanum AAS Standard Solution in 2N HNO_3** contains 1000mg/litre (exact concentration on label)	2700.00	250 ml
70514 [143-07-7]	**Lauric Acid pure, 99%** (Dodecanoic acid)	660.00 2500.00	500g 2.5kg
90346 [1335-32-6]	**Lead Subacetate extrapure, Pb content 33%**	930.00 4530.00 8720.00	500g 2.5kg 5kg
72518 [6080-56-4]	**Lead (II) Acetate Trihydrate pure, 99%** (Plumbous acetate trihydrate, lead diacetate)	530.00	500g
69586 [10099-74-8]	**Lead AAS Standard Solution in 0.5N HNO_3** contains 1000 mg/lit (exact concentration on label)	1930.00	250ml
69789 [7758-95-4]	**Lead (II) Chloride Anhydrous extrapure, 98%**	820.00	500g
87373 [1309-60-0]	**Lead Dioxide (Lead Peroxide) extrapure, 95%**	490.00 1240.00	100g 500g
60843 [7783-46-2]	**Lead (II) Fluoride pure, 98%** (Plumbous fluoride)	1520.00	500g
64972 [10099-74-8]	**Lead (II) Nitrate extrapure, 99%** (Plumbous nitrate, lead dinitrate)	560.00	500g
60795 [7446-14-2]	**Lead (II) Sulphate extrapure, 98%** (Anglesite)	690.00	500g
68015	**Leishman Solution**	240.00	250ml
82184 [12627-53-1]	**Leishman Stain**	660.00 2490.00 11520.00	25g 100g 500g
63007 [61-90-5]	**L-Leucine extrapure CHR, 99%** for biochemistry	140.00 330.00 970.00 4840.00 7870.00	10g 25g 100g 500g 1kg
75333 [1305-62-0]	**Lime Water Saturated Solution**	280.00	500ml
75105	**Lithium AAS Standard Solution in 0.5N HNO_3** contains 1000 mg/lit (exact conentration on label)	1930.00	250ml
11748 [7550-35-8]	**Lithium Bromide Anhydrous pure, 99%**		Discontinued
31665 [7550-35-8]	**Lithium Bromide Anhydrous extrapure, 99%**	1400.00 5500.00	100g 500g
33662 [7550-35-8]	**Lithium Bromide ultrapure, 99.999%, -10mesh**	5760.00 19200.00	5g 25g
73154 [554-13-2]	**Lithium Carbonate pure, 98%**	1820.00 4300.00 8250.00	100g 250g 500g
19558 [554-13-2]	**Lithium Carbonate exrapure AR, 99%**	1900.00 4500.00	100g 250g
74884 [554-13-2]	**Lithium Carbonate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%** meets compendial specs of BP, Ph.Eur	4700.00	250g
39692 [7447-41-8]	**Lithium Chloride Anhydrous pure, 99%**	1020.00 2400.00 4680.00	100g 250g 500g
76359 [7447-41-8]	**Lithium Chloride Anhydrous extrapure AR, 99%**	1140.00 2520.00	100g 250g
58259 [7447-41-8]	**Lithium Chloride Anhydrous extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%** meets compendial specs of USP, BP, Ph.Eur	1260.00 5280.00	100g 500g
26341 [7447-41-8]	**Lithium Chloride 1M Solution in Acetic Acid**	1410.00	250ml
20003 [7447-41-8]	**Lithium Chloride 1M Solution in Ethanol**	1540.00	250ml
81034 [7789-24-4]	**Lithium Fluoride pure, 98.5%**	950.00 3300.00 15500.00	25g 100g 500g
44318 [1310-65-2]	**Lithium Hydroxide Anhydrous extrapure, 98%**	1550.00 3900.00 18500.00	25g 100g 500g
52019 [1310-66-3]	**Lithium Hydroxide Monohydrate pure, 99%**	3200.00 15500.00	100g 500g
48204 [1310-66-3]	**Lithium Hydroxide Monohydrate extrapure AR, 99%**	3400.00 16500.00	100g 500g



code	product name	unit price ₹	packing
89966 [1310-66-3]	**Lithium Hydroxide Monohydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%** meets compendial specs of USP, BP, Ph.Eur	3500.00 17500.00	100g 500g
82712 [7790-69-4]	**Lithium Nitrate (High Purity) extrapure AR, 99.5%**	1250.00 5030.00	100g 500g
17864 [7790-69-4]	**Lithium Nitrate (High Purity) extrapure AR, ExiPlus, Multi-Compendial, 99.5%** meets compendial specs of USP	1610.00 5540.00	100g 500g
88181 [10102-25-7]	**Lithium Sulphate Monohydrate extrapure AR, 99%**	2100.00 4900.00 9500.00	100g 250g 500g
39478 [10102-25-7]	**Lithium Sulphate Monohydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%** meets compendial specs of USP, BP, Ph.Eur	2200.00 10500.00	100g 500g
11373 [12007-60-2]	**Lithium Tetraborate extrapure AR, 98%** (di-Lithium Tetraborate)	2830.00 13740.00	100g 500g
76345	**Litmus Blue Indicator Papers** (1 book = 20 leaves, User friendly Smart Case)	310.00	10 books
67562	**Litmus Red Indicator Papers** (1 book = 20 leaves, User friendly Smart Case)	310.00	10 books
78724	**Lugols Iodine 1% Solution (Conc)** (Iodine-Potassium iodide solution)	190.00 610.00	125ml 500ml
42603	**Lugols Iodine 5% Solution (Conc)** (Iodine-Potassium iodide solution)	790.00 2530.00	125ml 500ml
72349 [7274-88-6]	**D-Lysine Hydrochloride extrapure, 99%** for biochemistry	2460.00 9250.00	1g 5g
30163 [56-87-1] 🌡	**L-Lysine (free base) Anhydrous extrapure, 98%** for biochemistry	1360.00 3200.00 11840.00	10g 25g 100g
15942 [56-87-1] 🌡	**L-Lysine (free base) Anhydrous ExiPlus, Multi-Compendial, 98%** for biochemistry meets compendial specs of USP	1600.00 12990.00	10g 100g
22527 [56-87-1] 🌡	**L-Lysine (free base) Anhydrous for tissue culture, 98%**	1590.00 3710.00	10g 25g
85187 [39665-12-8] 🌡	**L-Lysine Monohydrate (base) extrapure, 99%** for biochemistry crystalline	830.00 1970.00 7030.00	10g 25g 100g
76199 [39665-12-8] 🌡	**L-Lysine Monohydrate (base) ExiPlus, Multi-Compendial, 99%** for biochemistry crystalline, meets compendial specs of USP	960.00 2110.00 7790.00	10g 25g 100g
45976 [39665-12-8] 🌡	**L-Lysine Monohydrate (base) for molecular biology, 99%** DNase, RNase, protease not detected	3200.00	25g
89361 [657-27-2]	**L-Lysine Monohydrochloride extrapure CHR, 99%** for biochemistry	250.00 1070.00	100g 500g

code	product name	unit price ₹	packing
77872 [657-27-2]	**L-Lysine Monohydrochloride ExiPlus, Multi-Compendial, 99%** for biochemistry meets compendial specs of USP, BP, Ph.Eur	380.00 1310.00	100g 500g
35443 [16674-78-5]	**Magnesium Acetate Tetrahydrate extrapure, 98%**	940.00 9090.00	500g 5kg
53888 [16674-78-5]	**Magnesium Acetate Tetrahydrate extrapure AR, 99%**	1040.00 10120.00	500g 5kg
64328 [16674-78-5]	**Magnesium Acetate Tetrahydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%** meets compendial specs of USP, BP, Ph.Eur	1380.00	500g
50488 [16674-78-5]	**Magnesium Acetate Tetrahydrate for molecular biology, 99%**	580.00 2710.00	100g 500g
52917	**Magnesium AAS Standard Solution in 0.5N HNO_3** contains 1000 mg/lit (exact concentration on label)	2170.00	250ml
28935 [13446-53-2]	**Magnesium Bromide Hexahydrate pure, 98%**	4030.00	500g
63818 [39409-82-0]	**Magnesium Carbonate Basic Light, 40-45%, MgO**	520.00 870.00	250g 500g
31196 [7786-30-3]	**Magnesium Chloride Anhydrous extrapure, 98%**	840.00 1320.00 8940.00	100g 500g 5Kg
39750 [7786-30-3]	**Magnesium Chloride Anhydrous for tissue culture, 98%**	1220.00 2920.00	100g 500g
69396 [7791-18-6]	**Magnesium Chloride Hexahydrate extrapure AR, 99%**	310.00 2260.00	500g 5kg
54269 [7791-18-6]	**Magnesium Chloride Hexahydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%** meets compendial specs of USP, BP	340.00 2630.00	500g 5kg
91417 [7791-186]	**Magnesium Chloride Hexahydrate for molecular biology, 99.5%** DNase, RNase, protease not detected	1000.00 1560.00	250g 500g
16203 [7791-18-6]	**Magnesium Chloride Hexahydrate for tissue culture, 99.5%**	1870.00	500g
28577 [7791-18-6]	**Magnesium Chloride 0.5M Solution**	230.00 430.00	500ml 1000ml
23772 [7791-18-6]	**Magnesium Chloride 1M Solution**	270.00 500.00	500ml 1000ml
58742 [153531-96-5]	**Magnesium Citrate Nonahydrate pure, 97%**	1550.00	500g
25349 [7783-40-6]	**Magnesium Fluoride pure, 95%**	810.00	500g
45149 [7439-95-4]	**Magnesium Metal coarse powder, 99.8%, -36 mesh**	620.00 2900.00	100g 500g
19684 [7439-95-4]	**Magnesium Metal Ribbon extrapure AR, 99.5%**	290.00	25g
94410 [7439-95-4]	**Magnesium Metal Turnings, 99.8%** for Grignard reaction	1040.00 1900.00 8400.00	250g 500g 2.5kg

Storage : ♦ -20°C • 0-4°C 🌡 2-8°C ✔ 8-25°C

code	product name	unit price ₹	packing
77697 [13446-18-9]	**Magnesium Nitrate Hexahydrate extrapure AR, ACS, 99%**	420.00	500g
50014 [7487-88-9]	**Magnesium Sulphate Dried extrapure AR, 62-70% MgSO4, 99%**	470.00 2190.00	500g 2.5kg
64187 [7487-88-9]	**Magnesium Sulphate Dried extrapure AR, ExiPlus, Multi-Compendial, 62-70% MgSO4, 99%**	500.00 2380.00	500g 2.5kg
85611 [10034-99-8]	**Magnesium Sulphate Heptahydrate extrapure AR, 99%**	340.00	500g
26129 [10034-99-8]	**Magnesium Sulphate Heptahydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%** meets compendial specs of USP, BP	360.00	500g
74440 [10034-99-8]	**Magnesum Sulphate Heptahydrate for molecular biology, 99.5%** DNase, RNase, protease not detected	1460.00	500g
83890 [10034-99-8]	**Magnesium Sulphate Heptahydrate for tissue culture, 99.5%**	450.00	500g
90046 [10034-99-8]	**Magnesium Sulphate 0.1M Solution**	270.00 490.00	500ml 1000ml
10301 [10034-99-8]	**Magnesium Sulphate 0.5M Solution**	290.00 530.00	500ml 1000ml
29811 [10034-99-8]	**Magnesium Sulphate 1M Solution**	310.00 560.00	500ml 1000ml
78222 [557-04-0]	**Magnesium Stearate ExiPlus, Multi-Compendial** (Stearic Acid Magnesium Salt) meets compendial specs of USP	550.00	500g
15547 [1309-48-4]	**Magnesium Oxide Light extrapure, 98%**	1380.00 12650.00	500g 5kg
85850 [1309-48-4]	**Magnesium Oxide Heavy extrapure, 98%**	1090.00 10350.00	500g 5kg
64741 [2437-29-8]	**Malachite Green Oxalate** (C.I. 42000) (Basic green 4) Spectral (A1%) — 1000-1300	150.00 530.00	25g 100g
97890 [110-16-7]	**Maleic Acid extrapure AR, 99.5%**	250.00 650.00 2870.00	100g 500g 2.5kg
68589 [110-16-7]	**Maleic Acid extrapure AR, ExiPlus, Multi-Compendial, 99.5%** meets compendial specs of USP, BP	290.00 950.00	100g 500g
17289 [123-33-1]	**Maleic Hydrazide extrapure, 98%** (3,6-Dihydroxypyridazine)	660.00 5510.00	100g 1kg
24226 [6915-15-7]	**DL-Malic Acid pure, 99%** (Malic acid)	630.00 4940.00	500g 5kg
73638 [9050-36-6]	**Maltodextrin ExiPlus, Multi-Compendial**	310.00 2670.00	500g 5kg
90827 [9050-36-6]	**Maltodextrin for tissue culture, 16.5-19.5% De**	220.00	500g

code	product name	unit price ₹	packing
59338 [6363-53-7]	**D-Maltose Monohydrate for bacteriology & biochemistry** (D-(+)-Maltose monohydrate)	270.00 1080.00 10500.00	100g 500g 5kg
42844 [6363-53-7]	**D-Maltose Monohydrate for tissue culture**	330.00 1350.00 12500.00	100g 500g 5kg
97526 [6156-78-1]	**Manganese (II) Acetate Tetrahydrate pure, 97%** (Manganous acetate tetrahydrate)	510.00	500g
78017 [6156-78-1]	**Manganese (II) Acetate Tetrahydrate extrapure AR, 99%** (Manganous acetate tetrahydrate)	640.00	500g
94486	**Manganese AAS Standard Solution in 0.5N HCl** contains 1000 mg/lit (exact concentration on label)	2050.00	250ml
45757 [598-62-9]	**Manganese (II) Carbonate pure, 42-46%** (Manganous carbonate)	520.00	500g
75113 [13446-34-9]	**Manganese (II) Chloride Tetrahydrate extrapure, 97%** (Manganous chloride tetrahydrate)	590.00 5400.00	500g 5kg
11079 [13446-34-9]	**Manganese (II) Chloride Tetrahydrate extrapure AR, 99%** (Manganous chloride tetrahydrate)	Discontinued	
12551 [13446-34-9]	**Manganese (II) Chloride Tetrahydrate extrapure AR, ACS, 99%** (Manganous chloride tetrahydrate)	720.00 6600.00	500g 5kg
73970 [7439-96-5]	**Manganese Metal Powder extrapure, 99%, -325 mesh**	970.00	250g
58011 [10034-96-5]	**Manganese (II) Sulpate Monohydrate pure, 98%** (Manganous sulphate monohydrate)	430.00 3740.00	500g 5kg
12386 [10034-96-5]	**Manganese (II) Sulphate Monohydrate extrapure AR, 99%** (Manganous sulphate monohydrate)	610.00 5950.00	500g 5kg
78822 [10034-96-5]	**Manganese (II) Sulphate Monohydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%** (Manganous sulphate monohydrate) meets compendial specs of USP, BP, Ph.Eur	840.00 7550.00	500g 5kg
38593 [1313-13-9]	**Manganese (IV) Oxide pure, 80% (Manganese Dioxide)**	780.00	500g
24248 [69-65-8]	**D-Mannitol extrapure, 98.5%** for biochemistry (Mannite)	880.00 1690.00 8180.00 40330.00	500g 1kg 5kg 25kg
79887 [69-65-8]	**D-Mannitol extrapure AR, 99%** (Mannite)	520.00 980.00 9100.00	250g 500g 5kg
21304 [69-65-8]	**D-Mannitol extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%** (Mannite) meets compendial specs of BP	1160.00 10920.00	500g 5kg
64370 [2216-51-5]	**Menthol Synthetic pure** Congealing Range — 27-28°C	1460.00 3520.00	100g 250g



code	product name	unit price ₹	packing
69892 [60-24-2]	**2-Mercaptoethanol pure, 99%**	520.00 2180.00	100ml 500ml
83759 [60-24-2]	**2-Mercaptoethanol for molecular biology, 99%** DNase, RNase, Protease not detected	770.00 1650.00 2480.00	100ml 250ml 500ml
79306 [1600-27-7]	**Mercuric Acetate pure, 98%** (Mercury (II) acetate)	1180.00 4560.00 10800.00	25g 100g 250g
80243 [1600-27-7]	**Mercuric Acetate extrapure AR, ACS, ExiPlus, Multi-Compendial, 98%** (Mercury (II) acetate) meets compendial specs of Ph.Eur	1280.00 4860.00 11160.00	25g 100g 250g
58263 [7789-47-1]	**Mercuric Bromide extrapure AR, ACS, 99%** (Mercury (II) bromide)	1350.00 4480.00	25g 100g
25699 [7487-94-7]	**Mercuric Chloride extrapure, 98%** (Mercury (II) chloride)	1180.00 4560.00 11040.00 21600.00	25g 100g 250g 500g
29828 [7487-94-7]	**Mercuric Chloride extrapure AR, ACS, ExiPlus, Multi-Compendial, 98%** (Mercury (II) chloride) meets compendial specs of USP	1300.00 4800.00 11520.00 22560.00	25g 100g 250g 500g
98926 [7774-29-0]	**Mercuric Iodide Red pure, 99%** (Mercury (II) iodide)	1140.00 4260.00 10350.00	25g 100g 250g
36881 [7774-29-0]	**Mercuric Iodide Red extrapure AR, 99%** (Mercury (II) iodide)	1270.00 4370.00 10530.00	25g 100g 250g
93383 [7774-29-0]	**Mercuric Iodide Red extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%** (Mercury (II) iodide) meets compendial specs of USP, Ph.Eur	1380.00 4600.00 10700.00	25g 100g 250g
68434 [7783-34-8]	**Mercuric Nitrate Monohydrate extrapure, 98%** (Mercury (II) nitrate monohydrate)	1620.00 6120.00 15000.00	25g 100g 250g
89168 [7783-34-8]	**Mercuric Nitrate Monohydrate extrapure AR, ACS, 98.5%** (Mercury (II) nitrate dihydrate)	1740.00 6360.00 15600.00	25g 100g 250g
62847 [21908-53-2]	**Mercuric Oxide Red pure, 99%** (Mercury (II) oxide)	1200.00 4410.00 10680.00	25g 100g 250g
60178 [21908-53-2]	**Mercuric Oxide Red ACS, ExiPlus, Multi-Compendial, 99%** (Mercury (II) oxide) meets compendial specs of Ph.Eur	1210.00 4610.00 11220.00	25g 100g 250g
86666 [21908-53-2]	**Mercuric Oxide Yellow extrapure, 99%** (Mercury (II) oxide)	1200.00 4410.00 21360.00	25g 100g 500g
37053 [21908-53-2]	**Mercuric Oxide Yellow extrapure AR, ACS, 99.3%** (Mercury (II) oxide)	1410.00 5080.00 24700.00	25g 100g 500g
32543 [7783-35-9]	**Mercuric Sulphate pure, 99%** (Mercury (II) sulphate)	1020.00 3900.00 9480.00 17400.00	25g 100g 250g 500g

code	product name	unit price ₹	packing
20846 [7783-35-9]	**Mercuric Sulphate extrapure AR, 99%** (Mercury (II) sulphate)	1080.00 4020.00 9840.00	25g 100g 250g
43302 [7783-35-9]	**Mercuric Sulphate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%** (Mercury (II) sulphate) meets compendial specs of USP, Ph.Eur	1440.00 4260.00 10200.00	25g 100g 250g
48274 [592-85-8]	**Mercuric Thiocyanate pure, 98%** (Mercury (II) thiocyanate)	1270.00 4540.00	25g 100g
93119 [592-85-8]	**Mercuric Thiocyanate extrapure AR, ExiPlus, Multi-Compendial, 98%** (Mercury (II) thiocyanate) meets compendial specs of Ph.Eur	1410.00 4940.00	25g 100g
47184 [10112-91-1]	**Mercurous Chloride pure, 98%** (Mercury (I) chloride, calomel)	1140.00 4410.00 21360.00	25g 100g 500g
37921 [10112-91-1]	**Mercurous Chloride extrapure AR, ACS, 99.5%** (Mercury (I) chloride, calomel)	1270.00 4680.00 11500.00	25g 100g 250g
36004 [14836-60-3]	**Mercurous Nitrate Dihydrate extrapure, 97%** (Mercury (I) nitrate dihydrate)	1320.00 5160.00 12600.00	25g 100g 250g
44682 [14836-60-3]	**Mercurous Nitrate Dihydrate extrapure AR, 98%** (Mercury (I) nitrate dihydrate)	1440.00 5520.00 13500.00	25g 100g 250g
84229	**Mercury AAS Standard Solution in 0.5N HNO_3** contains 1000 mg/lit (exact concentration on label)	2810.00	250ml
53383 [7439-97-6] ✔	**Mercury Metal extrapure, 99%**	14640.00 28200.00	250g 500g
43665 [108-67-8]	**Mesitylene extrapure, 98%** (1,3,5-Trimethyl Benzene)	1010.00 1530.00 3660.00	500ml 1000ml 2500ml
86556 [79-41-4]	**Methacrylic Acid extrapure, 99%**	880.00 4150.00	500ml 2500ml
87726 [75-75-2]	**Methanesulphonic Acid pure, 99%**	370.00 1800.00 8500.00 83000.00	100ml 500ml 2500ml 25lit
46989 [124-63-0]	**Methanesulphonyl Chloride pure, 98%** (Mesyl-chloride)	330.00 1040.00 4540.00	100ml 500ml 2500ml
46644 [124-63-0]	**Methanesulphonyl Chloride extrapure, 99%** (Mesyl-chloride)	490.00 1280.00 4840.00	100ml 500ml 2500ml
59029 [67-56-1]	**Methanol pure, 99%**	250.00 670.00 5750.00	500ml 2500ml 25lit
65524 [67-56-1]	**Methanol extrapure AR, 99.8%** (Acetone free)	270.00 520.00 730.00	500ml 1000ml 2500ml

code	product name	unit price ₹	packing
37152 [67-56-1]	**Methanol extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.8%** (Acetone free) meets compendial specs of USP, BP, Ph.Eur	320.00 540.00 820.00	500ml 1000ml 2500ml
87655 [67-56-1]	**Methanol GC-HS, 99.9%** for OVI & residual solvent analysis	700.00 1230.00	500ml 1000ml
79345 [67-56-1]	**Methanol for HPLC & UV spectroscopy, 99.8%**	370.00 500.00 970.00	500ml 1000ml 2500ml
10036 [67-56-1]	**Methanol electronic grade, 99.8%**	1190.00	2500ml
62456 [67-56-1]	**Methanol Dried extrapure AR, 98%, water 0.02%**	360.00 500.00	500ml 1000ml
96446 [67-56-1]	**Methanol for molecular biology, 99.5%**	910.00 1640.00 3510.00	500ml 1000ml 2500ml
21944 [811-98-3] 🌡	**Methanol-d4 for NMR spectroscopy, 99.8 atom%D**	8720.00	10g
19305 [63-68-3]	**L-Methionine extrapure CHR** for biochemistry	330.00 1190.00 11490.00	25g 100g 1kg
65167 [109-86-4]	**Methyl Cellosolve extrapure, 99%** (2-methoxyethanol, ethylene glycolmonomethyl ether)	530.00 2120.00	500ml 2500ml
38200 [109-86-4]	**Methyl Cellosolve extrapure AR, 99.5%** (2-methoxyethanol, ethylene glycolmonomethyl ether) Peroxide free-for use in automated amino acid analysers	590.00 970.00 2240.00	500ml 1000ml 2500ml
60451 [108-87-2]	**Methyl Cyclohexane extrapure, 99%**	550.00 2080.00	500ml 2500ml
46985 [845-10-3]	**Methyl Red Sodium Salt (water soluble) ACS, 95%** (C.I. 13020, Acid red 2)	270.00 4790.00	25g 500g
38862 [110-26-9]	**N,N'-Methylene Bisacrylamide pure, 98%** (bis-Acrylamide)	1040.00 2910.00	100g 500g
38516 [110-26-9] 🌡	**N,N'-Methylene Bisacrylamide 3x cryst. extrapure AR, 99.5%** (bis-Acrylamide) Suitable for electrophoresis	540.00 1700.00 7020.00	25g 100g 500g
67320 [110-26-9] 🌡	**N,N'-Methylene Bisacrylamide 3x cryst. for molecular biology, 99.5%** (bis-Acrylamide) DNase, RNase, protease not detected	580.00 1820.00 4480.00 8590.00	25g 100g 250g 500g
58779 [110-26-9] 🌡	**N,N'-Methylene Bisacrylamide 2% aq. solution for molecular biology**	3630.00 9680.00	25ml 100ml
60363 [7220-79-3]	**Methylene Blue Trihydrate** for microscopy	440.00 1640.00 8000.00	25g 100g 500g
97866	**Methylene Blue 1% aq. Solution**	150.00 250.00	125ml 250ml

code	product name	unit price ₹	packing
77248 [74-88-4]	**Methyl Iodide (Iodomethane) extrapure, 99%** (stabilized)	6670.00 14380.00	100ml 250ml
64889 [108-11-2]	**Methyl Isobutyl Carbinol extrapure, 98%** (4-Methyl-2-pentanol)	1040.00	500ml
15926 [108-10-1]	**Methyl Isobutyl Ketone (MIBK) pure, 98%** (4-Methyl-2-pentanone, isobutyl methyl ketone)	460.00 1830.00	500ml 2500ml
61929 [108-10-1]	**Methyl Isobutyl Ketone (MIBK) extrapure AR , 99.5%** (4-Methyl-2-pentanone, isobutyl methyl ketone)	610.00 2110.00	500ml 2500ml
10416 [108-10-1]	**Methyl Isobutyl Ketone (MIBK) for UV spectroscopy, 99.5%** (4-Methyl-2-pentanone, isobutyl methyl ketone)	1220.00	500ml
72387 [109-0-4]	**4-Methyl Morpholine pure, 99%** for protein sequence	660.00 1260.00	250ml 500ml
70280 [547-58-0]	**Methyl Orange** (C.I.No. 13025)	210.00 570.00	25g 100g
51369 [872-50-4]	**N-Methyl-2-Pyrrolidone (NMP) extrapure, 99.5%**	1160.00 5400.00	500ml 2500ml
86263 [872-50-4]	**N-Methyl-2-Pyrrolidone (NMP) extrapure AR, 99.5%**	1380.00 5650.00	500ml 2500ml
11118 [872-50-4]	**N-Methyl-2-Pyrrolidone (NMP) extrapure AR, ACS, 99.5%**	1510.00 5900.00	500ml 2500ml
25903 [872-50-4]	**N-Methyl-2-Pyrrolidone (NMP) GC-HS, 99.5%** for OVI & residual solvent analysis	1150.00 2010.00 3770.00	250ml 500ml 1000ml
10331 [872-50-4]	**N-Methyl-2-Pyrrolidone (NMP) for HPLC, 99.5%**	3260.00	1000ml
89975 [872-50-4]	**N-Methyl-2-Pyrrolidone (NMP) for molecular biology, 99.5%**	760.00	250ml
44055 [99-76-3]	**Methyl-4-Hydroxybenzoate (Methyl Paraben) ExiPlus, Multi-Compendial, 98-102%** meets compendial specs of USP, BP	1420.00 13080.00	500g 5kg
60905 [5026-62-0]	**Methyl-4-Hydroxybenzoate Sodium Salt (Methyl Paraben Sodium) ExiPlus, Multi-Compendial, 95-102%** meets compendial specs of USP, BP	1190.00 11520.00	500g 5kg
49449 [493-52-7]	**Methyl Red extrapure AR**	250.00 890.00	25g 100g
40431 [493-52-7]	**Methyl Red ACS, ExiPlus, Multi-Compendial** meets compendial specs of BP, Ph.Eur	460.00 1090.00	25g 100g
99983 [96-47-9]	**2-Methyl Tetrahydrofuran pure, 98%**	330.00 1500.00 7200.00	100ml 500ml 2500ml
37689 [8004-87-3]	**Methyl Violet** (Methyl violet 2B) (C.I.No. 42535)	220.00 520.00	25g 100g
90121 [55-55-0]	**Metol extrapure, 99%** suitable for photography (4-Methylaminophenol sulphate) (4-aminophenol sulphate)	980.00 4200.00	100g 500g



code	product name	unit price ₹	packing
	Molecular Seives (Acid washed, free from fines)		
98254 [308080-99-1]	**Molecular Sieve 3A (0.3nm) (1.6-3mm Beads)** (crystalline potassium aluminosilicate) Pore size approx 3 angstrom, free from fines, acid washed	550.00 1530.00 6110.00	250g 1kg 5kg
72866 [70955-01-0]	**Molecular Sieve 4A (0.4nm) (1.6-3mm Beads)** (crystalline sodium aluminosilicate) Pore size approx 4 angstrom, free from fines,acid washed	550.00 1530.00 6110.00	250g 1kg 5kg
75690 [70955-01-0]	**Molecular Sieve 5A (0.5nm) (1.6-3mm Beads)** (crystalline calcium aluminosilicate) Pore size approx 5 angstrom, free from fines,acid washed	600.00 1640.00 6540.00	250g 1kg 5kg
27764 [63231-69-6]	**Molecular Sieve 13X (2-4mm Beads)** (crystalline sodium aluminosilicate) Pore size approx 10 angstrom, free from fines, acid washed	550.00 1530.00 6110.00	250g 1kg 5kg
38717	**Molybdenum AAS Standard Solution in 0.5N H_2SO_4** contains 1000 mg/lit (exact concentration on label)	2480.00	250ml
26467 [1313-27-5]	**Molybdenum Trioxide pure, 99%**		Discontinued
31444 [1313-27-5]	**Molybdenum Trioxide extrapure, 99.5%**	1600.00 3700.00 6960.00	100g 250g 500g
72615 [1313-27-5]	**Molybdenum Trioxide extrapure AR, ACS, 99.5%**	1800.00 4200.00 7800.00	100g 250g 500g
49664 [7782-91-4]	**Molybdic Acid pure, 85%**	1620.00 6660.00	100g 500g
98466 [7782-91-4]	**Molybdic Acid extrapure AR, 85%**	1750.00 7080.00	100g 500g
71772 [7782-91-4]	**Molybdic Acid extrapure AR, ACS, ExiPlus, Multi-Compendial, 85%** meets compendial specs of USP	2020.00 7530.00	100g 500g
44630 [110-91-8]	**Morpholine extrapure, 99%**	620.00 2910.00 22070.00	500ml 2500ml 25lit
96740 [110-91-8]	**Morpholine extrapure AR, 99.5%**	370.00 710.00	250ml 500ml
11287 [110-91-8]	**Morpholine extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%** meets compendial specs of USP, BP, Ph.Eur	1090.00	500ml
98293 [3051-09-0]	**Murexide extrapure AR, 98%** (Ammonium purpurate)	260.00 980.00 3730.00 16490.00	5g 25g 100g 500g
99571 [3051-09-0]	**Murexide extrapure AR, ACS, ExiPlus, Multi-Compendial, 98%** (Ammonium purpurate) meets compendial specs of Ph.Eur	310.00 1090.00 3910.00 18070.00	5g 25g 100g 500g

code	product name	unit price ₹	packing
13280 [91-20-3]	**Naphthalene extrapure AR, ExiPlus, Multi-Compendial, 99.5%** meets compendial specs of USP, BP, Ph.Eur	310.00 550.00 1040.00	100g 500g 1kg
26320 [91-20-3]	**Naphthalene scintillation grade, 99%**	360.00 670.00 1280.00	100g 500g 1kg
89740 [86-87-3]	**Naphthalene-1-Acetic Acid (NAA) extrapure, 99%** (1-naphthylacetic acid)	210.00 640.00 2830.00	25g 100g 500g
75928 [86-87-3]	**Naphthalene-1-Acetic Acid (NAA) for tissue culture, 99%** (1-naphthylacetic acid)	260.00 700.00 3270.00	25g 100g 500g
84226 [90-15-3]	**α-Naphthol pure, 99%** (1-Naphthol)	370.00 1480.00	100g 500g
36309 [90-15-3]	**α-Naphthol extrapure AR, 99.5%** (1-Naphthol)	210.00 520.00 2000.00	25g 100g 500g
30585 [90-15-3]	**α-Naphthol extrapure AR, ExiPlus, Multi-Compendial, 99.5%** (1-Naphthol) meets compendial specs of USP, BP, Ph.Eur	620.00 2200.00	100g 500g
74770 [135-19-3]	**β-Naphthol extrapure AR, 99%** (2-Naphthol)	340.00 1400.00	100g 500g
19261 [135-19-3]	**β-Naphthol extrapure AR, ExiPlus, Multi-Compendial, 99%** (2-Naphthol) meets compendial specs of USP, BP, Ph.Eur	400.00 1640.00	100g 500g
86079	**Neisser's Stain A (Methylene Blue)**	130.00	125ml
20379	**Neisser's Stain B (Crystal Violet)**	150.00	125ml
23058	**Neisser's Stain C (Chrysoidine)**	130.00	125ml
90691 [553-24-2]	**Neutral Red extrapure AR, 60%** (C.I.No. 50040)	500.00 930.00 3270.00	10g 25g 100g
36248 [553-24-2]	**Neutral Red (High Purity), 85%** (C.I. No. 50040) Dye content — min.90%	660.00 1530.00 5560.00	10g 25g 100g
18559 [553-24-2]	**Neutral Red, ACS, ExiPlus, Multi-Compendial, 85%** (C.I. No. 50040) meets compendial specs of BP Dye content — min.90%	770.00 1690.00	10g 25g
73342 [12635-27-7]	**Nickel Aluminium Alloy powder, 50% Ni, 50% Al**	920.00 3480.00	100g 500g
48615	**Nickel AAS Standard Solution in 0.5N HNO_3** contains 1000 mg/lit (exact concentration on label)	2810.00	250ml
42591 [6018-89-9]	**Nickel (II) Acetate Tetrahydrate pure, 98%** (Nickelous acetate tetrahydrate)	740.00 2670.00	100g 500g

Storage : ♦ -20°C • 0-4°C 🌡 2-8°C ✔ 8-25°C

code	product name	unit price ₹	packing
66489 [958638-02-3]	**Nickel (II) Carbonate Basic Hydrate extrapure, 44-47% Ni** (Nickelous carbonate hydroxide hydrate, Nickel hydroxide carbonate hydrate)	4940.00	500g
58481 [12607-70-4]	**Nickel (II) Carbonate Basic Tetrahydrate, 44-47% Ni** (Nickel hydroxide carbonate tetrahydrate)	2880.00 26700.00	500g 5Kg
84421 [7791-20-0]	**Nickel (II) Chloride Hexahydrate pure, 98%** (Nickelous chloride hexahydrate)	2100.00 19900.00	500g 5kg
27303 [7791-20-0]	**Nickel (II) Chloride Hexahydrate extrapure AR, 99%** (Nickelous chloride hexahydrate)	500.00 2200.00	100g 500g
10081 [7791-20-0]	**Nickel (II) Chloride Hexahydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%** (Nickelous chloride hexahydrate) meets compendial specs of BP	580.00 2500.00	100g 500g
75546 [7440-02-0]	**Nickel Metal powder extrapure, 99.5%, ~100 mesh**	1210.00 4680.00	100g 500g
57709 [13478-00-7]	**Nickel (II) Nitrate Hexahydrate pure, 98%** (Nickelous nitrate hexahydrate)	1470.00	500g
30795 [13478-00-7]	**Nickel (II) Nitrate Hexahydrate extrapure AR, 99%** (Nickelous nitrate hexahydrate)	1060.00 2000.00	250g 500g
33568 [13478-00-7]	**Nickel (II) Nitrate Hexahydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%** (Nickelous nitrate hexahydrate) meets compendial specs of Ph.Eur	1210.00 2300.00	250g 500g
49487 [1313-99-1]	**Nickel (II) Oxide pure, 77% Ni** (Nickel monoxide)	2280.00 10020.00	100g 500g
12125 [10101-98-1]	**Nickel (II) Sulphate Heptahydrate pure, 98%** (Nickelous sulphate heptahydrate)	2000.00 19000.00	500g 5kg
93377 [10101-98-1]	**Nickel (II) Sulphate Heptahydrate extrapure AR, 99%** (Nickelous sulphate heptahydrate)	2300.00 21500.00	500g 5kg
48105 [10101-98-1]	**Nickel (II) Sulphate Heptahydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 98%** (Nickelous sulphate heptahydrate) meets compendial specs of BP, Ph.Eur	780.00 2600.00	100g 500g
61397 [10101-97-0]	**Nickel (II) Sulphate Hexahydrate ACS, 99%** (Nickelous sulphate hexahydrate)	620.00 2600.00 24720.00	100g 500g 5Kg
86097 [59-67-6]	**Nicotinic Acid pure, 99%** (Pyridine-3-carboxylic acid)	420.00 1530.00	100g 500g
67066 [8005-03-6]	**Nigrosin (Water Soluble)** (Acid black 2) (C.I. No. 50420) Absorption: — Lambda max.576 nm	180.00 520.00	25g 100g
75529 [11099-03-9]	**Nigrosin (Alcohol Soluble)** (Solvent black 5) (C.I. No. 50415) Absorption — Lambda max.565 nm	200.00 530.00	25g 100g
71131	**Nigrosin 10% w/v Solution**	120.00	100ml

code	product name	unit price ₹	packing
36317 [2381-85-3]	**Nile Blue Chloride** (C.I. No. 51180) Absorption — Lambda max 638 nm	1340.00	25g
62887 [3625-57-8]	**Nile Blue Sulphate** (Nile Blue A) (C.I. No. 51180)	810.00 1640.00	10g 25g
47353 [7385-67-3]	**Nile Red** (Nile Blue A Oxazone) Absorption of 1% in 1cm cell, maxima 553nm: min. 14000	4720.00 37490.00	100mg 1g
55058 [485-47-2]	**Ninhydrin extrapure AR, 99%**	640.00 1340.00 4610.00	10g 25g 100g
93940 [485-47-2]	**Ninhydrin extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%** meets compendial specs of BP, Ph.Eur	790.00 1640.00 4860.00	10g 25g 100g
48081 [139-13-9]	**Nitrilotriacetic Acid (NTA) extrapure AR, ACS, 99%** (N,N-Bis(carboxymethyl)glycine, NTA, Tris(carboxymethyl)amine)	230.00 900.00	100g 500g
15319 [88-74-4]	**o-Nitroaniline extrapure, 99%**	740.00	250g
34003 [99-09-2]	**m-Nitroaniline extrapure, 99%**	1750.00	250g
99409 [100-01-6]	**p-Nitroaniline extrapure, 98%** (reagent for phenol)	670.00	250g
69114 [100-01-6]	**p-Nitroaniline (High Purity) extrapure AR, 99.5%** (reagent for phenol)	340.00 880.00	25g 100g
55410 [98-95-3]	**Nitrobenzene pure, 98%**	470.00 1810.00	500ml 2500ml
75010 [98-95-3]	**Nitrobenzene extrapure AR, 99%**	530.00 2060.00	500ml 2500ml
40208 [98-95-3]	**Nitrobenzene extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%** meets compendial specs of USP, BP, Ph.Eur	580.00 2180.00	500ml 2500ml
20509 [75-52-5]	**Nitromethane ACS, 98%** (Nitrocarbol, nitroparaffin)	1060.00 1870.00 4360.00	500ml 1000ml 2500ml
50337 [100-02-7]	**p-Nitrophenol pure, 98%** (4-Nitrophenol)	290.00 1350.00	100g 500g
25170 [100-02-7]	**p-Nitrophenol (High Purity) extrapure AR, 99.5%** (4-Nitrophenol)	420.00 1190.00 5240.00	25g 100g 500g
59687 [100-02-7]	**p-Nitrophenol (High Purity) extrapure AR, ExiPlus, Multi-Compendial, 99.9%** (4-Nitrophenol) meets compendial specs of BP, Ph.Eur	480.00 1310.00	25g 100g
49301 [100-02-7]	**p-Nitrophenol for Spectrophotometry, 99.5%** (4-Nitrophenol)	1870.00 4740.00	5g 25g
54373 [35192-74-6]	**Nonane Sulphonic Acid Sodium Salt Anhydrous for HPLC, 98%** (Sodium 1-nonanesulfonate)	2940.00 13430.00	5g 25g



code	product name	unit price ₹	packing
67956 [5324-84-5]	**Octane Sulphonic Acid Sodium Salt Anhydrous for HPLC, 99%** ion pairing reagent for HPLC	1200.00 4360.00 10690.00	25g 100g 250g
72554 [207596-29-0]	**Octane Sulphonic Acid Sodium Salt Monohydrate for HPLC, 99%** ion pairing reagent for HPLC	1200.00 4360.00 10690.00	25g 100g 250g
38732 [111-87-5]	**1-Octanol (1-Octyl Alcohol) pure, 99%** (n-Octanol, n-Octyl alcohol)	750.00 3500.00	500ml 2500ml
40334 [111-87-5] **new**	**1-Octanol (1-Octyl Alcohol) for HPLC & UV Spectroscopy, 99%** (n-Octanol, n-Octyl alcohol)	2000.00 3800.00	500ml 2500ml
52761 [142-31-4]	**Octyl Sulphate Sodium Salt for HPLC, 99%** (Sodium octyl sulphate, SOS)	2330.00 9880.00	5g 25g
87572 [112-80-1]	**Oleic Acid extrapure** (cis-9-Octadecenoic acid, elainic acid) Iodine Value min.83-103, Saponification Value 196-204	490.00 1990.00	500ml 2500ml
28460 ♦ [112-80-1]	**Oleic Acid Reference Standard, 99%(GC)** (cis-9-Octadecenoic acid, elainic acid)	1800.00 4270.00	1g 5g
87519 [112-90-3]	**Oleylamine pure, 95%** (cis-9-Octadecenylamine)	710.00 2360.00 5090.00	250ml 1000ml 2500ml
79576 [8001-25-0]	**Olive Oil** Highly refined suitable as a substrate for lipase	500.00 900.00	100ml 250ml
13756 [1936-15-8]	**Orange G** (C.I. No. 16230)	260.00 810.00	25g 100g
66366 [504-15-4]	**Orcinol anhydrous extrapure, 99%** (5-Methylresorcinol, 3,5-dihydroxytoluene)	1640.00 4120.00 10280.00	5g 25g 100g
49330 [6153-39-5]	**Orcinol Monohydrate extrapure, 99%** (5-Methylresorcinol monohydrate, 3,5-dihydroxytoluene monohydrate)	970.00 2300.00 7140.00	10g 25g 100g
36916 [6153-39-5]	**Orcinol Monohydrate ExiPlus, Multi-Compendial, 99%** (5-Methylresorcinol monohydrate, 3,5-dihydroxytoluene monohydrate) meets compendial specs of USP, BP	1190.00 2670.00 7620.00	10g 25g 100g
36678 [7664-38-2]	**Orthophosphoric Acid extrapure, 85%** (Phosphoric acid)	720.00 3490.00 25070.00	500ml 2500ml 20lit
50056 [7664-38-2]	**Orthophosphoric Acid extrapure AR, ACS, 85%** (Phosphoric acid)	770.00 3710.00	500ml 2500ml
83577 [20816-12-0]	**Osmic Acid extrapure, 99%** (Osmium tetroxide)	7560.00	1g
40510 [6153-56-6]	**Oxalic Acid extrapure AR, 99.5%**	380.00	500g
72425 [6153-56-6]	**Oxalic Acid extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%** meets compendial specs of USP, BP, Ph.Eur	430.00	500g
64056 [3375-31-3]	**Palladium (II) Acetate extrapure, 99%, 47% Pd** (Palladium diacetate)	3600.00 14000.00 66000.00	250mg 1g 5g
A catalyst for many organic reactions by combining with many common classes of organic compounds to form reactive adduct.			
59548 [14024-61-4] ✔	**Palladium (II) Acetylacetonate (Pd(acac)2) extrapure, 34.7% Pd** (Bis(2,4-pentanedionato)palladium(II), Bis(acetylacetonato) palladium(II))	3840.00 11760.00	250mg 1g
69263	**Palladium AAS Standard Solution in 0.5N HCl** contains 1000 mg/lit (exact concentration on label)	4890.00	250ml
33080 [7647-10-1]	**Palladium (II) Chloride pure, 99%, 59-60% Pd** (Palladium dichloride)	5100.00 19100.00 92000.00	250mg 1g 5g
96917 [7647-10-1]	**Palladium (II) Chloride ACS, ExiPlus, Multi-Compendial, 99%, 59-60% Pd** (Palladium dichloride) meets compendial specs of USP, BP	5400.00 21000.00 96000.00	250mg 1g 5g
19694 [32916-07-7]	**Palladium (II) Nitrate Dihydrate extrapure, 99%, 40% Pd** (Palladium dinitrate dihydrate)	3240.00 12000.00	250mg 1g
Catalyst for alkene nitration to glycol dinitrates, also used as a precursor to supported Pd catalysts.			
92345 [7440-05-3]	**Palladium 5% On Asbestos**	2640.00 12000.00	1g 10g
57033 [7440-05-3]	**Palladium 10% On Asbestos**	3360.00 21600.00	1g 10g
45685 [7440-05-3]	**Palladium 5% On Activated Charcoal (50% wet)**	1440.00 10200.00	1g 10g
44002 [7440-05-3]	**Palladium 5% On Activated Charcoal** hydrogenation catalyst	2160.00 14400.00	1g 10g
46494 [7440-05-3]	**Palladium 10% On Activated Charcoal (50% wet)**	2160.00 14400.00	1g 10g
52944 [7440-05-3]	**Palladium 10% On Activated Charcoal** hydrogenation catalyst	3840.00 28800.00	1g 10g
40822 [7440-05-3]	**Palladium 10% On Calcium Carbonate** Catalyst for Aqueous Heck coupling and hydroarylation, Reduction reactions and Hydrogenation reactions	3600.00 16800.00	1g 5g
32049 [1314-08-5]	**Palladium (II) Oxide pure, 85% Pd** (Palladium monoxide)	7200.00 27600.00	250mg 1g
81249 [13566-03-5]	**Palladium (II) Sulphate extrapure, 99%**	4540.00 16800.00	250mg 1g
18211 [8012-95-1]	**Paraffin Liquid Light (Mineral Oil Light) extrapure, 25-80mPas**	350.00 1260.00	500ml 2500ml
79167 [8012-95-1]	**Paraffin Liquid Heavy (Mineral Oil Heavy) extrapure, 110-230mPas**	410.00 1590.00	500ml 2500ml

code	product name	unit price ₹	packing
86715 [8002-74-2]	**Paraffin Wax Pellets (Type 1 56-58) extrapure** Melting range — 56-58°C	430.00 790.00	500g 1000g
47994 [8002-74-2]	**Paraffin Wax Pellets (Type 2 58-60) extrapure** Melting range — 58-60°C	430.00 790.00	500g 1000g
84381 [8002-74-2]	**Paraffin Wax Pellets (Type 3 60-62) extrapure** Melting range — 60-62°C	430.00 790.00	500g 1000g
74193 [8002-74-2]	**Paraffin Wax White Soft pure** (Petroleum jelly white) (suitable for histology) Melting range — 38-56°C	180.00 440.00	100g 500g
60536 [8002-74-2]	**Paraffin Yellow pure** Melting Point — 38-56°C	620.00	500g
45057 [9000-69-5]	**Pectin pure** (Poly-D-galacturonic acid methyl ester)	820.00 3820.00 6540.00	100g 500g 1kg
96096 [109-66-0]	**n-Pentane extrapure, 99%**	600.00 2840.00 23980.00	500ml 2500ml 25lit
41730 [109-66-0]	**n-Pentane extrapure AR, 99%**	700.00 3060.00	500ml 2500ml
94510 [109-66-0]	**n-Pentane extrapure AR, ExiPlus, Multi-Compendial, 99%** meets compendial specs of USP, BP, Ph.Eur	770.00 3270.00	500ml 2500ml
49135 [109-66-0]	**n-Pentane for HPLC & UV spectroscopy, 99%**	1200.00 1970.00	500ml 1000ml
47040 [5343-92-0]	**1,2-Pentanediol pure, 98%** (1,2-Dihydroxypentane)	2670.00 12700.00	25ml 250ml
18486 [22767-49-3]	**Pentane Sulphonic Acid Sodium Salt Anhydrous for HPLC, 99%** ion pairing reagent for HPLC	1200.00 4360.00 10690.00	25g 100g 250g
90760 [207605-40-1]	**Pentane Sulphonic Acid Sodium Salt Monohydrate for HPLC, 99%** ion pairing reagent for HPLC	1200.00 4360.00 10690.00	25g 100g 250g
26312 [10450-60-9]	**Periodic Acid extrapure, 99%**	810.00 2940.00	25g 100g
11778 [8032-32-4]	**Petroleum Ether 40-60 extrapure**	510.00 2110.00	500ml 2500ml
26440 [8032-32-4]	**Petroleum Ether 40-60 extrapure AR**	580.00 2400.00	500ml 2500ml
58415 [8032-32-4]	**Petroleum Ether 60-80 pure**	350.00 1310.00 11080.00	500ml 2500ml 25lit
36651 [8032-32-4]	**Petroleum Ether 60-80 extrapure AR**	400.00 1460.00	500ml 2500ml
15340 [8032-32-4]	**Petroleum Ether 60-80 for HPLC & UV Spectroscopy**	640.00 1150.00 2690.00	500ml 1000ml 2500ml
15590 [8032-32-4]	**Petroleum Ether 80-100 pure**	420.00 1690.00	500ml 2500ml
52226 [8032-32-4]	**Petroleum Ether 100-120 extrapure**	440.00 1600.00	500ml 2500ml

code	product name	unit price ₹	packing
69031 [136112-00-0] 🌡	**Phenol:Chloroform: Isoamyl Alcohol (25:24:1) pH 8.0 for molecular biology** Saturated with 10mM Tris HCl pH 8.0, 1 mM EDTA Suitable for the extraction of proteins from crude nucleic acid preparations (Stabilized with 0.1% w/v 8-Hydroxyquinoline)	1520.00 3450.00 4690.00	100ml 250ml 500ml
17080 🌡	**Phenol:Chloroform: Isoamyl Alcohol (125:24:1) pH 4.5 for molecular biology**	2820.00 9600.00	100ml 500ml
79030 🌡	**Phenol:Chloroform: Isoamyl Alcohol (49.5:49.5:1) pH 6.7 for molecular biology**	2950.00 10110.00	100ml 500ml
36976 🌡	**Phenol:Chloroform: Isoamyl Alcohol (49.5:49.5:1) pH 8.0 for molecular biology**	3080.00 10880.00	100ml 500ml
28104 [108-95-2] ✔	**Phenol Crystalline pure, 99%** (Carbolic acid)	580.00 2650.00 21740.00	500g 2.5kg 25kg
14892 [108-95-2] ✔	**Phenol Crystalline extrapure AR, 99.5%** (Carbolic acid) (Stabilized with 0.15% H_3PO_2)	650.00 2880.00	500g 2.5kg
97745 [108-95-2] ✔	**Phenol Crystalline extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%** (Carbolic acid) meets compendial specs of USP, BP (Stabilized with 0.15% H_3PO_2)	720.00 3110.00	500g 2.5kg
17286 [108-95-2] 🌡	**Phenol Crystalline for molecular biology, 99.5%** (Carbolic acid) (double distilled, no stabilizer) DNase, RNase, protease not detected Colourless crystals	460.00 1730.00	100g 500g
47484 [108-95-2] 🌡	**Phenol Equilibrated with 0.1M Citrate Buffer pH 4.5 for molecular biology w/ Stabilizer** Suitable for RNA purification (Stabilized with 0.1% w/v 8-Hydroxyquinoline)	1080.00 4350.00	100ml 500ml
12692 [108-95-2] 🌡	**Phenol Tris Equilibrated for molecular biology w/ Stabilizer** Saturated with 10mM TRIS HCl pH 8.0,1mM EDTA. (Stabilized with 0.1% w/v 8-Hydroxyquinoline)	1480.00 2010.00 5490.00	60ml 100ml 500ml
78348 [108-95-2] 🌡	**Phenol Tris Equilibrated for molecular biology w/o Stabilizer**	2010.00 5490.00	100ml 500ml
83275 [108-95-2] 🌡	**Phenol Saturated w/ 10% water for molecular biology, 90% (Phenol Liquid w/ 10% water), 90%** (Phenol liquid, no stabilizer) DNase, RNase, protease not detected Not equilibrated, Suitable for RNA preparation	910.00 3220.00	100ml 500ml
90179 [77-09-8]	**Phenolphthalein extrapure AR, 99%**	390.00 590.00 2830.00	50g 100g 500g
74785 [77-09-8]	**Phenolphthalein extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%** meets compendial specs of BP, Ph.Eur	710.00 3010.00	100g 500g



code	product name	unit price ₹	packing
79563 [77-09-8]	**Phenolphthalein Indicator 1% Soln in Ethanol Solution**	160.00 440.00	125ml 500ml
48758	**Phenolphthalein Indicator Papers** (1 book = 20 leaves, User friendly Smart Case)	360.00	10 books
90817 [143-74-8]	**Phenol Red**	530.00 1860.00	25g 100g
68313 [143-74-8]	**Phenol Red ACS, ExiPlus, Multi-Compendial** meets compendial specs of BP, Ph.Eur	600.00 2090.00	25g 100g
59462 [34487-61-1]	**Phenol Red Sodium Salt ACS (water soluble), 95%** (Phenolsulfonephthalein sodium salt)	230.00 650.00 2480.00	5g 25g 100g
40919 [673-06-3]	**D-Phenylalanine extrapure CHR, 99%** for biochemistry	440.00 1750.00 6540.00	5g 25g 100g
67602 [150-30-1]	**DL-Phenylalanine extrapure CHR, 99%** for biochemistry	710.00 2410.00	25g 100g
85081 [63-91-2]	**L-Phenylalanine extrapure CHR, 99%** for biochemistry	150.00 350.00 1040.00 3820.00 7320.00	5g 25g 100g 500g 1kg
40170 [63-91-2]	**L-Phenylalanine ExiPlus, Multi-Compendial, 99%** for biochemistry meets compendial specs of BP	1080.00 3960.00 7620.00	100g 500g 1kg
30319 [1806-34-4]	**1,4-bis(5-Phenylxazol-2-yl) Benzene (POPOP) scintillation grade**		Discontinued
64975 [100-63-0]	**Phenylhydrazine pure, 98%**	730.00 3460.00 16010.00	100ml 500ml 2500ml
31804 [100-63-0]	**Phenylhydrazine extrapure AR, 99%**	1580.00 5810.00	100ml 500ml
40555 [59-88-1]	**Phenylhydrazine Hydrochloride pure, 99%**	760.00 1710.00	100g 250g
12109 [59-88-1]	**Phenylhydrazine Hydrochloride extrapure AR, 99%**	1010.00 2400.00	100g 250g
26892 [59-88-1]	**Phenylhydrazine Hydrochloride extrapure AR, ExiPlus, Multi-Compendial, 99%** meets compendial specs of USP, BP, Ph.Eur	1330.00 3100.00	100g 250g
64732 [59-88-1]	**Phenylhydrazine Hydrochloride Superior extrapure AR, 99%**	900.00 2360.00	5g 100g
28022 [138-24-9]	**Phenyltrimethylammonium Chloride (PTMAC) pure, 97%**	620.00 2810.00	100g 500g
82322 [51429-74-4]	**Phosphomolybdic Acid extrapure AR, ACS, 99%**	1200.00 3840.00	25g 100g
78861 [13598-36-2]	**Phosphorous Acid Crystals (Phosphonic Acid) extrapure, 99%** (Orthophosphorous acid)	840.00 4100.00	500g 2.5kg

code	product name	unit price ₹	packing
72656 [7723-14-0]	**Phosphorous Red pure, 97%**	2360.00	500g
80653 [12501-23-4]	**Phosphotungstic Acid Hydrate extrapure** (Tungstophosphoric acid)	740.00 2470.00 12020.00	25g 100g 500g
57855 [12501-23-4]	**Phosphotungstic Acid Hydrate extrapure AR** (Tungstophosphoric acid)	1010.00 3330.00 14650.00	25g 100g 500g
67397 [88-99-3]	**Phthalic Acid pure, 99%**	550.00	500g
32624 [85-44-9]	**Phthalic Anhydride pure, 97%**	430.00 3710.00	500g 5kg
93665 [85-44-9] **new**	**Phthalic Anhydride ACS, 99%**	870.00 8430.00	500g 5kg
44745 [17211-15-3]	**Phytic Acid Sodium Salt Hydrate (InsP6) extrapure, 70%** (Inositol hexaphosphoric acid dodecasodium salt, myo-Inositol hexakis(dihydrogen phosphate) dodecasodium salt)	3530.00 15850.00	5g 25g
94847 [88-89-1]	**Picric Acid extrapure, 99%** (2,4,6-Trinitrophenol)	370.00 1040.00	100g 500g
47998 [88-89-1]	**Picric Acid extrapure AR, 99.8%** (2,4,6-Trinitrophenol)	440.00 1400.00	100g 500g
16462 [52785-06-5]	**Platinum (IV) Oxide Hydrate extrapure, 76-80% Pt** (Platinum dioxide hydrate, adam's catalyst)	5040.00 16080.00	250mg 1g
41175 [9000-55-9]	**Podophyllum Resin pure**	6090.00 18240.00	25g 100g
79133 [25322-68-3]	**Polyethyleneglycol 400 (PEG 400)** (carbowax 400) Clear colourless liquid Viscosity (20°C) — ~120mPa	500.00	500g
87919 [25322-68-3]	**Polyethyleneglycol 400 (PEG 400) ExiPlus, Multi-Compendial,** (carbowax 400) Clear colourless liquid meets compendial specs of BP Viscosity (20°C) — ~120mPa	590.00	500g
61213 [25322-68-3]	**Polyethylene Glycol 3350 (PEG 3350) ExiPlus, Multi-Compendial**	820.00	500g
30970 [25322-68-3]	**Polyethylene Glycol 4000 (PEG 4000)** (carbowax 4000) flakes/powder	500.00 4860.00 23040.00	500g 5kg 25kg
76937 [25322-68-3]	**Polyethylene Glycol 4000 (PEG 4000) ExiPlus, Multi-Compendial** (carbowax 4000) flakes/powder meets compendial specs of USP	600.00 5620.00	500g 5kg
67429 [25322-68-3]	**Polyethylene Glycol 6000 (PEG 6000)** (carbowax 6000) flakes/powder	550.00 4800.00	500g 5kg

code	product name	unit price ₹	packing
26029 [25322-68-3]	**Polyethylene Glycol 6000 (PEG 6000) ExiPlus, Multi-Compendial** (carbowax 6000) flakes/powder meets compendial specs of USP	650.00 5670.00	500g 5kg
94701 [25322-68-3] **new**	**Polyethylene Glycol 8000 (PEG 8000) ExiPlus, Multi-Compendial** (arbowax 8000) flakes/powder	760.00 7130.00	500g 5kg
54866 [25322-68-3] **new**	**Polyethylene Glycol 8000 (PEG 8000) for molecular biology** (arbowax 8000) flakes/powder	1750.00 15810.00	500g 5kg
64651 [25322-68-3]	**Polyethylene Glycol 9000 (PEG 9000)** (carbowax 9000) flakes/powder	1210.00	500g
46505 [25322-68-3]	**Polyethyleneglycol 9000 (PEG 9000) ExiPlus, Multi-Compendial** (carbowax 9000) flakes/powder meets compendial specs of USP	1460.00	500g
75727 [25322-68-3]	**Polyethylene Glycol 20000 (PEG 20000)** (carbowax 20000) flakes/powder	1150.00 5690.00 10890.00	100g 500g 1kg
33817 [25322-68-3]	**Polyethylene Glycol 20000 (PEG 20000) ExiPlus, Multi-Compendial** (carbowax 20000) flakes/powder meets compendial specs of USP, BP	1340.00 6170.00	100g 500g
41098 [8017-16-1]	**Polyphosphoric Acid extrapure, 83-87% P2O5**	1590.00 7420.00	500ml 2500ml
28599 [9005-64-5]	**Polysorbate 20 (Tween 20) extrapure** (Polyoxyethylene sorbitan monolaurate	850.00 3710.00 33350.00	500g 2.5kg 25kg
23610 [9005-64-5]	**Polysorbate 20 (Tween 20) ExiPlus, Multi-Compendial** (Polyoxyethylene sorbitan monolaurate) meets compendial specs of BP	1040.00	500g
33712 [9005-64-5]	**Polysorbate 20 (Tween 20) for tissue culture** (Polyoxyethylene sorbitan monolaurate)	1160.00	500g
65296 [9005-64-5]	**Polysorbate 20 (Tween 20) for molecular biology** (Polyoxyethylene sorbitan monolaurate)	1580.00 2550.00	100g 500g
31453 [9005-66-7]	**Polysorbate 40 (Tween 40) extrapure** (Polyoxyethylene sorbitan monopalmitate)	610.00	250g
62539 [9005-66-7]	**Polysorbate 40 (Tween 40) ExiPlus, Multi-Compendial** (Polyoxyethylene sorbitan monopalmitate) meets compendial specs of USP, BP, Ph.Eur	1090.00	250g
12502 [9005-67-8]	**Polysorbate 60 (Tween 60) extrapure** (Polyoxyethylene sorbitan monostearate)	480.00 1060.00 8000.00	100g 500g 5kg

code	product name	unit price ₹	packing
86878 [9005-67-8]	**Polysorbate 60 (Tween 60) ExiPlus, Multi-Compendial** (Polyoxyethylene sorbitan monostearate) meets compendial specs of USP, BP, Ph.Eur	1210.00 9000.00	500g 5kg
28940 [9005-65-6]	**Polysorbate 80 (Tween 80) extrapure** (Polyoxyethylene sorbitan monooleate)	910.00 6670.00 30320.00	500g 5kg 25kg
95188 [9005-65-6]	**Polysorbate 80 (Tween 80) ExiPlus, Multi-Compendial** (Polyoxyethylene sorbitan monooleate) meets compendial specs of BP	1050.00 7890.00 37590.00	500g 5kg 25kg
41030 [9003-39-8]	**Polyvinylpyrrolidone Commercial (PVP K-30)**	660.00 2950.00 130800.00	100g 500g 25kg
65155 [9003-39-8]	**Polyvinylpyrrolidone (PVP K-30) ExiPlus, Multi-Compendial** meets compendial specs of BP	770.00 3270.00	100g 500g
44333 [127-08-2]	**Potassium Acetate pure, 99%**	480.00 4260.00	500g 5kg
79156 [127-08-2]	**Potassium Acetate extrapure AR, 99%**	660.00	500g
40480 [127-08-2]	**Potassium Acetate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%** meets compendial specs of USP, BP	750.00	500g
96248 [127-08-2]	**Potassium Acetate for molecular biology, 99.5%** DNase, RNase, protease not detected	770.00 1650.00	100g 500g
81955 [127-08-2]	**Potassium Acetate for tissue culture, 99.5%**	600.00 1440.00	100g 500g
99644 [7758-01-2]	**Potassium Bromate pure, 99.5%**	1050.00 10200.00	500g 5kg
80823 [7758-02-3]	**Potassium Bromide pure, 98.5%**	1100.00 10200.00	500g 5kg
66453 [7758-02-3]	**Potassium Bromide extrapure AR, 99.5%**	1200.00 11200.00	500g 5kg
25707 [7758-02-3]	**Potassium Bromide extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%** meets compendial specs of USP, BP	1350.00 12900.00	500g 5kg
13873 [7758-02-3]	**Potassium Bromide Powder for IR & FTIR spectroscopy, 99.5%**	4270.00	100g
87005	**Potassium AAS Standard Solution in 0.5N HCl** contains 1000mg/lit (exact concentration on label)	1580.00	250ml
93649 [7758-02-3]	**Potassium Bromide 0.1M Solution**	310.00 560.00	500ml 1000ml
79982 [7758-02-3]	**Potassium Bromide 0.5M Solution**	330.00 610.00	500ml 1000ml
29988 [7758-02-3]	**Potassium Bromide 1M Solution**	360.00 640.00	500ml 1000ml
24794 [298-14-6]	**Potassium Bicarbonate extrapure, 99%** (Potassium Hydrogen Carbonate)	430.00	500g



code	product name	unit price ₹	packing
57674 [298-14-6]	**Potassium Bicarbonate AR, ACS, ExiPlus, Multi-Compendial, 99.5%** (Potassium Hydrogen Carbonate) meets compendial specifications of BP	470.00	500g
87272 [584-08-7]	**Potassium Carbonate anhydrous extrapure, 99%**	390.00 3400.00	500g 5kg
83342 [584-08-7]	**Potassium Carbonate anhydrous extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%** meets compendial specs of USP	450.00 3890.00	500g 5kg
38630 [7447-40-7]	**Potassium Choride extrapure AR, 99.5%**	310.00 2290.00 10690.00	500g 5kg 25kg
50016 [7447-40-7]	**Potassium Choride extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%** meets compendial specs of USP, BP, Ph.Eur	340.00 2620.00	500g 5kg
84984 [7447-40-7]	**Potassium Chloride for molecular biology, 99.5%** DNase, RNase, protease not detected	900.00 1370.00	500g 1kg
71088 [7447-40-7]	**Potassium Chloride for tissue culture, 99.5%**	770.00	250g
84390 [7789-00-6]	**Potassium Chromate pure, 99%**	920.00	500g
93448 [7789-00-6]	**Potassium Chromate extrapure AR, 99.5%**	1000.00	500g
31751 [7789-00-6]	**Potassium Chromate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%** meets compendial specs of USP, BP, Ph.Eur	1110.00	500g
49890 [6100-05-6]	**Potassium Citrate extrapure AR, 99%**	500.00	500g
74176 [6100-05-6]	**Potassium Citrate extrapure AR, ExiPlus, Multi-Compendial, 99%** meets compendial specs of BP	570.00	500g
13250 [7778-50-9]	**Potassium Dichromate pure, 99.5%**	980.00	500g
80233 [7778-50-9]	**Potassium Dichromate extrapure AR, 99.9%**	1010.00	500g
55353 [7778-50-9]	**Potassium Dichromate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.9%** meets compendial specs of USP, BP, Ph.Eur	1170.00	500g
52403 [7778-77-0]	**Potassium Dihydrogen Orthophosphate pure, 99%** (Potassium phosphate, monobasic)	790.00 7260.00 33100.00	500g 5kg 5kg
50451 [7778-77-0]	**Potassium Dihydrogen Orthophosphate extrapure AR, 99.5%** (Potassium phosphate, monobasic)	970.00 9220.00	500g 5kg
78297 [7778-77-0]	**Potassium Dihydrogen Orthophosphate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%** (Potassium phosphate, monobasic) meets compendial specs of BP	1110.00 10300.00	500g 5kg

code	product name	unit price ₹	packing
30955 [7778-77-0]	**Potassium Dihydrogen Orthophosphate for HPLC & UV Spectroscopy, 99.5%**	1580.00 15320.00	500g 5kg
54358 [7778-77-0]	**Potassium Dihydrogen Orthophosphate for molecular biology, 99.5%** (Potassium phosphate, monobasic) DNAse, RNAse, Protease not detected	1250.00 2200.00 13560.00	250g 500g 5kg
32360 [7778-77-0]	**Potassuim Dihydrogen Orthophosphate for tissue culture, 99.5%**	1050.00 2070.00 10150.00	500g 1kg 5kg
77012 [140-89-6]	**Potassium Ethyl Xanthate (PEX) extrapure, 98%** (O-Ethyl xanthic acid potassium salt)	1700.00 7500.00	100g 500g
15766 [13746-66-2]	**Potassium Ferricyanide extrapure, 98%**	1950.00 1800.00	500g 5kg
59558 [13746-66-2]	**Potassium Ferricyanide ACS, ExiPlus, Multi-Compendial, 98%** meets compendial specs of USP, Ph.Eur	1150.00 2130.00 19840.00	250g 500g 5kg
32294 [14459-95-1]	**Potassium Ferrocyanide extrapure AR, 99%**	1070.00	500g
12914 [14459-95-1]	**Potassium Ferrocyanide extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%** meets compendial specs of USP, Ph.Eur	1180.00	500g
97535 [7789-23-3]	**Potassium Fluoride Anhydrous pure, 97%**	1120.00	500g
91489 [16921-30-5]	**Potassium Hexachloroplatinate (IV) pure, 40% Pt** (Platinum potassium chloride, Potassium chloroplatinate)	2520.00 8160.00 39000.00	250mg 1g 5g
42414 [17084-13-8]	**Potassium Hexafluorophosphate extrapure, 99%**	1260.00 2930.00 13770.00	25g 100g 500g
40180 [16919-27-0]	**Potassium Hexafluorotitanate pure, 98%**	1230.00 2710.00 9670.00	100g 500g 5kg
37466 [16923-95-8]	**Potassium Hexafluorozirconate pure, 97%**	1070.00 2500.00	100g 500g
39535 [16905-14-9]	**Potassium Hexaiodoplatinate (IV) pure, 18-19% Pt**	2250.00 5750.00	250mg 1g
80633 [877-24-7]	**Potassium Hydrogen Phthalate extrapure AR, 99.9%**	710.00	500g
29467 [877-24-7]	**Potassium Hydrogen Phthalate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.9%** meets compendial specs of BP, Ph.Eur	760.00	500g
49017 [877-24-7]	**Potassium Hydrogen Phthalate for HPLC & UV Spectroscopy, 99.9%**	880.00	500g
65031 [7646-93-7]	**Potassium Hydrogen Sulphate pure, 99%** (Potassium bisulphate)	440.00	500g

code	product name	unit price ₹	packing
10942 [7646-93-7]	**Potassium Hydrogen Sulphate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%** (Potassium bisulphate) meets compendial specs of BP, Ph.Eur	640.00	500g
76131 [868-14-4]	**Potassium Hydrogen Tartrate pure, 98%**	1150.00	500g
84749 [1310-58-3]	**Potassium Hydroxide Pellets extrapure, 85%**	410.00 680.00 3090.00	500g 1kg 5kg
78269 [1310-58-3]	**Potassium Hydroxide Pellets extrapure AR, 85%**	530.00 1000.00 3790.00	500g 1kg 5kg
18543 [1310-58-3]	**Potassium Hydroxide Pellets extrapure AR, ACS, ExiPlus, Multi-Compendial, 85%** meets compendial specs of USP, BP	590.00 4190.00	500g 5kg
26035 [1310-58-3]	**Potassium Hydroxide Powder (80-100 mesh) extrapure, 85%**	390.00 730.00 3150.00	500g 1kg 5kg
67864 [7758-05-6]	**Potassium Iodate pure, 99.5%**	1900.00 4600.00 8800.00	100g 250g 500g
11041 [7758-05-6]	**Potassium Iodate extrapure AR, 99.9%**	2000.00 4800.00 9100.00	100g 250g 500g
10809 [7758-05-6]	**Potassium Iodate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.9%** meets compendial specs of USP, BP, Ph.Eur	2150.00 5100.00 9800.00	100g 250g 500g
78240 [7681-11-0]	**Potassium Iodide pure, 99%**	580.00 2190.00 5180.00 10120.00	25g 100g 250g 500g
27874 [7681-11-0]	**Potassium Iodide extrapure AR, 99.8%**	640.00 2300.00 5410.00 10580.00	25g 100g 250g 500g
97028 [7681-11-0]	**Potassium Iodide extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.8%** meets compendial specs of USP, BP	710.00 2420.00 5520.00 10810.00	25g 100g 250g 500g
11677 [7681-11-0]	**Potassium Iodide 0.1M Solution**	770.00 1480.00	500ml 1000ml
74567 [7681-11-0]	**Potassium Iodide 1M Solution**	1470.00 2810.00	500ml 1000ml
26645 [7681-11-0]	**Potassium Iodide 3M Solution**	3780.00 7040.00	500ml 1000ml
93842 [4429-42-9]	**Potassium Metabisulphite pure, 95%**	450.00	500g
13413 [7790-21-8]	**Potassium Periodate extrapure AR, 99.8%** (Potassium tetroxoiodate, Potassium metaperiodate)	2420.00 11500.00	100g 500g
86742 [7790-21-8]	**Potassium Periodate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.8%** meets compendial specs of USP, BP, Ph.Eur Potassium tetroxoiodate, Potassium metaperiodate	2650.00 12650.00	100g 500g
77407 [6487-48-5]	**Potassium Oxalate Monohydrate pure, 99%**	580.00 5500.00	500g 5kg
43176 [6487-48-5]	**Potassium Oxalate Monohydrate extrapure AR, 99.5%**	Discontinued	
40707 [6487-48-5]	**Potassium Oxalate Monohydrate extrapure AR, ACS, 99.5%**	650.00 6200.00	500g 5kg
36903 [7722-64-7]	**Potassium Permanganate extrapure, 99%**	670.00 5240.00	500g 5kg
51470 [7722-64-7]	**Potassium Permanganate extrapure AR, 99.5%**	730.00 6330.00	500g 5kg
26500 [7722-64-7]	**Potassium Permanganate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%** meets compendial specs of USP, BP	790.00 6540.00	500g 5kg
10322 [7727-21-1] 🌡	**Potassium Persulphate extrapure, 97%** (Potassium peroxodisulphate)	520.00	500g
52254 [7727-21-1] 🌡	**Potassium Persulphate extrapure AR, 98%** (Potassium peroxodisulphate)	600.00	500g
48319 [7727-21-1] 🌡	**Potassium Persulphate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%** (Potassium peroxodisulphate) meets compendial specs of USP, BP, Ph.Eur	660.00	500g
90654 [7758-11-4]	**Potassium Phosphate Dibasic Anhydrous pure, 99%** (Dipotassium hydroygen orthophosphate)	950.00 9140.00	500g 5kg
27387 [7758-11-4]	**Potassium Phosphate Dibasic Anhydrous extrapure AR, 99.5%** (Dipotassium hydroygen orthophosphate)	1090.00 10440.00	500g 5kg
31964 [7758-11-4]	**Potassium Phosphate Dibasic Anhydrous extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%** (Dipotassium hydroygen orthophosphate) meets compendial specs of USP	1240.00 11890.00	500g 5kg
41295 [7758-11-4]	**Potassium Phosphate Dibasic Anhydrous for HPLC, 99.5%** (Dipotassium hydrogen orthophosphate)	1600.00	500g
57419 [7758-11-4]	**Potassium Phosphate Dibasic Anhydrous for tissue culture, 99%**	1310.00	500g
15914 [7778-53-2]	**Potassium Phosphate Tribasic Anhydrous extrapure AR, ACS, 98%** (Tripotassium phosphate)	1470.00	500g
37423 [12208-13-8]	**Potassium Pyroantimonate extrapure, 98%** (Potassium hexahydroxoantimonate(V), Potassium antimonate trihydrate)	800.00 3640.00	100g 500g
94527 [12208-13-8]	**Potassium Pyroantimonate extrapure AR, 99%** (Potassium hexahydroxoantimonate(V), Potassium antimonate trihydrate)	1000.00 4100.00	100g 500g



code	product name	unit price ₹	packing
50862 [7320-34-5]	**Potassium Pyrophosphate extrapure, 98%** (Tetrapotassium pyrophosphate, tetrapotassium diphosphate, potassium diphosphate tetrabasic, diphosphoric acid tetrapotassium salt)	1380.00	500g
86344 [7492-30-0]	**Potassium Ricinoleate extrapure** (Ricinoleic acid potassium salt, Potassium ricinolate)	1210.00 10920.00	500g 5kg
44277 [7778-80-5]	**Potassium Sulphate extrapure, 99%**	380.00 3000.00	500g 5kg
52182 [7778-80-5]	**Potassium Sulphate for tissue culture, 99%**	530.00	500g
26253 [7778-80-5]	**Potassium Sulphate extrapure AR, 99.5%**	410.00 3800.00	500g 5kg
73900 [7778-80-5]	**Potassium Sulphate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%** meets compendial specs of USP, BP	440.00 4200.00	500g 5kg
66691 [7790-58-1]	**Potassium Tellurite Anhydrous extrapure, 98%** (Dipotassium tellurite, Potassium tellurate (IV), Potassium tellurium oxide)	1800.00 3360.00 13180.00	10g 25g 100g
35889 [123333-66-4]	**Potassium Tellurite Monohydrate extrapure, 90%** (Dipotassium tellurite monohydrate, Potassium tellurate (IV) hydrate)	2400.00 5040.00 18570.00	10g 25g 100g
16273 [10025-99-7]	**Potassium Tetrachloroplatinate (II) pure, 47% Pt** (Potassium platinum (II) chloride)	3120.00 9600.00 45600.00	250mg 1g 5g
34570 [14484-69-6]	**Potassium Tetrafluoroaluminate extrapure, 98%** (Potassium Aluminium Fluoride, PAF)	1020.00 7590.00	500g 5kg
99928 [14075-53-7]	**Potassium Tetrafluoroborate pure, 98%** (Potassium fluoborate, potassium borofluoride)	580.00 1510.00	250g 1kg
48218 [333-20-0]	**Potassium Thiocyanate pure, 97%**	910.00	500g
41027 [333-20-0]	**Potassium Thiocyanate extrapure AR, 99%**	1280.00	500g
59115 [333-20-0]	**Potassium Thiocyanate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%** meets compendial specs of USP, Ph.Eur	1520.00	500g
69285 [9005-25-8]	**Potato Starch pure**	360.00 3150.00	500g 5kg
95365 [344-25-2]	**D-Proline extrapue CHR, 99%** for biochemistry	550.00 1280.00 4840.00	1g 5g 25g
35139 [147-85-3]	**L-Proline extrapure CHR, 99%** for biochemistry	420.00 1040.00 8790.00	25g 100g 1kg
96877 [147-85-3]	**L-Proline ExiPlus, Multi-Compendial, 99%** for biochemistry meets compendial specs of BP, Ph.Eur	1260.00 10050.00 36420.00	100g 1kg 5kg

code	product name	unit price ₹	packing
56073 [147-85-3]	**L-Proline for tissue culture, 99%**	150.00 540.00 2070.00 6130.00	5g 25g 100g 500g
61988 [147-85-3]	**Proline BP**	11310.00	1000g
68128 [147-85-3]	**Proline USP**	11930.00	1000g
39236 [71-23- 8]	**n-Propanol pure, 99%** (1-Propanol)	420.00 1750.00	500ml 2500ml
24501 [71-23-8]	**n-Propanol extrapure AR, 99.5%** (1-Propanol)	500.00 1970.00	500ml 2500ml
53790 [71-23-8]	**n-Propanol extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%** (1-Propanol) meets compendial specs of BP, Ph.Eur	570.00 2240.00	500ml 2500ml
42328 [71-23-8]	**n-Propanol GC-HS, 99.9%** for OVI & residual solvent analysis (1-Propanol)	550.00 1890.00	250ml 1000ml
45909 [71-23-8]	**n-Propanol for HPLC, 99.8%** (1-Propanol)	2670.00	1000ml
85994 [71-23-8]	**n-Propanol Dried, 99.5%, 0.005% water** (1-Propanol)	1700.00	1000ml
52111 [123-38-6] 🌡	**Propionaldehyde pure, 97%** (Propanal)	790.00 2670.00	500ml 2500ml
12931 [79-09-4]	**Propionic Acid extrapure, 99%**	480.00 2290.00	500ml 2500ml
43883 [79-09-4]	**Propionic Acid extrapure AR, 99.5%**	640.00 2840.00	500ml 2500ml
42263 [79-09-4]	**Propionic Acid extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%** meets compendial specs of BP, Ph.Eur	700.00 3380.00	500ml 2500ml
52810 [123-62-6]	**Propionic Anhydride extrapure, 98%**	1310.00 5670.00	500ml 2500ml
21587 [79-03-8]	**Propionyl Chloride extrapure, 99%**	280.00 820.00	100ml 500ml
85159 [79-03-8]	**Propionyl Chloride extrapure AR, 99.5% (Specially purified)**	1200.00	500ml
28849 [107-10-8]	**n-Propylamine pure, 99%**	550.00	500ml
30754 [57-55-6]	**Propylene Glycol (1,2-Propanediol) pure, 99%**	1040.00 4800.00 46870.00	500ml 2500ml 25lit
53054 [57-55-6]	**Propylene Glycol (1,2-Propanediol) extrapure AR, 99.5%**	1150.00 4910.00	500ml 2500ml
95961 [57-55-6]	**Propylene Glycol (1,2-Propanediol) extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%**	1260.00 5020.00	500ml 2500ml
40011 [121-79-9]	**Propyl Gallate extrapure, 98%**	1090.00 4260.00	100g 500g

code	product name	unit price ₹	packing
47638 [121-79-9]	**Propyl Gallate IP**	12920.00	1000g
14086 [121-79-9]	**Propyl Gallate BP**	14090.00	1000g
16067 [121-79-9]	**Propyl Gallate NF**	15270.00	1000g
53898 [94-13-3]	**Propyl-4-Hydroxybenzoate (Propyl Paraben) ExiPlus, Multi-Compendial, 98-102%** meets compendial specs of USP, BP	1340.00 11890.00	500g 5kg
52950 [35285-69-9]	**Propyl-4-Hydroxybenzoate Sodium Salt (Propyl Paraben Sodium) ExiPlus, Multi-Compendial, 94-102%** meets compendial specs of USP, BP	1820.00 15160.00	500g 5kg
61808 [110-86-1]	**Pyridine extrapure, 99%**	450.00 850.00 3760.00	250ml 500ml 2500ml
51952 [110-86-1]	**Pyridine Dried, 99.5%, water 0.01%**	1040.00	500ml
83329 [110-86-1]	**Pyridine for HPLC & UV Spectroscopy, 99.5%**	1200.00 2180.00	500ml 1000ml
75453 [110-86-1]	**Pyridine (For Karl Fischer Titration), 99.5%**	960.00	500ml
92665 [110-86-1]	**Pyridine AR, ACS, ExiPlus, Multi-Compendial, 99.5%** meets compendial specs of USP, BP, Ph.Eur	520.00 970.00 4000.00	250ml 500ml 2500ml
48918 [26299-14-9]	**Pyridinium Chlorochromate (PCC) extrapure, 98%**	500.00 1350.00 5990.00	25g 100g 500g
Used to oxidize primary alcohols to aldehydes and secondary alcohols to ketones. Stable versatile oxidizing agent for mild & selective oxidation of alcohols.			
13584 [20039-37-6]	**Pyridinium Dichromate (Cornforth Reagent, PDC) extrapure, 98%**	740.00 2020.00 8860.00	25g 100g 500g
Converts primary & secondary alcohols to ketones.			
71646 [87-66-1]	**Pyrogallol extrapure AR, 99%**	2000.00 9400.00	100g 500g
30205 [87-66-1]	**Pyrogallol extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%** meets compendial specs of USP, BP, Ph.Eur	2080.00 9750.00	100g 500g
58050 [81-88-9]	**Rhodamine B** (C.I. 45170) (Tetraethylrhodamine, violet 10, brilliant pink B, rhodamine O) Absorption Maxima — 550 -554nm	240.00 870.00	25g 100g
75420 [7440-18-8]	**Ruthenium Metal Powder extrapure, 99.9%**	9530.00	1g
60633 [11103-72-3]	**Ruthenium Red, Tetrahydrate** (C.I. 77800)	5760.00 27600.00	1g 5g
75268 [14898-67-0]	**Ruthenium (III) Trichloride Hydrate pure, 38-40% Ru**	3960.00 19200.00	1g 5g
77862 [90-02-8]	**Salicylaldehyde pure, 99%** (2-Hydroxybenzaldehyde, o-Hydroxybenzaldehyde)	730.00 1640.00 6000.00	100ml 250ml 1000ml
24922 [90-02-8]	**Salicylaldeyde extrapure AR, 99.5%** (2-Hydroxybenzaldehyde, o-Hydroxybenzaldehyde)	1070.00 3600.00	100ml 500ml
63504 [90-02-8]	**Salicylaldeyde extrapure AR, ExiPlus, Multi-Compendial, 99.%** meets compendial specs of Ph.Eur (2-Hydroxybenzaldehyde, o-Hydroxybenzaldehyde)	990.00 2080.00 4150.00	100ml 250ml 500ml
11453 [69-72-7]	**Salicylic Acid pure, 99%**	790.00 7520.00 36380.00	500g 5kg 25kg
42568 [69-72-7]	**Salicylic Acid extrapure AR, 99.9%**	850.00 4130.00	500g 2.5kg
62657 [69-72-7]	**Salicylic Acid extrapure AR, ACS, 99.9%** meets compendial specs of BP	950.00 4490.00	500g 2.5kg
27769	**Selenium AAS Standard Solution in 0.5N HNO_3** contains 1000 mg/lit (exact concentration on label)	2990.00	250ml
53457 [312-84-5]	**D-Serine extrapure, 99%** for biochemistry	330.00 770.00 2180.00	1g 5g 25g
24425 [302-84-1]	**DL-Serine extrapure CHR, 99%** for biochemistry	990.00 3270.00	25g 100g
84131 [56-45-1]	**L-Serine extrapure CHR, 99%** for biochemistry	190.00 600.00 1970.00	5g 25g 100g
84494 [56-45-1]	**L-Serine ExiPlus, Multi-Compendial, 99%** for biochemistry meets compendial specs of BP	820.00 2400.00	25g 100g
63503 [56-45-1]	**L-Serine for tissue culture, 99%**	220.00 770.00 2290.00	5g 25g 100g
85148 [112926-00-8]	**Silica Gel Blue (Self Indicating) (Coarse), 5-8 mesh**	530.00 4990.00	500g 5kg
71548 [112926-00-8]	**Silica Gel Orange (Self Indicating), 2-5 mm**	810.00 7850.00	500g 5kg
Silica Gels For Column Chromatography & TLC			
65856 [112926-00-8]	**Silica Gel 60-120 mesh** for column chromatography	470.00 4380.00 20580.00	500g 5kg 25kg
40449 [112926-00-8]	**Silica Gel 60-200 mesh** for column chromatography	560.00 5010.00	500g 5kg
95178 [112926-00-8]	**Silica Gel 100-200 mesh** for column chromatography	470.00 4380.00 20580.00	500g 5kg 25kg
63025 [112926-00-8]	**Silica Gel 200-400 mesh** for column chromatography	560.00 5230.00 25030.00	500g 5kg 25kg
96671 [112926-00-8]	**Silica Gel 230-400 mesh** for flash chromatography	620.00 5900.00 27810.00	500g 5kg 25kg
36834 [112926-00-8]	**Silica Gel 400-700 mesh** for column chromatography	790.00 1460.00	500g 1kg



code	product name	unit price ₹	packing
51849 [112926-00-8]	**Silica Gel G for TLC, 325mesh, w/ CaSO4** (with binder)	540.00 4900.00 23370.00	500g 5kg 25kg
52797 [112926-00-8]	**Silica Gel H for TLC, 325mesh, w/o CaSO4** (without binder)	540.00 4900.00 23370.00	500g 5kg 25kg
38062 [112926-00-8]	**Silica Gel GF254 for TLC, 325mesh, w/ Fluorescent Indicator w/ CaSO4** (with binder and fluorescent indicator)	3900.00 38000.00	500g 5kg
29774 [112926-00-8]	**Silica Gel HF254 for TLC, 325mesh, w/Fluorescent Indicator w/o CaSO4** (without binder with fluorescent indicator)	3900.00 38000.00	500g 5kg
81618	**Silicon Antifoaming Agent 30% (Non-ionic)**	350.00 1100.00	100ml 500ml
82045 [63148-62-9]	**Silicone Oil 330-370 CPS**	750.00 2860.00 6820.00	250ml 1000ml 2500ml
71290 [12027-43-9]	**Silicotungstic Acid extrapure AR, 99%**	940.00 3430.00	25g 100g
67134 [12027-43-9]	**Silicotungstic Acid extrapure AR, ExiPlus, Multi-Compendial, 99%** meets compendial specs of BP, Ph.Eur	1040.00 3880.00	25g 100g
85160 [563-63-3]	**Silver Acetate pure, 98%**	6000.00 21800.00	25g 100g
32737	**Silver AAS Standard Solution in 0.5N HNO_3** contains 1000 mg/lit (exact concentration on label)	4360.00	250ml
77701 [7785-23-1]	**Silver Bromide extrapure, 97%**	6440.00 20700.00	25g 100g
90097 [534-16-7]	**Silver Carbonate pure, 99%**	7130.00 27600.00	25g 100g
80647 [7783-90-6]	**Silver Chloride extrapure AR, 99%**	7130.00 27600.00	25g 100g
14417 [1470-61-7] 🌡	**Silver Diethyldithiocarbamate extrapure AR** (reagent for spectrophotometric determination of As)	1810.00 7040.00	5g 25g
16810 [1470-61-7] 🌡	**Silver Diethyldithiocarbamate extrapure AR, ACS, ExiPlus, Multi-Compendial** (reagent for spectrophotometric determination of As) meets compendial specs of USP, BP, Ph.Eur	2240.00 8920.00	5g 25g
86633 [7783-97-3]	**Silver Iodate extrapure, 99%**	5750.00 21850.00	25g 100g
24607 [7783-96-2]	**Silver Iodide extrapure AR, 99%**	6200.00 24150.00	25g 100g
32814 [7761-88-8]	**Silver Nitrate extrapure, 99.5%**	2530.00 5470.00 21280.00 103500.00	10g 25g 100g 500g

code	product name	unit price ₹	packing
94118 [7761-88-8]	**Silver Nitrate extrapure AR, 99.9%**	2760.00 5700.00 22430.00 108100.00	10g 25g 100g 500g
96045 [7761-88-8]	**Silver Nitrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.9%** meets compendial specs of USP, BP	6200.00 24150.00 112700.00	25g 100g 500g
91233 [7761-88-8]	**Silver Nitrate for tissue culture, 99.5%**	2990.00 6900.00	10g 25g
54023 [7761-88-8]	**Silver Nitrate 0.02N Solution**	970.00 1780.00	500ml 1000ml
47262 [7761-88-8]	**Silver Nitrate 0.05N Solution**	1250.00 2310.00	500ml 1000ml
51535 [7761-88-8]	**Silver Nitrate 0.1N Solution**	2450.00 4760.00	500ml 1000ml
49430 [7761-88-8]	**Silver Nitrate 1N Solution**	27680.00	500ml
69668 [20667-12-3]	**Silver Oxide pure, 99%**	8050.00 31050.00	25g 100g
63976 [7784-09-0]	**Silver Phosphate extrapure, 98%** (Silver orthophosphate, Trisilver phosphate)	2800.00 7130.00	5g 25g
86887 [7784-09-0]	**Silver Phosphate extrapure AR, 99%** (Silver orthophosphate, Trisilver phosphate)	3080.00 7690.00	5g 25g
60112 [22199-08-2]	**Silver Sulfadiazine ExiPlus, Multi-Compendial, 98%** (Silver (I) sulfadiazine, sulfadiazine silver) meets compendial specifications of USP	4230.00 12670.00	5g 25g
17929 [10294-26-5]	**Silver Sulphate pure, 98.5%**	2760.00 5930.00 23000.00	10g 25g 100g
59940 [10294-26-5]	**Silver Sulphate extrapure AR, ACS, 99%**	2880.00 6100.00 24150.00	10g 25g 100g
38119 [8006-28-8]	**Soda Lime With Indicator extrapure AR**	550.00 5410.00	500g 5kg
31378 [127-09-3]	**Sodium Acetate Anhydrous pure, 98%**	310.00 2400.00	500g 5kg
74537 [127-09-3]	**Sodium Acetate Anhydrous extrapure AR, 99%**	460.00 3600.00	500g 5kg
51483 [127-09-3]	**Sodium Acetate Anhydrous extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%** meets compendial specs of USP, BP, Ph.Eur	500.00	500g
22342 [127-09-3]	**Sodium Acetate Anhydrous for molecular biology, 99%** DNase, RNase, protease not detected	520.00 900.00	100g 250g
70509 [127-09-3]	**Sodium Acetate Anhydrous for HPLC & UV Spectroscopy, 99%**	1310.00	500g
54966 [6131-90-4]	**Sodium Acetate Trihydrate extrapure AR, 99.5%**	350.00 3300.00	500g 5kg
44981 [6131-90-4]	**Sodium Acetate Trihydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%** meets compendial specs of BP	370.00 3500.00	500g 5kg

code	product name	unit price ₹	packing
88035 [6131-90-4]	**Sodium Acetate Trihydrate for molecular biology, 99.5%**	600.00 1090.00	250g 500g
84658 [6131-90-4]	**Sodium Acetate Trihydrate for tissue culture, 99.5%**	1760.00	500g
56315 [6131-90-4]	**Sodium Acetate Trihydrate for HPLC, 99.5%**	1800.00	500g
80726 [9005-38-3]	**Sodium Alginate LV extrapure, 4-12cps, 30mesh** Pale yellowish brown powder	2200.00 21500.00	500g 5kg
52775 [9005-38-3] **new**	**Sodium Alginate HV extrapure, 1000cps, 100mesh** Pale yellowish brown powder	3030.00 26460.00	500g 5kg
75063	**Sodium AAS Standard Solution in 0.5N HCl** contains 1000 mg/lit (exact concentration on label)	1970.00	250ml
84070 [26628-22-8]	**Sodium Azide extrapure AR, ACS, 99%**	720.00 3400.00	100g 500g
17782 [26628-22-8]	**Sodium Azide for molecular biology, 99%**	1070.00 4370.00	100g 500g
65171 [532-32-1]	**Sodium Benzoate pure, 99%**	440.00 3600.00	500g 5kg
56398 [144-55-8]	**Sodium Bicarbonate extrapure, 99%** (Sodium hydrogen carbonate)	220.00 1580.00 7640.00	500g 5kg 25kg
45437 [144-55-8]	**Sodium Bicarbonate extrapure AR , 99.5%** (Sodium hydrogen carbonate)	250.00 1940.00 8250.00	500g 5kg 25kg
89399 [144-55-8]	**Sodium Bicarbonate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%** (Sodium hydrogen carbonate) meets compendial specs of USP	290.00 2240.00	500g 5kg
36328 [144-55-8]	**Sodium Bicarbonate for molecular biology, 99.7%** (Sodium hydrogen carbonate) DNase, RNase, protease not detected	330.00 1340.00	100g 500g
92957 [144-55-8]	**Sodium Bicarbonate for tissue culture, 99.7%**	610.00 1820.00	100g 500g
93982 [16940-66-2]	**Sodium Borohydride (powder) extrapure AR, ACS, 98%** (Sodium tetrahydridoborate)	560.00 1190.00 5340.00 40620.00	25g 100g 500g 5kg
43471 [16940-66-2]	**Sodium Borohydride (crystals) extrapure, 98%** (Sodium tetrahydridoborate)	590.00 1230.00 5760.00	25g 100g 500g
32769 [7789-38-0]	**Sodium Bromate extrapure AR, 99%**	270.00 1110.00	100g 500g
43327 [7647-15-6]	**Sodium Bromide extrapure, 99%**	980.00	500g
84486 [6131-99-3]	**Sodium Cacodylate Trihydrate extrapure, 98%** (Dimethyl arsenic acid sodium salt trihydrate)	3400.00 5580.00	10g 25g

code	product name	unit price ₹	packing
42215 [1984-06-1]	**Sodium Caprylate extrapure, 99%** (Caprylic acid sodium salt)	670.00 1280.00 2300.00	100g 250g 500g
50090 [1984-06-1]	**Sodium Caprylate BP, 99-101%** (Caprylic acid sodium salt)	8950.00	1000g
81340 [1984-06-1]	**Sodium Caprylate NF, 99-101%** (Caprylic acid sodium salt)	8830.00	1000g
89382 [497-19-8]	**Sodium Carbonate Anhydrous pure, 99.5%**	240.00 2100.00 10000.00	500g 5kg 25kg
51938 [497-19-8]	**Sodium Carbonate Anhydrous extrapure AR, 99%, 80-100mesh**	330.00 3000.00	500g 5kg
64079 [497-19-8]	**Sodium Carbonate Anhydrous extrapure AR, 99.9%**	310.00 2670.00 12740.00	500g 5kg 25kg
93857 [497-19-8]	**Sodium Carbonate Anhydrous extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.9%** meets compendial specs of USP, BP, Ph.Eur	350.00 3160.00	500g 5kg
41721 [7647-14-5]	**Sodium Chloride extrapure AR, 99.9%**	210.00 400.00 1300.00 6010.00	500g 1kg 5kg 25kg
76945 [7647-14-5]	**Sodium Chloride extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.9%** meets compendial specs of USP, BP	220.00 430.00 1350.00	500g 1kg 5kg
33205 [7647-14-5]	**Sodium Chloride for molecular biology, 99.9%** DNase, RNase, protease not detected	660.00 1200.00 5560.00	500g 1kg 5kg
26416 [7647-14-5]	**Sodium Chloride for tissue culture, 99.9%**	820.00 1530.00	500g 1kg
76154 [7647-14-5]	**Sodium Chloride for HPLC, 99.9%**	480.00	500g
83407 [6132-04-3]	**Sodium Citrate Tribasic Dihydrate extrapure, 98%** (Trisodium citrate dihydrate)	440.00 870.00 4150.00	500g 1kg 5kg
85919 [6132-04-3]	**Sodium Citrate Tribasic Dihydrate extrapure AR, 99%** (Trisodium citrate dihydrate)	480.00 4690.00	500g 5kg
94968 [6132-04-3]	**Sodium Citrate Tribasic Dihydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%** (Trisodium citrate dihydrate)	560.00	500g
67331 [6132-04-3]	**Sodium Citrate Tribasic Dihydrate for molecular biology, 99%** (Trisodium citrate dihydrate) DNase, RNase, protease not detected	640.00	250g
43819 [13600-98-1]	**Sodium Cobaltinitrite extrapure AR, ACS** (Sodium Hexanitrocobaltate III) Sensitivity to K — min 1:10000	1160.00 2700.00 7690.00	25g 100g 500g
12680 [25895-60-7]	**Sodium Cyanoborohydride pure, 95%** (Sodium cyanotrihydridoborate, Sodium borocyanohydride)	820.00 2560.00 9540.00	5g 25g 100g



code	product name	unit price ₹	packing
94963 [7789-12-0]	**Sodium Dichromate Dihydrate pure, 98%**	840.00	500g
54750 [7789-12-0]	**Sodium Dichromate Dihydrate extrapure AR, 99.5%**	910.00	500g
11996 [7789-12-0]	**Sodium Dichromate Dihydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%** meets compendial specs of USP	1000.00	500g
11226 [20624-25-3]	**Sodium Diethyldithiocarbamate Trihydrate extrapure AR, 99%**	610.00 2530.00	100g 500g
22607 [20624-25-3]	**Sodium Diethyldithiocarbamate Trihydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%** meets compendial specs of USP, BP, Ph.Eur	700.00 3100.00	100g 500g
10961 [14434-22-1]	**Sodium Ferrocyanide Decahydrate extrapure AR, 99%** (Sodium Hexacyanoferrate(II), Tetrasodium Hexacyanoferrate Decahydrate)	590.00 5670.00	500g 5kg
57010 [7681-49-4]	**Sodium Fluoride pure, 98%**	880.00 8400.00	500g 5kg
29821 [7681-49-4]	**Sodium Fluoride extrapure AR, 99%**	940.00 9000.00	500g 5kg
40544 [7681-49-4]	**Sodium Fluoride extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%** meets compendial specs of USP, BP	990.00 9600.00	500g 5kg
86307 [141-53-7]	**Sodium Formate pure, 98%**	310.00 2400.00	500g 5kg
84439 [149-44-0] ✔	**Sodium Formaldehyde Sulfoxylate Hydrate (Rongalite) pure, 98%** (Sodium hydroxymethanesulfinate hydrate)	570.00	500g
11407 [149-44-0] ✔	**Sodium Formaldehyde Sulfoxylate Hydrate (Rongalite) ExiPlus, Multi-Compendial, 98%** (Sodium hydroxymethanesulfinate hydrate) meets compendial specs of USP	690.00	500g
54762 [16893-85-9]	**Sodium Hexafluorosilicate pure, 99%** (Sodium Fluorosilicate, Sodium Silicofluoride)	520.00 2430.00	1kg 5kg
32537 [68915-31-1]	**Sodium Hexametaphosphate extrapure AR, 65-70%** (SHMP, Calgon, Sodium Polyphosphate)	650.00 6000.00	500g 5kg
98060 [10034-88-5]	**Sodium Hydrogen Sulphate extrapure AR, 99%** (Sodium bisulphate monohydrate)	440.00	500g
96311 [1310-73-2]	**Sodium Hydroxide Pellets purified, 97%**	290.00 1820.00 8670.00	500g 5kg 25kg
68151 [1310-73-2]	**Sodium Hydroxide Pellets extrapure AR, 98%**	310.00 2240.00	500g 5kg
13913 [1310-73-2]	**Sodium Hydroxide Pellets extrapure AR, ACS, ExiPlus, Multi-Compendial, 98%** meets compendial specs of USP, BP	330.00 2610.00	500g 5kg

code	product name	unit price ₹	packing
39700 [1310-73-2]	**Sodium Hydroxide Powder extrapure, 96% 80-100 mesh**	310.00 560.00 2060.00	500g 1kg 5kg
13994 [1310-73-2]	**Sodium Hydroxide 0.1N Solution**	160.00 280.00	500ml 1000ml
27382 [1310-73-2]	**Sodium Hydroxide 0.2N Solution**	160.00 290.00	500ml 1000ml
69978 [1310-73-2]	**Sodium Hydroxide 1N Solution**	170.00 310.00	500ml 1000ml
98760 [7681-55-2]	**Sodium Iodate extrapure, 99%**	2020.00 9200.00	100g 500g
71964 [7681-55-2]	**Sodium Iodate extrapure AR, 99.5%** Oxidizing agent, suitable for milk analysis	2130.00 9430.00	100g 500g
77758 [7681-82-5]	**Sodium Iodide pure, 99%**	720.00 2150.00 5200.00	25g 100g 250g
21704 ✔	**Sodium Iodide 1M Solution** To assist in isolation, extraction and binding of nucleic acids from Agarose gels.	1100.00 4030.00	25ml 100ml
11004 [9004-82-4]	**Sodium Lauryl Ether Sulphate (SLES, AES), 28-30%** (Sodium laureth sulfate)	730.00 1950.00	1lit 5lit

SDS (SLS) Biological Detergent

Sodium lauryl sulfate, referred to as *sodium dodecyl sulfate* (SDS), is commonly used in preparing proteins for electrophoresis in the SDS-PAGE technique This compound works by disrupting non-covalent bonds in the proteins, denaturing them, and causing the molecules to lose their native shape (conformation). Also, anions of SDS bind to the main peptide chain (at a ratio of one SDS anion for every two amino acid residues) and this effectively imparts a negative charge that is proportional to the mass or molecular weight of that protein

46821 [151-21-3]	**Sodium Lauryl Sulphate (Needle-shaped) extrapure, 90%** (Sodium dodecyl sulphate, SDS, SLS)	610.00 5370.00	500g 5kg
14374 [151-21-3]	**Sodium Lauryl Sulphate ExiPlus, Multi-Compendial, 85%** meets compendial specs of USP, BP, Ph.Eur (Sodium dodecyl sulphate, SDS, SLS)	620.00 5640.00	500g 5kg
54468 [151-21-3]	**Sodium Lauryl Sulphate extrapure AR, ACS, 99%** (Sodium dodecyl sulphate, SDS, SLS) for SDS electrophoresis	1340.00 2920.00 5340.00 10310.00	100g 250g 500g 1kg
99671 [151-21-3]	**Sodium Lauryl Sulphate for HPLC, 99%** (ion pairing reagent) (Sodium dodecyl sulphate, SDS, SLS)	1610.00 4410.00 9100.00 22440.00	10g 25g 100g 1kg
32096 [151-21-3]	**Sodium Lauryl Sulphate for molecular biology, 99%** (Sodium dodecyl sulphate, SDS, SLS) DNase, RNase, protease not detected	590.00 1820.00 6010.00 11400.00	25g 100g 500g 1kg
35825 [151-21-3]	**Sodium Lauryl Sulphate High Purity, 99.5%** (Sodium dodecyl sulphate, SDS, SLS)	810.00 2100.00	25g 100g

The high C12 content of this product, 99.5%, is ideally suited for Pharmaceutical Quality Control testing applications, especially for Dissolution Testing.

code	product name	unit price ₹	packing
85369	**Sodium Lauryl Sulphate 10% Solution** (10% SDS Solution, SLS)	1520.00	100ml
87547	**Sodium Lauryl Sulphate 20% Solution** (20% SDS Solution, SLS)	2100.00	250ml
34378 [151-21-3]	**Sodium Lauryl Sulphate BP, 85%** (Sodium dodecyl sulphate, SDS, SLS)	6790.00	1kg
21705 [7681-57-4]	**Sodium Metabisulphite extrapure AR, 98%**	240.00 2350.00 11450.00	500g 5kg 25kg
52693 [7681-57-4]	**Sodium Metabisulphite extrapure AR, ACS, ExiPlus, Multi-Compendial, 98%** meets compendial specs of USP, BP	280.00 2620.00	500g 5kg
51153 [7790-28-5]	**Sodium Metaperiodate pure, 99%** (Sodium periodate)	1650.00 8250.00	100g 500g
23621 [7790-28-5]	**Sodium Metaperiodate extrapure AR, 99.5%** (Sodium periodate)	1750.00 8500.00	100g 500g
30037 [7790-28-5]	**Sodium Metaperiodate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%** (Sodium periodate) meets compendial specs of USP, BP, Ph.Eur	1850.00 8800.00	100g 500g
94601 [10213-79-3]	**Sodium Metasilicate Pentahydrate extrapure** (Sodium silicate hydrated)	370.00 680.00 3190.00	500g 1kg 5kg
20660 [13517-24-3]	**Sodium Metasilicate Nonahydrate extrapure**	290.00 550.00 2450.00	500g 1kg 5kg
41670 [124-41-4]	**Sodium Methoxide Powder pure, 98%**	730.00	500g
13547 [10102-40-6]	**Sodium Molybdate Dihydrate pure, 98%**	900.00 2100.00 3900.00	100g 250g 500g
18108 [10102-40-6]	**Sodium Molybdate Dihydrate extrapure AR, 99%**	990.00 2280.00 4380.00	100g 250g 500g
70851 [10102-40-6]	**Sodium Molybdate Dihydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%** meets compendial specs of USP, BP, Ph.Eur	1200.00 2520.00 4560.00	100g 250g 500g
44618 [7631-99-4]	**Sodium Nitrate extrapure AR, ACS, 99%**	520.00 4910.00	500g 5kg
28182 [13755-38-9]	**Sodium Nitroprusside Dihydrate pure, 98%** (Sodium nitroferricyanide)	920.00 4480.00	100g 500g
71750 [13755-38-9]	**Sodium Nitroprusside Dihydrate extrapure AR, 99%** (Sodium nitroferricyanide)	990.00 4710.00	100g 500g
58403 [13755-38-9]	**Sodium Nitroprusside Dihydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%** (Sodium nitroferricyanide) meets compendial specs of BP, Ph.Eur	1020.00 4930.00	100g 500g
36176 [62-76-0]	**Sodium Oxalate pure, 99%**	420.00	500g
57554 [62-76-0]	**Sodium Oxalate extrapure AR, 99.9%**	460.00	500g
36984 [62-76-0]	**Sodium Oxalate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.9%** meets compendial specs of USP, BP, Ph.Eur	540.00	500g
97295 [7775-27-1]	**Sodium Persulphate pure, 98%** (Sodium peroxodisulfate)	490.00	500g
53046 [7558-79-4]	**Sodium Phosphate Dibasic Anhydrous extrapure, 99%** (Disodium hydrogen phosphate anhydrous)	660.00 6230.00	500g 5kg
66273 [7558-79-4]	**Sodium Phosphate Dibasic Anhydrous extrapure AR, 99%** (Disodium hydrogen phosphate anhydrous)	740.00 6750.00	500g 5kg
45932 [7558-79-4]	**Sodium Phosphate Dibasic Anhydrous extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%** (Disodium hydrogen phosphate anhydrous) meets compendial specs of USP	970.00 8400.00	500g 5kg
21669 [7558-79-4]	**Sodium Phosphate Dibasic Anhydrous for molecular biology, 99.5%** (disodium hydrogen phosphate anhydrous) DNase, RNase, protease not detected	1200.00 1950.00 16500.00	250g 500g 5kg
32080 [10028-24-7]	**Sodium Phosphate Dibasic Dihydrate extrapure, 99%** (Disodium hydrogen phosphate dihydrate)	620.00 6000.00	500g 5kg
87258 [10028-24-7]	**Sodium Phosphate Dibasic Dihydrate extrapure AR, 99.5%** (Disodium hydrogen phosphate dihydrate)	810.00 7650.00	500g 5kg
87027 [10028-24-7]	**Sodium Phospate Dibasic Dihydrate for molecular biology, 99.5%** (disodium hydrogen phosphate dihydrate) DNase, RNase, protease not detected	680.00 1280.00 12300.00	250g 500g 5kg
86858 [10028-24-7]	**Sodium Phosphate Dibasic Dihydrate for HPLC, 99.5%**	1350.00	500g
57085 [10039-32-4]	**Sodium Phosphate Dibasic Dodecahydrate extrapure, 98.5%** (Sodium hydrogen phosphate dodecahydrate)	640.00 5700.00	500g 5kg
83417 [10039-32-4] new	**Sodium Phosphate Dibasic Dodecahydrate extrapure AR, 99%** (Sodium hydrogen phosphate dodecahydrate)	900.00 8700.00	500g 5kg
18134 [7782-85-6] new	**Sodium Phosphate Dibasic Heptahydrate ACS, 98-102%** (Disodium hydrogen phosphate heptahydrate, Disodium phosphate)	1200.00 3750.00 16800.00	100g 500g 2.5kg
22249 [7558-80-7]	**Sodium Phosphate Monobasic Anhydrous extrapure AR, 99%** (Sodium dihydrogen phosphate anhydrous)	900.00 7800.00	500g 5kg
98336 [7558-80-7]	**Sodium Phosphate Monobasic Anhydrous for HPLC, 99%** (Sodium dihydrogen orthophosphate Anhydrous)	1350.00	500g



code	product name	unit price ₹	packing
59443 [7558-80-7]	**Sodium Phosphate Monobasic Anhydrous for molecular biology, 99%** (Sodium dihydrogen phosphate anhydrous) DNase, RNase, protease not detected	1200.00 2100.00	250g 500g
91826 [7558-80-7]	**Sodium Phosphate Monobasic Anhydrous for tissue culture, 99%**	1130.00 2550.00	250g 1kg
27092 [13472-35-0]	**Sodium Phosphate Monobasic Dihydrate extrapure, 99%** (Sodium hydrogen phosphate dihydrate)	540.00 5110.00	500g 5kg
40597 [13472-35-0]	**Sodium Phosphate Monobasic Dihydrate extrapure AR, 99%** (Sodium hydrogen phosphate dihydrate)	590.00 5670.00	500g 5kg
79088 [13472-35-0]	**Sodium Phosphate Monobasic Dihydrate extrapure AR, ExiPlus, Multi-Compendial, 99%** (Sodium hydrogen phosphate dihydrate) meets compendial specs of USP	700.00 6790.00	500g 5kg
93494 [13472-35-0]	**Sodium Phosphate Monobasic Dihydrate for molecular biology, 99%** (Sodium Hydrogen Phosphate Dihydrate) DNAse, RNAse, Protease not detected	1010.00 9800.00	500g 5kg
61707 [10049-21-5]	**Sodium Phosphate Monobasic Monohydrate extrapure AR, 99%** (Sodium dihydrogen orthophosphate monohydrate, Monosodium phosphate, Sodium dihydrogen phosphate monohydrate)	700.00 6580.00	500g 5kg
97768 [10049-21-5]	**Sodium Phosphate Monobasic Monohydrate for HPLC, 99%** (Sodium dihydrogen orthophosphate monohydrate, Monosodium phosphate, Sodium dihydrogen phosphate monohydrate)	1330.00	500g
78535 [7601-54-9]	**Sodium Phosphate Tribasic Anhydrous extrapure AR, 96%** (Sodium orthophosphate, Trisodium phosphate)	840.00 7840.00	500g 5kg
62381 [10101-89-0]	**tri-Sodium Orthophosphate Dodecahydrate pure, 98%** (Sodium phosphate tribasic dodecahydrate, Trisodium phosphate dodecahydrate)	370.00 3360.00	500g 5kg
73670 [10101-89-0]	**tri-Sodium Orthophosphate Dodecahydrate extrapure AR, 99%** (Sodium phosphate tribasic dodecahydrate, Trisodium phosphate dodecahydrate)	450.00 4340.00	500g 5kg
69199 [10101-89-0]	**tri-Sodium Orthophosphate Dodecahydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%** (Sodium phosphate tribasic dodecahydrate, Trisodium phosphate dodecahydrate) meets compendial specs of USP	540.00 4970.00	500g 5kg
63059 [6381-59-5]	**Sodium Potassium Tartrate Tetrahydrate pure, 99%**	880.00 8380.00	500g 5kg
18241 [6381-59-5]	**Sodium Potassium Tartrate Tetrahydrate extrapure AR, 99%**	1050.00 8940.00	500g 5kg
88662 [6381-59-5]	**Sodium Potassium Tartrate Tetrahydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%** meets compendial specs of Ph.Eur	1100.00 10470.00	500g 5kg

code	product name	unit price ₹	packing
33650 [137-40-6]	**Sodium Propionate pure, 99%**	550.00	500g
58568 [5323-95-5]	**Sodium Ricinoleate extrapure, 45% solids** (Ricinoleic acid sodium salt, Sodium ricinolate)	730.00 1450.00	500ml 1000ml
43874 [54-21-7]	**Sodium Salicylate extrapure, 99%** (Salicylic acid sodium salt, 2-Hydrobenzoic acid sodium salt, Sodium-2-hydrobenzoate)	880.00	500g
36590 [54-21-7]	**Sodium Salicylate extrapure AR, 99.5%** (Salicylic acid sodium salt, 2-Hydrobenzoic acid sodium salt, Sodium-2-hydrobenzoate)	2420.00 4600.00	250g 500g
62399 [13410-01-0]	**Sodium Selenate Anhydrous extrapure AR, 99%**	1090.00 3270.00	25g 100g
83627 [9063-38-1]	**Sodium Starch Glycolate ex. Maize (SSG) ExiPlus, Multi-Compendial,** meets compendial specs of USP	610.00 5460.00	500g 5kg
36313 [6106-21-4]	**Sodium Succinate Hexahydrate Dibasic extrapure, 99%**	190.00 690.00	100g 500g
87578 [6106-21-4]	**Sodium Succinate Hexahydrate Dibasic extrapure AR, 99%**	360.00 1700.00	100g 500g
59977 [7757-82-6]	**Sodium Sulphate Anhydrous extrapure AR, 99.5%**	280.00 450.00 2130.00	500g 1kg 5kg
74725 [7757-82-6]	**Sodium Sulphate Anhydrous extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%** meets compendial specs of USP, BP	310.00 2400.00	500g 5kg
25365 [27610-45-3]	**Sodium Sulphide Flakes extrapure, 60%**	280.00	500g
32246 [7757-83-7]	**Sodium Sulphite Anhydrous extrapure AR, 98%**	370.00	500g
29814 [7757-83-7]	**Sodium Sulphite Anhydrous extrapure AR, ACS, ExiPlus, Multi-Compendial, 98%** meets compendial specs of USP, BP	420.00	500g
58581 [13755-29-8]	**Sodium Tetrafluoroborate pure, 98.5%** (Sodium fluoroborate, sodium fluoborate)	880.00	500g
54285 [143-66-8]	**Sodium Tetraphenyl Borate (Kalignost) extrapure AR, 99.5%** (sodium tetraphenyl boron) (reagent for determination of K)	850.00 2070.00 7410.00	10g 25g 100g
30888 [143-66-8]	**Sodium Tetraphenyl Borate (Kalignost) extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%** (Kalignost, sodium tetraphenyl boron) (reagent for determination of K) meets compendial specs of BP, Ph.Eur	930.00 8090.00	10g 100g
94408 [540-72-7]	**Sodium Thiocyanate pure, 98%**	610.00	500g
21444 [540-72-7]	**Sodium Thiocyanate extrapure AR, ACS, 98%**	980.00	500g

code	product name	unit price ₹	packing
89728 [7772-98-7]	**Sodium Thiosulphate Anhydrous extrapure AR, 99.5%**	380.00	500g
52304 [10102-17-7]	**Sodium Thiosulphate Pentahydrate extrapure, 99%**	250.00	500g
49479 [10102-17-7]	**Sodium Thiosulphate Pentahydrate extrapure AR, 99.5%**	270.00	500g
62148 [10102-17-7]	**Sodium Thiosulphate Pentahydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%** meets compendial specs of USP, BP	290.00	500g
33737 [7772-98-7]	**Sodium Thiosulphate 0.1N Solution**	190.00 330.00	500ml 1000ml
40023 [7785-84-4]	**Sodium Trimetaphosphate extrapure AR, 95% (STMP)** (Trisodium trimetaphosphate, sodium cyclotriphosphate)	3040.00	100g
85124 [7758-29-4]	**Sodium Tripolyphosphate Anhydrous (STPP) extrapure, 57-59% as P2O5** (Pentasodium tripolyphosphate, sodium triphosphate pentabasic) Assay — min.94%, P_2O_5 Content ~57-59%	620.00 2940.00	1kg 5kg
81499 [10213-10-2]	**Sodium Tungstate Dihydrate extrapure, 98%**	1140.00 2640.00 25300.00	100g 250g 2.5kg
49110 [10213-10-2]	**Sodium Tungstate Dihydrate extrapure AR, 99%**	1200.00 2940.00	100g 250g
46215 [10213-10-2]	**Sodium Tungstate Dihydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 98%** meets compendial specs of USP, BP, Ph.Eur	1310.00 3200.00	100g 250g
85446 [2538-85-4]	**Solochrom Dark Blue (Calcon), 50%** (C.I. No. 15705) for metal titration	340.00 990.00	5g 25g
59985 [110-44-1]	**Sorbic Acid pure, 98%**	1400.00	500g
62016 [1338-39-2]	**Sorbitan Monolaurate (SPAN 20) extrapure**	2000.00 6000.00 28000.00	100ml 500ml 2500ml
78338 [1338-43-8]	**Sorbitan Monooleate (SPAN 80) extrapure**	790.00 3580.00	500ml 2500ml
36179 [1338-41-6]	**Sorbitan Monostearate (SPAN 60) extrapure** (Sorbitan Stearate)	750.00	500g
14281 [50-70-4]	**D-Sorbitol Powder extrapure, 98%** (D-Glucitol)	530.00 1040.00 5000.00	500g 1kg 5kg
63443 [50-70-4]	**D-Sorbitol Powder ExiPlus, Multi-Compendial, 98%** (D-Glucitol) meets compendial specs of BP	620.00 1200.00 5340.00	500g 1kg 5kg
33320 [50-70-4]	**D-Sorbitol Powder for tissue culture, 98%**	610.00 1100.00	500g 1kg
99103 [50-70-4]	**D-Sorbitol Powder for molecular biology, 98%**	1510.00 2890.00 9670.00	500g 1kg 5kg

code	product name	unit price ₹	packing
38195 [23647-14-5]	**SPADNS (Sulfanilic Acid-azochromotrop) extrapure AR** (1,8-Dihydroxy-2-(4-sulfophenylazo) naphthalene-3,6- disulfonic acid trisodium salt) indicator for complexometry (reagent for determination of Th, Zr and fluoride)	360.00 1500.00 4160.00	1g 5g 25g
47886 [23647-14-5]	**SPADNS extrapure AR, ACS** indicator for complexometry (reagent for determination of Th, Zr and fluoride)	400.00 1640.00 4380.00	1g 5g 25g
30467 [7646-78-8]	**Stannic Chloride Anhydrous extrapure, 99%** (Tin (IV) chloride, tin tetrachloride)	2080.00 9270.00	100ml 500ml
79862 [7646-78-8] ✔	**Stannic Chloride 1M in Dichloromethane** (Tin(IV) chloride/ Tin tetrachloride in 1M MDC)	1240.00 4500.00	100ml 500ml
60006 [7646-78-8] ✔	**Stannic Chloride 1M in Heptane** (Tin(IV) chloride/ Tin tetrachloride in 1M heptane)	2590.00	100ml
98017 [7646-78-8] ✔	**Stannic Chloride 1M in Toluene** (Tin(IV) chloride/ Tin tetrachloride in 1M toluene)	2590.00	100ml
91068 [10025-69-1]	**Stannous Chloride Dihydrate Dihydrate pure, 97%** (Tin (II) chloride dihydrate, tin tetrachloride dihydrate)	960.00 2350.00 4470.00	100g 250g 500g
23329 [10025-69-1]	**Stannous Chloride Dihydrate extrapure AR, 99%** (Tin (II) chloride dihydrate, tin tetrachloride dihydrate)	1070.00 2460.00 4690.00	100g 250g 500g
89673 [10025-69-1]	**Stannous Chloride Dihydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%** (Tin (II) chloride dihydrate, tin tetrachloride dihydrate) meets compendial specs of USP, Ph.Eur	1150.00 2620.00 4800.00	100g 250g 500g
58254 [9005-25-8]	**Starch Corn pure**	220.00 2000.00	500g 5kg
86106 [9005-84-9]	**Starch Hydrolysed extrapure** for biochemistry (for Starch Gel Electrophoresis)	1030.00 4860.00	100g 500g
27893 (1 book = 20 leaves, User friendly Smart Case)	**Starch Indicator Papers**	490.00	10 books
75672 (1 book = 20 leaves, User friendly Smart Case)	**Starch Iodide Indicator Papers**	410.00	10 books
14418 [9005-84-9]	**Starch Soluble extrapure**	1040.00	500g
64698 [9005-84-9]	**Starch Soluble extrapure AR**	1090.00	500g
76601 [9005-84-9]	**Starch Soluble extrapure AR, ACS, ExiPlus, Multi-Compendial,** meets compendial specs of USP	1340.00	500g



code	product name	unit price ₹	packing
91944	**Strontium Atomic Absorption Std. Soln. AAS** in 0.5N HCl contains 1000 mg/lit (exact concentration on label)	1850.00	250ml
67911 [1633-05-2]	**Strontium Carbonate extrapure, 98%**	350.00 650.00	250g 500g
61832 [10025-70-4]	**Strontium Chloride Hexahydrate extrapure, 98%**	390.00 760.00	250g 500g
29563 [10042-76-9]	**Strontium Nitrate Anhydrous extrapure, 98%**	600.00	500g
96330 [110-15-6]	**Succinic Acid extrapure, 99%**	300.00 570.00	100g 500g
85752 [110-15-6]	**Succinic Acid extrapure AR, 99.5%**	420.00 1640.00	100g 500g
62321 [110-15-6]	**Succinic Acid extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%** meets compendial specs of BP, Ph.Eur	460.00 1860.00	100g 500g
10917 [123-56-8]	**Succinimide (Butanimide) extrapure AR, 99%**	480.00 1750.00	100g 500g
84973 [57-50-1]	**Sucrose pure** (for general purpose microbiology & tissue culture)	290.00 1860.00 8720.00	500g 5kg 25kg
90701 [57-50-1]	**Sucrose extrapure AR, ACS** for density gradient ultracentrifugation, RNase free (This is a superior grade product suitable for microbiology	440.00 820.00 3930.00 17440.00	500g 1kg 5kg 25kg
27580 [57-50-1]	**Sucrose for molecular biology** DNase, RNase, protease not detected	600.00 1190.00 4520.00	500g 1kg 5kg
92696 [57-50-1]	**Sucrose for tissue culture**	440.00 770.00 3270.00	500g 1kg 5kg
82958 [57-50-1]	**Sucrose IP**	770.00	1kg
38142 [57-50-1]	**Sucrose BP**	1700.00	1kg
56799 [57-50-1]	**Sucrose NF (USP)** Non-Parenteral Use	1750.00	1kg
57335 [85-83-6]	**Sudan IV, 95%** (C.I. No. 26105)	150.00 290.00 820.00	10g 25g 100g
47256 [4197-25-5]	**Sudan Black** (Sudan black B) (C.I. No. 26150) Absorption — λ max 596-603nm	800.00 1600.00 5800.00	10g 25g 100g
24073 [5329-14-6]	**Sulphamic Acid pure, 99%** (Amido sulphonic acid)	300.00 2490.00	500g 5kg
42773 [5329-14-6]	**Sulphamic Acid extrapure AR, 99.5%** Primary standard for acidimetry	330.00 1160.00	100g 500g

code	product name	unit price ₹	packing
81645 [5329-14-6]	**Sulphamic Acid extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%** Primary standard for acidimetry meets compendial specs of BP, Ph.Eur	430.00 1460.00	100g 500g
65404 [63-74-1]	**Sulphanilamide extrapure AR, 99%**	900.00 4090.00	100g 500g
19689 [63-74-1]	**Sulphanilamide extrapure AR, ExiPlus, Multi-Compendial, 99%** meets compendial specs of USP, BP, Ph.Eur	1070.00 4470.00	100g 500g
93360 [121-57-3]	**Sulphanilic Acid (High Purity) extrapure AR, 99.5%** (sensitivity to nitrite 1:100,000,000)	330.00 1310.00	100g 500g
97979 [121-57-3]	**Sulphanilic Acid (High Purity) extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%** (sensitivity to nitrite 1:100,000,000) meets compendial specs of BP	470.00 1750.00	100g 500g
44445 [5965-83-3]	**5-Sulphosalicylic Acid extrapure, 99%**	620.00 1090.00	250g 500g
92635 [14807-96-6]	**Talc Powder Fine ExiPlus, Multi-Compendial, -325 mesh** (Hydrous Magnesium Silicate, Talcum Powder, Soapstone)	170.00 1310.00	500g 5kg
92101 [1401-55-4]	**Tannic Acid extrapure AR, ACS, ExiPlus, Multi-Compendial,** (Gallotannin, Tannin)	1210.00 2360.00 4240.00	100g 250g 500g
52931 [1934-21-0]	**Tartrazine, 87%** (C.I. No. 19140)	130.00 410.00 3880.00	25g 100g 1kg
20428 [100-21-0]	**Terephthalic Acid pure, 98%** (Benzene-1,4-dicarboxylic acid)	400.00	500g
20669 [1643-19-2]	**Tetrabutylammonium Bromide pure, 98%**	360.00 750.00 1380.00	100g 250g 500g
57594 [1643-19-2]	**Tetrabutylammonium Bromide extrapure AR, 99%** reagent for HPLC	650.00 3110.00	100g 500g
54423 [1643-19-2]	**Tetrabuylammonium Bromide for HPLC, 99.5%** Suitable for ion pair chromatography	370.00 770.00	25g 100g
37256 [5574-97-0] 🌡	**Tetrabutylammonium Dihydrogen Phosphate (TBADP) extrapure AR, 98%** (Tetrabutylammonium Phosphate Monobasic) Suitable for Ion Pairing & HPLC applications	3710.00 13080.00	5g 25g
78262 [5574-97-0] 🌡	**Tetrabutylammonium Dihydrogen Phosphate (TBADP) for HPLC, 99%** (Tetrabutylammonium phosphate monobasic)	4580.00 15590.00	5g 25g
57968 [5574-97-0] ✔	**Tetrabutylammonium Dihydrogen Phosphate, 0.5M in HPLC Water** (Tetrabutylammonium phosphate monobasic, 0.5M in HPLC water)	2480.00 11190.00 49450.00	10ml 100ml 500ml

code	product name	unit price ₹	packing
84444 [5574-97-0] ✔	**Tetrabutylammonium Dihydrogen Phosphate, 0.1M in HPLC Water** (Tetrabutylammonium phosphate monobasic, 0.1M in HPLC water)	3820.00	100ml
53856 [5574-97-0] ✔	**Tetrabutylammonium Dihydrogen Phosphate, 1M in HPLC Water** (Tetrabutylammonium phosphate monobasic, 1M in HPLC water)	10360.00	50ml
50283 [87749-50-6]	**Tetrabutylammonium Fluoride Trihydrate extrapure, 98%**	1690.00 .00	25g 100g
91958 [32503-27-8]	**Tetrabutylammonium Hydrogen Sulphate (TBAHS) pure, 98%**	620.00 1190.00	100g 250g
83955 [32503-27-8]	**Tetrabutylammonium Hydrogen Sulphate (TBAHS) extrapure AR, 99%**	570.00 1640.00 7630.00	25g 100g 500g
10778 [32503-27-8]	**Tetrabutylammonium Hydrogen Sulphate (TBAHS) extrapure AR, ExiPlus, Multi-Compendial, 99%** meets compendial specs of USP, BP, Ph.Eur	1970.00	100g
88383 [32503-27-8]	**Tetrabutylammonium Hydrogen Sulphate (TBAHS) for HPLC, 99.5%** ion pairing reagent for HPLC	660.00 1800.00 8720.00	25g 100g 500g
	Tetrabutyl Ammonium Hydroxides (TBAH)		
52162 [2052-49-5]	**Tetrabutylammonium Hydroxide 0.1N aq. solution extrapure AR**	1760.00	500ml
28342 [2052-49-5]	**Tetrabutylammonium Hydroxide 0.1N in Isopropanol extrapure AR**	2010.00	500ml
94836 [2052-49-5]	**Tetrabutylammonium Hydroxide 1M aq. solution ACS**	2520.00 12330.00	100ml 500ml
41728 [2052-49-5]	**Tetrabutylammonium Hydroxide 10% aq. solution extrapure**	1550.00	100ml
15134 [2052-49-5]	**Tetrabutylammonium Hydroxide 10% in Methanol extrapure**	1680.00	100ml
41715 [2052-49-5]	**Tetrabutylammonium Hydroxide 20% aq. solution extrapure**	2130.00 8810.00	100ml 500ml
54722 [2052-49-5]	**Tetrabutylammonium Hydroxide 25% aq. solution extrapure**	2400.00 11890.00	100ml 500ml
68032 [2052-49-5]	**Tetrabutylammonium Hydroxide 40% aq. solution pure**	4250.00 20010.00	100ml 500ml
30064 [2052-49-5]	**Tetrabutylammonium Hydroxide 54-56% aq. solution extrapure AR**	9530.00 36870.00	100ml 500ml
13656 [2052-49-5]	**Tetrabutylammonium Hydroxide 25% in Methanol extrapure**	2460.00 10060.00	100ml 500ml

code	product name	unit price ₹	packing
74212 [2052-49-5]	**Tetrabutylammonium Hydroxide 40% in Methanol extrapure** Assay(GC) — min.99%	4280.00 19410.00	100ml 500ml
40878 [2052-49-5]	**Tetrabutylammonium Hydroxide 0.1N in Methanol extrapure AR** for non-aqueous titration	1920.00	500ml
45205 [2052-49-5]	**Tetrabutylammonium Hydroxide 0.1N in Methanol/Toluene extrapure AR** for non-aqueous titration	1520.00	500ml
90493 [2052-49-5]	**Tetrabutylammonium Hydroxide 10% in Methanol/Toluene extrapure**	1820.00	100ml
44991 [2052-49-5]	**Tetrabutylammonium Hydroxide 20% in Methanol/Toluene extrapure**	2400.00	100ml
28051 [311-28-4]	**Tetrabutylammonium Iodide (TBAI) extrapure AR, 99%** (suitable for ion pairing chromatography / for HPLC)	570.00 2000.00	25g 100g
62390 [311-28-4]	**Tetrabutylammonium Iodide (TBAI) extrapure AR, ExiPlus, Multi-Compendial, 99%** (suitable for ion pairing chromatography / for HPLC) meets compendial specs of USP, BP, Ph.Eur	620.00 2200.00	25g 100g
26158 [5593-70-4]	**Tetra-N-Butyl Orthotitanate (TNBT) extrapure, 23-24% TiO_2** (Tetrabutyl orthotitanate, Titanium(IV) n-butoxide, Tetrabutyl titanate, Orthotitanic acid tetrabutylester)	1100.00 3160.00 9460.00	100ml 500ml 2500ml
69105 [127-18-4]	**Tetrachloroethylene pure, 99%** (Perchloroethylene)	960.00 4580.00	500ml 2500ml
25058 [127-18-4]	**Tetrachloroethylene extrapure AR, 99.5%** (Perchloroethylene)	1010.00 4910.00	500ml 2500ml
74438 [127-18-4]	**Tetrachloroethylene for UV spectroscopy, 99.5%** (Perchloroethylene)	1230.00 2290.00	500ml 1000ml
48448 [127-18-4]	**Tetrachloroethylene GC-HS, 99.9%**	770.00 2620.00	250ml 1000ml
70427 [14937-42-9]	**Tetradecylammonium Bromide extrapure AR, 99%** (Tetrakis (decyl) ammonium bromide)	2700.00 10200.00 34000.00	5g 25g 100g
59256 [14937-42-9] **new**	**Tetradecylammonium Bromide for HPLC, 99%** (Tetrakis (decyl) ammonium bromide) for Ion Pairing & HPLC applications	3200.00 12500.00	5g 25g
67902 [71-91-0]	**Tetraethylammonium Bromide pure, 98%**	490.00 2310.00 4100.00	100g 500g 1kg
64674 [16873-13-5]	**Tetraethylammonium Hydrogen Sulphate extrapure, 99%** Suitable as an Ion Pairing Reagent & HPLC applications	2080.00 4500.00	25g 100g



code	product name	unit price ₹	packing
93314 [78-10-4]	**Tetraethyl Orthosilicate (TEOS) extrapure, 98%, 28-28.8% SiO2** (Silicon tetraethoxide, Tetraethoxysilane, Tetraethyl silicate)	990.00 1760.00 6820.00	100ml 500ml 2500ml
21957 [4368-51-8]	**Tetraheptyl Ammonium Bromide extrapure, 99%** for ion pairing chromatography	2370.00 8830.00 31990.00	5g 25g 100g
82863 [109-99-9]	**Tetrahydrofuran (THF) (Stabilized) pure, 99.5%**	1380.00 6500.00 62500.00	500ml 2500ml 25lit
74497 [109-99-9]	**Tetrahydrofuran (THF) (Stabilized) extrapure AR, 99.5%**	1500.00 6750.00	500ml 2500ml
83642 [109-99-9]	**Tetrahydrofuran (THF) (Stabilized) extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%** (stabilized) meets compendial specs of USP, BP, Ph.Eur	1750.00 7250.00	500ml 2500ml
32661 [109-99-9]	**Tetrahydrofuran (THF) GC-HS, 99.9%** for OVI & residual solvent analysis	1190.00 4130.00	250ml 1000ml
94842 [109-99-9]	**Tetrahydrofuran (THF) for HPLC & UV spectroscopy, 99.9%** (without stabilizer)	1940.00 3690.00 8250.00	500ml 1000ml 2500ml
59167 [109-99-9]	**Tetrahydrofuran (THF) Dried, 99.5%, 0.005% water** (stabilized)	1880.00 3500.00	500ml 1000ml
92562 [109-99-9]	**Tetrahydrofuran (THF) for molecular biology, 99.8%** (without stabilizer)	1150.00 2070.00	250ml 500ml
22698 [1693-74-9] 🌡	**Tetrahydofuran-d8 (THF-d8) for NMR spectroscopy, 99.5 Atom %D**	18750.00	5ml
11088 [119-64-2]	**1,2,3,4-Tetrahydronaphthalene (Tetralin) pure, 98%**	1520.00 7040.00	500ml 2500ml
91496 [75-59-2]	**Tetramethylammonium Hydroxide 10% aq. solution pure** for polarography and steroid analysis	920.00 3590.00	50ml 250ml
94620 [75-59-2]	**Tetramethylammonium Hydroxide 25% aqueous solution pure**	3090.00 5830.00 11280.00	100ml 250ml 500ml
21371 [75-59-2]	**Tetramethylammonium Hydroxide 25% in methanol pure**	3160.00 6070.00 11520.00	100ml 250ml 500ml
42209 [75-59-2]	**Tetramethylammonium Hydroxide 0.1N in Isopropanol/ Methanol extrapure**	2020.00	250ml
56874 [75-59-2]	**Tetramethylammonium Hydroxide 1M aq. solution ACS**	1390.00 3210.00	100ml 250ml
29740 [10424-65-4]	**Tetramethylammonium Hydroxide Pentahydrate extrapure, 98%**	830.00 1460.00 4920.00	5g 25g 100g
84666 [110-18-9]	**N,N,N',N'-Tetramethyl Ethylenediamine (TEMED) extrapure AR, 99%**	840.00 1390.00 2280.00	100ml 250ml 500ml
84198 [110-18-9]	**N,N,N',N'-Tetramethyl Ethylenediamine (TEMED) extrapure AR, ExiPlus, Multi-Compendial, 99%** meets compendial specs of Ph.Eur	960.00 2520.00	100ml 500ml
52145 [110-18-9]	**N,N,N',N'-Tetramethyl Ethylenediamine (TEMED) for molecular biology, 99.5%**	550.00 1110.00	25ml 100ml
80909 [5810-42-4]	**Tetrapropylammonium Chloride extrapure, 98%** Suitable for Ion Pairing & HPLC applications	5130.00 17100.00	10g 50g
70177 [7722-88-5]	**Tetrasodium Pyrophosphate anhydrous (TSPP anhy) extrapure, 95%** (Sodium diphosphate tetrabasic, sodium pyrophosphate tetrabasic)	1250.00	500g
49473 [13472-36-1]	**Tetrasodium Pyrophosphate Decahydrate (TSPP Decahyd) extrapure AR, 99%** (Sodium diphosphate tetrabasic, sodium pyrophosphate tetrabasic)	2650.00 10100.00	500g 2.5kg
56135 [58-55-9]	**Theophylline Anhydrous pure, 99%**	370.00 1040.00	25g 100g
17942 [62-55-5]	**Thioacetamide extrapure AR, 99%**	610.00 2180.00 9680.00	25g 100g 500g
48979 [62-55-5]	**Thioacetamideextrapure AR, ACS, ExiPlus, Multi-Compendial, 99%** meets compendial specs of USP, BP, Ph.Eur	850.00 2910.00 11850.00	25g 100g 500g
75493 [2390-54-7]	**Thioflavin T, 90%** (C.I. No. 49005)(Basic Yellow 1)	1500.00 3270.00	5g 25g
35357 [68-11-1]	**Thioglycolic Acid pure, 80%**	1410.00 5690.00	500ml 2500ml
74118 [68-11-1]	**Thioglycolic Acid ExiPlus, Multi-Compendial, 80%** meets compendial specs of USP	1460.00 5930.00	500ml 2500ml
80599 [78338-22-4]	**Thionin Acetate, 90%** (C.I. 52000) Absorption of 1% in 1cm cell, maxima 601.8nm: min.1800	2390.00 9940.00	5g 25g
74681 [79-19-6]	**Thiosemicarbazide pure, 98%**	400.00 1350.00 4720.00	25g 100g 500g
58658 [79-19-6]	**Thiosemicarbazide extrapure AR, 99%**	680.00 1800.00	25g 100g
88196 [62-56-6]	**Thiourea pure, 98%**	620.00 5840.00	500g 5kg
16994 [62-56-6]	**Thiourea extrapure AR, 99%**	560.00 850.00	250g 500g
20491 [62-56-6]	**Thiourea extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%** meets compendial specs of USP, Ph.Eur	1070.00 9880.00	500g 5kg
27179 [76-61-9]	**Thymol Blue extrapure**	220.00 1010.00	5g 25g
79617 [76-61-9]	**Thymol Blue ACS ExiPlus, Multi-Compendial** meets compendial specs of BP, Ph.Eur	280.00 1210.00	5g 25g

Storage : ♦ -20°C • 0-4°C 🌡 2-8°C ✔ 8-25°C

code	product name	unit price ₹	packing
40817	**Thymol Blue Solution (0.1% in methanol)**	170.00	125ml
24474 [125-20-2]	**Thymolphthalein ACS, ExiPlus, Multi-Compendial** meets compendial specs of BP, Ph.Eur	190.00 770.00	5g 25g
19710	**Tin AAS Standard Solution in 2N HCl** contains 1000 mg/lit (exact concentration on label)	2360.00	250ml
56283 [7440-31-5]	**Tin Metal Granular extrapure, 99.5%**	2240.00 5240.00 10250.00	100g 250g 500g
24737 [7440-31-5]	**Tin Metal Granular extrapure AR, 99.7%**	2350.00 5450.00 10690.00	100g 250g 500g
42780 [7440-31-5]	**Tin Metal Powder extrapure AR, 99.9%, ~325 mesh**	2020.00 4910.00	100g 250g
37139 [31011-57-1] 🌡	**Titanium (IV) Chloride THF Complex** (Tetrachlorobis (tetrahydrofuran) titanium)	2790.00 10800.00	5g 25g
55788 [13463-67-7]	**Titanium Dioxide extrapure, 98%** (Titanium (IV) oxide)	540.00 1010.00 4240.00	500g 1kg 5kg
91482 [3087-36-3]	**Titanium Ethoxide (ET) extrapure, 33-35% TiO_2** (Tetraethyl titanate, titanium (IV) ethoxide, tetraethyl orthotitanate)	2120.00 3270.00	100ml 250ml
56993 [546-68-9]	**Titanium Isopropoxide (TTIP) extrapure 27.8-28.6% TiO2** (Tetraisopropyl orthotitanate, titanium (IV) isopropoxide, titanium tetraisopropoxide)	610.00 1180.00 5510.00	100ml 500ml 2500ml
70472 [1829-00-1]	**Titan Yellow, 65%** (C.I. No. 19540) Suitable for determination of Magnesium	430.00 920.00 1570.00	10g 25g 50g
47556 [108-88-3]	**Toluene pure, 99%**	350.00 1340.00 11380.00	500ml 2500ml 25lit
39984 [108-88-3]	**Toluene (Sulphur free) extrapure, 99.5%**	370.00 1520.00 12650.00	500ml 2500ml 25lit
85577 [108-88-3]	**Toluene extrapure AR, 99.5%**	430.00 1580.00 13300.00	500ml 2500ml 25lit
95227 [108-88-3]	**Toluene extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%** meets compendial specs of USP, BP, Ph.Eur	500.00 2000.00	500ml 2500ml
17213 [108-88-3]	**Toluene Dried, 99.5%, 0.005% water**	480.00 850.00 1800.00	500ml 1000ml 2500ml
80156 [108-88-3]	**Toluene Dried Special (Low Benzene, 25ppm), 99.5%, 0.005% water**	520.00 1690.00	250ml 1000ml
83662 [108-88-3]	**Toluene GC-HS, 99.9%** for OVI & residual solvent analysis	930.00 1750.00	500ml 1000ml

code	product name	unit price ₹	packing
29490 [108-88-3]	**Toluene for HPLC & UV spectroscopy, 99.8%**	550.00 980.00 1940.00	500ml 1000ml 2500ml
85590 [2037-26-5]	**Toluene-d8 for NMR spectroscopy, 99.5 Atom %D**	13630.00	10ml
33635 [108-44-1]	**m-Toluidine extrapure, 99%** (3-Methylaniline, m-aminotoluene)	570.00 2250.00	500ml 1000ml
82225 [70-55-3]	**p-Toluenesulfonamide (PTSamide) pure, 98%** (4-Toluenesulfonamide)	310.00 1200.00	100g 500g
29423 [6192-52-5]	**p-Toluenesulphonic Acid Monohydrate pure, 98%** (Toluene-4-sulphonic acid, PTSA)	520.00 3940.00	500g 5kg
77948 [6192-52-5]	**p-Toluenesulphonic Acid Monohydrate extrapure AR, ACS, 99%** (Toluene-4-sulphonic acid, PTSA)	320.00 1280.00	100g 500g
55580 [6192-52-5]	**p-Toluenesulphonic Acid Monohydrate (High Purity) extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%** (Toluene-4-sulphonic acid, PTSA) meets compendial specs of USP, BP, Ph.Eur	620.00 2240.00	100g 500g
86763 [657-84-1]	**p-Toluenesulphonic Acid Sodium Salt pure, 98%**	1850.00	500g
73222 [102-76-1]	**Triacetin pure, 99%** (Glycerol triacetate)	810.00 3930.00	500ml 2500ml
21559 [102-82-9]	**Tributylamine extrapure, 99%**	440.00 1150.00	250ml 1000ml
74315 [126-73-8]	**Tributylphosphate extrapure, 99%** for extraction analysis	1640.00 6820.00	500ml 2500ml
91094 [6138-23-4]	**D-Trehalose Dihydrate extrapure CHR** for bacteriology and biochemistry	370.00 1280.00 4250.00 12500.00	5g 25g 100g 1kg
15886 [6138-23-4]	**D-Trehalose Dihydrate for tissue culture**	550.00 1950.00 4730.00	5g 25g 100g
90544 [76-03-9]	**Trichloroacetic Acid extrapure, 99%**	180.00 710.00	100g 500g
60677 [76-03-9]	**Trichloroacetic Acid extrapure AR, ACS, 99.5%**	300.00 980.00	100g 500g
31445 [76-03-9]	**Trichloroacetic Acid 10% Solution**	200.00 430.00	100ml 500ml
54290 [76-03-9]	**Trichloroacetic Acid 20% Solution**	450.00	500ml
15106 [79-01-6]	**Trichloroethylene extrapure, 99%**	900.00 4360.00 41970.00	500ml 2500ml 25lit
92390 [79-01-6]	**Trichloroethylene extrapure AR, 99.5%**	960.00 4470.00 43600.00	500ml 2500ml 25lit
86976 [79-01-6]	**Trichloroethylene extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%** meets compendial specs of BP, Ph.Eur	1040.00 4690.00	500ml 2500ml



code	product name	unit price ₹	packing
76338 [79-01-6]	**Trichloroethylene electronic grade, 99.5%**	1370.00 5890.00	500ml 2500ml
97681 [79-01-6]	**Trichloroethylene for UV spectroscopy, 99.5%**	1200.00 2290.00	500ml 1000ml
42943 [79-01-6]	**Trichloroethylene Dried, 99.5%, 0.005% water**	1420.00	500ml
20779 [102-71-6]	**Triethanolamine pure, 98%**	500.00 1970.00	500ml 2500ml
29306 [121-44-8]	**Triethylamine pure, 98%**	400.00 1900.00 18000.00	500ml 2500ml 25lit
75198 [121-44-8]	**Triethylamine extrapure AR, 99.5%**	500.00 2100.00	500ml 2500ml
95205 [121-44-8]	**Triethylamine extrapure AR, ExiPlus, Multi-Compendial, 99.5%** meets compendial specs of USP, BP, Ph.Eur	1200.00 2800.00	1000ml 2500ml
67352 [121-44-8]	**Triethylamine for HPLC, 99.5%**	480.00 1800.00	250ml 1000ml
55221 [121-44-8]	**Triethylamine for molecular biology, 99.5%**	600.00	500ml
37817 [112-27-6]	**Triethylene Glycol extrapure, 99%** (Trigol)	560.00 2120.00	500ml 2500ml
96475 [112-27-6]	**Triethylene Glycol extrapure AR, 99%** anhydrous (Trigol)	620.00 1170.00	250ml 500ml
86570 [112-24-3]	**Triethylenetetramine (mix. of isomers) pure, 97%**	930.00 3930.00	500ml 2500ml
81085 [122-51-0]	**Triethyl Orthoformate extrapure, 99%**	2070.00 9460.00	500ml 2500ml
78984 [76-05-1]	**Trifluoroacetic Acid (TFA) pure, 99%** (For synthesis)	1590.00 4990.00 23450.00	100ml 500ml 2500ml
65415 [76-05-1]	**Trifluoroacetic Acid (TFA) extrapure AR, 99.5%**	2420.00 4160.00 5360.00	100ml 250ml 500ml
67869 [76-05-1]	**Trifluoroacetic Acid (TFA) extrapure AR, ExiPlus, Multi-Compendial, 99.5%** meets compendial specs of USP, BP, Ph.Eur	2820.00 5770.00	100ml 500ml
82818 [76-05-1]	**Trifluoroacetic Acid (TFA) for HPLC & UV Spectroscopy, 99.9%**	1080.00 3180.00 6170.00	25ml 100ml 500ml
40801 [76-05-1] ●	**Trifluoroacetic Acid (TFA) for molecular biology, 99.9%** (biochemical grade suitable for peptide & protein synthesis and HPLC)	3350.00 11390.00	100ml 500ml
23947 [76-05-1]	**Trifluoroacetic Acid (TFA) for HPLC & Sequencing, 99.9%** Specially formulated for peptide synthesis & protein sequencing applications. Supplied in 1ml ampoules.	24120.00	10x1ml
78716 [599-00-8]	**Trifluoroacetic Acid-d (TFA-d1) for NMR spectroscopy, 99.5 Atom %D**	8510.00	10ml
82395 [4574-04-3] 🌡	**Trimethyltetradecylammonium Chloride extrapure, 99%** Suitable for Ion Pairing & HPLC applications	4890.00 12460.00	25g 100g
38476 [519-73-3]	**Triphenylmethane pure, 99%**	1210.00 4960.00	100g 500g

Tris Buffer (Tris Base) & Tris Hydrochloride

It is a biological buffer with a buffer range of 7.0 to 9.0. This is the buffer of choice for several in vitro diagnostic assay reagents & buffer systems for agarose and polyacrylamide gel electrophoresis of proteins and nucleic acids. Tris buffer is preferred to phosphate buffer systems due to very low heavy metal content and protection against preservation of enzyme activity under frozen state during lyophilization. It acts as a stable buffer system in the determination of activity of many enzymes.

(for other Tris Salts, refer other sections of the catalogue)

code	product name	unit price ₹	packing
71033 [77-86-1]	**Tris Buffer AR, ACS for molecular biology, 99.9%** (Tris(hydroxymethyl) aminomethane, Tromethamine) DNase, RNase, Protease not detected	880.00 4150.00 34880.00	100g 500g 5kg
79420 [77-86-1]	**Tris Buffer Superior extrapure AR, ACS, 99.9%** (Tris(hydroxymethyl) aminomethane, Tromethamine) DNase, RNase, Protease not detected (suitable for biochemistry & biotechnology)	1040.00 4580.00 39240.00	100g 500g 5kg
37969 [77-86-1]	**Tris Buffer Superior for molecular biology, 99.9%** (Tris(hydroxymethyl) aminomethane, Tromethamine) DNase, RNase, protease not detected (suitable for critical molecular biology)	1110.00 5240.00 44690.00	100g 500g 5kg
56995 [77-86-1]	**Tris Buffer for HPLC, 99.9%** (Tris(hydroxymethyl) aminomethane) ion pairing reagent for HPLC	1530.00 6540.00	100g 500g
16622 [77-86-1]	**Tris Buffer USP, 99-101%** (Tris(hydroxymethyl) Aminomethane, Tromethamine)	13080.00	1000g
99438 [1185-53-1]	**Tris Hydrochloride (Tris HCl) extrapure AR, 99%** (Tris(hydroxymethyl) aminomethane hydrochloride)	1090.00 5240.00 49050.00	100g 500g 5kg
89781 [1185-53-1]	**Tris Hydrochloride (Tris HCl) for molecular biology, 99%** (Tris(hydroxymethyl) aminomethane hydrochloride) DNase, RNase, protease not detected	1370.00 6000.00 9810.00	100g 500g 1kg
30190 [9002-93-1]	**Triton X-100 extrapure for scintillation** (polyethyleneglycol 4-tert-octylphenolether) Non-ionic detergent	660.00 3170.00	500ml 2500ml
64518 [9002-93-1]	**Triton X-100 for molecular biology** (polyethyleneglycol 4-tert-octylphenolether) DNase, RNase, protease not detected Non-ionic detergent	880.00 1310.00	100ml 500ml
55219 [9036-19-5]	**Triton X-405 (70% solution) extrapure** (Octylphenol ethoxylate, polyethylene glycol tert-octylphenyl ether, polyoxyethylene (40) isooctylphenyl Ether)	2420.00 5150.00 7870.00	100ml 500ml 1000ml

code	product name	unit price ₹	packing
64315 [547-57-9]	**Tropaeolin O Sodium Salt** (C.I. No. 14270) (Acid Orange 6, Chrysoin)	640.00 2290.00	25g 100g
10233 [54-12-6]	**DL-Tryptophan extrapure CHR, 99%** for biochemistry	490.00 2310.00	5g 25g
10263 [73-22-3]	**L-Tryptophan extrapure CHR, 99%** for biochemistry	260.00 880.00 2770.00	5g 25g 100g
48288 [73-22-3]	**L-Tryptophan ExiPlus, Multi-Compendial, 99%** for biochemistry meets compendial specs of BP, Ph.Eur	1080.00 3020.00	25g 100g
49102 [73-22-3]	**L-Tryptophan for tissue culture, 99%**	360.00 1160.00 4370.00	5g 25g 100g
26579 [153-94-6]	**D-Tryptophan (base) extrapure, 99%** for biochemistry	3520.00 7670.00	10g 25g
10726	**Tungsten AAS Standard Solution in H_2O** contains 1000mg/lit (exact concentration on label)	2660.00	250ml
45438 (1 book = 20 leaves, User friendly Smart Case)	**Turmeric Indicator Papers**	450.00	10 books
70600 [556-02-5]	**D-Tyrosine extrapure, 99%** for biochemistry	730.00 2550.00	1g 5g
10342 [556-03-6]	**DL-Tyrosine extrapure CHR, 99%** for biochemistry	730.00 3240.00	5g 25g
16796 [60-18-4]	**L-Tyrosine extrapure CHR, 99%** for biochemistry	320.00 1040.00 4780.00 9200.00	25g 100g 500g 1kg
91772 [60-18-4]	**L-Tyrosine ExiPlus, Multi-Compendial, 99%** for biochemistry meets compendial specs of BP, Ph.Eur	360.00 1150.00 5090.00 9920.00	25g 100g 500g 1kg
18917 [60-18-4]	**L-Tyrosine for tissue culture, 99%**	420.00 1400.00	25g 100g
62762 [57-13-6]	**Urea extrapure, 99%**	280.00 2290.00	500g 5kg
69120 [57-13-6]	**Urea extrapure AR, 99.5%**	660.00 6330.00 30520.00	500g 5kg 25kg
86854 [57-13-6]	**Urea extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%** meets compendial specs of USP, BP	770.00 6760.00	500g 5kg
51459 [57-13-6]	**Urea specially purified, 99.5%** for enzyme work	Discontinued	
21113 [57-13-6]	**Urea for molecular biology, 99.5%** DNase, RNase, protease not detected	950.00 1700.00 7890.00	500g 1kg 5kg
44255 [57-13-6]	**Urea for tissue culture, 99.5%**	1100.00 1820.00	500g 1kg

code	product name	unit price ₹	packing
12859 [72-18-4]	**L-Valine extrapure CHR, 99%** for biochemistry	350.00 1090.00 8550.00	25g 100g 1kg
55269 [72-18-4]	**L-Valine for tissue culture, 99%**	410.00 1250.00 4980.00	5g 100g 500g
42749	**Vanadium AAS Standard Solution in 2N H_2SO_4** contains 1000 mg/lit (exact concentration on label)	2180.00	250ml
76132 [1314-62-1]	**Vanadium Pentoxide extrapure AR, 99.5%** for determination of alcohol in blood	350.00 1150.00 5400.00	25g 100g 500g
83822 [1314-62-1]	**Vanadium Pentoxide extrapure AR, ExiPlus, Multi-Compendial, 99.5%** for determination of alcohol in blood, meets compendial specs of USP	400.00 1280.00 5650.00	25g 100g 500g
83080 [121-34-6] ✔	**Vanillic Acid extrapure, 99%** (4-Hydroxy-3-methoxybenzoic acid)	1280.00 4370.00	25g 100g
98842 [121-33-5]	**Vanillin pure, 99%** (4-Hydroxy-3-methoxy benzaldehyde)	320.00 1150.00 5400.00	25g 100g 500g
20563 [121-33-5]	**Vanillin extrapure AR, 99%** (4-Hydroxy-3-methoxy benzaldehyde)	330.00 1200.00 5620.00	25g 100g 500g
49456 [121-33-5]	**Vanillin extrapure AR, ExiPlus, Multi-Compendial, 99%** (4-Hydroxy-3-methoxy benzaldehyde) meets compendial specs of BP	360.00 1310.00 5780.00	25g 100g 500g
14553 [127-47-9] ✔	**Vitamin A Acetate (Retinyl Acetate, Vitamin B3) for tissue culture** (Retinol Acetate)	850.00 3640.00	5g 25g
76911 [79-81-2] ✔	**Vitamin A Palmitate (Retinyl Palmitate) for tissue culture, 1.615-1.860MIU/g**	850.00 3640.00	5g 25g
92605 [7732-18-5]	**Water for HPLC**	400.00	1000ml
64236 [11138-66-2]	**Xanthan Gum ExiPlus, Multi-Compendial** meets compendial specs of USP, BP, Ph.Eur Particle Size : 100-200mes	430.00 1300.00	100g 500g
23749 [95-47-6]	**o-Xylene pure, 98%** (1,2-Dimethylbenzene)	420.00 1580.00	500ml 2500ml
62231 [95-47-6] **new**	**o-Xylene extrapure AR, 99%** (1,2-Dimethylbenzene)	650.00 3100.00	500ml 2500ml
29280 [108-38-3]	**m-Xylene pure, 98%** (1,3-Dimethylbenzene)	620.00	500ml
24923 [106-42-3]	**p-Xylene pure, 99%** (1,4-Dimethylbenzene)	640.00 2790.00	500ml 2500ml
54717 [1330-20-7]	**Xylene pure, 99%**	360.00 1480.00 10850.00	500ml 2500ml 25lit



code	product name	unit price ₹	packing
90998 [1330-20-7]	**Xylene extrapure AR, 99.8%**	450.00 1640.00	500ml 2500ml
89159 [1330-20-7]	**Xylene extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.8%** meets compendial specs of USP	500.00 1880.00	500ml 2500ml
45122 [1330-20-7]	**Xylene for molecular biology, 99.5%**	410.00 730.00 2180.00	250ml 500ml 2500ml
85471 [1330-20-7]	**Xylene Dried, 99.8%, 0.005% water**	710.00	1000ml
63797 [2650-17-1]	**Xylene Cyanol FF** (Acid blue 147)(C.I. No. 42135) Dye Content — min.75%	1780.00 6540.00 17690.00	5g 25g 100g
75122 [2650-17-1]	**Xylene Cyanol FF extrapure AR, ExiPlus, Multi-Compendial** (Acid blue 147)(C.I. No. 42135) meets compendial specs of USP Dye Content — min.75%	1780.00 6540.00 20410.00	5g 25g 100g
49672 [125-31-5]	**p-Xylenol Blue, 95%** (p-Xylenosulphonaphthalein)	550.00 2550.00	1g 5g
49992 [3618-43-7]	**Xylenol Orange Tetrasodium Salt extrapure AR**	620.00 1020.00	5g 10g
31557 [3618-43-7]	**Xylenol Orange Tetrasodium Salt extrapure AR, ACS, ExiPlus, Multi-Compendial** meets compendial specs of BP, Ph.Eur	1300.00 2920.00	10g 25g
96240 [1330-20-7]	**Xylene Sulphur Free extrapure, 98%**	380.00 1520.00 11210.00	500ml 2500ml 25lit
46561 [1314-36-9]	**Yttrium (III) Oxide extrapure AR, 99.9%** (Yttrium Oxide)	530.00 1240.00	10g 25g
76192 [5970-45-6]	**Zinc Acetate Dihydrate extrapure, 98.5%**	800.00	500g
76205 [5970-45-6]	**Zinc Acetate Dihydrate extrapure AR, 99.5%**	870.00	500g
53174 [5970-45-6]	**Zinc Acetate Dihydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%** meets compendial specs of USP, BP, Ph.Eur	970.00	500g
43758	**Zinc AAS Standard Solution in 1N HNO_3** contains 1000 mg/lit (exact concentration on label)	2590.00	250ml
97765 [5263-02-5]	**Zinc Carbonate Basic Dihydrate pure, 58%** (Zinc hydroxide carbonate)	440.00 720.00	100g 500g
99367 [5990-32-9]	**Zinc Citrate Dihydrate pure, 98%** (Citric acid zinc salt)	1370.00	500g
87288 [7646-85-7]	**Zinc Chloride pure, 97%**	490.00	500g
67514 [7646-85-7]	**Zinc Chloride for tissue culture, 98%**	1870.00	500g
86783 [7783-49-5]	**Zinc Fluoride pure, 98%**	1870.00 6400.00	100g 500g
27008 [7440-66-6]	**Zinc Metal Dust pure, 99%, -325 mesh**	1080.00 5280.00	500g 2.5kg
20050 [7440-66-6]	**Zinc Metal Dust extrapure AR, 99.5%, -325mesh** arsenic and lead free	1260.00 5940.00	500g 2.5kg
73932 [7440-66-6]	**Zinc Metal Dust extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%, -325 mesh** arsenic and lead free meets compendial specs of Ph.Eur	1380.00 6300.00	500g 2.5kg
75001 [10196-18-6] ✔	**Zinc Nitrate Hexahydrate extrapure, 99%**	800.00	500g
24693 [10196-18-6] ✔	**Zinc Nitrate Hexahydrate extrapure AR, 99%**	920.00	500g
87531 [1314-13-2]	**Zinc Oxide extrapure, 99%**	850.00 8200.00	500g 5kg
67062 [1314-13-2]	**Zinc Oxide extrapure AR, 99.5%**	950.00 9200.00	500g 5kg
51508 [1314-13-2]	**Zinc Oxide extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%** meets compendial specs of BP	1050.00 10300.00	500g 5kg
76455 [7446-20-0]	**Zinc Sulphate Heptahydrate pure, 99%**	340.00 580.00 2770.00	500g 1kg 5kg
78494 [13597-44-9]	**Zinc Sulphite Dihydrate extrapure, 98%**	1380.00	500g
62294 [7488-52-0]	**Zinc Sulphate Heptahydrate extrapure AR, 99.5%**	1330.00	500g
47482 [1314-98-3]	**Zinc Sulphide extrapure, 98%**	720.00 2400.00	100g 500g
75738 [7446-20-0]	**Zinc Sulphate Heptahydrate extrapure AR, 99.5%**	440.00 4150.00	500g 5kg
35243 [7446-20-0]	**Zinc Sulphate Heptahydrate extrapure AR, ACS, ExiPlus, 99.5%** meets compendial specs of BP	570.00 5400.00	500g 5kg
67106 [7446-20-0]	**Zinc Sulphate Heptahydrate for tissue culture, 99%**	570.00 1010.00	500g 1kg
12077 [13520-92-8]	**Zirconium Oxychloride Octahydrate extrapure, 99.5%**	500.00 900.00 1440.00	100g 250g 500g
22047 [13520-92-8]	**Zirconium Oxychloride Octahydrate ACS, 99.5%**	960.00 1680.00	100g 250g
38028 [14644-61-2]	**Zirconium Sulphate extrapure, 99.5%**	2140.00	100g
47985 [13826-66-9]	**Zirconyl Nitrate Hydrate ExiPlus, Multi-Compendial, 99.5%** (Zirconium oxynitrate) meets compendial specs of USP, Ph.Eur	1400.00 5330.00	100g 500g





Part B

Bioreagents, Biochemicals & Speciality Fine Chemicals

Linkers & Cross-Linkers for **Protein Chemistry**

Cross-linking is the process of chemically joining two or more molecules by a covalent bond. SRL introduced linking and cross-linking reagents are important reagents used in protein chemistry applications. Typically, they are commonly used reagents to modify nucleic acids, drugs and solid surfaces. Areas of research where these products find application are bio-conjugation, immobilization, surface modification and bio-molecule labeling. These reagents contain reactive ends to specific functional groups, such as primary amines and sulfhydryls, on proteins or other molecules. The availability of several chemical groups in proteins and peptides make them targets for conjugation and for study using cross-linking methods. Some common applications of cross-linkers is for the identification of near-neighbor protein relationships and for ligand-receptor interactions.





- 3-(Acetamidomethylthio)propanoic Acid (MPA(Acm))
- 3-(Benzylthio)-Propionic Acid
- DABCYL-N-Succinimidyl Ester
- DHP Linker (3,4-Dihydro-2H-Pyran-2-Methanol)
- 5-(Ethylthio)-1H-Tetrazole (ETT)
- HMBA Linker (4-(Hydroxymethyl)benzoic Acid)
- HMPA Linker
- Ramage Linker
- Rink Amide Linker (Knorr Linker)
- Sieber Linker
- Weinreb Linker

Compounds for **Peptide Synthesis**

Peptide synthesis is characterized as the formation of a peptide bond between two amino acids. While the definition of a peptide is not definitive, it usually refers to chains of up to 30-50 amino acids. Peptide synthesis today is a common approach in even high-throughput biological research and product and drug development, although it is a technique about 100 years old. We offer various types of peptide reagents that can be used for biological production and research work.

- Amino Acids and Derivatives
  - BOC
  - FMOC
  - L/D/DL
  - Z/CBZ
- N,N'-Dicyclohexylcarbodimide DCC
- Diisopropylcarbodimide DIPC
- 1-(3 Dimethylaminopropyl)-3-Carbodimide Hydrochloride (EDC.HCl), EDAC.HCl)
- 1,4 Dithioerythritol (DTE)
- DL-Dithiothreitol (DTT)
- EEDQ
- 1,2 Ethanedithiol (EDT)
- 9-Fluorenylmethanol
- 9-Fluorenylmethyl-N-succinimidyl Carbonate
- 1-Fluoro-2,4 Dinitrobenzene
- HABU
- HOAT
- HOBT
- Hydrobromic Acid
- 2-Hydroxypyridine-N-oxide (1-Hydroxy-2-pyridone) (HOPO)
- N-Hydroxysuccinamide
- Di-(n-succinimidyl) Carbonate
- TBTU
- TNTU
- Trifluoroacetic Acid
- Wang Resin (100-200 mesh)
- Z-OSU

For more details, please feel free to mail us at **marketing@srlchem.com**

code	product name	unit price ₹	packing
66308 [14375-45-2] ♦	**(+)-Abscisic Acid Natural (S-ABA) for tissue culture, 98%** (Dormin, abscissin II) Abscission-accelerating plant hormone	1470.00 4100.00 18900.00	25mg 100mg 500mg
31240 [14375-45-2] ♦	**(+/-)-Abscisic Acid Synthetic (ABA) for tissue culture, 98%** (ABA, Dormin, abscissin II) Abscission-accelerating plant hormone	1680.00 4310.00	25mg 100mg
40157 [30931-67-0] ●	**ABTS extrapure AR, 98.5%** (2,2'-Azino-bis(3-ethylbenzo thiazoline-6-sulfonic acid) diammonium salt) Especially suitable for ELISA Assay — min.98.5% A peroxidase substrate suitable for use in ELISA procedures.	2800.00 8500.00	100mg 500mg
28042 [30931-67-0] ●	**ABTS extrapure, 98%** (2,2'-Azino-bis(3-ethylbenzo thiazoline-6-sulfonic acid) diammonium salt) for biochemistry Assay — min.98% A peroxidase substrate suitable for use in ELISA procedures.	4600.00 7000.00 26980.00	500mg 1g 5g
83088	**ABTS Peroxidase Stop Solution (5% SDS solution) suitable for molecular biology** Used as Detergent Bocking agent for ELISA	1630.00 4480.00	25ml 100ml
33108 🌡	**ABTS Substrate Solution (Single Solution) suitable for molecular biology** Ready-to-Use solution ABTS Substrate Solution for ELISA suitable for Peroxidase based indicator reactions	1630.00 3470.00	25ml 100ml
65457 [56180-94-0]	**Acarbose extrapure, 95%** (4",6""-Dideoxy-4""-([1S]-[1,4,6/5]-4,5,6-trihydroxy-3-hydroxymethyl-2-yclohexenylamino)-maltotriose)	6400.00 20000.00	1g 5g
66822 [7365-82-4]	**ACES Buffer extrapure, 99%** (2-[(2-Amino-2-oxoethylamino) ethane] sulphonic acid)) for biochemistry	2720.00 9940.00 3980.00	25g 100g 1000g
59750 [132489-69-1] ♦	**PUGNAc extrapure, 95%** (O-(2-Acetamido-2-deoxy-D-glucopyranosylidenamino) N-phenylcarbamate) for biochemistry Potent inhibitor for O-GlcNAcase & β-hexosamindase	16230.00	5g
20140 [52574-08-0] ●	**3-(Acetamidomethylthio) propanoic Acid (MPA(Acm)) extrapure, 98%** (S-acetamidomethyl-3-mercaptopropionic acid) S-Protected derivative for introducing ß-mercaptopropionic acid during Fmoc- and Boc-SPPS.	5260.00	1g
12052 [14691-89-5] 🌡	**4-Acetamido-2,2,6,6-Tetramethylpiperidine-1-Oxyl (Acetamido TEMPO) pure, 97%** (free radical)	1950.00 4330.00 10280.00	1g 5g 25g
28590 [3068-32-4] ♦	**Acetobromo-D-Galactose w/ 2% Calcium Carbonate extrapure, 98%** (stabilizer: 2% CaCO3)	6500.00	5g
34437 [572-09-8] ♦	**Acetobromo-D-Glucose extrapure, 98%** for biochemistry	7350.00	10g

code	product name	unit price ₹	packing
43717 [941-98-0]	**1-Acetonaphthone pure, 98%** (1-Acetylnaphthalene, methyl-1-naphthyl ketone)	1370.00 2660.00	100ml 250ml
21009 [93-08-3]	**2-Acetonaphthone pure, 98%** (2-Acetylnaphthalene)	940.00 2110.00	100g 250g
62316 [540-92-1]	**Acetone Sodium Bisulfite pure, 98%** (2-Hydroxy-2-Propanesulfonic Acid Monosodium Salt)	3980.00	100g
89561 [127-06-0] **new**	**Acetoxime (Acetone Oxime) extrapure, 98%**	1260.00 2840.00 6830.00	25g 100g 500g
17884 [97-69-8] 🌡	**N-Acetyl-L-Alanine extrapure, 99%** for biochemistry	1250.00 5040.00	5g 25g
70538 [997-55-7]	**N-Acetyl-L-Aspartic Acid extrapure, 98%** for biochemistry	3680.00 11550.00	5g 25g
24168 [66-23-9] ♦	**Acetylcholine Bromide extrapure, 98%** for biochemistry	2760.00 9200.00	5g 25g
23157 [6974-32-9] 🌡	**1-O-Acetyl-2,3,5-Tri-O-Benzoyl-b-D-Ribofuranose extrapure, 98%** (ß-D-Ribofuranose 1-acetate 2,3,5-tribenzoate)	2910.00 12210.00	5g 25g
23598 [3080-30-6] 🌡	**1-O-Acetyl-2,3,5-Tri-O-Benzoyl-b-L-Ribofuranose extrapure, 98%** (ß-L-Ribofuranose 1-acetate 2,3,5-tribenzoate)	12210.00 39540.00	1g 5g
41439 [14215-97-5] 🌡	**1-O-Acetyl-2,3,5-Tri-O-Benzoyl-D-Ribofuranose extrapure, 98%** (D-Ribofuranose 1-acetate 2,3,5-tribenzoate)	2450.00 11050.00	5g 25g
72981 [91110-24-6] 🌡	**1-O-Acetyl-2,3,5-Tri-O-Benzyl-b-D-Ribofuranose extrapure, 95%**	22680.00 50000.00	50mg 200mg
32993 [58381-23-0] 🌡	**1-O-Acetyl-2,3,5-Tri-O-Benzyl-D-Ribofuranose extrapure, 98%**	22680.00 50000.00	50mg 200mg
62929 [60-31-1] 🌡	**Acetylcholine Chloride extrapure, 99%** for biochemistry	5710.00	25g
53182 [60-31-1] 🌡	**Acetylcholine Chloride ExiPlus, Multi-Compendial, 99%** for biochemistry meets compendial specs of USP, BP, Ph.Eur	6750.00	25g
71332 [2260-50-6] 🌡	**Acetylcholine Iodide extrapure, 99%** for biochemistry	2520.00 9000.00	5g 25g
26904 [75520-41-1] ♦	**Acetyl Coenzyme A Trilithium Salt extrapure, 90%** for biochemistry	2950.00 11610.00 40420.00	5mg 25mg 100mg
47866 [616-91-1] 🌡	**N-Acetyl-L-Cysteine ExiPlus, Multi-Compendial, 99%** for biochemistry meets compendial specs of BP	400.00 840.00 2630.00 8400.00	10g 25g 100g 500g



code	product name	unit price ₹	packing
99328 [14215-68-0] 🌡	**N-Acetyl-D-Galactosamine extrapure, 98%** for biochemistry	2520.00 7550.00	100mg 1g
59012 [7512-17-6] 🌡	**N-Acetyl-D-Glucosamine extrapure AR, 99%** for biochemistry	940.00 2620.00 4600.00 20940.00	10g 50g 100g 500g
50241 [1188-37-0] 🌡	**N-Acetyl-L-Glutamic Acid extrapure, 99%** for biochemistry	500.00 4280.00	10g 100g
68761 [2490-97-3] 🌡	**N-Acetyl-L-Glutamine extrapure, 99%** for biochemistry	1550.00 4880.00	25g 100g
13149 [2620-63-5]	**N-Acetyl-Glycinamide extrapure, 99%** for biochemistry	Discontinued	
56115 [543-24-8] 🌡	**N-Acetylglycine extrapure, 99%** for biochemistry (Acetamidoacetic acid, Aceturic acid)	1030.00 2800.00 6600.00	25g 100g 500g
76097 [1188-21-2] 🌡	**N-Acetyl-L-Leucine extrapure, 99%** for biochemistry	1030.00 4260.00	5g 25g
26124 [65-82-7] 🌡	**N-Acetyl-L-Methionine extrapure, 99%** for biochemistry	810.00 3380.00 11820.00	5g 25g 100g
90430 [68-95-1] 🌡	**N-Acetyl-L-Proline extrapure, 98%** for biochemistry	1560.00 5880.00 15640.00	5g 25g 100g
81977 [2466-76-4] 🌡	**N-Acetylimidazole extrapure AR, 99%**	1970.00 6020.00	25g 100g
32414 [1115-47-5] 🌡	**N-Acetyl-DL-Methionine extrapure, 99%** for biochemistry	190.00 780.00	10g 100g
86419 [131-48-6] 🌡	**N-Acetylneuraminic Acid extrapure, 98%** for biochemistry **(Sialic Acid, NANA)**	1890.00 4830.00 7880.00	100mg 500mg 1g
10197 [1122-62-9]	**2-Acetyl Pyridine extrapure, 99%**	1850.00 5470.00	25ml 100ml
14507 [350-03-8]	**3-Acetyl Pyridine pure, 99%**	1350.00 2940.00	25ml 100ml
38998 [1866-15-5] 🌡	**S-Acetylthiocholine Iodide extrapure AR, 99%**	2220.00 10200.00 46800.00	1g 5g 25g
99703 [88-15-3]	**2-Acetyl Thiophene pure, 99%** (Methyl-2-thienyl ketone)	2590.00 11740.00	100ml 500ml
11644 [1218-34-4] 🌡	**N-Acetyl-L-Tryptophan extrapure, 99%** for biochemistry	1420.00 6120.00	5g 25g
48861 [1218-34-4] 🌡	**N-Acetyl-L-Tryptophan ExiPlus, Multi-Compendial, 99%** for biochemistry meets compendial specs of BP, Ph.Eur	1630.00 6050.00	5g 25g
51031 [87-32-1] 🌡	**N-Acetyl-DL-Tryptophan extrapure, 99%** for biochemistry	2050.00 7980.00 75600.00	25g 100g 1kg
98070 [537-55-3] 🌡	**N-Acetyl-L-Tyrosine extrapure, 98%** for biochemistry	2080.00 7940.00	5g 25g

code	product name	unit price ₹	packing
16756 [36546-50-6] ♦	**N-Acetyl-L-Tyrosine Ethyl Ester (ATEE) extrapure, 99%** for biochemistry Substrate for chymotrypsin	5870.00 10990.00	5g 10g
61942 [96-81-1] ♦	**N-Acetyl-L-Valine extrapure, 99%** for biochemistry	2700.00	1g
97412 [10127-02-3]	**Acridine Orange hemi (Zinc Chloride) Salt** for microscopy (C.I. No. 46005) Extinction Coefficient ε in Water —	1450.00 2360.00 4190.00 min. 38000	5g 10g 25g
37751 [10127-02-3]	**Acridine Orange hemi (Zinc Chloride) Salt for molecular biology** (C.I. No. 46005) DNase, RNase, protease not detected Extinction Coefficient ε in Water —	820.00 1470.00 2810.00 10750.00 min. 38000	5g 10g 25g 100g
62255 [10127-02-3]	**Acridine Orange hemi (Zinc Chloride) Salt for tissue culture**	1350.00 4500.00	5g 25g
82407 [65-61-2]	**Acridine Orange Hydrochloride Hydrate for molecular biology, 99%** (3,6-Bis(dimethylamino) acridine hydrochloride)	1410.00 6140.00	1g 5g
42070 [135-49-9]	**Acridine Yellow G** (C.I. No. 46025) (Basic Yellow K, 3,6-Diamino-2, 7-dimethylacridine hydrochloride) for microscopy	1570.00 5410.00	5g 25g
42428 [8048-52-0]	**Acriflavine Neutral for molecular biology, 98%** (Acriflavine base, 3,6-diamino-10-methylacridinium chloride) Used for fluorescent labelling of high molecular weight RNA molecules.	1630.00 4660.00	25g 100g
39309 [51005-14-2] ♦	**Actin extrapure, 99% ex. Rabbit Muscle** for biochemistry	32560.00	1mg
28269 [50-76-0] ♦	**Actinomycin D (AMD) extrapure, 98%** for biochemistry	5630.00 13200.00	2mg 5mg
44597 [9012-37-7] ♦	**Acylase 1 (ACY1) ex. Porcine Kidney, 1000U/mg**	2750.00 9620.00 30220.00	50mg 250mg 1g
37690 [26239-55-4]	**ADA Buffer extrapure, 98%** (N-(2-Acetamido)iminodiacetic acid, N-(carbamoylmethyl) iminodiacetic acid)	1160.00 2450.00	10g 25g
83468 [7415-22-7]	**ADA Monosodium Salt Buffer extrapure, 98%** (ADA-Na, N-(2-Acetamido) iminodiacetic acid monosodium salt, N-(carbamoylmethyl)iminodiacetic acid monosodium salt)	4660.00 9310.00	5g 25g
35609 [41689-31-0] ♦	**ADA Disodium Salt Buffer extrapure, 98%** (N-(2-Acetamido)iminodiacetic acid disodium salt, N-(Carbamoylmethyl) iminodiacetic acid disodium salt) Assay — min.98% (titration)	3800.00	5g

code	product name	unit price ₹	packing
50300 [73-24-5]	**Adenine extrapure, 98%** (6-Aminopurine) for biochemistry	320.00 1290.00	5g 25g
87583 [321-30-2]	**Adenine Sulphate extrapure, 99%** (Adenine hemisulphate) for biochemistry	550.00 1320.00 4940.00	10g 25g 100g
56603 [321-30-2]	**Adenine Sulphate ExiPlus, Multi-Compendial, 99%** (Adenine hemisulphate) for biochemistry meets compendial specs of USP	2520.00 8400.00	25g 100g
81951 [321-30-2]	**Adenine Sulphate for tissue culture, 99%**	870.00 2100.00 7350.00	10g 25g 100g
54865 [58-61-7] 🌡	**Adenosine extrapure, 99%** for biochemistry	350.00 1340.00	5g 25g
94149 [58-61-7] 🌡	**Adenosine ExiPlus, Multi-Compendial, 99%** for biochemistry meets compendial specs of USP, BP, Ph.Eur	1870.00	25g
84910 [37063-35-7] ♦	**Adenosine-2',3' Cyclic Monophosphate Sodium Salt extrapure, 98%** for biochemistry	3510.00 10730.00	25mg 100mg
98333 [60-92-4] ♦	**Adenosine-3',5'-Cyclic-Monophosphoric Acid extrapure, 98% (cAMP-Na)** for biochemistry	4520.00 12420.00	100mg 500mg
43801 [16178-48-6] ♦	**Adenosine-5'-Diphosphate Disodium Salt (ADP-Na2) extrapure, 98%** for biochemistry	880.00 1520.00 6930.00	500mg 1g 5g
99118 [72696-48-1] ◆	**Adenosine-5-Diphosphate Monopotassium Salt Dihydrate (ADP-K) extrapure, 97%**	1760.00	500mg
90697 [4578-31-8] ♦	**Adenosine-5'-Monophosphate Disodium Salt (AMP-Na2) extrapure, 99%** for biochemistry	840.00 3670.00	5g 25g
84878 [34369-07-8, 987-65-5] ♦	**Adenosine-5'-Triphosphate Disodium Salt (ATP-Na2) extrapure, 98%** vanadium free	250.00 1000.00 3450.00	1g 5g 25g
46600 [979-92-0] ♦	**S-(5'-Adenosyl)-L-Homocysteine extrapure, 99%** (5'-Deoxy-S-adenosyl-L-homocysteine)	37210.00	10mg
85934 [97540-22-2] ♦	**S-Adenosyl-L-Methionine Disulphate Tosylate, 98%**	1840.00 3470.00	500mg 1g
96146 [17176-17-9] ♦	**S-(5'-Adenosyl)-L-Methionine p-Toluenesulfonate Salt extrapure, 95%** (SAM p-toluenesulfonate salt)	2060.00 7270.00	1g 5g

code	product name	unit price ₹	packing
40257 [1071-93-8] ♦	**Adipic Acid Dihydrazide (ADH) extrapure, 95%** (Hexanedioic acid dihydrazide)	3000.00 11570.00	25g 100g
75101 [488-81-3]	**Adonitol (Ribitol) extrapure 99%**	1170.00 4590.00	5g 25g
89204 [30827-99-7] ♦	**AEBSF Hydrochloride extrapure AR, 98%** (4-(2-Aminoethyl) benzenesulfonyl fluoride hydrochloride, AEBSF.HCl)	1150.00 3550.00 16870.00	25mg 100mg 500mg

Use AEBSF at the same molar concentrations (0.1 - 1.0 mM) as PMSF for most applications. This product is a Protease Inhibitor and maintains stability at slightly acidic aqueous solutions and serves as a nontoxic alternative to PMSF and DFP.

Agaroses

96825 [9012-36-6]	**Agarose High EEO**	Discontinued	

This high EEO Agarose is suitable for protein separation by immunodiffusion & countercurrent immunoelelectrophoresis techniques.

60645 [9012-36-6]	**Agarose High EEO for molecular biology** DNase, RNase, Protease not detected	1840.00 6610.00 31820.00	25g 100g 500g

This high EEO Agarose is suitable for protein separation by immunodiffusion & countercurrent immunoelelectrophoresis techniques.

36601 [9012-36-6]	**Agarose Low EEO for molecular biology** DNase, RNase, Protease not detected	680.00 1350.00 4290.00 19580.00 38550.00	10g 25g 100g 500g 1kg

A highly purified low EEO Agarose suitable for routine nucleic acid analysis, having good resolution & low staining background. Can be used for various routine applications like nucleic acid separation & purification, checking PCR products & plasmid preparations, RE analysis and immunoelectrophoresis techniques, etc.
Ranges of separation: 100bp to 25kb.

23287 [9012-36-6]	**Agarose Low EEO Superior Grade for molecular biology** DNase, RNase, Protease not detected	800.00 1720.00 5020.00 22640.00 42830.00	10g 25g 100g 500g 1kg

A very high quality low EEO, high gel strength Agarose with superior gel clarity and wider resolution range from 100bp to 25kb nucleic acid fragments, ideal for various applications like separations & purifications, PCR & RE analysis, southern & northern blotting, immunoelectrophoresis techniques, etc. Ranges of separation: 100bp-25kb.

83404 [9012-36-6]	**Agarose Medium EEO**	Discontinued	

A highly purified medium EEO Agarose suitable for protein separations by immunodiffusion & immunoelelectrophoresis techniques.

10423 [9012-36-6]	**Agarose Medium EEO for molecular biology** DNase, RNase, Protease not detected	900.00 2200.00 5800.00 25700.00	10g 25g 100g 500g

A highly purified medium EEO Agarose suitable for protein separations by immunodiffusion & immunoelelectrophoresis techniques for critical molecular biology techniques.

27813 [9012-36-6]	**Agarose UltraPhor for molecular biology**	11550.00 27500.00 108900.00	10g 25g 100g

Gelling temp. ~35°C
Melting temp. (3% gel) ~75°C
Suitable for separation of DNA fragments <1000 base pairs (bp) & can distinguish fragments as small as 8bp.



code	product name	unit price ₹	packing
32417 [9012-36-6]	**Agarose Low Melting for molecular biology**	3630.00 6860.00 16800.00 56430.00	5g 10g 25g 100g
	Gelling temp. ~35°C Melting temp. (4% gel) ~65°C Suitable for separation of DNA fragments <1000 base pairs (bp) & can distinguish fragments as small as 8bp.		
78711 [9012-36-6]	**Agarose Low-6** suitable for molecular biology	3960.00 15670.00 53190.00	5g 25g 100g
	Ranges of Separation: 10-1200bp at concentrations between 1.8-5% in 1xTAE Buffer. Agarose Low-6 is a high quality agarose specially formulated for molecular screening with an improved efficiency resolution of small DNA fragments and PCR products. To achieve the best resolution of Agarose Low-6 gels, they should be stored at 4°-8° C for 30 minutes before use.		
52734 [9012-36-6]	**Agarose Low-8** suitable for molecular biology	3820.00 14960.00 51760.00	5g 25g 100g
	Ranges of Separation: 10-1200bp at concentrations between 1.8-5% in 1xTAE Buffer. Agarose Low-8 has been specially developed for molecular screening applications and improves resolution of small DNA fragments and PCR products. To achieve the best resolution of Agarose Low-8 gels, they should be stored at 4° - 8° C for 30 minutes before use. Agarose Low-8 offers slightly higher gel strength as compared to Agarose Low-6.		
93419	**Agarose TAE mix 1.0%** Pre-mixed blend of Agarose and TAE at 1x conc.	8530.00	100g
67900	**Agarose TAE mix 2.0%** other name Pre-mixed blend of Agarose and TAE at 1x conc.	8530.00	100g
76171	**Agarose TBE mix 1.0%** Pre-mixed blend of Agarose and TAE at 1x conc.	8530.00	100g
12375	**Agarose TBE mix 2.0%** Pre-mixed blend of Agarose and TAE at 1x conc.	8530.00	100g
19339 [483-04-5] 🌡	**Ajmalicine pure, 98%**	3540.00 13410.00	10mg 50mg
52821 [4360-12-7] 🌡	**Ajmaline pure, 98%**	3380.00	1g
64422 [338-69-2]	**D-Alanine extrapure CHR, 99%** for biochemistry	1050.00 3260.00	5g 25g
96244 [302-72-7]	**DL-Alanine extrapure CHR, 99%** for biochemistry	200.00 610.00 3000.00	25g 100g 1kg
54984 [302-72-7]	**DL-Alanine extrapure OAS grade, 99.5%** (organic analytical standard)	230.00	5g
32344 [77471-41-1] ♦	**D-Alanine-7-Amido-4-Methylcoumarin Free Base extrapure, 97%** (D-Alanine-AMC free base)	11420.00 20760.00	10mg 25mg

code	product name	unit price ₹	packing
11180 [201847-54-3] ♦	**β-Alanine-7-Amido-4-Methylcoumarin Trifluoroacetate Salt extrapure, 99%** (β-Alanine-AMC.TFA salt)	12340.00 25220.00	10mg 25mg
28760 [201847-52-1] ♦	**D-Alanine-7-Amido-4-Methylcoumarin Trifluoroacetate Salt extrapure, 99%** (D-Alanine-AMC.TFA salt)	8880.00 17260.00	10mg 25mg
25696 [96594-10-4] ♦	**L-Alanine-7-Amido-4-Methylcoumarin Trifluoroacetate Salt extrapure, 98%** (L-Alanine-AMC.TFA salt)	5910.00 16870.00	25mg 100mg
94518 [42854-62-6] ♦	**L-Alanine Benzyl Ester p-Toluene Sulfonate extrapure, 98%** for biochemistry	6230.00	25g
17737 [5557-83-5] ♦	**L-Alanine Benzyl Ester Hydrochloride extrapure, 98%** for biochemistry	5410.00	25g
64048 [3513-56-2] ♦	**L-Alanine-β-Naphthylamide Hydrobromide extrapure, 98%**	6360.00	100mg
94349 [1948-31-8] 🌡	**L-Alanyl-L-Alanine extrapure, 99%** for biochemistry	4030.00 19340.00	100mg 500mg
31622 [39537-23-0] 🌡	**L-Alanyl-L-Glutamine extrapure, 99%** for biochemistry	840.00 2520.00	1g 5g
46620 [687-69-4] 🌡	**L-Alanyl Glycine extrapure, 99%** for biochemistry	3730.00 17660.00	1g 5g
73721 [3303-34-2] 🌡	**L-Alanyl-L-Leucine extrapure, 99%** for biochemistry	9320.00	500mg
31550 ●	**L-Alanyl-L-Leucine-L-Phenylalanine extrapure** for biochemistry	8000.00	100mg
97088 [2491-20-5] ♦	**L-Alanyl Methyl Ester Hydrochloride extrapure, 99%** for biochemistry	1790.00 6830.00	5g 25g
41859 [3061-88-9] ♦	**L-Alanyl-L-Tyrosine extrapure, 99%** for biochemistry	3180.00	100mg
38211 [1596-84-5] 🌡	**Alar extrapure AR, 99%** (B-9, Daminozide)	470.00 1980.00 8380.00	1g 5g 25g
97350 [9048-46-8] ●	**Albumin Bovine (pH 5.2) fraction V , 98%** (Bovine Serum Albumin, BSA)	960.00 1630.00 7250.00 13490.00 31830.00	5g 10g 50g 100g 250g
83803 [9048-46-8] ●	**Albumin Bovine (pH 6-7) fraction V , 98%** (Bovine Serum Albumin, BSA)	680.00 1290.00 3050.00 10530.00 25790.00	5g 10g 25g 100g 250g
85171 [9048-46-8] ●	**Albumin Bovine (pH 6-7) fraction V for molecular biology, 98%** (Bovine Serum Albumin, BSA) protease free	800.00 1470.00 3300.00 10910.00 52990.00	5g 10g 25g 100g 500g

code	product name	unit price ₹	packing
14438 [9048-46-8] ●	**Albumin Bovine (pH 6.5-7.5) fraction V Lipid Enhanced, 98%** (Bovine Serum Albumin, BSA) Total Fatty Acids: min.0.05%, Microbial Content: max. 3CFU/g	7960.00 24230.00	25g 100g
	Prepared with optimum lipid balance specifically for microbial culture growth promotion for difficult strains and to encourage productive growth of fastidious organisms.		
32257 [9048-46-8] ●	**Albumin Bovine (pH 6.5-7.5) fraction V for tissue culture, 98%** (Bovine Serum Albumin, BSA) Microbial Content: max. 3CFU/g, Endotoxin: 50EU/mg	2330.00 8820.00	5g 25g
	Used for molecular immunology, blood banking and binding/transport functions when cytotoxicity can be a concern. Absence of mycoplasma and cytotoxicity is assured.		
65186 [9048-46-8] ●	**Albumin Bovine (pH 7) fraction V Reagent Grade for molecular biology, 99%** (Bovine Serum Albumin, BSA) Fatty acid free, protease free	5120.00 9270.00 20110.00	10g 25g 100g
93630 [9048-46-8] ●	**Albumin Bovine (pH 7) fraction V Cohn Analog for molecular biology, 96%** (Bovine Serum Albumin, BSA)	5120.00 9020.00 20110.00	10g 25g 100g
19007 [9048-46-8] 🌡	**Albumin Bovine Solution (20mg/ml)**	3050.00 14630.00	1ml 5x1ml
77761 [9048-46-8] 🌡	**Albumin Bovine Solution 10% Diluent Solution in PBS** (BSA 10% Diluent/Blocking Solution in PBS) Suitable for ELISA	3300.00	10ml
45017 [9006-59-1] ●	**Albumin Egg Powder extrapure, 78%**	630.00 2420.00	100g 500g
56587 [9006-59-1] ●	**Albumin Egg Flakes extrapure, 85%**	1700.00 7760.00	100g 500g
21840 [70024-90-7] ♦	**Albumin Human Serum - (Lipid Enhanced), 95%** for biochemistry and cell culture (Human Serum Albumin Recombinant, rHSA Low Lipid, Animal Component Free) Monomer M.W.~67KDa	3970.00 10210.00 19280.00	100mg 1g 5g
80879 [70024-90-7] ♦	**r-Albumin Human - Type ACF ex. Plants, 97%** for biochemistry and cell culture (Human Serum Albumin Recombinant, rHSA Standard, Animal Component Free)	4000.00 30000.00	100mg 1g
55955 [70024-90-7] ♦	**r-Albumin Human - Type EG ex. Yeast, 99%** for biochemistry, excipient applications and cell culture (Human Serum Albumin Recombinant for Excipient use, rHSA)	4500.00 35000.00	100mg 1g
83428 [70024-90-7] ♦	**r-Albumin Human - Type LE ex. Yeast, 98%** for biochemistry and cell culture (Human Serum Albumin Recombinant, rHSA Low Endotoxin, Animal Component Free) r-Albumin Content — min.98%, Lyophilized powder	5500.00 39000.00	100mg 1g

code	product name	unit price ₹	packing
48261 [33864-99-2]	**Alcian Blue** (C.I. No. 74240) (Alcian blue 8 GX)	1960.00 3680.00	5g 10g
46822 [33864-99-2]	**Alcian Blue for tissue culture**	3800.00 17380.00	5g 25g
90008 [9031-72-5] ♦	**Alcohol Dehydrogenase (ALD) ex. Baker's Yeast, 300U/mg protein**	4660.00	7500units
67482 ♦ [1715-30-6]	**Alexidine Dihydrochloride extrapure, 96%** (1,1-Hexamethylene-bis(5-[2-ethylhexyl]biguanide))	5510.00	250mg
	Alexidine dihydrochloride is a potent and selective PTP (Protein Tyrosine Phosphatase) inhibitor. Alexidine increases insulin secretion by isolated rat pancreatic islets.		
86220 [9005-32-7]	**Alginic Acid pure, 19-25%** Free acid from brown algae	400.00 940.00 1780.00	100g 250g 500g
29186 [130-22-3]	**Alizarin Red S** (C.I. No. 58005)	670.00 2400.00	25g 100g
60352 [130-22-3]	**Alizarin Red S for tissue culture**	1430.00	25g
95786 [584-42-9]	**Alizarin Yellow GG, 90%** (Metachrome Yellow, Mordant Yellow 1, Salicyl Yellow) (C.I. 14025)	660.00 1320.00	5g 25g
12151 [9001-78-9] ♦	**Alkaline Phosphatase (ALP, AP, CIP) ex. Calf Intestine Mucosa, 20 DEA U/mg solids** Lyophilized powder	6490.00 20480.00	100mg 400mg
97534 ♦	**Alkalophilic Proteinase ex. Streptomyces Sp., 20U/mg**	36050.00 67440.00	100U 200U
58020 [315-30-0]	**Allopurinol extrapure, 98%** for biochemistry Inhibitor for Xanthine oxidase	870.00 3300.00	5g 25g
46287 [7283-09-2] ♦	**β-D-Allose extrapure, 98%** for biochemistry	7740.00	100mg
35401 [7635-11-2] ♦	**L-Allose extrapure, 97%** for biochemistry	12670.00 21810.00	25mg 50mg
73583 [9046-28-0] ♦	**L-Alpha Glycerophosphate Oxidase (GPO) ex. Microorganism, 15U/mg** Lyophilized powder	5260.00	500U
61973 [1990-29-0]	**D-Altrose extrapure** for biochemistry	14710.00 56280.00 125470.00	25mg 100mg 200mg
81396 [37517-28-5] 🌡	**Amikacin (AMK) free base, 98%** for biochemistry & microbiology	2330.00 5240.00 14540.00 55820.00	50mg 1g 5g 25g
18036 [39831-55-5] 🌡	**Amikacin Sulphate (AMKS)** for biochemistry & microbiology Potency — 674µg/mg	2310.00 9890.00	1g 5g
98062 [122-80-5]	**p-Aminoacetanilide pure, 98%**	510.00 1820.00	100g 500g
40182 [99-92-3]	**p-Aminoacetophenone extrapure AR, 99%**	850.00 3020.00	25g 100g



code	product name	unit price ₹	packing
62360 [7620-28-2]	**D-α-Amino Adipic Acid extrapure, 98%** for biochemistry	3080.00 11390.00	250mg 1g
35418 [1118-90-7]	**L-α-Amino Adipic Acid extrapure, 98%** for biochemistry	2690.00 8580.00 26870.00	250mg 1g 5g
46832	**Amino Acids Kit (24 amino acids, reference standard grade)**	3730.00	1 kit
22 amino acids - 1g each & 2 amino acids (L-Hydroxyproline, DL-DOPA) - 100mg each, in the kit, have assay min.99% and TLC test shows single spot. Amino acids contained are, DL-Alanine, DL-2-Aminobutyric acid, L-Arginine monohydrochloride, DL-Aspartic acid, L-Cysteine monohydrochloride, L-Cystine, *DL-DOPA*, L-Glutamic acid, Glycine, L-Histidine monohydrochloride, *L-Hydroxyproline*, DL-Isoleucine, DL-Norleucine, L-Leucine, L-Lysine monohydrochloride, DL-Methionine, L-Ornithine monohydrochloride, DL-Phenylalanine, L Proline, DL-Serine, DL-Threonine, L-Tryptophan, L-Tyrosine, DL–Valine		
86936	**L-Amino Acids Kit (22 L-Amino acids, reference standard grade)**	4430.00	1 kit
All 22 L-Amino acids - 1g each, in the kit, have assay min.99% and TLC test shows single spot. Amino acids contained are, L-Amino acids plus Glycine, L-Alanine, L-Arginine Hydrochloride, L-Aspargine, L-Aspartic acid, L-Cysteine free base, L-Cystine, L-Glutamic acid, L-Glutamine, Glycine, L-Histidine Hydrochloride, 4-Hydroxy-L-Proline, L-Isoleucine, L-Leucine, L-Lysine Hydrochloride, L-Methionine, L-Phenylalanine, L-Proline, L-Serine, L-Threonine, L-Tryptophan, L-Tyrosine, L-Valine.		
68384 [9000-88-8] ♦	**D-Amino Acid Oxidase (DAA, DAO, DAMOX) ex. Porcine Kidney, 6000U/g** (approx 7000U/g protein), Lyophilized powder	11260.00 19700.00	50U 100U
98437 [60-09-3]	**p-Aminoazobenzene pure, 98%**	620.00 2400.00	100g 500g
79793 [99-05-8]	**m-Aminobenzoic Acid pure, 98%**	530.00 2250.00	100g 500g
74004 [99-05-8]	**m-Aminobenzoic Acid extrapure AR, 99%**	800.00 3080.00	25g 100g
99839 [150-13-0]	**p-Aminobenzoic Acid pure, 99%** (PABA)	600.00 1250.00 2400.00	100g 250g 500g
19196 [150-13-0]	**p-Aminobenzoic Acid ExiPlus, Multi-Compendial, 99%** (PABA) meets compendial specs of USP, BP, Ph.Eur	720.00 2700.00	100g 500g
56960 [2835-77-0]	**2-Aminobenzophenone pure, 98%**	4640.00 13650.00	25g 100g
26345 [56-12-2]	**4-Aminobutyric Acid extrapure CHR, 99%** for biochemistry (GABA, r-aminobutyric acid)	360.00 890.00	10g 25g
65081 [2835-81-6]	**DL-α-Aminobutyric Acid extrapure, 99%** for biochemistry (DL-2-Aminobutyric acid)	1960.00 5850.00	25g 100g

code	product name	unit price ₹	packing
10498 [719-59-5]	**2-Amino-5-Chlorobenzophenone pure, 98%**	3760.00 18350.00	100g 500g
18125 [127946-77-4]	**1-Amino-1-Cyclopropanecarbonitrile Hydrochloride extrapure, 98%**	5490.00 17670.00 71870.00	1g 5g 25g
68678 [132-32-1]	**3-Amino-9-Ethyl Carbazole (AEC), 95%** (Peroxidase inhibitor)	6300.00 12600.00	10g 25g
44285 [1750-12-5]	**4-Amino-3-Hydrazino-5-Mercapto-1,2,4-Triazole (AHMT), 98%**	1980.00 7000.00 11820.00	1g 5g 10g
Reagent for the determination of aldehydes and other reactive chemicals			
94283 [16867-03-1]	**2-Amino-3-Hydroxypyridine pure, 97%**	5620.00	100g
33864 [5451-09-2] ♦	**5-Amino Levulinic Acid Hydrochloride extrapure, 97%** for biochemistry	4540.00 6870.00 27910.00	500mg 1g 5g
19902 [144-90-1]	**DL-3-Aminoisobutyric Acid extrapure, 98%** for biochemistry (2-Amino-2-methylpropionic acid)	4200.00 12600.00	1g 5g
86898 [214139-20-5]	**DL-3-Aminoisobutyric Acid Hydrate extrapure, 98%** for biochemistry (2-Amino-2-methylpropionic acid hydrate)	1160.00 2630.00	25mg 100mg
87907 [99-31-0]	**5-Aminoisophthalic Acid (5-AIPA) pure, 99%** (5-Aminobenzene-1,3-dicarboxylic acid)	1190.00 3790.00	25g 100g
74880 [26093-31-2] 🌡	**7-Amino-4-Methylcoumarin (7-AMC) extrapure, 99%**	3030.00	1g
Fluorescent labeling reagent for trace determination of enzymes & enzyme assays. Also suitable for preparing new AMC-based substrates and as a laser dye			
50407 [124-68-5]	**2-Amino-2-Methyl-1-Propanol (AMP Buffer) pure, 95%**	2000.00 9560.00	500ml 2500ml
91085 [84-89-9]	**5-Aminonaphthalene-1-Sulphonic Acid pure, 90%** (1-Naphthylamine-5-sulfonic acid, Laurents acid)	2630.00 9450.00	25g 100g
98372 [119-79-9]	**5-Aminonaphthalene-2-Sulphonic Acid pure, 98%**	2940.00 9980.00	25g 100g
79911 [116-63-2]	**1-Amino-2-Naphthol-4-Sulphonic Acid (1,2,4-Acid) extrapure AR, 98%** (1-Amino-2-hydroxy-4-naphthalenesulfonic acid) Reagent for phosphorus	520.00 1740.00	25g 100g
21407 [1775-95-7]	**2-Amino-5-Nitrobenzophenone extrapure, 98%**	2940.00 9670.00	25g 100g
58513 [2973-50-4]	**2-Aminophenyl Acetonitrile pure, 97%** (2-Aminobenzyl cyanide)	5980.00 15230.00	250mg 1g
33993 [919-30-2]	**(3-Aminopropyl)triethoxysilane (APTES) extrapure, 98%** (3-(Triethoxysilyl)propylamine, APTS)	2000.00 6510.00	100ml 500ml

code	product name	unit price ₹	packing
17081 [452-06-2] ♦	**2-Aminopurine extrapure, 98%** for biochemistry	3220.00 6910.00 23300.00	100mg 250mg 1g
65377 [504-29-0]	**2-Aminopyridine pure, 98%**	680.00 1580.00 5850.00	100g 250g 1kg
29786 [462-08-8]	**3-Aminopyridine pure, 98%**	1220.00 4360.00 19670.00	25g 100g 500g
16104 [504-24-5]	**4-Aminopyridine pure, 98%**	470.00 1000.00 3390.00	10g 25g 100g
12920 [584-13-4] 🌡	**4-Amino-1,2,4-Triazole pure, 98%**	2330.00 8800.00	25g 100g
34324 [39466-62-1]	**Ammonium ^{15}N Chloride, 98% ^{15}N Atom%**	48840.00	1g
40057 [54723-94-3]	**Ammonium Phosphomolybdate Hydrate extrapure, 61% Mo** (Ammonium-12-molybdophosphate, Molybdophosphoric acid ammonium salt, Phosphomolybdic acid ammonium s	2630.00 3990.00	25g 100g
31438 [13820-40-1]	**Ammonium Tetrachloropalladate (II) extrapure, 98%** (Palladium II Ammonium Chloride)	7800.00 14400.00	250mg 1g
32285 [13820-41-2]	**Ammonium Tetrachloroplatinate (II) extrapure, 99%** (Platinum II Ammonium Chloride)	5760.00 10800.00	250mg 1g
24645 [61336-70-7] 🌡	**Amoxicillin Trihydrate (AMOT), 97%** for biochemistry & microbiology	300.00 1290.00 2330.00	1g 5g 10g
54713 [1397-89-3] 🌡	**Amphotericin B (AMT)** for biochemistry & microbiology Potency — min. 750µg/mg, Solubility (readily): DMSO, Solubility (slightly): DMF, methanol, Insoluble: benzene, ethanol, ether & water	1290.00 4910.00 23950.00	250mg 1g 5g
61314 [69-52-3] 🌡	**Ampicillin Sodium Salt (AMP-Na)** for biochemistry & microbiology Potency — min. 800µg/mg, Solubility (readily): water	380.00 1730.00 6290.00	1g 5g 25g
26647 [69-52-3] 🌡	**Ampicillin Sodium Salt(AMP-Na) for tissue culture**	460.00 1710.00 6720.00	1g 5g 25g
82904 [7177-48-2] 🌡	**Ampicillin Trihydrate (AMP)** for biochemistry & microbiology Potency — 900-1050µg/mg, Solubility (slightly): water, Insoluble: ethanol, chloroform & ether	330.00 1420.00 2570.00	1g 5g 10g
96459 [68399-79-1]	**AMPSO Buffer extrapure, 99%** (N-(1,1-Dimethyl-2-hydroxyetyl)-3-amino-2-hydroxypropane-sulphonic acid) for biochemistry useful pH 8.3 - 9.7	4210.00 14020.00	5g 25g
85441 [29883-15-6]	**D-Amygdalin extrapure, 97%** for biochemistry	1440.00 4410.00 8940.00	1g 10g 25g

code	product name	unit price ₹	packing
95114 [9000-90-2] ♦	**α-Amylase ex. Porcine Pancreas, 5U/mg**	940.00 3280.00	1g 5g
28588 [9000-90-2] ♦	**α-Amylase ex. Porcine Pancreas, 10-25U/mg** (contains β-Amylase 2-10U/mg)	3980.00	100mg
46504 [9000-92-4] ♦	**α-Amylase ex. Malt 1:2000 (Fungal Diastase ex. Aspergillus Oryzae)**	510.00 2150.00	100g 500g
40321 [206659-00-9] **new**	**8-Anilino-1-Naphthalene Sulphonic Acid Ammonium Salt Hydrate (ANS Hydrate) extrapure, 98%** (8-Anilino-1-naphthalenesulfonic acid ammonium salt hydrate) A hydrophobic polarity sensitive fluorescent dye useful as a site probe to detect conformational changes in cell and micelle membranes and molecules such as proteins. It is a hydrophobic fluorescent probe for undenatured proteins on polyacrylamide gels.	2730.00 7880.00 30350.00	5g 25g 100g
42275 [82-76-8] **new**	**8-Anilino-1-Naphthalenesulphonic Acid (ANS) extrapure, 98%** (8-Anilino-1-naphthalenesulfonic acid, N-Phenyl peri acid) A hydrophobic polarity sensitive fluorescent dye useful as a site probe to detect conformational changes in cell and micelle membranes and molecules such as proteins. It is a hydrophobic fluorescent probe for undenatured proteins on polyacrylamide gels.	2940.00 8400.00 18900.00	5g 25g 100g
89119 [123-11-5]	**Anisaldehyde extrapure, 99%** (p-Methoxybenzaldehyde)	400.00 940.00 1830.00	100ml 250ml 500ml
90820 [100-09-4]	**p-Anisic Acid extrapure, 98%** (p-Methoxybenzoic acid)	590.00 2450.00	100g 500g
70940 [100-66-3]	**Anisole extrapure, 99%**	650.00	500ml
64447 [100-66-3]	**Anisole extrapure AR, 99.5%**	1010.00	500ml
75797 [105-13-5]	**p-Anisyl Alcohol pure, 98%** (p-Methoxybenzyl alcohol)	890.00 3080.00	100g 500g
96476 [90-44-8]	**Anthrone extrapure AR, 98%**	530.00 870.00 3070.00	10g 25g 100g
63714 [90-44-8]	**Anthrone extrapure AR, ACS, ExiPlus, Multi-Compendial, 98%** meets compendial specs of USP, BP, Ph.Eur	940.00 3330.00	25g 100g
44089 [85251-63-4] 🌡	**Apple Seed (Pyrus Malus) Oil**	2430.00 4540.00	250ml 500ml
62179 [9087-70-1] ♦	**Aprotinin ex. Bovine Lung, 5400U/mg**	1870.00 3630.00 6730.00 23410.00	5mg 10mg 25mg 100mg
23848 [10323-20-3]	**D-Arabinose extrapure** (D-(-)-Arabinose)	490.00 1410.00 5200.00	5g 25g 100g
52392 [87-72-9, 5328-37-0]	**L-Arabinose extrapure** (L-(+)-Arabinose)	440.00 960.00 3570.00	10g 25g 100g



code	product name	unit price ₹	packing
52384 [87-72-9, 5328-37-0]	**L-Arabinose ExiPlus, Multi-Compendial** (L-(+)-Arabinose) meets compendial specs of BP, Ph.Eur	1190.00	25g
74926 [488-82-4]	**D(+)Arabitol (D-Arabinitol) extrapure, 99%** for biochemistry Substrate for D-Arabitrol Dehydrogenase	730.00 3040.00 10330.00	1g 5g 25g
91121 [7643-75-6]	**L-(-)Arabitol (L-Arabinitol) extrapure, 99%** for biochemistry	1160.00 5170.00	1g 10g
20975 [506-32-1] ♦	**Arachidonic Acid (non-animal) extrapure, 99%**	3570.00 7580.00 14060.00	10mg 25mg 100mg
13492 [497-76-7]	**p-Arbutin extrapure, 98%** for biochemistry	6410.00 13100.00 22310.00	10g 25g 50g
89184 [157-06-2]	**D-Arginine (free base) extrapure CHR, 99%** for biochemistry ((R)-2-Amino-5-guanidinopentanoic acid)	2380.00 7120.00 9490.00 16600.00	1g 5g 10g 25g
34537 [36589-29-4] 🌡	**L-Arginine Ethyl Ester Dihydrochloride extrapure, 98%** for biochemistry	1280.00 4940.00 16060.00	5g 25g 100g
11249 [26340-89-6] 🌡	**L-Arginine Methyl Ester Dihydrochloride extrapure, 98%** for biochemistry	1150.00 4510.00 14940.00	5g 25g 100g
17299 [520-10-5]	**Arsenazo I Trisodium (Neothorone) extrapure AR** Reagent for Al, Be, Ca, Th, V, Fluoride and Sulphate	1020.00 4310.00	1g 5g
47014 [1668-00-4]	**Arsenazo III Free Acid (High Purity) extrapure AR, 85%** (2,7-Bis(2-arsonophenylazo)-1, 8-dihydroxynaphthaline-3, 6-disulfonic acid)	5780.00 27300.00	1g 5g
57656 [9029-44-1] ♦	**L-Ascorbate Oxidase (Type 1) ex. Cucurbita Sp., 150U/mg**	9350.00	2500units
60402 [9029-44-1] ♦	**L-Ascorbate Oxidase (Type 2) ex. Acremonium Sp., 350U/mg**	7130.00	1000units
27999 [464-92-6] ●	**Asiatic Acid pure, 97%** (2a,23-Dihydroxyursolic acid, Dammarolic acid, NSC 166063) Asiatic acid is commonly used in wound healing. Asiatic acid has antioxidant, anti-inflammatory & neuroprotective properties.	4090.00 14370.00	50mg 200mg
11479 [5794-24-1]	**D-Asparagine Monohydrate extrapure, 99%** for biochemistry	1020.00 3000.00	5g 25g
86883 [5794-13-8]	**L-Asparagine Monohydrate extrapure CHR, 99%** for biochemistry	370.00 990.00 8260.00	25g 100g 1kg
44444 [5794-13-8]	**L-Asparagine Monohydrate ExiPlus, Multi-Compendial, 99%** for biochemistry meets compendial specs of BP	410.00 1180.00 8630.00	25g 100g 1kg

code	product name	unit price ₹	packing
92468 [5794-13-8]	**L-Asparagine Monohydrate for tissue culture, 99%**	430.00 1430.00 6490.00	25g 100g 500g
90601 [1783-96-6]	**D-Aspartic Acid extrapure CHR, 99%** for biochemistry	130.00 530.00 2140.00 7710.00 25490.00	1g 5g 25g 100g 500g
71353 [16115-68-7] 🌡	**L-Aspartic Acid Diethyl Ester Hydrochloride extrapure, 98%** for biochemistry	1060.00 4120.00 13450.00 44370.00	1g 5g 25g 100g
50144 [32213-95-9] 🌡	**L-Aspartic Acid Dimethyl Ester Hydrochloride extrapure, 98%** for biochemistry	1060.00 3940.00 12110.00 41140.00	1g 5g 25g 100g
21505 [1405-69-2] ♦	**Avidin ex. Egg White, for molecular biology, 10U/mg Protein**	2170.00 5090.00 17310.00	10mg 25mg 100mg
34476 [320-67-2] ♦	**5-Azacytidine extrapure, 98%** for biochemistry	570.00 1750.00 4730.00	25mg 100mg 1g
59070 [76801-85-9] 🌡	**Azaerythromycin (AZAE)** for biochemistry & microbiology (Desmethyl azithromycin) Potency — 945-1030µg/mg Solubility (readily): ethanol, methanol, DMF & water	2260.00 5340.00	1g 5g
81947 [932-53-6] 🌡	**6-Azathymine extrapure, 98%** for biochemistry	5850.00	1g
13131 [7303-50-6] 🌡	**DL-7-Azatryptophan Hydrate extrapure, 98%** for biochemistry	4750.00 20160.00	100mg 1g
61898 [30516-87-1] ●	**3'-Azido-3'-Deoxy-Thymidine extrapure, 99%** (AZT, azidothymidine)	4160.00 10680.00 20160.00 34390.00	25mg 100mg 250mg 500mg
17156 [117772-70-0] 🌡	**Azithromycin Dihydrate (AZA), 96%** for biochemistry & microbiology	1070.00 4630.00 7710.00	1g 5g 10g
47138 [2997-92-4] 🌡	**2,2'-Azobis (2-Methylpropionamidine) Dihydrochloride (AAPH) extrapure, 98%** (α,α'-Azodiisobutyramidine dihydrochloride)	2500.00 4240.00 6850.00	5g 25g 100g
11029 [78-67-1] 🌡	**2,2 Azobisisobutyronitrile pure, 98%**	1240.00 5900.00	100g 500g
95426 [102110-73-6] ♦	**Azoalbumin (Bovine) prepared from Bovine fraction V powder extrapure** for biochemistry Soluble chromogenic substrate for proteolytic enzymes	3420.00 6530.00 12450.00	250mg 500mg 1g
21070 [102110-74-7] ●	**Azocasein extrapure, 98%** (Sulfanilamide-azocasein)	4510.00 7710.00	250mg 500mg

Azocasein is a nonspecific protease substrate. Hydrolysis of the casein releases the azo dye into the media where it is detected by absorbance at 440 nm.

code	product name	unit price ₹	packing
37020 [206752-32-1] 🌡	**Azomethine H Monosodium Salt Hydrate, 97%** for microscopy	1020.00 4040.00 13400.00	1g 5g 25g
13741 [78110-38-0] 🌡	**Aztreonam (AZN), 96%** for biochemistry & microbiology	7120.00	100mg
11730 [531-55-5]	**Azur I (B)** for microscopy (C.I. No. 52010)	850.00 3010.00	25g 100g
62151 [37247-10-2]	**Azur II** for microscopy	340.00 670.00	10g 25g
25003 [531-53-3]	**Azur A** for microscopy (C.I No. 52005)	410.00 820.00 3080.00	10g 25g 100g
17327 [1405-87-4] ●	**Bacitracin (BCT) from Bacillus Licheniformis extrapure** for biochemistry Activity — 50,000U/g Solubility (readily): water, ethanol, methanol & acetic acid, Insoluble: acetone, chloroform & ether	1440.00 3630.00	50000units 250000units
52571	**Barfoed's Reagent** for detection of monosacchrides	610.00	250ml
29090 [6211-24-1]	**Barium Diphenylamine Sulphonate extrapure AR** Redox indicator	310.00 960.00	5g 25g
78095 [4733-39-5]	**Bathocuproine (BCP) extrapure AR, 99%** Reagent for determination of Cu	1430.00 3280.00	100mg 250mg
27297 [4733-39-5]	**Bathocuproine (BCP) extrapure AR, ACS, 99%** Reagent for determination of Cu	1650.00 3740.00	100mg 250mg
28242 [52698-84-7]	**Bathocuproinedisulphonate Disodium Salt extrapure AR, 98%**	2200.00 5270.00	100mg 250mg
50221 [1662-01-7]	**Bathophenanthroline extrapure AR, 99%** Reagent fordetermination of Fe	1410.00 2340.00 4260.00	100mg 250mg 1g
98680 [52746-49-3]	**Bathophenanthroline Disulphonate Disodium Salt extrapure AR, 99%** Water-soluble reagent for determination of Fe	3330.00 7120.00 17200.00	100mg 250mg 1g
36333 [21205-91-4]	**9-BBN Triflate Solution (0.5M in hexanes) pure** (9-[{9-(Trifluoromethyl)sulfonyl}oxy]9-borabicyclo (3.3.1)nonane)	7810.00 12750.00	500ml 1000ml
74710 [661-19-8] 🌡	**1-Docosanol (Behenyl Alcohol) extrapure, 98%**	1170.00 8400.00	25g 500g
82142 [94-41-7]	**Benzalacetophenone (Chalcone) pure, 98%** (1,3-Diphenyl-2-propenone)	3500.00 9500.00	100g 500g
93014 [206752-36-5] 🌡	**Benzamidine Hydrochloride Hydrate extrapure, 98%**	1310.00 3210.00 10080.00	5g 25g 100g
13740 [93-98-1]	**Benzanilide pure, 98%**	590.00 2310.00	100g 500g
42689 [98-09-9]	**Benzenesulphonyl Chloride pure, 98%**	730.00	500ml

code	product name	unit price ₹	packing
41035 [98-09-9]	**Benzenesulphonyl Chloride ExiPlus, Multi-Compendial, 98%** meets compendial specs of USP	840.00	500ml
57730 [91-00-9]	**Benzhydrylamine pure, 97%** (α-Aminodiphenylmethane)	2420.00 11250.00	100ml 500ml
17851 [495-18-1] 🌡	**Benzohydroxamic Acid extrapure, 99%**	4510.00 8830.00	10g 25g
17192 [134-81-6]	**Benzil extrapure, 98%**	840.00	250g
93528 [76-93-7]	**Benzilic Acid extrapure, 99%** (diphenylglycolic acid)	1280.00 3140.00	100g 250g
35034 [51-17-2]	**Benzimidazole extrapure, 99%**	240.00 740.00 3470.00	25g 100g 500g
31398 [441-38-3]	**α-Benzoinoxime extrapure AR, 99%** (Cupron)	450.00 1320.00	25g 100g
44371 [5350-57-2] 🌡	**Benzophenone Hydrazone pure, 99%**	3040.00 12070.00	100g 500g
47554 [93-91-4]	**1-Benzoylacetone pure, 98%**	2210.00 8430.00	10g 50g
76356 [2645-08-1] ●	**N-α-Benzoyl-L-Arginine Ethyl Ester Hydrochloride (BAEE) extrapure AR, 99%**	650.00 2970.00 12450.00	1g 5g 25g
96249 [911-77-3] ●	**N-α-Benzoyl-DL-Arginine 4-Nitroanilide Hydrochloride (BANI, L-BAPNA) extrapure, 98%** for biochemistry Chromogenic substrate	2620.00 3920.00 7830.00	100mg 250mg 1g
51003 [913-04-2] ●	**N-α-Benzoyl-DL-Arginine ß-Naphthylamide Hydrochloride (BANA) extrapure, 97%** for biochemistry Histochemical substrate for trypsin	2930.00 9230.00	250mg 1g
46170 [23405-15-4] ●	**N-(Benzoyloxy)Succinimide (Bz-OSu) extrapure, 99%** (Benzoic acid N-succinimidyl ester, N-succinimidyl benzoate) It can induce the radical polymerization of vinyl monomers by acting as a photoinitiator for vinyl polymerization	10890.00 15120.00	500mg 1g
46651 [1214-39-7] ●	**6-Benzyladenine (6-BAP) extrapure AR, 99%** (6-Benzylaminopurine, cytokinine)	640.00 940.00 3330.00	5g 25g 100g
38728 [100-46-9]	**Benzylamine pure, 99%**	1110.00 2120.00 5100.00	500ml 1000ml 2500ml
64554 [100-46-9]	**Benzylamine extrapure AR, 99.5%**	1100.00 2060.00	250ml 500ml
91695 [146631-00-7]	**4-Benzyloxy-Phenylboronic Acid extrapure, 97%**	1430.00 5700.00 16900.00	1g 5g 25g
47102 [3054-01-0]	**S-Benzyl-L-(+)-Cysteine extrapure, 98%** for biochemistry (H-L-Cys(Bzl)-OH)	17450.00	25g



code	product name	unit price ₹	packing
26862 [472696-9]	**O-Benzyl-L-Serine extrapure, 99%** for biochemistry (H-L-Ser(Bzl)-OH)	1660.00 6060.00 11680.00 26600.00	1g 5g 10g 25g
50562 [2899-66-3]	**3-(Benzylthio)-Propionic Acid extrapure, 98%**	3560.00 9490.00	1g 5g
75036 [21871-47-6]	**5-(Benzylthio)-1H-Tetrazole (BTT Activator) extrapure, 99%**	2110.00 7010.00	5g 25g
29161 [56-37-1]	**Benzyltriethylammonium Chloride pure, 98%**	660.00 6300.00	500g 5kg
98924 [56-39-9]	**Benzyltrimethylammonium Chloride pure, 98%**	270.00 1180.00	100g 500g
60168 [56-39-9]	**Benzyltrimethylammonium Chloride ExiPlus, Multi-Compendial, 98%** meets compendial specs of USP, BP, Ph.Eur	370.00 1320.00	100g 500g
30307 [100-85-6]	**Benzyltrimethyl Ammonium Hydroxide 40% in Methanol extrapure** (Triton B)	1240.00 4060.00	100ml 500ml
18437 [8007-75-8] ✔	**Bergamot Oil extrapure**	5660.00 10190.00	500ml 1000ml
34489 [10191-18-1]	**BES Buffer extrapure, 99%** (N,N-bis(2-Hydroxyethyl)2-aminoethanesulphonic acid) for biochemistry useful pH range 6.4-7.8	1240.00 4570.00 20970.00	25g 100g 500g
59299 [66992-27-6]	**BES Sodium Salt Buffer extrapure, 99%** (N,N-bis(2-Hydroxyethyl)-2-aminoethanesulfonic acid sodium salt) for biochemistry	1980.00 3680.00 14190.00 26880.00	10g 25g 100g 250g
83710	**Bial's Reagent** for detection of pentose sugars	620.00	250ml
84867 🌡 **new**	**Bicinchoninic Acid Disodium Salt (BCA) extrapure, 98%** (2,2-Biquinoline-4,4-dicarboxylic acid disodium salt)	2840.00 8400.00	1g 5g
2,2'-Bicinchoninic Acid Disodium Salt is a photometric reagent for protein assay. It is used for determination of reducing sugar and protein via Cu(I). Also a specific reagent for Cu(I) with sensitivity similar to that of neocuproine.			
39849 [150-25-4]	**BICINE Buffer extrapure, 99%** (N,N-bis(2-Hydroxyethyl)glycine) for biochemistry useful pH range 7.6-9.0	630.00 1470.00 7140.00	25g 100g 500g
66466 [86303-22-2] ●	**Big CHAPS, 95%** (N,N'-Bis(3-D-gluconamidopropyl) cholamide)	9870.00 17270.00 55490.00	500mg 1g 5g
64839 [635-65-4] 🌡	**Bilirubin extrapure AR, 99%**	870.00 7030.00	100mg 1g
66915 [80619-01-8] ♦	**Bilirubin Oxidase ex. Myrothecium, 1.2U/mg** Bilirubin oxidase is used to degrade bilirubin	5500.00 10080.00 18980.00	25U 50U 100U
18888 [58-85-5] 🌡	**D-Biotin extrapure, 99%** (Vitamin H)	650.00 4850.00 9350.00	1g 10g 25g

code	product name	unit price ₹	packing
89932 [58-85-5] 🌡	**D-Biotin for tissue culture, 99%**	780.00 5400.00 11740.00	1g 10g 25g
92196 [92-52-4]	**Biphenyl extrapure, 99%**	470.00 3380.00	100g 1kg
79363 [366-18-7]	**2,2-Bipyridyl extrapure AR, 99.5%**	670.00 2770.00 7830.00	5g 25g 100g
37025 [14592-56-4]	**Bis(Acetonitrile) Dichloropalladium (II) extrapure, 99%, ~41% Pd** (Palladium(II) chloride diacetonitrile complex)	8460.00 15470.00	500mg 1g
98369 [10526-07-5]	**1,3-Bis(3-Aminophenoxy) Benzene (APB) pure, 98%** (Resorcinol bis(3-aminophenyl) ether)	5610.00 20800.00	5g 25g
47063 [13080-89-2]	**4,4-Bis(4-Aminophenoxy) Diphenyl Sulfone pure, 98%**	3390.00 12850.00	5g 25g
11866 [14220-64-5] ✔	**Bis(benzonitrile)palladium(II) Dichloride extrapure, 27.4% Pd**	5900.00 11130.00	500mg 1g
24637 [542-88-1] 🌡	**Bis(chloromethyl) Ether pure, 96%**	10070.00 23600.00	25g 100g
52119 [140-95-4] 🌡	**N,N-Bis(Hydroxymethyl)urea (DMU) pure, 95%** (1,3-Bis(hydroxymethyl)urea, Dimethylolurea)	760.00 1950.00 6480.00	25g 100g 500g
26477 [10416-59-8] ✔	**N,O-Bis-(Trimethylsilyl) Acetamide (BSA) extrapure, 95%** for GC Derivatization	940.00 3110.00 7460.00	25ml 100ml 250ml
BSA is an excellent silylation reagent. For some sterically hindered primary or secondary nitro compounds, BSA and BSTFA achieve better results than normal silylation conditions.			
57677 [25561-30-2] ✔	**N,O-Bis-(Trimethylsilyl) Trifluoro Acetamide (BSTFA) extrapure, 99%** for GC Derivatization	570.00 1990.00 7090.00 28600.00	5ml 25ml 100ml 500ml
BSTFA is an excellent silylation reagent, suitable for silyaltion of carboxylic acids, phenols, ureas, amides and alcohols and finds application in derivatizing amines. (Moisture sensitive)			
52353 ✔	**BSA+TMCS(3-5%), 93-97%** (N,O-Bis(trimethylsilyl)acetamide, Trimethylchlorosilane) for GC Derivitization	2940.00 5880.00	10ml 25ml
22555 ✔	**BSA+TMCS+TMSI (3:2:3)** (N,O-Bis(trimethylsilyl)acetamide, Trimethylchlorosilane, Trimethylsilylimidazole) for GC Derivitization	5510.00 8450.00	10x1ml 25ml
46976 [25561-30-2] ●	**BSTFA+TMCS (99:1)** (N,O-Bis(trimethylsilyl)trifluoro acetamide,Trimethylchlorosilane) for GC Derivitization	5510.00 2450.00 8570.00	10x1ml 25ml 100ml
31817 [80-05-7]	**Bisphenol A pure, 97%** (4,4-Isopropylidenediphenol) Assay — min.97%	490.00	500g

code	product name	unit price ₹	packing
25417 [6976-37-0]	**BIS-TRIS Buffer extrapure, 99%** (bis-(2-Hydroxyethyl)aminotris-(hydroxymethyl) methane free base) for biochemistry useful pH range 5.8-7.2	1310.00 4790.00 22360.00	25g 100g 500g
15893 [124763-51-5]	**BIS-TRIS Hydrochloride Buffer extrapure, 98%** (bis(2-Hydroxyethyl)aminotris-(hydroxymethyl)methane hydrochloride) for biochemistry	3110.00 5820.00 14860.00 24550.00	10g 25g 100g 250g
49084 [64431-96-5]	**BIS-TRIS Propane Buffer extrapure, 99%** (1,3-bis[Tris(hydroxymethyl)-methylamino]propane)	4590.00 15890.00	25g 100g
77031	**Biuret Reagent Solution ExiPlus, Multi-Compendial** for protein determination meets compendial specs of BP, Ph.Eur	220.00	250ml
20899 [9041-93-4] 🌡	**Bleomycin Sulfate (BLM-S), 90%** for biochemistry & microbiology	6340.00 27330.00	10mg 50mg
22649 [1871-22-3] ●	**Blue Tetrazolium Chloride (BTC, Tetrazolium Blue Chloride) extrapure AR**	1430.00 6220.00	1g 5g
BTC is a colorless tetrazolium compound that upon reduction forms a colored diformazan. It is used in the analysis and assay of reducing compounds, histological staining of tissues, preparation of DNA-cation complexes, immunoadsorbents for anti-DNA antibodies			
	BOC-Amino Acids, Esters & Derivatives		
86204 [7764-95-6] ●	**BOC-D-Alanine extrapure, 99%** for biochemistry	3570.00 8030.00	10g 25g
42849 [15761-38-3] ●	**BOC-L-Alanine extrapure, 99%** for biochemistry	750.00 1780.00	10g 25g
50483 [28875-17-4] ●	**BOC-L-Alanine Methyl Ester extrapure, 98%** for biochemistry	8340.00 14590.00	10g 25g
75597 [4248-19-5]	**BOC Amide pure, 98%** (tert-Butyl Carbamate)	880.00 1980.00 6600.00	5g 25g 100g
23875	**BOC-L-Amino Acids Kit (20 BOC-L-Amino acids, reference standard grade)**	31620.00	kit
All 20 BOC-L-Amino acids, 5g each, in the kit, have assay min.99% and TLC test shows single spot. Amino acids contained are, ● BOC-L-Alanine, BOC-L-Aspargine, BOC-L-Arginine HCl, BOC-L-Aspartic Acid, BOC-L-Cystine, BOC-L-Glutamic Acid, BOC-L-Glutamine, BOC Glycine, BOC-L-Histidine, BOC-L-Hydroxyproline, BOC-L-Isoleucine, BOC-L-Lysine , BOC-L-Methionine, BOC-L-Phenylalanine, BOC-L-Proline, BOC-L-Serine, BOC-L-Threonine, BOC-L-Tryptophan, BOC-L-Tyrosine, BOC-L-Valine		
50647 [73874-95-0] ●	**N-BOC-4-Aminopiperidine pure, 97%**	3600.00 13170.00	5g 25g
33534 [23680-31-1] ●	**N-BOC-O-Benzyl-L-Serine extrapure (BOC-L-Ser(Bzl)-OH), 98%** for biochemistry	27350.00 47850.00	10g 25g

code	product name	unit price ₹	packing
12320 [2130-96-3] ●	**N-BOC-O-Benzyl-L-Tyrosine extrapure , 98%** (BOC-L-Tyr(Bzl)-OH) for biochemistry	11490.00 20100.00	10g 25g
61900 [35897-34-8] ●	**BOC-L-Arginine Hydrochloride extrapure, 98.5%** for biochemistry	4830.00 13580.00	25g 100g
12202 [7536-58-5] ●	**BOC-L-Aspartic Acid-4-Benzylester extrapure, 98%** for biochemistry	2600.00 6500.00	10g 25g
19362 [75647-01-07] ●	**BOC-D-Aspargine extrapure, 99%** for biochemistry	4710.00 10980.00	10g 25g
67012 [7536-55-2] ●	**BOC-L-Aspargine extrapure, 99%** for biochemistry	1070.00 2380.00 9020.00	10g 25g 100g
38230 [62396-48-9] ●	**BOC-D-Aspartic Acid extrapure, 99%** for biochemistry	3910.00 8800.00	10g 25g
30394 [13726-67-5] ●	**BOC-L-Aspartic acid extrapure, 99%** for biochemistry	1060.00 2350.00 8820.00	10g 25g 100g
35516 [19746-37-3] ●	**BOC-L-Acetamidomethyl-L-Cysteine extrapure, 98%** for biochemistry	17400.00 30440.00	10g 25g
44054 [5068-28-0] ●	**BOC-L-Benzyl-L-Cysteine extrapure, 98%** for biochemistry	11960.00 20930.00	10g 25g
53340 [132844-48-5] ●	**BOC-Cyclopropylamine extrapure, 98%** for biochemistry	10510.00 18390.00	10g 25g
14930 [10389-65-8] ●	**BOC-L-Cystine extrapure, 99%** for biochemistry	1060.00 2350.00	10g 25g
92584 [34404-28-9] ●	**BOC-D-Glutamic Acid extrapure, 99%** for biochemistry	5420.00 12190.00	10g 25g
69376 [2419-94-5] ●	**BOC-L-Glutamic Acid extrapure, 99%** for biochemistry	1070.00 2380.00 9020.00	10g 25g 100g
82284 [13574-13-5] ●	**BOC-L-Glutamic Acid-5-Benzyl Ester extrapure, 98%** (BOC-L-Glu(OBzl)-OH)	12330.00 21560.00	10g 25g
45737 [61348-28-5] ●	**BOC-D-Glutamine extrapure, 99%** for biochemistry	6500.00 14620.00	10g 25g
46975 [13726-85-7] ●	**BOC-L-Glutamine extrapure, 99%**for biochemistry	1060.00 2350.00 8820.00	10g 25g 100g
71943 [4530-20-5] ●	**BOC-Glycine extrapure, 99%** for biochemistry	2080.00 6260.00	25g 100g
44986 [31954-27-5] ●	**BOC-Glycine Methyl Ester (BOC-Gly-OMe) extrapure, 98%** for biochemistry	8120.00 14210.00	10ml 25ml
10733 [17791-52-5] ●	**BOC-L-Histidine extrapure, 98.5%** for biochemistry	4450.00 8610.00	10g 25g



code	product name	unit price ₹	packing
38544 [13726-69-7] ●	**BOC-L-Hydroxyproline extrapure, 98%** (BOC-Hyp-OH)	5240.00 11860.00	5g 25g
74956 [13139-16-7] ●	**BOC-L-Isoleucine extrapure, 99%** for biochemistry	1190.00 2670.00 9000.00	10g 25g 100g
55665 [84358-13-4] ●	**BOC-Isonipecotic Acid extrapure, 99%** (1-BOC-Piperidine-4-carboxylic acid) for biochemistry	6390.00 11170.00	10g 25g
39190 ●	**BOC-Isonipecotic Acid Methyl Ester extrapure, 98%** (N-BOC-Piperidine-4-carboxylic acid methyl ester) for biochemistry	10230.00 17890.00	10g 25g
22237 [16937-99-8] ●	**BOC-D-Leucine extrapure, 99%** for biochemistry	5590.00 12190.00	10g 25g
25833 [13139-15-6] ●	**BOC-L-Leucine Monohydrate extrapure, 99%**	990.00 3240.00	5g 25g
88985 [2389-45-9] ●	**Na-BOC-Ne-Z-L-Lysine extrapure, 98%** (BOC-Lys(Z)-OH)	4200.00 11980.00	5g 25g
57147 [15098-69-8] ●	**N-α-ε-T-BOC-L-Lysine-Dicyclohexylammonium salt extrapure, 99%** for biochemistry (BOC-L-Lys(BOC)-OH.DCHA)	5820.00 10180.00	10g 25g
69681 [2418-95-3] ●	**BOC-L-Lysine extrapure, 98%** for biochemistry	6490.00	10g
81350 [2488-15-5] ●	**BOC-L-Methionine extrapure, 98.5%** for biochemistry	3940.00 12130.00	25g 100g
91418 [88495-54-9] ●	**BOC-Nipecotic Acid extrapure, 99%** for biochemistry	6390.00 11170.00	10g 25g
82933 [1487631-41-1] ●	**BOC-Nipecotic Acid Methyl Ester extrapure, 98%** for biochemistry	11240.00 19660.00	10g 25g
53717 [2188-18-3] ●	**BOC-Nitro-L-Arginine extrapure, 99%** (Boc-Arg(NO_2)-OH) for biochemistry	5630.00 10580.00	10g 25g
14910 [33305-77-0] ●	**BOC-4-Nitro-L-Phenylalanine extrapure, 98%** for biochemistry (BOC-L-Phe(4 No2)-OH)	6560.00 11480.00	10g 25g
76600 [7535-56-0] ●	**BOC-4-Nitro-L-Phenylalanine Ethyl Ester (BOC-Phe-Onp) extrapure, 98%** for biochemistry	11640.00 20360.00	10g 25g
40474 [18942-49-9] ●	**BOC-D-Phenylalanine extrapure, 99%** for biochemistry	5270.00 11830.00	10g 25g
23293 [13734-34-4] ●	**BOC-L-Phenylalanine extrapure, 99%** for biochemistry	1250.00 2870.00 9230.00	10g 25g 100g

code	product name	unit price ₹	packing
25694 [35909-92-3] ●	**BOC-D-Phenylalanine Methyl Ester extrapure, 98%** for biochemistry	13050.00 22830.00	10g 25g
60090 [51987-73-6] ●	**BOC-L-Phenylalanine Methyl Ester extrapure, 98%** for biochemistry	10150.00 17760.00	10g 25g
46437 [33125-05-2] ●	**BOC-D-Phenylglycine extrapure, 99%** for biochemistry	1510.00	10g
40931 [2900-27-8] ●	**BOC-L-Phenylglycine extrapure, 99%** for biochemistry	5440.00 9520.00	10g 25g
53665 [26250-84-0] ●	**BOC-Pipecolic Acid extrapure, 99%** for biochemistry	5880.00 10280.00	10g 25g
41311 [132910-79-3] ●	**BOC-Pipecolic Acid Methyl Ester extrapure, 98%** for biochemistry	13120.00 22960.00	10g 25g
12098 [57260-71-6] ●	**1-BOC-Piperazine extrapure, 99%** for biochemistry	2760.00 5990.00	10g 25g
32298 [79099-07-3] ●	**1-BOC-4-Piperidone extrapure, 99%** for biochemistry	1560.00 5990.00	5g 25g
43977 [35150-07-3] ●	**BOC-L-Prolinamide extrapure, 98%**	4240.00 12690.00 18320.00	1g 5g 10g
93481 [37784-17-1] ●	**BOC-D-Proline extrapure, 99%** for biochemistry	3570.00 8030.00	10g 25g
91894 [15761-39-4] ●	**BOC-L-Proline extrapure, 99%** for biochemistry	1250.00 2870.00 9230.00	10g 25g 100g
71026 [733323-65-6] ●	**BOC-D-Proline Methyl Ester extrapure, 98%** for biochemistry	16740.00 29300.00	10g 25g
31641 [59936-29-7] ●	**BOC-L-Proline Methyl Ester extrapure, 98%** for biochemistry	15220.00 26630.00	10g 25g
91810 [6368-20-3] ●	**BOC-D-Serine extrapure, 98%** for biochemistry	13550.00 30480.00	10g 25g
77874 [3262-72-4] ●	**BOC-L-Serine extrapure, 99%** for biochemistry	2300.00 5160.00 16020.00	10g 25g 100g
20256 [2766-43-0] ●	**BOC-L-Serine Methyl Ester extrapure, 98%** for biochemistry	8710.00 15220.00	10ml 25ml
73138 [55674-67-4] ●	**BOC-D-Threonine extrapure, 98%** for biochemistry	4710.00 10980.00	10g 25g
77340 [2592-18-9] ●	**BOC-L-Threonine extrapure, 99%** for biochemistry	1190.00 2670.00 9000.00	10g 25g 100g
61017 [5241-64-5] ●	**BOC-D-Tryptophan extrapure, 99%** for biochemistry	6140.00 13810.00	10g 25g

code	product name	unit price ₹	packing
86659 [13139-14-5] ●	**BOC-L-Tryptophan extrapure, 99%** for biochemistry	1570.00 3630.00 13020.00	10g 25g 100g
61475 [3978-80-1] ●	**BOC-L-Tyrosine extrapure, 99%** for biochemistry	2540.00 5340.00 16990.00	10g 25g 100g
77170 [4326-36-7] ●	**BOC-L-Tyrosine Methyl Ester extrapure, 98%** for biochemistry	10150.00 17760.00	10g 25g
35049 [22838-58-0] ●	**BOC-D-Valine extrapure, 99%** for biochemistry	3800.00	25g
80577 [13734-41-3] ●	**BOC-L-Valine extrapure, 99%** for biochemistry	690.00 1380.00 4990.00	10g 25g 100g
97810 [58561-04-9] ●	**BOC-L-Valine Methyl Ester extrapure, 98%** for biochemistry	7330.00 12820.00	10g 25g
59946 [56602-33-6] 🌡	**BOP Reagent (Castros Reagent) extrapure AR, 98%** Peptide coupling reagent	430.00 1260.00 4920.00 17260.00	1g 5g 25g 100g
24790 [2802-68-8]	**Boron Trifluoride in Methanol (50%) Complex**	4370.00 20590.00	50ml 250ml

Reagent for the GC analysis of ritalinic acid. Alternative to Cl2CHCO2H for synthesis of purine rich oligomers."Lewis acid used in the preparation of geminal bis-peroxides from ketals and enol ethers with t-butyl hydroperoxide. Reagent used for the mild deacetylation of amines.

48847 [373-54-9] 🌡	**Boron Trifluoride in Methanol (14%) Solution**	4850.00 6840.00 12850.00	25ml 100ml 500ml

Used in the deactylation of acetanilides.It is also used to study the synthesis of amino group containing cyanine dyes of different types and to prepare fatty acid methyl esters. Boron trifluoride-methanol (BF-M) is an esterification reagent. BF-M is a powerful acidic catalyst for the esterification of the fatty acids. It easily cleaves acetylated dyes resulting in free amino groups. BF-M catalyzed trans esterification of vegetable oils forms biodiesel.

19219 🌡	**Bradford Reagent for Proteins**	490.00 1350.00	100ml 500ml

Bradford Reagent has been used to determine total protein concentration.

51195 ✔ [76962-43-7]	**Brassinolide (BR) synthetic technical grade, 90%** Plant growth regulator Assay — min.90%	4310.00 16970.00	25mg 100mg

Coomassie Blue G-250 & R-250 or Brilliant Blue G-250 & R-250
One of two chemical forms of a disulfonated triphenylmethane compound that are commonly used as the basis of stains for detection of proteins in gel electrophoresis and Bradford-type assay reagents for protein quantitation.

64222 [6104-58-1]	**Brilliant Blue G-250 for molecular biology** (Coomassie Brilliant Blue G250)	620.00 2310.00	5g 25g

The Brilliant Blue G is green-tinted coomassie dye used most commonly for detection of protein bands following electrophoresis.

93473 [6104-59-2]	**Brilliant Blue R-250 for molecular biology** (Coomassie Brilliant Blue R250)	580.00 2200.00	5g 25g

The Brilliant Blue R is red-tinted coomassie dye used most commonly for detection of protein bands following electrophoresis.

code	product name	unit price ₹	packing
84778	**Brilliant Blue R Staining Solution** (Coomassie Blue R-250 Staining Solution)	3140.00	100ml
75824 [81029-05-2]	**Brilliant Cresyl Blue** (C.I. No. 51010)	1210.00 4090.00 14210.00	5g 25g 100g
60343 [9001-00-7] ♦	**Bromelain ex. Pineapple Stem, 2400 GDU/g**	1200.00 2800.00	25g 100g
36953 [7252-83-7]	**Bromoacetaldehyde Dimethyl Acetal pure (Stabilized), 97%** (2-Bromo-1,1-dimethoxyethane)	1100.00 3570.00 16330.00	25ml 100ml 500ml
96141 [683-57-8]	**2-Bromoacetamide pure, 97%** (N-Bromoacetamide)	2070.00 6900.00	5g 25g
25038 [103-88-8]	**p-Bromoacetanilide pure, 98%** (4-Bromoacetanilide)	1420.00 6220.00	100g 500g
39903 [79-08-3] ✔	**Bromoacetic Acid pure, 99%**	810.00 3570.00	100g 500g
15180 [99-90-1]	**4-Bromoacetophenone pure, 98%** (p-Bromoacetophenone)	480.00 1310.00	25g 100g
30930 [2142-63-4]	**3-Bromoacetophenone extrapure, 99%** (1-Acetyl-3-bromobenzene, m-Bromoacetophenone)	980.00 2880.00	25g 100g
47085 [591-19-5]	**m-Bromoaniline pure, 97%**	1870.00 6710.00	25ml 100ml
22912 [106-40-1]	**p-Bromoaniline pure, 98%** (4-Bromoaniline)	1630.00 6200.00	100g 500g
47405 [2398-37-0]	**3-Bromoanisole pure, 98%** (m-Bromoanisole)	830.00 1430.00 6280.00	50ml 100ml 500ml
54364 [104-92-7]	**4-Bromoanisole pure, 98%** (p-Bromoanisole)	1010.00 3200.00	100g 500g
27879 [108-86-1]	**Bromobenzene extrapure, 99%**	920.00 3570.00	250ml 1000ml
61714 [108-86-1]	**Bromobenzene extrapure AR, 99%**	1100.00	250ml
20107 [585-76-2]	**3-Bromobenzoic Acid extrapure, 99%**	890.00 2550.00	10g 25g
17833 [90-90-4]	**p-Bromobenzophenone pure, 98%**	1180.00 3840.00 12160.00	5g 25g 100g
69530 [589-15-1]	**p-Bromobenzyl Bromide pure, 98%**	6700.00	100g
79118 [536-38-9] ✔	**2-Bromo-4'-Chloro Acetophenone pure, 98%** (Ω-Bromo-p-chloro acetophenone)	5300.00	100g
88685 [106-39-8]	**1-Bromo-4'-Chloro Benzene pure, 98%**	790.00 3140.00	100g 500g
11447 [107-04-0]	**1-Bromo-2-Chloroethane pure, 97%**	3200.00 15360.00	100g 500g
83788 [3252-36-6] ●	**5-Bromo-4-Chloro-3-Indolyl Acetate extrapure, 98%** (X-3-Acetate, X-Acetate) A histochemical substrate for esterase	4230.00 17390.00	25mg 250mg



code	product name	unit price ₹	packing
49199 [129541-42-0] ●	**5-Bromo-4-Chloro-3-Indolyl Caprylate (X-Caprylate) extrapure, 98%** (5-Bromo-4-chloro-3-indolyl octanoate)	6470.00 13670.00	10mg 25mg
82860 [209347-94-4] ●	**5-Bromo-6-Chloro-3-Indolyl-Caprylate (Magenta Caprylate) extrapure, 97%**	2760.00 6740.00	25mg 100mg
90349 [177966-52-8] ●	**5-Bromo-4-Chloro-3-Indolyl-β-D-Cellobioside extapure, 99%** (X-B-D-Cel, X-Cellobioside) Chromogenic substrate for certain ß-glucosidases	5600.00 9320.00	25mg 100mg
93775 [107021-38-5] ♦	**5-Bromo-4-Chloro-3-Indolyl-α-D-Galactopyranoside(X-a-Gal) for molecular biology, 99%** (X-a-D-Galactoside)	4400.00 7700.00	25mg 100mg
74021 [108789-36-2] ●	**5-Bromo-4-Chloro-3-Indolyl-α-D-Glucopyranoside (X-a-Glc) for molecular biology, 98%** (X-a-D-Glucoside) Used in the detection of, e.g., Staphylococcus aureus and Bacillus species. X-a-Glc is transformed by the alpha-D-glucosidase enzyme and forms a blue precipitate in solutions or media. Alpha-D-glucosidase positive bacteria appear as blue-green colonies on agar plates.	12000.00	50mg
10513 [7240-90-6] ♦	**5-Bromo-4-Chloro-3-Indolyl-β-D-Galactopyranoside(X-Gal) for molecular biology, 98%** Histochemical substrate for β-galactosidase	1040.00 4520.00 7870.00 36120.00	100mg 500mg 1g 5g
45904 [7240-90-6] ♦	**5-Bromo-4-Chloro-3-Indolyl-β-D-Galactopyranoside (X-Gal) for tissue culture, 98%**	1660.00 7840.00 15180.00	100mg 500mg 1g
19185 [93863-89-9] ♦	**5-Bromo-6-Chloro-3-Indolyl-β-D-Glucopyranoside (Magenta-Glc) for molecular biology, 98%** (Magenta b-D-Glc, Magenta b-D-glucoside, Magenta-glucoside)	7960.00 23870.00	250mg 1g
	also refer X-Gal Solution (20mg/ml)		
20402 [114162-64-0] ♦	**5-Bromo-4-Chloro-3-Indolyl-β-D-Glucuronide Cyclohexylammonium Salt (X-Gluc CHX) extrapure, 99%** for biochemistry	4680.00 8250.00 15910.00	100mg 250mg 1g
20077 [114162-64-0] ♦	**5-Bromo-4-Chloro-3-Indolyl-β-D-Glucuronide Cyclohexylammonium Salt (X-Gluc CHX) for tissue culture, 99%**	6370.00 14440.00	100mg 500mg
59056 [144110-43-0] ♦	**5-Bromo-6-Chloro-3-Indolyl-ß-D-Glucuronide Cyclohexylammonium Salt extrapure, 99%** (Magenta-GlcA, magenta glucuronide)	5600.00 14910.00	10mg 50mg
16651 [129541-41-9] ♦	**5-Bromo-4-Chloro-3-Indolyl-β-D-Glucuronide Sodium Anhydrous (X-Gluc Sodium) extrapure, 98%** for biochemistry (X-GlcA Sodium Salt, X-ß-D-GLcA-Na , X-Glucuronide, X-Glucurono Sodium Salt, BC-Indicator)	3110.00 7350.00 13470.00 29370.00	25mg 100mg 250mg 1g

code	product name	unit price ₹	packing
55702 [370100-64-4] ♦	**5-Bromo-4-Chloro-3-Indolyl-β-D-Glucuronide Sodium Salt Trihydrate extrapure, 98%** for biochemistry	3110.00 9940.00	25mg 100mg
51683 [15548-60-4] ♦	**5-Bromo-4-Chloro-3-Indolyl-β-D-Glucopyranoside (X-Glu, X-Glc) for molecular biology, 99%** (X-Glucoside) Histochemical substrate for β-glucosidase	2210.00 2850.00 9790.00 14080.00	25mg 100mg 500mg 1g
62949 [15548-60-4] ♦	**5-Bromo-4-Chloro-3-Indolyl-β-D-Glucopyranoside (X-Glu, X-Glc) for tissue culture, 99%** (X-Glucoside) Histochemical substrate for β-glucosidase	1720.00 5150.00	25mg 100mg
24714 [102185-33-1] ●	**5-Bromo-4-Chloro-3-Indolyl Phosphate Disodium Salt (BCIP) extrapure, 98%** for biochemistry (X-Phosphate disodium salt) Histochemical substrate for alkaline phosphatase (ALP)	2880.00 6000.00 12000.00 18120.00	100mg 250mg 500mg 1g
66620 [102185-33-1] ●	**5-Bromo-4-Chloro-3-Indolyl Phosphate Disodium Salt (BCIP) for tissue culture, 98%** (X-Phosphate disodium salt) Histochemical substrate for alkaline phosphatase (ALP)	3430.00 12910.00	100mg 500mg
14847 [6769-80-8] ●	**5-Bromo-6-Chloro-3-Indolylphosphate-p-Toluidine Salt (BCIP Red) extrapure, 95%** for biochemistry (Magenta phosphate p-toludine salt) A derivative of BCIP. Unlike BCIP that yields a blue precipitating product, BCIP Red produces a red coloured precipitate.	1470.00 4290.00 13160.00	25mg 100mg 500mg
45366 [6578-06-9] ●	**5-Bromo-4-Chloro-3-Indolyl Phosphate p-Toluidine Salt (BCIP p-toluidine salt) for molecular biology** (X-phosphate p-toluidine salt)	2450.00 5270.00 13470.00	25mg 100mg 500mg
	BCIP Red/NBT Liquid substrate for molecular biology Working solution: Mix 3 drops of BCIP Red/NBT Solution A & 3 drops of BCIP Red/NBT Solution B (1 drop = 40µl)		
75531 ●	**BCIP Red/NBT Solution A (BCIP Red Solution)**	17750.00	100ml
73654 ●	**BCIP Red/NBT Solution B (NBT Solution)**	2270.00	100ml
71007 [518033-33-5] ●	**5-Bromo-4-Chloro-3-Indolyl-β-D-Ribofuranoside extrapure, 95%**	20180.00 57640.00 115280.00	25mg 100mg 250mg
62861 [160369-85-7] ●	**5-Bromo-4-Chloro-3-Indoxyl-α-D-N-Acetylneuraminic Acid Sodium Salt extrapure, 98% (X-NANA.Na)** A substrate for the detection of sialidase(neuraminidase)-like enzyme in screening of enzymes, studying physiological activities of gangliosides and recombinant technologies.	16910.00 28170.00	2mg 5mg
82224 [93863-88-8] ♦	**5-Bromo-6-Chloro-3-Indoxyl-B-D-Galactopyranoside extrapure, 99% (Magenta-ß-D-Gal)**	5600.00	50mg

code	product name	unit price ₹	packing
45924 [212515-11-2] ♦	**5-Bromo-4-Chloro-3-Indoxyl-myo-Inositol-1-Phosphate Ammonium Salt (X-Phos-Inositol, X-IP) extrapure, 90%** (myo-Inositol 1-(5-bromo-4-chloro-3-indoxylphosphate) ammonium salt)	5150.00 19580.00	20mg 100mg
37869 [109-70-6]	**1-Bromo-3-Chloropropane pure, 98%** (Trimethylene bromochloride, trimethylene chlorobromide)	770.00 3200.00	100ml 500ml
78388 [112-29-8]	**1-Bromodecane pure, 98%** (Decyl bromide)	1210.00 2870.00	100ml 250ml
14433 [3832-48-2] ♦	**Bromodifluoroacetyl Chloride extrapure, 97%**	9200.00	1g
38209 [348-57-2] ✔	**1-Bromo-2,4-Difluorobenzene pure, 98%**	7870.00 28090.00	25ml 100ml
99734 [776-74-9] ✔	**Bromodiphenylmethane pure, 98%** (Benzhydryl bromide, Diphenylbromomethane)	Discontinued	
28503 [143-15-7]	**1-Bromododecane pure, 98%** (Dodecyl bromide, Lauryl bromide)	3220.00	250ml
57418 [59-14-3] ●	**5-Bromo-2-Deoxyuridine extrapure, 98%** for biochemistry	1080.00 3350.00 5760.00 24080.00	100mg 500mg 1g 5g
11849 [59-14-3] ●	**5-Bromo-2-Deoxyuridine ExiPlus, Multi-Compendial, 98%** for biochemistry meets compendial specs of BP, Ph.Eur	7360.00 25420.00	1g 5g
59866 [2576-47-8] ●	**2-Bromoethylamine Hydrobromide extrapure AR, 99%**	1030.00 2310.00 5890.00	25g 100g 500g
94471 [592-55-2]	**2-Bromo Ethyl Ether pure, 98%**	18180.00	250ml
71170 [41604-19-7] ●	**4-Bromo-2-Fluorobiphenyl pure, 98%**	4020.00 6700.00 14050.00	10g 25g 100g
58421 [629-04-9]	**1-Bromoheptane pure, 98%** (Heptyl bromide)	1150.00 2560.00	100ml 250ml
52240 [112-82-3]	**1-Bromohexadecane pure, 98%** (Hexadecyl bromide)	2760.00 6560.00 8030.00	100ml 250ml 500ml
26459 [111-25-1]	**1-Bromohexane pure, 99%** (Hexyl bromide)	880.00 2850.00	100ml 500ml
25036 [52488-36-5] ●	**4-Bromoindole pure, 96%**	1900.00 7500.00	1g 5g
54635 [10075-50-0] ♦	**5-Bromoindole pure, 99%**	440.00 1540.00	25g 100g
27348 [97753-82-7] ♦	**5-Bromo-3-Indolyl-β-D-Galactopyranoside (Bluo-Gal) for molecular biology, 99%**	5120.00 25330.00	100mg 1g

(Alternative to 5-bromo-4-chloro-3-indolyl β-D-galactopyranoside (X-Gal), producing a darker blue color, for selection of recombinant bacterial colonies.)

code	product name	unit price ₹	packing
38092 [18656-96-7] ●	**5-Bromo-3-Indolyl-β-D-Glucuronide Cyclohexylammonium Salt (X-GlcA CHX salt) extrapure, 97%** (Blue glucuronide CHX, X-beta-D-GlcA.CHX)	16710.00	25mg
43675 [17357-14-1] ✔	**5-Bromoindoxylacetate extrapure AR, 99%** Substrate for histochemical determination of esterases	2440.00 11260.00	100mg 500mg
85999 [80008-69-1] ●	**5-Bromo-3-Indoxyl Phosphate p-Toluidine Salt extrapure, 98%** (Lapis-phos.p-tol, Lapis-phos PT)	11040.00	250mg
82645 [107-82-4]	**1-Bromo-3-Methylbutane (Stabilized w/ Ag) pure, 98.5%** (Isopentyl Bromide, Isoamyl Bromide)	1500.00 2640.00 4200.00	100ml 250ml 500ml
89943 [90-11-9]	**1-Bromonaphthalene pure, 98%**	1920.00 4610.00	100ml 250ml
97167 [580-13-2]	**2-Bromonaphthalene pure, 98%**	1570.00 5200.00	5g 25g
95479 [5773-80-8] ✔	**6-Bromo-2-Naphthoic Acid pure, 98%**	3250.00 11690.00	5g 25g
99876 [15231-91-1] ✔	**6-Bromo-2-Napthol pure, 98%**	12140.00	100g
22753 [15572-30-2] ♦	**6-Bromo-2-Naphthyl-β-D-Galactopyranoside extrapure, 98%** for biochemistry	6660.00	1g
86429 [15548-61-5] ♦	**6-Bromo-2-Naphthyl-β-D-Glucopyranoside extrapure, 98%** for biochemistry	2940.00 13140.00	100mg 500mg
79945 [15548-61-5] ♦	**6-Bromo-2-Naphthyl-α-D-Mannopyranoside extrapure, 98%** for biochemistry For histochemical investigations	12160.00 44960.00	25mg 100mg
51879 [30007-47-7] ✔	**5-Bromo-5-Nitro-1,3-Dioxane (Bronidox) extrapure, 99%** For diagnostic production applications	1470.00 3680.00	1g 5g
93052 [52-51-7]	**2-Bromo-2-Nitro-1,3-Propanediol (Bronopol, BNPD) ExiPlus, Multi-Compendial, 99-101%**	480.00 1990.00	100g 500g
31868 [111-83-1]	**1-Bromooctane pure, 98%** (Octyl bromide)	620.00 1210.00 4690.00	100ml 250ml 1000ml
64493 [112-89-0]	**1-Bromooctadecane pure, 98%** (Octadecyl bromide)	1880.00 9100.00	100ml 500ml
10459 [110-53-2]	**1-Bromopentane pure, 98%** (Pentyl bromide, amyl bromide)	1210.00 1880.00	100ml 250ml
78478 [591-20-8]	**3-Bromophenol pure, 98%** (m-Bromophenol)	1480.00 3750.00 11240.00	10g 25g 100g
45609 [106-41-2]	**p-Bromophenol pure, 99%** (4-Bromophenol)	1580.00 6820.00	100g 500g
62771 ✔ [2800-80-8]	**Bromophenol Red (BPR), 90%** (3',3"-Dibromophenol-sulfonphthalein)	3200.00 6530.00	1g 5g
35675 [5467-74-3] ✔	**4-Bromophenylboronic Acid extrapure, 97%**	1610.00 5360.00 20870.00	5g 25g 100g



code	product name	unit price ₹	packing
88783 [86-90-8]	**4-Bromophthalic Anhydride pure, 97%**	2310.00 7680.00	5g 25g
98418 [223463-14-7] 🌡	**2-Bromopyridine-5-Boronic Acid extrapure, 95%**	3350.00 13380.00	1g 5g
93829 [128-08-5]	**N-Bromosuccinimide pure, 98%**	400.00 1640.00	100g 500g
51059 [128-08-5]	**N-Bromosuccinimide extrapure AR, ExiPlus, Multi-Compendial, 99%** meets compendial specs of USP	530.00 2030.00	100g 500g
22628 [112-71-0]	**1-Bromotetradecane pure, 98%** (Myristyl bromide)	5010.00 18410.00	250ml 1000ml
55570 [1003-09-4]	**2-Bromothiophene pure, 98%** (100ml ≅ 168g)	1600.00 2900.00	50ml 100ml
46714 [872-31-1]	**3-Bromothiophene pure, 98%** (100ml ≅ 174g)	1410.00 2820.00 11000.00	10ml 25ml 100ml
11521 [95-46-5]	**2-Bromotoluene pure, 98%**	1610.00 5670.00	25ml 100ml
92125 [591-17-3]	**3-Bromotoluene pure, 98%**	1010.00 2320.00	10ml 25ml
52250 [106-38-7]	**4-Bromotoluene extrapure, 99%**	1070.00 4740.00	100g 500g
27964 [51-20-7] ●	**5-Bromouracil extrapure, 99%** for biochemistry	470.00 2000.00 6920.00	1g 5g 25g
12211 [957-75-5] ●	**5-Bromouridine extrapure, 99%** for biochemistry	2070.00 3110.00	100mg 500mg
42338 🌡	**Borax Carmine (Grenacher)**	1200.00	25g
32202 [7128-64-5] 🌡	**2,5-bis(5-tert-Butylbenzoxazol-2-yl)Thiophene (BBOT) scintillation grade, 99%** Fluorescent whitening agent used in spectroscopy, scintillation, nanomaterial production and analysis of plastics & resins.	2160.00 8040.00	5g 25g
34186 [109-65-9]	**n-Butyl Bromide pure, 98%** (1-Bromobutane)	1090.00 2050.00	500ml 1000ml
58390 [78-76-2]	**sec-Butyl Bromide pure, 98%** (2-Bromobutane)	710.00 1800.00	100ml 500ml
33781 [507-19-7]	**2-Bromo-2-Methylpropane (tert-Butyl Bromide) (Stabilized w/ Ag) pure, 98%**	2570.00 6000.00	100ml 500ml
88194 [98-29-3] ✔	**p-tert-Butyl Catechol pure, 98%** (1,2-Benzenediol)	390.00 620.00 1170.00	100g 250g 500g
91666 [870-46-2] ✔	**tert-Butyl Carbazate extrapure, 98%** (BOC hydrazide)	1980.00 6350.00	25g 100g
22942 [507-20-0]	**tert-Butyl Chloride extrapure, 99%** (2-Chloro-2-methylpropane)	1310.00 2550.00	500ml 1000ml

code	product name	unit price ₹	packing
32431 [58479-61-1]	**tert-Butylchlorodiphenylsilane (TBDPSCl) extrapure AR, 98%** (tert-Butyldiphenylchlorosilane, tert-Butyl(chloro)diphenylsilane) for GC Derivatization	1430.00 3300.00 12100.00	10ml 25ml 100ml
90611 [54925-64-3]	**N-tert-Butyldimethylsilyl Imidazole (TBDMSIM) pure, 97%** for GC Derivatization	2040.00 9550.00	1ml 5ml
52573 [69739-34-0]	**tert-Butyldimethylsilyl Trifluoromethanesulfonate (TBDMS triflate) extrapure, 98%** (Trifluoromethanesulfonic acid tert-butyldimethylsilylester) for GC Derivatization	1600.00 6820.00 19090.00	5ml 25ml 100ml
39227 [18162-48-6]	**tert-Butyldimethylsilyl Chloride (TBDMS.Cl) extrapure, 98%** Versatile protecting reagent for amines, amides, and especially alcohols, among others. Can be selectively removed in the presence of a t-BuPh2Si-protected alcohol. Used in a preparatrion of isoxazoline N-oxides from a-bromonitroalkanes.	530.00 1780.00 6800.00	25g 100g 500g
29972 [542-69-8]	**n-Butyl Iodide extrapure, 98%** (1-Iodobutane)	2810.00 12820.00	100ml 500ml
48792 [513-48-4]	**sec-Butyl Iodide pure, 98%** (2-Iodobutane)	4250.00	100ml
28791 [79917-90-1] ✔	**1-Butyl-3-Methylimidazolium Chloride (BMIM.Cl) extrapure, 98%** for catalysis and nanotechnology	1870.00 3730.00 25470.00	10g 25g 250g
50807 [448245-52-1] ✔	**1-Butyl-3-Methylimidazolium Dicyanamide (BMIM.DC) pure, 98%**	6620.00 28000.00	5g 25g
15748 ✔ [174501-64-5]	**1-Butyl-3-Methylimidazolium Hexafluorophosphate (BMIM.PF6) extrapure, 98%** for catalysis and nanotechnology	3490.00 10940.00 33540.00	5g 25g 100g
84903 [80432-09-3] ✔	**1-Butyl-3-Methylimidazolium Tetrachloroaluminate (BMIM.AlCl4) extrapure, 95%** for catalysis and nanotechnology	5600.00 8080.00 11560.00	10g 25g 50g
92656 [174501-65-6] ✔	**1-Butyl-3-Methylimidazolium Tetrafluoroborate (BMIM.BF4) extrapure, 98%** for catalysis and nanotechnology	3490.00 10190.00	5g 25g
61005 [174899-66-2] ✔	**1-Butyl-3-Methylimidazolium Trifluoromethanesulfonate (BMIM.Otf) extrapure, 95%** (1-Butyl-3-Methylimidazolium Triflate) for catalysis, proteomics and nanotechnology	2990.00 6710.00 23480.00	1g 5g 25g
46178 [223437-11-4] ✔	**1-Butyl-1-Methylpyrrolidinium Bis(trifluoromethyl--sulfonyl)imide (BMP.TFSI) extrapure, 98%** for catalysis, electrochemistry and nanotechnology	5600.00 14290.00	5g 25g
82426 [479500-35-1] ✔	**1-Butyl-1-Methylpyrrolidinium Chloride extrapure, 98%** for catalysis and nanotechnology	2450.00 11020.00	5g 25g

code	product name	unit price ₹	packing
52735 [330671-29-9] ✔	**1-Butyl-1-Methylpyrrolidinium Hexafluorophosphate (BMP.FP6) extrapure, 97.5%** for catalysis and nanotechnology	4350.00 11060.00	5g 25g
88656 [345984-11-4] ✔	**1-Butyl-1-Methylpyrrolidinium Tetrafluoroborate (BMP.BF4) extrapure, 97%** for catalysis and nanotechnology	3170.00 11060.00	1g 5g
34317 [98-54-4] ✔	**p-tert-Butyl Phenol pure, 98%**	660.00	500g
80049 [18822-58-7] ●	**O-tert-Butyl-L-Serine extrapure, 97%** for biochemistry	1260.00 3550.00 12410.00	250mg 1g 5g
12749 [106-31-0]	**n-Butyric Anhydride pure, 98%**	2270.00	500ml
16490 [106-31-0]	**n-Butyric Anhydride extrapure AR, 99%**	680.00 2700.00	100ml 500ml
51971 [96-48-0]	**γ-Butyrolactone extrapure, 99%**	1430.00 6710.00	500ml 2500ml
29850 [141-75-3]	**Butyryl Chloride extrapure, 98%**	730.00 3470.00	100ml 500ml
60400 [2963-78-2] ✔	**Butyrylcholine Chloride extrapure, 96%** for biochemistry	2370.00 8200.00	1g 5g
82366 [1866-16-6] 🌡	**S-Butyrylthiocholine Iodide extrapure, 98%** for biochemistry	2040.00 7080.00 30000.00	1g 5g 25g
95546 [462-94-2] ✔	**Cadaverin Free Base extrapure, 97%** (1,5-Diaminopentane)	3020.00 10700.00	1ml 5ml
50375 [1306-25-8] ✔	**Cadmium Telluride ultrapure, 99.99%**	3570.00 11080.00	5g 25g
65201 [1461-15-0] ✔	**Calcein Reagent** (Fluorescein complexone)	260.00 770.00 3190.00	1g 5g 25g
Suitable for the fluorometric determination of calcium & EDTA titration of Ca in presence of Mg			
99100 [50-14-6] ✔	**Calciferol (Vitamin D2), 97%** for biochemistry & microbiology	2860.00 4840.00 23650.00	500mg 1g 5g
47700 [9005-43-0]	**Calcium Caseinate extrapure, 90% protein** (Casein calcium salt) (pH 6-8)	880.00 3020.00	100g 500g
31269 [137-08-6]	**Calcium-D-Pantothenate pure, 98%** (D-Pantothenic acid calcium salt, Vitamin B5)	410.00 950.00 3130.00	10g 25g 100g
65326 [3737-95-9]	**Calconcarboxylic Acid extrapure AR** (Patton & Reeder's indicator for Calcium)	200.00 810.00	5g 25g
66406 [3737-95-9]	**Calconcarboxylic Acid extrapure AR, ExiPlus, Multi-Compendial** (Patton & Reeder's indicator for Calcium) meets compendial specs of BP, Ph.Eur	880.00 3110.00	25g 100g
42532 [3147-14-6] ✔	**Calmagite AR** (for determination of lanthanides)	220.00 690.00 8580.00	1g 5g 100g

code	product name	unit price ₹	packing
94340 [3144-16-9]	**D-10 Camphor Sulphonic Acid pure, 99%** (D-Camphor sulphonic acid)	860.00 2330.00 11020.00	25g 100g 500g
25421 [3144-16-9]	**D-10 Camphor Sulphonic Acid ExiPlus, Multi-Compendial, 99%** (D-Camphor sulphonic acid) meets compendial specs of BP, Ph.Eur	2510.00 12000.00	100g 500g
20940 [35963-20-3]	**L-10 Camphor Sulphonic Acid pure, 99%** (L(-)Camphor sulphonic acid)	1050.00 3310.00	25g 100g
74616 [8007-47-4]	**Canada Balsam for microscopy**	380.00 1840.00	100ml 500ml
64210 [1135-40-6]	**CAPS Buffer extrapure, 99%** (3-[Cyclohexylamino]-1-propane sulphonic acid) for biochemistry Useful pH Range — 9.7 -11.1	1130.00 3490.00 13670.00	25g 100g 500g
39271 [73463-39-5] 🌡	**CAPSO Buffer extrapure, 99%** (3-(Cyclohexylamino)-2-hydroxypropane sulphonic acid) for biochemistry	1690.00 5370.00	25g 100g
71222 [102601-34-3]	**CAPSO Sodium Salt Buffer extrapure, 99%** (3-(Cyclohexylamino)-2-hydroxypropane sulphonic acid sodium salt)	2200.00 8400.00	25g 100g
10566 [4800-94-6] 🌡	**Carbenicillin Disodium Salt (CBC), 90%** for biochemistry & microbiology	880.00 1450.00	500mg 1g
66964 [4800-94-6] 🌡	**Carbenicillin Disodium Salt (CBC) for tissue culture, 90%**	1960.00 2860.00 6430.00	250mg 1g 5g
32943 [638-23-3] ✔	**Carbocysteine extrapure, 98%** for biochemistry (s-Carboxymethyl-l-cysteine)	1000.00 3110.00	1g 5g
98536	**Carbohydrates Kit Type I (10 carbohydrates, reference grade)**	4100.00	1 kit
All 10 carbohydrates, 5g each, in the kit, have assay min.98%-99%. Carbohydrates contained are, D-Arabinose, D-Fructose, D-Galactose, D-Glucose (mixed anomers), Lactose, Maltose, D-Mannose, D-Ribose, Sucrose, D-Xylose			
88515	**Carbohydrate Kit Type II (4 Amino Sugars, reference grade)**	8080.00	1 kit
All 4 Amino Sugars, 1g each, in the kit, have assay min.98%-99%. Amino Sugars contained are, N-Galactosmine Hydrochloride, N-Acetyl Glucosamine, D-Glucosamine Hydrochloride, N-Acetyl Galactosamine			
67852 [530-62-1] 🌡	**N,N'-Carbonyldiimidazole (CDI) extrapure AR, 98%** An excellent reagent for synthesis of peptides	510.00 1990.00 8820.00	25g 100g 500g
87379 [25487-66-5] ✔	**3-Carboxybenzeneboronic Acid extrapure, 97%** (3-Carboxyphenylboronic acid)	3000.00 8530.00 19090.00	1g 5g 25g
51171 [14047-29-1] ✔	**4-Carboxyphenylboronic Acid extrapure, 97%**	1400.00 4480.00	1g 5g



code	product name	unit price ₹	packing
35982 [23945-44-0] ✔	**5-Carboxyuracil extrapure, 98%** for biochemistry	3520.00 6820.00	5g 10g
24352 [541-15-1] ✔	**L-Carnitine extrapure, 99%** for biochemistry	1080.00 4620.00	5g 25g
85641 [7235-40-7] ♦	**β-Carotene extrapure, 90%** for biochemistry	3090.00 10600.00	1g 5g
	Casamino Acids - Please refer 'Dehydrated Culture Media' section		
71953 [9000-71-9]	**Casein Protein Rich Alkali Soluble extrapure, 80% Protein**	1430.00 12670.00	500g 5kg
27012 [9000-71-9]	**Casein Fat Free Ultrapurified, 0.2% Fat**	2750.00	500g
23845 [9000-71-9]	**Casein acc. to Hammarsten, 95% protein** for biochemistry	2630.00 11540.00 20590.00	100g 500g 1kg
A very high quality product for diagnostic kit production and applications. Very high solution clarity product.			
42168 [9001-05-2] ♦	**Catalase (CAT) (Type 1) ex. Bovine Liver, 11700U/mg** (approx 40000U/mg protein), Lyophilized powder	3460.00 7600.00	25mg 100mg
78695 [9001-05-2] ♦	**Catalase (CAT) (Type 2) ex. Bovine Liver, 2000-5000U/mg protein**	6930.00	1g
92063 [53994-73-3] ●	**Cefaclor (CFC), 95%** for biochemistry & microbiology	1440.00	1g
15689 [66592-87-8] ●	**Cefadroxil Monohydrate (CFD), 95%** for biochemistry & microbiology	1740.00 5780.00	1g 5g
85254 [62893-20-3] ●	**Cefoperazone Sodium (CFZ)** (Cefaperazone Sodium, Cefoperazone Sodium Salt) for biochemistry & microbiology Potency — min.870-1015μg/mg, Solubility (readily): water & methanol, Solubility (slightly): ethanol	1210.00 4950.00	1g 5g
14299 [27164-46-1] ●	**Cefazolin Sodium Salt (CFZL), 89-110%** for biochemistry & microbiology	4440.00 7600.00	100mg 500mg
13910 [125110-14-7] ●	**CefiximeTrihydrate (CFX), 95-101%** for biochemistry & microbiology Potency — min.950-1030μg/mg, Insoluble: ethyl acetate, Solubility (slightly): water, ethanol & methanol	930.00 2550.00	1g 5g
58597 [33564-30-6] ●	**Cefoxitin Sodium Salt (CTX), 94%** for biochemistry & microbiology	1910.00 3810.00 6340.00	100mg 250mg 1g
80223 [52152-93-9] 🌡	**Cefsulodin Sodium Salt (CFS) extrapure, 97%**	3120.00 7490.00	10mg 250mg
79364 [104376-79-6] ●	**Ceftriaxone Disodium Salt Hemiheptahydrate (CFTZ)** for biochemistry & microbiology Potency — min.795 μg/mg, Solubility (readily): water & methanol, Solubility (slightly): ethanol, ether, ethyl acetate & chloroform	1740.00 5780.00	1g 5g

code	product name	unit price ₹	packing
84755 [56238-63-2] ●	**Cefuroxime Sodium Salt (CFR), 86-100%** for biochemistry & microbiology	1250.00 4820.00 10140.00	2g 10g 25g
85294 [528-50-7]	**D-Cellobiose extrapure** for biochemistry	1100.00 4840.00 18800.00	5g 25g 100g
95382 [9012-54-8] ♦	**Cellulase ex. Aspergillus Niger (Meicellase), 13000CMC U/g**	1450.00 7980.00 27920.00	100mg 1g 5g
32970 [9012-54-8] ♦	**Cellulase 'Onozuka' FA ex. Trichoderma Viride, 2500U/g**	6080.00 23430.00	1g 5g
Cellulase derived from Trichoderma viride, which decomposes plant cell walls. Measures rate of digestion of dried feeds.			
65480 [9012-54-8] ♦	**Cellulase 'Onozuka' RS ex. Trichoderma Viride, 16000U/g**	12030.00	1g
Cellulase derived from Trichoderma viride, which decomposes plant cell walls. Broader range of applications than Cellulase 'Onozuka' R-10.			
24801 [9012-54-8] ♦	**Cellulase 'Onozuka' R-10 ex. Trichoderma Viride, 10000U/g** Cell separating enzyme powder	6360.00 25950.00	1g 5g
Cellulase derived from Trichoderma viride, which decomposes plant cell walls. Used for Protoplant preparation from plants.			
45662 [9004-38-0]	**Cellulose Acetate Phthalate extrapure**	830.00 3630.00	100g 500g
33340 [9004-34-6]	**Cellulose Microcrystalline pure for TLC, 98%**	620.00 5720.00 20590.00	500g 5kg 25kg
56338 [15686-71-2] 🌡	**Cephalexin Hydrate (CFL), 95-103%** (Cefalexin Hydrate) for biochemistry & microbiology	2220.00 8240.00 19380.00	1g 5g 25g
36413 [58-71-9] 🌡	**Cephalothin Sodium Salt (CF), 97%** for biochemistry & microbiology	3170.00 8110.00	1g 5g
19660 [64485-93-4] 🌡	**Cephotaxime Sodium Salt (CFT), 98%** for biochemistry & microbiology	1400.00 5730.00 8590.00	1g 5g 10g
40111 [76089-77-5]	**Cerium (III) Trifluoromethanesulfonate extrapure, 98%** (Cerium triflate, Trifluoromethanesulfonic acid cerium salt)	4180.00 13860.00	5g 25g
54784 [7787-69-1]	**Cesium Bromide extrapure AR, 99.5%**	1440.00 6580.00	10g 50g
95125 [534-17-8]	**Cesium Carbonate extrapure, 99%**	1540.00 6050.00	25g 100g
22966 [7647-17-8]	**Cesium Chloride extrapure AR for molecular biology, 99.9%**	1160.00 4350.00	25g 100g
32355 [7647-17-8]	**Cesium Chloride ultrapure for molecular biology, 99.9%** Suitable for density gradient centrifugation. DNase, RNase, protease not detected	1900.00 7200.00	25g 100g
36117 [13400-13-0]	**Cesium Fluoride extrapure AR, 99%**	2730.00 9630.00	25g 100g

code	product name	unit price ₹	packing
73254 [7789-17-5]	**Cesium Iodide ultrapure, 99.99%** for scintillation counting	980.00 1540.00 3600.00	5g 10g 25g
57455 [10294-54-9]	**Cesium Sulphate extrapure for molecular biology, 99.9%** DNase, RNase, protease not detected	1200.00 2550.00 9430.00	10g 25g 100g
40649 [122-18-9] ✔	**Benzyldimethylhexadecyl ammonium Chloride (BDHDAC) pure, 97%** (Cetyldimethylbenzylammonium chloride, Cetalkonium chloride)	760.00	100g
77040 [140-72-7]	**Cetylpyridinium Bromide (CPB) pure, 98%** (Hexadecylpyridinium bromide)	1500.00 6900.00	100g 500g
59088 [6004-24-6]	**Cetylpyridinium Chloride (CPC) extrapure, 98%** (Hexadecylpyridinium chloride)	700.00 3190.00	100g 500g
99698 [6004-24-6]	**Cetylpyridinium Chloride (CPC) ExiPlus, Multi-Compendial, 98%** (Hexadecylpyridinium chloride) meets compendial specs of BP, Ph.Eur	800.00 3740.00	100g 500g
66302 [57-09-0]	**Cetyltrimethyl Ammonium Bromide (CTAB) extrapure AR, 99%** (Hexadecyltrimethyl ammonium bromide)	490.00 2070.00	100g 500g
59771 [57-09-0]	**Cetyltrimethyl Ammonium Bromide (CTAB) extrapure AR, ExiPlus, Multi-Compendial, 99%** (Hexadecyltrimethyl ammonium bromide) meets compendial specs of BP, Ph.Eur	540.00 2440.00	100g 500g
12779 [57-09-0]	**Cetyltrimethyl Ammonium Bromide (CTAB) for molecular biology, 99%** (Hexadecyltrimethyl ammonium bromide) DNase, RNase, protease not detected	560.00 2640.00	100g 500g
23595 [112-02-7]	**Cetyltrimethyl Ammonium Chloride (CTAC) extrapure AR, 99%** (Cetrimonium bromide, Hexadecyltrimethyl ammonium bromide)	2020.00 5940.00 8910.00	25g 100g 500g
68623 [112-02-7]	**Cetyltrimethyl Ammonium Chloride (CTAC) for molecular biology, 99%** (Cetrimonium bromide, Hexadecyltrimethyl ammonium bromide)	2970.00 8080.00	25g 100g
87868 [75621-03-3, 331717-45-4] ✔	**CHAPS Buffer extrapure, 99%** (3-[(3-Cholamidopropyl) dimethylaminonio]-1-propanesulphonate) A non-denaturing zwitterionic detergent for membrane biochemistry.	770.00 3630.00 17050.00	1g 5g 25g
21420 [75621-03-3, 331717-45-4] ✔	**CHAPS Buffer for molecular biology, 99.5%** (3-[(3-Cholamidopropyl) dimethylaminonio]-1-propanesulfonate) DNase, RNase, protease not detected A non-denaturing zwitterionic detergent for membrane biochemistry and critical molecular biology applications.	1430.00 6380.00 24200.00	1g 5g 25g
66903 [82473-24-3] ✔	**CHAPSO Buffer extrapure, 99%** (3-[(3-Cholamidopropyl) dimethylammonio]-2-hydroxy 1-propanesulphonate) for membrane biochemistry	5540.00 21990.00	1g 5g
18081 [103-47-9] ✔	**CHES Buffer extrapure, 99%** for biochemistry [2-(N-Cyclohexylamino) ethanesulphonic acid]	2500.00 8990.00	25g 100g
98507 [1398-61-4] ✔	**Chitin extrapure** (Poly-(b1-4)-N-acetyl glucosamine)	3430.00 10140.00	25g 100g

Chitosans

Biocompatible, antibacterial and environmentally friendly polyelectrolyte with a variety of applications1 including water treatment, chromatography, additives for cosmetics, textile treatment for antimicrobial activity,2 novel fibers for textiles, photographic papers, biodegradable films,3 biomedical devices, and microcapsule implants for controlled release in drug delivery.

code	product name	unit price ₹	packing
27391 [9012-76-4] ✔	**Chitosan (Low MW) extrapure, 10-150m.Pas, 90% DA** (Deacetylated chitin)	960.00 3110.00 11270.00	25g 100g 500g
18824 [9012-76-4] ✔	**Chitosan (Medium MW) extrapure, 150-500m.Pas, 90% DA** (Deacetylated chitin)	580.00 1130.00 3680.00 12160.00	10g 25g 100g 500g
96266 [9012-76-4] ✔	**Chitosan (High MW) extrapure, 800m.Pas, 90% DA** (Deacetylated chitin) Deacetylatio Degree — min.90% Viscosity — min.800m.Pas	1930.00 6600.00 24200.00	25g 100g 500g
44097 [148411-57-8] ♦ (for Lactate)	**Chitosan Oligosaccharide extrapure, 90% DA (water soluble)** It is 14 times more effective than Chitosan & can dissolve in water directly	4350.00 7710.00 13050.00	10g 25g 100g
59811 [577-76-4] ✔	**Chitosan Dimer extrapure, 98%** (Chitobiose dihydrochloride)	25210.00 48400.00	5mg 10mg
19363 [41708-93-4] ♦	**Chitosan Trimer extrapure, 98%** (Chitotriose trihydrochloride)	57880.00	5mg
62506 [117399-50-5] ♦	**Chitosan Tetramer, extrapure, 98%** (Chitotetraose tetrahydrochloride)	32130.00	5mg
80517 [35061-50-7] ♦	**Chitosan Pentamer extrapure,98%** (Chitopentaose pentahydrochloride)	15520.00	5mg
36824 [41708-95-6] ♦	**Chitosan Hexamer extrapure, 98%** (Chitohexaose hexahydrochloride)	64250.00	5mg
11975 [15879-93-3] ✔	**α-Chloralose pure, 98%** (Anhydro-D-glucochloral, a-D-Glucochloralose)	2970.00	25g
50146 [2829-43-8] ✔	**Chloranitine Fast Red BB** (C.I. No. 25380) (Direct red 75 tetrasodium salt) Dye Content — 30%	3400.00 4760.00	1g 5g



code	product name	unit price ₹	packing
97686 [56-75-7] ●	**Chloramphenicol (CFP), 98-102%** for biochemistry & microbiology	830.00 2310.00 5720.00	5g 25g 100g
28812 [56-75-7] ●	**Chloramphenicol (CFP) for tissue culture, 98-102%**	1090.00 2530.00	5g 25g
37281 [539-03-7]	**p-Chloroacetanilide extrapure AR, 99%**	630.00 1930.00	25g 100g
77863 [539-03-7]	**p-Chloroacetanilide extrapure AR, ExiPlus, Multi-Compendial, 99%** meets compendial specs of USP, BP, Ph.Eur	2050.00	100g
70179 [532-27-4]	**2-Chloroactophenone pure, 97%** (Phenacyl chloride)	2300.00 7300.00	25g 100g
40585 [99-91-2]	**p-Chloroacetophenone extrapure, 98%**	1420.00 5760.00 10880.00	100ml 500ml 1000ml
92804 [108-42-9]	**m-Chloroaniline (MCA) pure, 99%**	1260.00 5510.00	500ml 2500ml
43265 [89-98-5]	**o-Chlorobenzaldehyde pure, 98%** (2-Chlorobenzaldehyde)	500.00 1140.00 5100.00	100ml 500ml 2500ml
17927 [104-88-1]	**p-Chlorobenzaldehyde pure, 97%** (4-Chlorobenzaldehyde)	610.00 1300.00	100g 250g
91019 [119-56-2] ✔	**4-Chlorobenzhydrol pure, 98%**	3680.00 6430.00	50g 100g
69159 [118-91-2]	**o-Chlorobenzoic Acid pure, 98%**	390.00 1540.00	100g 500g
30519 [118-91-2]	**o-Chlorobenzoic Acid extrapure AR, 99.5%**	490.00 2210.00	100g 500g
34366 [535-80-8]	**m-Chlorobenzoic Acid extrapure, 99%**	810.00 3030.00 9540.00	25g 100g 500g
24711 [74-11-3]	**p-Chlorobenzoic Acid pure, 99%**	360.00 1420.00	100g 500g
97199 [74-11-3]	**p-Chlorobenzoic Acid extrapure AR, 99.7%**	1110.00	100g
53378 [134-85-0]	**p-Chlorobenzophenone extrapure, 99%**	770.00 3460.00	100g 500g
98001 [89-97-4]	**2-Chlorobenzylamine pure, 98%** (o-Chlorobenzylamine)	1650.00 5330.00	25ml 100ml
95074 [628-20-6]	**4-Chlorobutyronitrile pure, 98%**	3020.00 13140.00	100ml 500ml
29440 [4635-59-0]	**4-Chlorobutyryl Chloride pure, 98%**	1420.00 2800.00 4440.00	250ml 500ml 1000ml
23843 [999-81-5]	**Chlorocholine Chloride extrapure (CCC), 98%** ((2-Chloroethyl) trimethylammonium chloride, Chlormequat chloride, Choline dichloride, Cycocel)	1900.00 5330.00	5g 25g

Chlormequat (Chlorocholine) chloride is a synthetic plant growth regulator that inhibits gibberellin (GA) biosynthesis. It is used to study the mechanisms and effects of gibberellins on plant cell growth and differentiation.

code	product name	unit price ₹	packing
10231 [3140-73-6] ✔	**2-Chloro-4,6-Dimethoxy-1,3,5 Triazine extrapure, 99%**	1220.00 5280.00 19260.00	5g 25g 100g
42687 [97-00-7]	**1-Chloro-2,4-Dinitrobenzene extrapure, 99%**	740.00	500g
69297 [97-00-7]	**1-Chloro-2,4-Dinitrobenzene extrapure AR , 99%**	190.00 570.00	25g 100g
93937 [97-00-7]	**1-Chloro-2,4-Dinitrobenzene extrapure AR, ExiPlus, Multi-Compendial, 99%** meets compendial specs of BP	610.00 2570.00	100g 500g
17691 [2578-45-2] ✔	**2-Chloro-3,5-Dinitropyridine extrapure AR, 99%** Terminal N-blocking reagent for proteins	5120.00 15720.00	1g 5g
38825 [1679-18-1]	**4-Chlorophenylboronic Acid extrapure, 97%**	1800.00 7430.00	5g 25g
22654 [16672-87-0]	**2-Chloroethylphosphonic Acid (ETHREL, Ethephon) 40% soln.**	1290.00 2450.00	100ml 250ml

An effective germinating agent and plant growth regulator used to inuduce scenescence and fruiting and also used as phosphorylating agent and butyrylcholinesterase inhibitor

10455 [367-21-5]	**3-Chloro-4-Fluoroaniline pure, 98%**	810.00 3660.00	100g 250g
17703 [2252-51-9]	**2-Chloro-4-Fluorobenzoic Acid pure, 98%**	1650.00 5340.00	5g 25g
36393 [2252-50-8]	**2-Chloro-5-Fluorobenzoic Acid pure, 98%**	2940.00 15300.00	10g 100g
84538 [434-75-3]	**2-Chloro-6-Fluorobenzoic Acid pure, 98%**	2760.00 6450.00	5g 25g
33676 [161957-55-7]	**3-Chloro-2-Fluorobenzoic Acid pure, 98%**	4480.00 7680.00	5g 10g
85563	**Chloroform : Isoamyl Alcohol (24:1) for Molecular Biology**	1130.00 2370.00	100ml 500ml
40881 [327-97-9] ✔	**Chlorogenic Acid extrapure, 98%** 1,3,4,5-Tetrahydroxycyclo hexanecarboxylic acid 3-(3,4-dihydroxycinnamate) 3-(3,4-Dihydroxycinnamoyl)quinic acid	500.00 4350.00 19260.00	100mg 1g 5g
51562 [6001-76-9] 🌡	**Chlorogenic Acid Hemihydrate extrapure, 98%**	480.00 3760.00	100mg 1g
78193 [10310-21-1] ●	**6-Chloroguanine extrapure, 98%** (2-Amino-6-chloropurine) for biochemistry	1900.00 7580.00	1g 5g
99721 [159954-35-5] ♦	**6-Chloro-3-Indolyl-Caprylate (Salmon Caprylate) for molecular biology, 97%** (6-Chloro-3-Indoxyl-Octanoate)	6000.00	50mg

Chromogenic substrate for esterase with C8 activity yielding a salmon colored precipitate upon cleavage.

79621 [135313-63-2] ●	**4-Chloro-3-Indolyl-β-Galactopyranoside extrapure, 98%** for biochemistry Substrate for β–galactosidase	6050.00	100mg
98551 [138182-21-5] ●	**6-Chloro-3-Indolyl β-D-Galactopyranoside (Salmon Gal) extrapure, 98%** (Red Gal, Rose Gal) for biochemistry	3400.00 6580.00	100mg 500mg

code	product name	unit price ₹	packing
82947 [138182-20-4] ●	**6-Chloro-3-Indolyl-ß-D-Glucuronide Cyclohexylammonium Salt extrapure, 98%** (RED-GLUC, Rose-glucuronide CHA salt, salmon-glucuronide CHA salt)	4070.00 13540.00	10mg 50mg
71848 [130-26-7] **new**	**5-Chloro-7-Iodo-8-Quinolinol (Clioquinol, Iodochlorohydroxyquinoline) ExiPlus, 97-103%** (5-Chloro-8-hydroxy-7-iodoquinoline) meets compendial specs of USP, BP (Used as an antibiotic and in fluorescence microscopy, metal binding studies for free zinc ions, etc)	2200.00 5800.00 22000.00	25g 100g 500g
25898 [14110-97-5] ♦	**4-Chloromercuribenzene sulphonic Acid Monosodium Salt (pCMBS) extrapure, 95%** (p-Chloromercuriphenylsulfonic acid sodium salt) A useful sulfhydryl reagent that reacts with Histidine. More soluble than p-chloromercuribenzoic acid.	30600.00	10mg
26004 [138-85-2] 🌡	**p-Chloromercuribenzoic Acid Sodium Salt extrapure, 98%** for biochemistry (p-Hydroxymercuribenzoic acid sodium salt)	3390.00 12260.00	1g 5g
81929 [604-44-4] ●	**4-Chloro-1-Naphthol Substrate Grade extrapure, 99%** for biochemistry	2630.00 3980.00 19260.00	2.5g 5g 25g
85267 [121-73-3]	**1-Chloro-3-Nitrobenzene pure, 98%**	540.00 1040.00	250g 500g
77459 [2516-96-3]	**2-Chloro-5-Nitrobenzoic Acid pure, 99%**	360.00 1050.00 4000.00	25g 100g 500g
21259 [157843-41-9] ●	**2-Chloro-4-Nitrophenyl α-L-Fucopyranoside (CNPF) extrapure, 98%** for biochemistry (A substrate for the enzyme α-L-fucosidase (AFU))	8450.00	25mg
48958 [118291-90-0] ●	**2-Chloro-4-Nitrophenyl α-D-Maltotrioside (CNPG3) extrapure, 95%**	1840.00 3920.00	10mg 25mg
41107 [108-43-0]	**3-Chlorophenol pure, 98%** (m-chlorophenol)	840.00 2820.00 13440.00	25g 100g 500g
94280 [95-57-8]	**o-Chlorophenol pure, 98%**	880.00 1730.00 3340.00	500ml 1000ml 2500ml
74230 [106-48-9]	**p-Chlorophenol pure, 98%**	900.00	500g
18344 [4430-20-0]	**Chlorophenol Red**	620.00 2430.00	5g 25g
87976 [99792-79-7] ●	**Chlorophenol Red-β-D-Galactopyranoside (CPRG) extrapure, 90%** for biochemistry	8480.00	25mg
21524 [122-88-3] ✔	**Chlorophenoxyacetic Acid (4-CPA) for tissue culture, 98%** (Parachlorophenoxyacetic acid) Plant growth regulator	450.00 1590.00 7370.00	25g 100g 500g

code	product name	unit price ₹	packing
91145 [101-10-0] ✔	**2-(3-Chlorophenoxy)-Propionic Acid (3-CPA) technical grade, 99%** Plant growth regulator	2960.00 6930.00	10g 25g
28272 [1878-66-6] ✔	**4-Chlorophenylacetic Acid pure, 98%**	1280.00 4410.00	100g 500g
41117 [936-59-4] ✔	**3-Chloro-1-Phenyl Propanone pure, 98%** (3-Chloropropiophenone, B-chloropropiophenone)	2370.00 8700.00	25g 100g
72928 [1914-99-4]	**Chlorophosphonazo III for Spectrophotometry** (Bis(4-chloro-2-phosphonobenzolazo) chromotropic acid) for spectrophotometric determination of alkaline earth metals	4180.00 17600.00	100mg 500mg
23727 [598-78-7]	**2-Chloropropionic Acid pure, 97%**	1350.00 5880.00	100ml 500ml
50217 [29617-66-1]	**S-2-Chloropropionic Acid pure, 98%** ((S)-(-)-2-Chloropropionic acid)	980.00 3060.00 11020.00	5ml 25ml 100ml
70774 [34841-35-5]	**3-Chloropropiophenone pure, 98%**	2820.00 10240.00 44780.00	25g 100g 500g
53313 [6285-05-8]	**4-Chloropropiophenone pure, 98%**	2830.00 12770.00	100g 500g
62020 [87-42-3] ●	**6-Chloropurine extrapure, 99%** for biochemistry	880.00 3110.00 12300.00	1g 5g 25g
57430 [2004-06-0] ●	**6-Chloropurine Riboside extrapure** for biochemistry	2160.00 7310.00	250mg 1g
26176 [321-14-2]	**5-Chlorosalicylic Acid pure, 98%**	570.00 1650.00	100g 500g
59838 [106-43-4]	**p-Chlorotoluene pure, 98%**	1310.00 2210.00	500ml 1000ml
97389 [67-97-0] ✔	**Cholecalciferol (Vitamin D3) for tissue culture, 97%** (7-Dehydrocholesterol activated)	1210.00 5330.00	1g 5g
54181 [57-88-5] ●	**Cholesterol extrapure, AR 98%**	580.00 2530.00 9350.00 38500.00	5g 25g 100g 500g
38615 [57-88-5] ●	**Cholesterol Reference Standard Grade for molecular biology, 99%** For Diagnostic production applications and critical production & quality control testing.	1290.00 3860.00 14730.00	5g 25g 100g
51626 [9026-00-0] ♦	**Cholesterol Esterase (CE) ex. Porcine Pancreas, 35U/mg**	10430.00	10mg
85091 [9028-76-6] ♦	**Cholesterol Oxidase ex. Streptomyces Sp., 15U/mg**	7460.00 32300.00	500units 2500units
77645 [604-35-3] ●	**Cholesteryl Acetate extrapure, 99%**	860.00 3800.00	5g 25g



code	product name	unit price ₹	packing
54908 [81-25-4] ✔	**Cholic Acid extrapure, 98%** (Cholanic acid)	2450.00 8570.00 41610.00	25g 100g 500g
53645 [361-09-1 206986-87-0] ✔	**Cholic Acid Sodium Salt Hydrate pure, 99%** for biochemistry (Sodium cholate)	2310.00 8800.00 42900.00	25g 100g 500g
93319 [4197-07-3] ✔	**Chromotrope 2R**	620.00 1230.00	10g 25g
31723 [5808-22-0]	**Chromotropic Acid Disodium Salt Dihydrate extrapure AR, 99%** (Disodium chromotropate dihydrate)	750.00 1740.00 6820.00	10g 25g 100g
72580 [5808-22-0]	**Chromotropic Acid Disodium Salt Dihydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%** (Disodium chromotropate dihydrate) meets compendial specs of USP, BP, Ph.Eur	1030.00 2260.00 8530.00 31350.00	10g 25g 100g 500g
35085 [9004-07-3] ♦	**α-Chymotrypsin (3x cryst) ex. Bovine Pancreas, 7500ATEE U/mg (1000NF U/mg)** Lyophilized powder, Salt free	1220.00 2370.00 3730.00 16150.00	250mg 500mg 1g 5g
87063 [9035-75-0] ♦	**α-Chymotrypsinogen A (5x cryst) ex. Bovine Pancreas, 45U/mg** Intrinsic activity — 0.25 u/mg chymotrypsin, Activates to at least 45 units per mg protein, dialyzed, lyophilized powder	2860.00 6030.00 16770.00 80730.00	100mg 250mg 1g 5g
A serine protease that hydrolyzes peptide bonds with aromatic or large hydrophobic side chains (Tyr, Trp, Phe, Met) on the carboxyl end of the peptide bond. Chymotrypsinogen from bovine pancreas is a zymogen containing 5 disulfide bridges and requires limited proteolysis for its activation. Chymotrypsinogen A may be activated by trypsin and chymotrypsin (autolytic activation) to form a, ß, ? , d, and p chymotrypsin (depending upon the conditions of activation).			
88213 [1885-38-7]	**Cinnamonitrile extrapure, 97%** (3-Phenylacrylonitrile)	880.00 2620.00	25ml 100ml
26591 [102-92-1]	**Cinnamoyl Chloride pure, 98%**	2370.00 9380.00	100ml 500ml
78079 [86393-32-0] ●	**Ciprofloxacin Hydrochloride Hydrate (CPFX), 98-102%** for biochemistry & microbiology Assay — min.98%-102%, Solubility (readily): water, Solubility (slightly): methanol, ethanol, Insoluble (partially): acetone, ethyl acetate & dichloromethane	440.00 1650.00	1g 5g
29965 [5392-40-5]	**Citral pure, 95%** (mixture of cis and trans isomers) (3,7-Dimethyl-2,6-octadienal)	580.00 2800.00	100ml 500ml
13294 [8000-29-1] ✔	**Citronella Oil extrapure, 34%** (Citronella grass oil)	2750.00 5040.00	250ml 500ml
35417 [372-75-8]	**L-Citrulline extrapure CHR, 99%** for biochemistry	1370.00 3220.00	10g 25g
41694 [99-11-6] **new**	**Citrazinic Acid extrapure, 97%** (2,6-Dihydroxypyridine-4-carboxylic acid, Dihydroxyisonicotinic acid)	2200.00 5000.00 15500.00	25g 100g 500g
78746 [8000-34-8]	**Clove Oil extrapure, 80%**	1120.00 4820.00	100ml 500ml

code	product name	unit price ₹	packing
11941 [21462-39-5]	**Clindamycin Hydrochloride (CLM), 800ug/mg**	Discontinued	
68636 [7081-44-9] ●	**Cloxacillin Sodium Monohydrate (CSX), 95-102%** for biochemistry & microbiology	1650.00 5500.00	1g 5g
31104 [55779-48-1] ♦	**Coelenterazine Native (CLZN) ex. Aequorea Sp., 95%**	14290.00 23600.00	250µg 1mg
40804 [85-61-0] ♦	**Coenzyme A Free Acid extrapure, 90%** for biochemistry ex. yeast	3310.00 5510.00 17140.00	10mg 25mg 100mg
95225 [55672-92-9 (anhydrous)] ♦	**Coenzyme A Sodium Salt Hydrate (CoA Na2) for molecular biology, 85%** (cofactor for acyl transfer)	5500.00 9680.00	10mg 25mg
64147 [18439-24-2] ♦	**Coenzyme A Trilithium Salt ex. Yeast extrapure, 90% CoA** for biochemistry	6050.00	25mg
15039 [303-98-0] ♦	**Coenzyme Q10 extrapure, 99%** for biochemistry (Ubiquinone 50)	730.00 2800.00 5550.00 10860.00	100mg 500mg 1g 5g
17701 [64-86-8] ✔	**Colchicine extrapure, 98%**	1840.00 8820.00 17140.00	1g 5g 10g
93156 [64-86-8] ✔	**Colchicine ExiPlus, Multi-Compendial, 98%** meets compendial specs of USP, BP, Ph.Eur	2230.00 10510.00	1g 5g
45830 [64-86-8] ✔	**Colchicine for tissue culture, 98%**	2090.00 10040.00	1g 5g
51681 [1264-72-8] 🌡	**Colistin Sulphate (CLS)** for biochemistry & microbiology Potency — min.19000U/mg, Solubility (readily): water, Insoluble: Ethanol	1650.00 3300.00 9900.00	500mg 1g 5g
90443 [9007-34-5] ✔	**Collagen ex. Marine Fish extrapure, 95% Protein**	2200.00 6600.00 20900.00	5g 25g 100g
51581 ✔	**Colloidal Protein Staining Solution**	3400.00	100ml
94278 [108-75-8]	**2,4,6-Collidine pure, 98%**	1800.00 8400.00	100ml 500ml
24275 [573-58-0]	**Congo Red ACS, 75%**	170.00 310.00 880.00	5g 25g 100g
22543 [483-10-3] 🌡	**Corynanthine extrapure**	Discontinued	
10408 [8064-90-2] ●	**Co-Trimoxazole (CTX), 95%** (Trimethoprim-sulfamethoxazole) for biochemistry & microbiology	2530.00 12000.00	100mg 500mg
42074 [91-64-5] ✔	**Coumarin pure, 98%** (1-Benzopyran-2-one) Fluorescence indicator	600.00 2740.00	100g 500g

code	product name	unit price ₹	packing
68320 [128595-07-3] ●	**CP-Osu (N-(Cyclopentyloxycarbonyloxy) succinimide) extrapure, 99%** for biochemistry Protecting & coupling reagent	790.00 3140.00	5g 25g
76072 [6020-87-7]	**Creatine Monohydrate extrapure, 99%** for biochemistry	210.00 720.00 4950.00	25g 100g 1kg
25758 [71519-72-7] ●	**Creatine Phosphate Disodium Salt Tetrahydrate extrapure, 99%** for biochemistry (Sodium creatine phosphate dibasic tetrahydrate, Phosphocreatine disodium salt tetrahydrate)	1250.00 4310.00	1g 5g
25074 [9025-13-2] ♦	**Creatininase ex. Recombinant E.Coli, 500U/mg**	6740.00 14690.00	2KU 5KU
65142 [60-27-5] ✔	**Creatinine extrapure CHR, 99%** for biochemistry for testing of creatinine in blood	690.00 1870.00	25g 100g
19428 [60-27-5] ✔	**Creatinine extrapure AR, 99%** for testing of creatinine in blood	380.00 780.00 2620.00	5g 25g 100g
15353 [60-27-5] ✔	**Creatinine for molecular biology, 99%**	1370.00 4350.00 24850.00	25g 100g 1Kg
62000 [37289-15-9] ♦	**Creatinine Deiminase ex. Microorganism, 10U/mg**	9790.00	250units
29121 [596-27-0]	**o-Cresolphthalein AR, 95%**	160.00 580.00 2240.00	5g 25g 100g
64982 [2411-89-4]	**o-Cresolphthalein Complexone extrapure AR, 80%** (Phthalein purple) Indicator for complexometry	390.00 1320.00 4950.00	1g 5g 25g
72278 [94442-10-1]	**o-Cresolphthalein Complexone Disodium Salt extrapure**	1320.00 5500.00	1g 5g
31393 [2303-01-7]	**m-Cresol Purple AR** (pH Indicator)	260.00 1140.00	1g 5g
60837 [107-93-7]	**Crotonic Acid pure, 99%**	630.00 1100.00 2060.00	100g 250g 500g
51665 ♦	**r-CRP (Recombinant C-reactive protein) extrapure** for biochemistry ex. E.Coli Purity (SDS-Page) — single band 1µg/lane, Concentration >1.0mg/ml	11800.00	1mg
12295 [3572-06-3]	**Cuelure pure, 95%** (4-[4-(Acetyloxy)phenyl]-2-butanone) Melon-fly pheromone	750.00 2510.00 11630.00 22280.00 49320.00	25g 100g 500g 1kg 2.5kg
37870 [126747-14-6] ✔	**4-Cyanophenylboronic Acid extrapure, 95%**	1500.00 6500.00 19000.00	1g 5g 25g
86320 [150255-96-2] ✔	**3-Cyanophenylboronic Acid extrapure, 97%**	1350.00 3360.00 13980.00	1g 5g 25g

code	product name	unit price ₹	packing
51458 [59016-56-7] ●	**1-Cyano-4-Dimethyl-Aminopyridinium Tetrafluoroborate (CDAP) extrapure, 97.5%**	6840.00 15530.00 60240.00	100mg 250mg 1g
A highly effective water soluble reagent for Monoclonal coupling. It's use permits the activation of polysaccharide resins (eg. Agarose, Seralose) for attachment to ligands safely and without a hood. Higher yields as compared to conventional CNBr activation.			
57902 [879866-74-7] ✔	**1-(3-Cyanopropyl)-3-Methylimidazolium (CPMIM.DC) Dicyanamide pure, 98%** (1-Methyl-3-(3-cyanopropyl)imidazolium dicyanamide)	6620.00 28000.00	5g 25g
65291 [506-68-3] ●	**Cyanogen Bromide pure, 98%** Activating agent for insoluble supports for affinity chromatography	850.00 2240.00	25g 100g
This compound is highly toxic and volatile. Cool the bottle to 0°C before opening. **Handle With Care!**			
31787 [506-68-3] ●	**Cyanogen Bromide ExiPlus, Multi-Compendial, 98%** meets compendial specs of USP, Ph.Eur Activating agent for insoluble supports for affinity chromatography & bulk production	1050.00 2540.00	25g 100g
This compound is highly toxic and volatile. Cool the bottle to 0°C before opening. **Handle With Care!**			
94952 [5457-28-3] 🌡	**3-Cyanoindole pure, 98%**	2860.00 11800.00	5g 25g
33202 [15861-24-2] 🌡	**5-Cyanoindole pure, 98%** (Indole-5-Carbonitrile)	26430.00 65590.00	10g 25g
76496 [7585-39-9] 🌡	**β-Cyclodextrin, base (BCD), 98%** for biochemistry & microbiology	560.00 2390.00 4660.00	5g 25g 100g
83244 [7585-39-9] 🌡	**β-Cyclodextrin, base (BCD) for tissue culture, 98%**	890.00 2580.00	100g 500g
98395 [2043-61-0] ●	**Cyclohexanecarboxaldehyde pure, 97%** (Hexahydrobenzaldehyde)	3490.00 13540.00	25ml 100ml
It is used in various types of organic synthesis reactions such as in the reductive amination of aldehydes, amino acid catalyzed asymmetric aldol reactions, as well as in the synthesis of Z-unsaturated esters via the Horner-Emmons olefination reaction.			
37594 [637-88-7] 🌡	**1,4-Cyclohexanedione pure, 99%**	830.00 1300.00	25g 100g
55799 [108-93-0]	**Cyclohexanol extrapure, 99%**	610.00 2590.00	500ml 2500ml
31668 [110-83-8]	**Cyclohexene pure, 99%** (Tetrahydrobenzene)	1090.00 5220.00	500ml 2500ml
86620 [66-81-9] ●	**Cycloheximide extrapure, 94%** (Actidione)	440.00 2200.00 9350.00	100mg 1g 5g
95581 [66-81-9] ●	**Cycloheximide for tissue culture, 94%**	720.00 2640.00 10780.00	100mg 1g 5g
38772 [120-92-3]	**Cyclopentanone pure, 99%** (Keto cyclopentane)	470.00 1430.00 5280.00	100ml 500ml 2500ml



code	product name	unit price ₹	packing
88410 [5614-37-9]	**Cyclopentyl Methyl Ether (CPME) extrapure AR, 99%** (Methoxycyclopentane)	1750.00 3300.00 5470.00	250ml 500ml 1000ml
A highly stable green solvent used for several types of organic reactions and synthetic chemistry applications.			
74083 [1759-53-1] 🌡	**Cyclopropanecarboxylic Acid pure, 98%**	3350.00 8230.00	100g 250g
62160 [411235-57-9] ♦	**Cyclopropylboronic Acid Monohydrate extrapure, 97%**	2430.00 7470.00	1g 5g
41269 [68-41-7] 🌡	**D-Cycloserine (D-CSR)** (D-4-Amino-3-isoxazolidone) for biochemistry & microbiology Potency — min. 900U/mg, Solubility (readily): water, Solubility (partially): methanol, Insoluble: organic solvents	2300.00 7010.00	1g 5g
73383 [921-01-7]	**D-Cysteine (base) extrapure, 99%** for biochemistry	3060.00	1g
98973 [65-46-3] 🌡	**Cytidine extrapure, 99%** for biochemistry	590.00 1540.00 28600.00	5g 25g 500g
87600 [63-37-6] ●	**Cytidine-5'-Monophosphate (5-CMP) extrapure, 99%** for biochemistry	620.00 2450.00	1g 5g
48666 [81012-87-5] ●	**Cytidine-5'-Triphosphate Disodium Salt (5-CTP-Na_2) extrapure, 97%** for biochemistry (partial decomposition possible)	1620.00 7340.00	100mg 500mg
81551 [9007-43-6] ●	**Cytochrome C (Oxidised) ex. Horse Heart extrapure, 90%** for biochemistry (approx 10% reduced form)	4900.00 21110.00 40390.00	100mg 500mg 1g
90777 [9007-43-6] ♦	**Cytochrome C (Oxidized) (Type 2) ex. Horse Heart, 95%**	11020.00 39160.00	100mg 500mg
62682 [147-94-4] ●	**Cytosine Arabinoside (free base) extrapure, 98%** for biochemistry	1150.00 3630.00	100mg 500mg
75543 [146998-31-4] ●	**DABCYL-N-Succinimidyl Ester extrapure, 98%** (4-[4-(Dimethylamino)phenylazo] benzoic acid N-succinimidyl ester)	5600.00 18390.00	50mg 250mg
A useful reagent (similar to MANCYL-SE) for labeling proteins or peptides through their amino-groups by forming stable peptide bonds. The succinimidyl ester is reactive with terminal amines or lysines of peptides and other nucleophiles for fluorescent studies of proteins. Its fluorescent properties (has a characteristic broad and intense visible absorption but has no fluorescence) make it an ideal long wavelength quencher.			
31920 [552-66-9] ♦	**Daidzin extrapure, 98%** (Daidzein-7-O-ß-D-Glucopyranoside) (Isoflavone and phytoestrogen)	6610.00 22340.00	25mg 100mg
90441 [119478-55-6] ●	**Danofloxacin Mesylate (DM), 98%** for biochemistry & microbiology	6840.00	100mg
64018 [605-65-2] ●	**Dansyl Chloride (DNSCL) extrapure, 99%** for biochemistry (5-Dimethylaminonaphthalene-1-sulfonyl chloride)	4180.00 15950.00	1g 5g

code	product name	unit price ₹	packing
18668 [28718-90-3] ●	**DAPI Dihydrochloride for molecular biology, 95%** (4',6-Diamidino-2-phenylindole dihydrochloride)	4350.00 8950.00	10mg 25mg
DAPI is a fluorescent stain that binds strongly to A-T rich regions in DNA. It is used extensively in fluorescence microscopy.			
28488 [28718-90-3] ●	**DAPI Dihydrochloride (4,6-Diamidino-2-Phenylindole Dihydrochloride) for tissue culture, 95%**	5390.00	100mg
80145 [28718-90-3] 🌡	**DAPI Dihydrochloride (4,6-Diamidino-2-Phenylindole Dihydrochloride) Solution** (1mg/ml in H_2O)	860.00 4040.00	1ml 5x1ml
22499 [38078-09-0] ●	**DAST (Diethylamino Sulfurtrifluoride) extrapure AR, 95%**	750.00 3610.00	1g 5g
40396 [14933-08-5] ●	**DDAPS extrapure, 98%** (N-Dodecyl-N,N-dimethyl-3-ammonio-1-propanesulfonate, Lauryl sulfobetaine) Zwitterionic detergent used for protein solubilization	990.00 2960.00 14500.00	2g 10g 50g
47478 [9013-34-7]	**DEAE Cellulose 11 analytical grade for molecular biology**	2450.00 10040.00	5g 25g
57136 [9013-34-7]	**DEAE Cellulose 23 analytical grade for molecular biology**	2760.00 11630.00	5g 25g
92321 [9013-34-7]	**DEAE Cellulose 32 analytical grade for molecular biology**	3430.00 14440.00	5g 25g
10529 [9013-34-7]	**DEAE Cellulose 52 analytical grade** for molecular biology capacity - 1meq/g (dry)	2170.00 10060.00 35000.00	5g 10g 25g
54665 [91-17-8]	**Decalin (Decahydronaphthalene) pure, 98%**	3000.00 14000.00	500ml 2500ml
72007 [143-10-2]	**1-Decanethiol pure, 95%**	5600.00 24850.00	100ml 500ml
91106 [112-13-0]	**Decanoyl Chloride pure, 98%** (Capric Acid Chloride)	920.00 4410.00	100ml 500ml
48467 [112-30-1]	**Decyl Alcohol pure, 99%** (1-Decanol)	280.00 770.00 3740.00	100ml 500ml 2500ml
43940 [2082-84-0]	**Decyltrimethylammonium Bromide (DTMAB) extrapure, 98%**	4140.00 9200.00	10g 25g
40133 [86303-23-3] ●	**Deoxy Big CHAPS extrapure, 95%** (N,N'-Bis(3-D-gluconamidopropyl)-deoxycholamide)	24850.00	500mg
83158 [16373-93-6] ●	**2'-Deoxyadenosine extrapure, 98%** for biochemistry	1270.00 5660.00	1g 5g
39192 [2922-74-9] ●	**2'-Deoxyadenosine-5'-Monophosphate Disodium Salt extrapure, 98% (dAMP-Na_2)** for biochemistry	2870.00	100mg

code	product name	unit price ₹	packing
51839 [1927-31-7] ●	**Deoxyadenosine Triphosphate Disodium Salt, 97% (dATP-Na_2)**	2860.00 5460.00	10mg 25mg
49092 [951-77-9] ●	**2'-Deoxycytidine extrapure, 98%** for biochemistry	790.00 2240.00 3610.00	100mg 500mg 1g
55193 [13085-50-2] ●	**2'-Deoxycytidine-5'-Monophosphate Disodium Salt extrapure, 98% (dCMP-Na_2)** for biochemistry	14350.00 26090.00 123580.00	500mg 1g 5g
12646 [102783-51-7] ●	**Deoxycytidine Triphosphate Disodium Salt, 98% (dCTP)**	2860.00 5460.00 19880.00 92530.00	10mg 25mg 100mg 500mg
84476 [1949-89-9] ●	**2-Deoxygalactose extrapure, 98%** for biochemistry	4850.00 18640.00	1g 5g
43421 [154-17-6] ●	**2-Deoxy-D-Glucose (2-DG) extrapure AR, 99.9%**	2200.00 4730.00 16500.00 47850.00	250mg 1g 5g 25g
22350 [312693-72-4] ●	**2'-Deoxyguanosine Monohydrate (2dG) extrapure, 99%** (9-(2-Deoxy-ß-D-ribofuranosyl) guanine, Guanine-2'-deoxyriboside)	2600.00 8030.00 13580.00 42850.00	100mg 500mg 1g 5g
25695 [33430-61-4] ●	**2'-Deoxyguanosine-5'-Monophosphate Disodium Salt extrapure, 98% (dGMP-Na_2)** for biochemistry	16770.00 29810.00 136620.00	500mg 1g 5g
66280 [93919-41-6] ●	**Deoxyguanosine Triphosphate Trisodium Salt, 97% (dGTP)**	2860.00 5460.00 19880.00 92530.00	10mg 25mg 100mg 500mg
16516 [890-38-0] ●	**2'-Deoxyinosine extrapure, 98%** for biochemistry	630.00 1470.00 5220.00	100mg 250mg 1g
61824 [9003-98-9] ♦	**Deoxyribonuclease I (DNase I) - Type 1A ex. Bovine Pancreas for molecular biology, 2000Kunitz U/mg Protein, 80% Protein**	2420.00 7700.00 25300.00	10 KU 50 KU 200 KU
15409 [9003-98-9] ♦	**Deoxyribonuclease I (DNase I) - Type 1B ex. Bovine Pancreas for molecular biology, 2000Kunitz U/mg Protein, 80% Protein**	3910.00 17600.00 31900.00	10mg 50mg 100mg
14658 [9003-98-9] ♦	**Deoxyribonuclease I - Type 2A (DNase I) ex. Bovine Pancreas for molecular biology, 180Kunitz U/mg, 85% Protein**	1100.00 5600.00 10560.00	5000units 50000units 100000units
52942 [9003-98-9] ♦	**Deoxyribonuclease I - Type 2B (DNase I) ex. Bovine Pancreas for molecular biology, 180Kunitz U/mg**	620.00 5880.00 22030.00	10mg 100mg 1g
74322 [100403-24-5] ♦	**Deoxyribonucleic Acid (DNA) degraded Free Acid ex. Fish Sperm**	1650.00 3260.00 6600.00 23100.00	5g 10g 25g 100g

code	product name	unit price ₹	packing
30295 [9007-49-2, 68938-01-2] ♦	**Deoxyribonucleic Acid Sodium Salt (DNA sodium salt) ex. Salmon Milt (SS-DNA, sm-DNA)**	1760.00 7650.00 30030.00	5g 25g 100g
68451 [73049-39-5] ♦	**Deoxyribonucleic Acid Sodium Salt (DNA sodium salt Highly Polymerized) ex. Calf Thymus extrapure (ct-DNA)** for biochemistry & molecular biology A highly polymerized product for critical applications.	2750.00 6000.00 14000.00	25mg 100mg 250mg
84384 [533-67-5] ●	**2-Deoxy-D-Ribose extrapure** for biochemistry	500.00 1990.00 7340.00	1g 5g 25g
42197 [18423-43-3] ●	**Deoxythymidine Triphosphate Trisodium Salt, 98% (dTTP)**	2860.00 5460.00 19880.00 92530.00	10mg 25mg 100mg 500mg
92627 [951-78-0] ●	**2'-Deoxyuridine extrapure, 98%** for biochemistry	2300.00 8350.00	250mg 1g
41602 [42155-08-8] ●	**2'-Deoxyuridine-5'-Monophosphate Disodium Salt extrapure, 98% (dUMP-Na_2)** for biochemistry	7210.00 32300.00 61480.00	100mg 500mg 1g
41143 [83-44-3] ●	**Deoxycholic Acid extrapure, 99%**	3600.00 12500.00	25g 100g
24417 [302-95-4] ●	**Deoxycholic Acid Sodium Salt (Sodium Deoxycholate) Bacto grade, 99%**	2200.00 7920.00 38720.00	25g 100g 500g
96876 [145224-92-6] ●	**Deoxycholic Acid Sodium Salt Monohydrate (Sodium Deoxycholate Monohydrate) Bacto grade, 99%**	2420.00 8140.00 40700.00	25g 100g 500g
43767 [87413-09-0] 🌡	**Dess-Martin Periodinane extrapure, 97%** (Triacetoxyperiodinane, 1,1,1-tris (acetyloxy)-1,1-dihydro-1,2-benziodoxol-3-(1H)-one)	280.00 650.00 2730.00 10320.00	1g 5g 25g 100g
47601 [9004-54-0] 🌡	**Dextran ex. Leuconostoc Sp. - Tech 10 (9-11)**	1540.00 5840.00 20280.00	5g 25g 100g
41570 [9004-54-0] 🌡	**Dextran ex. Leuconostoc Sp. - Tech 40 (35-45)**	7070.00 23790.00	5g 25g
35270 [9004-54-0] 🌡	**Dextran ex. Leuconostoc Sp. - Tech 110 (100-120)**	1540.00 5840.00 19670.00	5g 25g 100g
62753 [9004-54-0] 🌡	**Dextran ex. Leuconostoc Sp. - Tech 250 (225-275)**	16600.00	5g
19301 [9004-54-0] 🌡	**Dextran ex. Leuconostoc Sp. - Tech 500 (450-550)**	5410.00 7990.00 25200.00 66370.00	10g 25g 100g 500g



code	product name	unit price ₹	packing
28354 ♦ [87915-38-6]	**Dextran Blue 5 ex. Leuconostoc Sp.** Prepared from dextran with an Average M.W. of 5,000 Blue dextran is used in affinity chromatography, gel filtration chromatography, protein chromatography and molecular weight markers. Blue dextran has been used to study Alzheimer's disease.	21510.00	500mg
82575 [87915-38-6] ♦	**Dextran Blue 40 ex. Leuconostoc Sp.** Prepared from dextran with an Average M.W. of 40,000	21510.00	1g
57356 ♦ [87915-38-6]	**Dextran Blue 110 ex. Leuconostoc Sp.** Prepared from dextran with an Average M.W. of 1,10,000	21510.00	1g
14420 ♦ [87915-38-6]	**Dextran Blue 500 ex. Leuconostoc Sp.** Prepared from dextran with an Average M.W. of 5,00,000	21510.00	1g
67045 ♦ [87915-38-6]	**Dextran Blue 2000 ex. Leuconostoc Sp.** Prepared from dextran with an Average M.W. of 2,000,000	21510.00	1g
83826 ♦ [9015-73-0]	**DEAE-Dextran 500 ex. Leuconostoc Sp.**	9680.00 24890.00	1g 5g
33434 ♦ [9064-91-9, 9015-73-0]	**DEAE-Dextran Hydrochloride 500 ex. Leuconostoc Sp.** Free DEAE-Cl - max 20ppm	4020.00 11760.00 29500.00	5g 25g 100g
62250 [60842-46-8] 🌡	**FITC-Dextran 4000 ex. Leuconostoc Sp.** (Fluorescein isothiocyanate-dextran) Assay - (FITC:Glucose = 1:250), Average M.W. - 3-5 KDa	6600.00 14300.00	100mg 250mg
36454 [60842-46-8] 🌡	**FITC-Dextran 40000 ex. Leuconostoc Sp.** (Fluorescein isothiocyanate-dextran) Assay - (FITC:Glucose = 1:250), Average M.W. - 35-45 KDa	7150.00 16500.00	100mg 250mg
92901 [60842-46-8] 🌡	**FITC-Dextran 70000 ex. Leuconostoc Sp.** (Fluorescein isothiocyanate-dextran) Assay - (FITC:Glucose = 1:250), Average M.W. - 63-77 KDa	6600.00 14300.00	100mg 250mg
82221 [60842-46-8] 🌡	**FITC-Dextran 2000000 ex. Leuconostoc Sp.** (Fluorescein isothiocyanate-dextran) Assay - (FITC:Glucose = 1:250), Average M.W. - ~2000 KDa	6490.00 13200.00	100mg 250mg
65163 ●	**Dextran Phenyl 40 (30-50)** (Phenyl dextrans may be used in the preparation of hydrophobic gels and also hydrophobic coatings.) Prepared from dextran with an Average M.W. 40,000.	7310.00 23970.00	1g 5g
76203 [9011-18-1] 🌡	**Dextran Sulphate Sodium Salt 35-50 (DSS 35-50) ex. Leuconostoc Sp. for molecular biology**	4850.00 11270.00 42420.00	10g 25g 100g
99629 [9011-18-1] 🌡	**Dextran Sulphate Sodium Salt 500 (DSS 500) ex. Leuconostoc Sp. for molecular biology** (prepared from Dextran-MW 500,000)	4680.00 10940.00 39950.00 74970.00	10g 25g 100g 250g

code	product name	unit price ₹	packing
17379 [3749-36-8] 🌡	**DHP Linker extrapure, 98%** (3,4-Dihydro-2H-Pyran-2-Methanol) Assay — min.98%	12290.00 44310.00	5ml 25ml
34224 [582-52-5] ✔	**Diacetone-D-Glucose (DAG) extrapure, 98%** (1,2:5,6-Di-O-isopropylidene-α-D-glucofuranose, D-glucose diacetonide)	2620.00 7950.00 29810.00	25g 100g 500g
72352 [57-71-6]	**Diacetylmonoxime extrapure AR, 99%** (2,3-Butanedione monoxime) Reagent for Co, Cu, Ni, Pd, Re	490.00 1580.00 7710.00	25g 100g 500g
10006 [6342-17-2] ✔	**1,4-(Diacryloyl) Piperazine extrapure, 99%** (Piperazine diacrylamide) A unique polyacrylamide gel crosslinker	17390.00	5g
62736 [1482-98-0] ✔	**L-2,4-Diaminobutyric Acid Monohydrochloride extrapure, 98%** for biochemistry	2490.00 11800.00 45340.00	1g 5g 25g
94524 [91-95-2] 🌡	**3,3'-Diaminobenzidine (DAB) pure, 98%**	1650.00 6560.00 22820.00	5g 25g 100g
18897 🌡	**3,3'-Diaminobenzidine Buffer** (DAB buffer solution)	Discontinued	
17076 [868272-85-9] 🌡	**3,3'-Diaminobenzidine Tetrahydrochloride Hydrate (DAB.4HCl.xH$_2$O) extrapure AR, 98%** (3,3`,4,4`-Tetraaminobiphenyl Tetrahydrochloride Hydrate) Reagent for colorimetric analysis of Se & for in situ peroxidase assay.	1310.00 6340.00 28570.00	1g 5g 25g
98465 🌡	**3,3'-Diaminobenzidine Tetrahydrochloride (DAB.4HCl) Buffer Substrate Solution for Peroxidase** (DAB tetrahydrochloride buffer solution)	7460.00	100ml
17758 [535-87-5]	**3,5-Diaminobenzoic Acid extrapure, 98%**	920.00 4170.00	100g 500g
20723 [618-56-4]	**3,5-Diaminobenzoic Acid Dihydrochloride extrapure, 98%**	5510.00	25g
16368 [125572-95-4]	**trans-1,2-Diaminocyclohexane-N,N,N',N' Tetraacetic Acid Monohydrate extrapure AR (CDTA), 99%**	1410.00 3190.00 11750.00	10g 25g 100g
85122 [137-09-7]	**2,4-Diaminophenol Dihydrochloride (Amidol), 98%** A biochemical for proteomics research.	3850.00 9320.00	5g 25g
34124 [1904-98-9] ✔	**2,6-Diaminopurine extrapure, 98%**	3730.00 7460.00 24850.00	10g 25g 100g
13261 [20325-40-0] 🌡	**o-Dianisidine Dihydrochloride extrapure, 98%** (3,3-Dimethoxybenzidine dihydrochloride)	3000.00 13700.00	5g 25g
94912 [82-22-4] ✔	**1,1'-Dianthrimide extrapure AR, 98%** (1,1'-Iminodianthraquinone) (Di(1-anthraquinoyl)amine) (for determination of Boron)	3080.00 13200.00	1g 5g
90405 [9001-18-7] ♦	**Diaphorase ex. Clostridium Sp., 30U/mg**	5340.00	500units

code	product name	unit price ₹	packing
38201 [120-46-7] ✔	**Dibenzoylmethane extrapure, 98%** Reagent for determination of B and U	1950.00 6110.00 15020.00	25g 100g 500g
23144 [103-49-1]	**Dibenzylamine pure, 98%**	860.00 4040.00	100ml 500ml
96661 [103-50-4]	**Dibenzyl Ether pure, 97%** (Benzyl ether)	910.00 3290.00	500ml 2500ml
88749 [106-37-6] ✔	**1,4-Dibromobenzene pure, 98%**	2420.00	500g
43589 [110-52-1]	**1,4-Dibromobutane pure, 98%**	2100.00	250ml
74600 [77-48-5] ✔ **new**	**1,3-Dibromo-5,5-Dimethylhydantoin (DBDMH) extrapure, 98%**	1100.00	500g
33384 [106-93-4]	**1,2-Dibromoethane pure, 98%** (Ethylene dibromide)	1430.00 4740.00	250ml 1000ml
31575 [626-41-5]	**3,5-Dibromophenol pure, 98%**	3080.00 13950.00	1g 5g
34890 [109-64-8]	**1,3-Dibromopropane pure, 99%** (Trimethylene dibromide)	1130.00 4600.00	100ml 500ml
96763 [24424-99-5] 🌡	**Di-tert-Butyldicarbonate (BOC Anhydride, DiBoc) extrapure, 98%** for biochemistry Reagent for the introduction of the BOC protecting group for peptide synthesis.	350.00 1250.00 5700.00 55000.00	25g 100g 500g 5kg
69246 [16980-89-5] 🌡	**N6,2'-O-Dibutyryl-Adenosine-3',5'-Cyclic-Monophosphate Sodium Salt, 97%** for biochemistry	5600.00 13670.00	25mg 100mg
26414 [1918-00-9] 🌡	**DICAMBA extrapure, 95%** for biochemistry and cell culture 3,6-Dichloro-2-methoxybenzoic acid is an organochlorine compound with plant growth auxin characteristics.	5600.00 18640.00	250mg 1g
62578 [74124-79-1] 🌡	**Di-(N-Succinimidyl) Carbonate extrapure, 95%** for biochemistry	950.00 3540.00 11360.00	25g 100g 500g
29154 [2234-16-4]	**2,4-Dichloro-Acetophenone pure, 96%**	960.00 3680.00	100g 500g
94453 [541-73-1]	**m-Dichlorobenzene extrapure, 99%** (1,3-Dichlorobenzene)	530.00 1780.00	250ml 1000ml
91427 [50-45-3]	**2,3-Dichlorobenzoic Acid pure, 98%**	2140.00 6530.00	25g 100g
62122 [50-84-0]	**2,4-Dichlorobenzoic Acid extrapure, 98%**	350.00 1160.00	100g 500g
66481 [51-44-5]	**3,4-Dichlorobenzoic Acid pure, 98%**	2300.00 10190.00	100g 500g
86428 [84-58-2] ✔	**2,3-Dichloro-5,6-Dicyano-1,4-Benzoquinone pure, 98% (DDQ)** reagent grade	1410.00 5030.00 24530.00	25g 100g 500g

code	product name	unit price ₹	packing
85048 [4091-99-0] ♦	**2,7-Dichlorofluorescein Diacetate (DCFH) extrapure, 97%** (Dicinnamyl, 1,6-diphenylhexatriene)	4390.00 17200.00	25mg 100mg
52979 [4885-02-3] ✔	**Dichloromethyl Methyl Ether pure, 97%**	4160.00 15180.00	25ml 100ml
88912 [89-61-2]	**2,5-Dichloronitrobenzene pure, 99%**	370.00 700.00	100g 250g
52039 [120-83-2] ✔	**2,4-Dichlorophenol practical grade, 95%**	1070.00	250g
87188 [87-65-0]	**2,6-Dichlorophenol extrapure, 99%**	310.00 690.00 2350.00	10g 25g 100g
42180 [68716-47-2]	**2,4-Dichlorophenylboronic Acid extrapure, 98%**	1070.00 2970.00 10380.00	1g 5g 25g
93611 [151169-75-4]	**3,4-Dichlorophenylboronic Acid extrapure, 97%**	1000.00 2500.00 8900.00	1g 5g 25g
33017 [101-38-2] 🌡	**2,6-Dichloroquinone-4-Chlorimide (Gibb's Reagent) extrapure AR, 99%** (N,2,6-Trichloro-p-benzoquinoneimide) Gibb's reagent was used in paper chromatography, in an experiment conducted to semi-quantitatively estimate tyramine and octopamine. It generally finds application in being used as spot test and as a chromatographic spray reagent, mainly for phenols, antioxidants, few primary and secondary amines, on silica gel chromatographic plates.	1610.00 6530.00 21350.00	5g 25g 100g
38762 [2831-66-5] ✔	**2,4-Dichloro-1,3,5-Triazine pure, 98%**	17650.00 58810.00	1g 5g
57262 [101-83-7]	**Dicyclohexylamine pure, 99%**	830.00 3800.00	500ml 2500ml
79596 [538-75-0] 🌡	**N,N'-Dicyclohexyl-Carbodiimide (DCC) pure, 99%** Carboxy group activating reagent for peptide synthesis.	260.00 650.00 2930.00	25g 100g 500g
	Dideoxynucleosides		
95525 [4097-22-7] ♦	**2',3'-Dideoxyadenosine (ddA) extrapure, 98%** for biochemistry	2940.00	5mg
47248 [7481-89-2] ♦	**2',3'-Dideoxycytidine (ddC) extrapure, 98%** for biochemistry	3150.00	25mg
73273 [69655-05-6] ♦	**2',3'-Dideoxyinosine (ddI, ddIno) extrapure, 98%** for biochemistry	3150.00 9980.00	5mg 25mg
22328 [3416-05-5] ♦	**2',3'-Dideoxythymidine (3-Deoxythymidine, ddT) extrapure, 98%** for biochemistry	6300.00	25mg
17412 [5983-09-5] ♦	**2',3'-Dideoxyuridine (ddU) extrapure, 98%** for biochemistry	8400.00 25200.00	5mg 25mg
16312 [165534-43-0]	**DEPBT (3-(Diethoxyphosphoryloxy)-1,2,3-benzotriazin-4(3H)-one) extrapure, 98%**	3680.00 10240.00	5g 25g



code	product name	unit price ₹	packing
86283 [120-21-8] ✔	**p-Diethylaminobenzaldhyde pure, 99%**	2610.00	100g
19885 [869-24-9] 🌡	**2-Diethylaminoethyl Chloride Hydrochloride extrapure, 99%** (2-Chlorotriethylamine hydrochloride)	370.00 1250.00	25g 100g
33684 [10369-83-2] 🌡	**Diethyl Aminoethyl Hexanoate (DA-6) technical grade, 98%** Plant growth regulator	2200.00 7710.00	5g 25g
64699 [67-43-6] 🌡	**Diethylene Triaminepentaacetic Acid (DTPA) extrapure AR, 99%** (Pentetic acid) An excellent chelating agent	490.00 1910.00	100g 500g
81346 [140-01-2] ✔	**Diethylenetriaminepentaacetic Acid Pentasodium Salt (DTPA) extrapure, 40% (Liquid)**	710.00 1370.00	500ml 1000ml
17598 [111-40-0]	**Diethylenetriamine pure, 98%**	1400.00 6700.00	500ml 2500ml
46791 [1609-47-8] 🌡	**Diethyl Pyrocarbonate (DEPC) for molecular biology, 98%**	1480.00 2510.00 8880.00 42870.00	5ml 25ml 100ml 500ml
84254 [91-67-8]	**N,N-Diethyl-m-Toluidine pure, 98%**	1010.00 3150.00	100ml 500ml
99823 [367-25-9]	**2,4-Difluoroaniline extrapure, 99%**	1340.00 4790.00	25g 100g
29553 [372-18-9]	**1,3-Difluorobenzene (MDFB) extrapure, 99%** (m-Diflourobenzene)	1000.00 2110.00 9930.00	25ml 100ml 500ml
72081 [1583-58-0]	**2,4-Difluorobenzoic Acid pure, 98%**	2260.00 7710.00	5g 25g
10670 [446-35-5]	**2,4-Difluoronitrobenzene extrapure, 99%** (2,4-Difluoro-1-nitrobenzene)	1990.00 4730.00 21740.00	25g 100g 500g
90309 [144025-03-6]	**2,4-Difluorophenylboronic Acid extrapure, 95%**	5460.00 9490.00	5g 10g
53755 [11024-24-1] ✔	**Digitonin (Digitin) extrapure, 50%** for biochemistry	3180.00 27220.00	100mg 1g
48712 [20830-75-5] ✔	**Digoxin extrapure, 95%** (12b-Hydroxydigitoxin)	1730.00 4030.00 7830.00	50mg 250mg 1g
91374 [28230-32-2] 🌡	**3,4-Dihydro-3-Hydroxy-4-OXO-1,2,3-Benzotriazine (DHOBT) (DHBT) extrapure, 98%** Racemization supressing agent in peptide coupling reactions.	1890.00 6510.00	5g 25g
86580 [110-87-2] ✔	**3,4-Dihydro-2H-pyran (3,4-DHP) pure, 98%** (2,3-Dihydropyran)	710.00 1640.00 6080.00	25ml 100ml 500ml
65437 [89-84-9]	**2,4-Dihydroxyacetophenone extrapure, 99%** (Resacetophenone)	700.00 2220.00	25g 100g
41384 [490-78-8]	**2,5-Dihydroxyacetophenone extrapure, 99%** (2-Acetylhydroquinone, quinacetophenone)	1570.00 7010.00 25050.00	5g 25g 100g

code	product name	unit price ₹	packing
58494 [699-83-2]	**2,6-Dihydroxyacetophnone extrapure, 99%** (2-Acetylresorcin)	1420.00 2560.00 5610.00 19570.00	5g 10g 25g 100g
15395 [89-86-1]	**2,4-Dihydroxybenzoic Acid pure, 98%** (β-Resocylic acid)	950.00 1870.00 7170.00	25g 100g 500g
41110 [83-56-7] 🌡	**1,5-Dihydroxynaphthalene pure, 98%**	2520.00 9700.00	100g 500g
65796 [575-38-2] 🌡	**1,7-Dihydroxynaphthalene pure, 97%** (1,7-Naphthalenediol)	5940.00 21350.00	5g 25g
33580 [582-17-2] 🌡	**2,7-Dihydroxynaphthalene pure, 98%**	1300.00 2600.00 5740.00	5g 25g 100g
63370 [116313-85-0] 🌡	**3,4-Dihydroxy-5-Nitro Benzalehyde pure, 98%**	3730.00 9320.00	25g 100g
33878 [608-25-3] 🌡	**2-Methylresorcinol pure, 98%** (2-Methyl resorcinol) (2,6-Dihydroxytoluene)	1300.00 3880.00 9520.00	25g 100g 250g
16517 [14894-18-9] 🌡	**DL-Dihydrozeatin (DHZ) pure, 98%** (6-(4-Hydroxy-3-methylbutylamino)purine)	6530.00 10790.00	10mg 25mg
19022 [83-73-8] **new**	**5,7-Diiodo-8-Quinolinol (Diiodohydroxyquinoline, Iodoquinol) ExiPlus, 96.5%** (5,7-Diiodo-8-hydroxyquinoline) meets compendial specs of USP	2200.00 5800.00 22000.00	25g 100g 500g
43913 [693-13-0] 🌡	**N,N'-Diisopropyl Carbodiimide (DIPC) extrapure, 99%** Alternative to Dicyclohexylcarbodiimide (DCC) in peptide synthesis as a coupling agent.	1070.00 3920.00 18030.00	25g 100g 500g
95423 🌡	**1,2,3,4-Di-O-Isopropylidene L-Arabinopyranoside extrapure** for biochemistry	6910.00	10g
94784 [4064-06-6] 🌡	**1,2,3,4-Di-O-Isopropylidene α-D-Galactopyranoside extrapure, 98%** for biochemistry	6910.00	10g
10232 [304-55-2] ♦	**2,3-Dimercaptosuccinic Acid (DMSA, Succimer) extrapure, 98%** (meso-2,3-Dimercaptosuccinic acid)	1740.00 5740.00	1g 5g
98526 [1072-71-5]	**2,5-Dimercapto-1,3,4-Thiadiazole (Bismuthiol, DMTD) pure, 98%** (1,3,4-Thiadiazole-2,5-dithiol)	1440.00 8400.00	25g 500g
76620 [1201-38-3]	**2,5-Dimethoxyacetophenone pure, 99%**	7990.00 31110.00	100g 500g
40824 [93-02-7] ✔	**2,5-Dimethoxybenzaldehyde (2,5-DMB) pure, 98%**	1370.00 5250.00	25g 100g
24116 [613-45-6]	**2,4-Dimethoxybenzaldehyde extrapure AR, 98%**	2370.00 4470.00	25g 100g
66053 [77-76-9]	**2,2-Dimethoxypropane pure, 99%**	500.00 820.00 1490.00	250ml 500ml 1000ml

code	product name	unit price ₹	packing
84774 [58-15-1] 🌡	**4-Dimethylaminoantipyrine (Aminopyrine) extrapure, 99%** (4-Dimethylamino-2,3-dimethyl-1-phenyl-3-pyrazolin-5-one)	1680.00 6300.00	25g 100g
42442 [536-17-4] 🌡	**5-(4-Dimethylaminobenzylidene) Rhodanine pure, 98%** (P-Dimethylaminobenzylidene rhodanine)	1950.00	5g
Reagent for the detection of Silver, Gold, Copper, Mercury, Palladium, Platinum, alkaloids, antipyrin, indican, sulfonamide, urobilinogen			
58451 [6203-18-5] 🌡	**p-Dimethylamino-Cinnamaldhyde extrapure, 98%** Reagent for determination of aromatic amines.	2710.00 11550.00	5g 25g
58048 [108-01-0]	**2-Dimethylaminoethanol extrapure, 98%** (N,N-Dimethylethanolamine)	580.00 2610.00	500ml 2500ml
18814 [4584-46-7]	**2-Dimethylaminoethyl Chloride Hydrochloride pure, 98%** (2-Chloro-N, N-dimethyl-ethylamine hydrochloride)	420.00 1580.00 2940.00	100g 500g 1kg
49235 [25952-53-8] ●	**1-(3-Dimethylaminopropyl)-3-Ethyl Carbodiimide Hydrochloride (EDC.HCl, EDAC.HCl) extrapure, 99%** (N-Ethyl-N'-(3-dimethylaminopropyl) ethylcarbodimide hydrochloride)	980.00 3300.00 12980.00	25g 100g 500g
A water soluble popular peptide coupling agent.			
93088 [1122-58-3] ✔	**4-Dimethylaminopyridine (DMAP) extrapure, 98%** A highly effective catalyst for various acylation reactions	540.00 1410.00 4440.00	25g 100g 500g
50593 [95-68-1]	**2,4-Dimethylaniline pure, 98%** (2,4-Xylidine)	630.00 3780.00	250ml 2500ml
33029 [87-62-7]	**2,6-Dimethylaniline pure, 99%** (2,6-Xylidine)	740.00 2630.00	250ml 1000ml
86330 [616-38-6]	**Dimethyl Carbonate pure, 99%**	520.00 2520.00	500ml 2500ml
21800 [75-78-5]	**Dimethyl Dichlorosilane (DMDCS) pure, 98%** (Dichlorodimethylsilane) for GC Derivatization	1590.00 2590.00	500ml 1000ml
10192 [1643-20-5] ✔	**N,N-Dimethyldodecylamine N-Oxide Solution pure, 30%** (Lauryldimethylamine N-oxide, LDAO, DDAO)	3060.00 5760.00	100ml 500ml
58764 [1643-20-5] ✔	**N,N-Dimethyldodecylamine N-Oxide extrapure, 95%** (Lauryldimethylamine N-oxide, LDAO, DDAO)	9170.00 38170.00	5g 25g
DDAO is a non-denaturing zwitterionic surfactant with a critical micelle concentration (CMC) or approximately 1 mM. It is used to solubilize proteins and to study the conformation and molecular interactions of macromolecules. This grade is highly suitable for Pharmaceutical applications, especially in Dissolution Testing for Quality Control.			
70976 [2491-06-7] ✔	**N,N-Dimethyl Glycine Hydrochloride pure, 98%**	2110.00 8180.00	10g 50g
14157 [77-71-4] **new**	**5,5-Dimethylhydantoin (DMH) extrapure, 99%** (4,4-Dimethyl-2,5-dioxoimidazolidine, Fennosurf 300)	840.00 2730.00	100g 500g

code	product name	unit price ₹	packing
83177 [108-59-8]	**Dimethyl Malonate pure, 98%**	540.00 930.00	250ml 500ml
22247 [13138-48-2] ✔	**3,3-Dimethylnaphthidine extrapure AR, 98%** (4,4'-Diamino-3,3'dimethyl-1, 1'-binaphthyl) (for Colorimetric Determination of Bromate in Water)	3680.00 10080.00	200mg 1g
35047 [13290-96-5] ✔	**Dimethyl 5-Nitroisophthalate pure, 99%**	1360.00 2720.00	25g 100g
20923 [1123-49-5] ✔	**3,5-Dimethyl-4-Nitroisoxazole extrapure, 98%**	2760.00 8820.00	5g 25g
98950 [95-87-4] ✔	**2,5-Dimethyl Phenol pure, 98%** (2,5-Xylenol)	1990.00	100g
93287 [99-98-9] ✔	**N,N-Dimethyl-p-Phenylenediamine (DMPPDA) pure, 98%** (4-(Dimethylamino)aniline, 4-amino-N,N-dimethylaniline, N,N-dimethyl-1,4-phenylenediamine, DMPD)	2500.00 4990.00 16370.00	5g 25g 100g
90574 [536-46-9] ✔	**N,N-Dimethyl-p-Phenylenediamine Dihydrochloride (DMPPDA.2HCl) pure, 98%** (4-(Dimethylamino)aniline dihydrohchloride, 4-Amino-N,N-dimethylaniline dihydrochloride, N,N-Dimethyl-1,4-phenylenediamine dihydrochloride, DMPD.2HCl)	3800.00 16600.00	10g 50g
67318 [120-61-6] ✔	**Dimethyl Terephthalate pure, 99%**	680.00	500g
91273 [518-67-2] ✔	**Dimidium Bromide extrapure, 98%** (3,8-Diamino-5-methyl-6-phenylphenanthridinium bromide, trypadine) Fluorescent probe for nucleic acids	380.00 1790.00 2930.00	100mg 500mg 1g
84846 [97-02-9] ✔	**2,4-Dinitroaniline pure, 98%**	1130.00 4730.00	100g 500g
58586 [99-34-3]	**3,5-Dinitrobenzoic Acid extrapure, 98%**	560.00 2210.00	100g 500g
66764 [99-34-3]	**3,5-Dinitrobenzoic Acid extrapure AR, 99%**	720.00 3000.00	100g 500g
87464 [99-34-3]	**3,5-Dinitrobenzoic Acid extrapure AR, ExiPlus, Multi-Compendial, 99%** meets compendial specs of BP, Ph.Eur	840.00 3250.00	100g 500g
56569 [14323-43-4]	**Dinitrodiaminepalladium (II) extrapure, 45-50% Pd**	6000.00 20400.00	250mg 1g
88639 [119-26-6]	**2,4-Dinitrophenylhydrazine extrapure AR, 99%** (Contains ~ 30% Water)	230.00 740.00 3570.00	25g 100g 500g
85387 [119-26-6]	**2,4-Dinitrophenylhydrazine extrapure AR, ExiPlus, Multi-Compendial, 99%** meets compendial specs of BP, Ph.Eur (Contains ~ 30% Water)	280.00 940.00	25g 100g



code	product name	unit price ₹	packing
75477	**2,4-Dinitrophenylhydrazine (2,4-DNP) Reagent Solution**	260.00	100ml
10253 [609-99-4]	**3,5-Dinitrosalicylic Acid pure , 98%**	720.00 2620.00	25g 100g
38707 [609-99-4]	**3,5-Dinitrosalicylic Acid extrapure AR, 99%**	1380.00 5010.00	25g 100g
13313 [609-99-4]	**3,5-Dinitrosalicylic Acid Reagent Solution**	670.00	100ml
37187 [102-04-5] ●	**1,3-Diphenylacetone extrapure, 98%**	2310.00 6300.00 26250.00	25g 100g 500g
54164 [86-29-3] ✔	**Diphenylacetonitrile pure, 98%**	880.00	100g
57719 [91-01-0] ✔	**Diphenylcarbinol pure, 99%** (Benzhydrol)	430.00 1630.00	100g 500g
23957 [101-84-8]	**Diphenyl Ether pure, 98%** (Dphenyl oxide)	730.00 1410.00	500ml 1000ml
66525 [1720-32-7] 🌡	**1,6-Diphenyl-1,3,5-Hexatriene (DPH) pure, 98%** (Dicinnamyl, 1,6-diphenylhexatriene)	5700.00 15420.00	1g 5g
34747 [57-41-0] ✔	**5,5-Diphenylhydantoin pure, 98%**	540.00	100g
78190 [530-47-2] ✔	**Diphenylhydrazine Hydrochoride, 97%**	1650.00 4800.00	5g 25g
41855 [101-81-5] 🌡	**Diphenylmethane pure, 98%**	730.00 2270.00	100g 500g
29128 [1898-66-4] 🌡	**2,2-Diphenyl-1-Picrylhydrazyl (DPPH) extrapure, 95%**	5110.00 8620.00 34250.00	250mg 1g 5g
DPPH has two major applications, both in laboratory research: one is a monitor of chemical reactions involving radicals, most notably in common antioxidant assays and another is as a standard of the position and intensity of electron paramagnetic resonance signals. DPPH is a well-known radical and a trap ("scavenger") for other radicals.			
52196 [102-08-9] 🌡	**Diphenyl Thiourea pure, 98%**	820.00 2460.00	100g 500g
	Dipotassium Hydrogen Orthophosphate - see Potssium phosphate diabasic		
12781 [68399-80-4]	**DIPSO Buffer extrapure, 99%** for biochemistry (2,2-bis(2-Hydroxyethyl) -3-amino-2-hydroxypropane sulphonic acid)	5990.00 20000.00	25g 100g
16722 [102783-62-0]	**DIPSO Buffer Sodium Salt extrapure, 98%** for biochemistry (2,2-bis(2-Hydroxyethyl) -3-amino-2-hydroxypropane sulphonic acid sodium salt)	7010.00	10g
93634 [119-91-5] ✔	**2,2-Biquinoline (2,2-Diquinolyl, Cuproine) extrapure AR, 99%** Reagent for determination of Cu	1020.00 4630.00	1g 5g

code	product name	unit price ₹	packing
32363 [69-78-3] ●	**5,5'-Dithiobis(2-Nitro Benzoic Acid) extrapure, 98% (Ellman's Reagent, DTNB)**	1220.00 3600.00 6840.00 15530.00	1g 5g 10g 25g
A sensitive reagent for measuring the free sulfhydryl content in proteins, peptides, and tissues. It is commonly used to measure low-molecular mass thiols (such as gluthione) in solutions and biological samples.			
27956 [6892-68-8] ●	**Dithioerythritol (DTE) extrapure, 99%** (Cleland's "other" Reagent) for biochemistry	950.00 4590.00 22050.00	1g 5g 25g
Reagent for cleavage of disulphide bonds in proteins.			
53384 [6892-68-8] ●	**Dithioerythritol (DTE) for molecular biology, 99%** (Cleland's "other" Reagent)	1270.00 6200.00	1g 5g
Reagent for cleavage of disulphide bonds in proteins.			
48086 [79-40-3] ●	**Dithiooxamide extrapure AR, 99%** (Rubeanic acid)	1190.00 4280.00 16600.00	1g 5g 25g
Reagent for spectrophotometric determination of Cu, Os, Bi, Co, Cu, Fe, Ni, Os, Pt, Ru			
84834 [3483-12-3] ●	**DL-Dithiothreitol (DTT) extrapure, 98%** (Cleland's reagent)	580.00 2050.00 9660.00 37500.00	1g 5g 25g 100g
For a reducing agent superior to DTT see Tris(2-carboxyethyl) phosphine hydrochloride(TCEP)			
46220 [3483-12-3] ●	**DL-Dithiothreitol (DTT) ExiPlus, Multi-Compendial, 98%** (Cleland's reagent) meets compendial specs of BP	2260.00	5g
Suitable for pharmaceutical production applications in bulk processing. For a reducing agent superior to DTT see Tris(2-carboxyethyl) phosphine hydrochloride(TCEP)			
17315 [3483-12-3] ●	**DL-Dithiothreitol (DTT) for molecular biology, 98%** (Cleland's reagent)	690.00 2420.00 11340.00 43000.00	1g 5g 25g 100g
Suitable for research assay studies and pharmaceutical Quality Control applications for critical applications. For a reducing agent superior to DTT see Tris(2-carboxyethyl) phosphine hydrochloride(TCEP)			
15248 🌡	**DL-Dithiothreitol 0.1M Solution (DTT 0.1M Solution)**	840.00 2630.00	10ml 100ml
16927 🌡	**DL-Dithiothreitol 1M Solution (DTT 1M Solution)**	1260.00 3680.00	10ml 50ml
97980 [60-10-6]	**Dithizone pure, 70%** (Diphenyl thiocarbazone)	920.00	5g
89257 [60-10-6]	**Dithizone extrapure AR, 85%** (Diphenyl thiocarbazone)	980.00 4430.00	5g 25g
46141 [60-10-6]	**Dithizone extrapure AR, ACS, ExiPlus, Multi-Compendial, 85%** (Diphenyl thiocarbazone) meets compendial specs of BP, Ph.Eur	1140.00 4700.00	5g 25g
37237 [77-77-0]	**Divinyl Sulfone (DVS) pure, 96%** (Vinyl sulfone)	2000.00 5780.00	5ml 25ml
80704 [112-16-3]	**Dodecanoyl Chloride pure, 99%** (Lauroyl Chloride)	2260.00 8310.00	100g 500g
93089 [124-22-1] ✔	**Dodecylamine (Laurylamine) pure, 98%**	550.00 1740.00	100g 500g

code	product name	unit price ₹	packing
85985 [219947-93-0]	**1-Dodecyl-3-Methylimidazolium Hexafluorophosphate (DMIM.PF6, C12MIMPF6) extrapure, 98%** (1-Lauryl-3-methylimidazolium hexafluorophosphate)	4440.00 16940.00	5g 25g
85755 [69227-93-6] 🌡	**n-Dodecyl-β-D-Maltopyranoside (DDM) extrapure, 99%** (Dodecyl-maltoside)	4730.00 9240.00 44100.00	500mg 1g 5g
Non-ionic detergent suited for solubilization of membrane proteins. Also a substrate for glucosyl and xylosyl transfer by glycogenin.			
24940 [1119-94-4]	**Dodecyltrimethylammonium Bromide (DOTAB) pure, 99%** (Lauryl trimethylammonium bromide)	740.00 1480.00	25g 100g
42020 [112-00-5]	**Dodecyltrimethylammonium Chloride (DOTAC) pure, 98%** (Lauryl trimethylammonium chloride)	1630.00 6720.00	100g 500g
77201 [59-92-7]	**L-Dopa extrapure, 99%** for biochemistry (L-Hydroxy phenylalanine)	930.00 4210.00	5g 25g
87943 [63-84-3]	**DL-Dopa extrapure, 99%** for biochemstry (DL-Dihydroxy phenylalanine)	330.00 780.00 3510.00 8880.00	1g 5g 25g 100g
45462 [62-31-7] 🌡	**Dopamine Hydrochloride (Dopamine HCl) extrapure, 98%**	320.00 1050.00 3680.00	1g 5g 25g
65094 [24390-14-5] ●	**Doxycycline Hyclate (DXH)** for biochemistry & microbiology	2260.00 4390.00 6530.00	1g 5g 10g
Potency — 800-920U/mg, Solubility (readily): water			
78985 [7688-25-7] ✔	**DPPB extrapure, 98%** (1,4-Bis(diphenylphosphino)butane, 1,4-butanediylbis(diphenylphosphine), tetramethylenebis(diphenylphosphine))	1780.00 7120.00	5g 25g
Generally used in the following chemical reactions namely Alkylations, Heck Reaction, Isomerizations, Negishi Coupling, Sonogashira Coupling, Stille Coupling, Suzuki-Miyaura Coupling			
48237 [1663-45-2] ✔	**DPPE extrapure, 98%** (1,2-Bis(diphenylphosphino)ethane) (diphos, ethylenebis(diphenylphosphine))	960.00 4750.00	5g 25g
Generally used in the following chemical reactions namely metal-catalyzed allylic alkylation; decarboxylation of allylic esters, 1,3-diene synthesis, cycloaddition reactions, carbonylation reactions.			
23660 [12150-46-8] ✔	**DPPF extrapure, 98%** (1,1'-Bis(diphenylphosphino)ferrocene, 1,1'-ferrocenediyl-bis(diphenylphosphine))	960.00 3600.00 12270.00	1g 5g 25g
Generally used in the following chemical reactions namely Buchwald-Hartwig Cross Coupling Reaction, Carbonylations, Ene Reaction, Heck Reaction, Negishi Coupling, Sonogashira Coupling, Stille Coupling, Suzuki-Miyaura Coupling, Tsuji-Trost Reaction.			
34103 [6737-42-4] ✔	**DPPP extrapure, 98%** (1,3-Bis(diphenylphosphino)propane)	720.00 2140.00 9490.00	1g 5g 25g
Generally used in the following chemical reactions namely C-C Bond Formation, Carbonylations, Negishi Coupling, Sonogashira Coupling, Suzuki-Miyaura Coupling.			

code	product name	unit price ₹	packing
75470 [608-66-2] 🌡	**Dulcitol (D-Galactitol) extrapure, 99%** for biochemistry	1460.00 4990.00	25g 100g
62813 [16357-59-8] 🌡	**EEDQ extrapure, 99%** (N-Ethoxycarbonyl-2-ethoxy-1 2-di- hydroxyquinoline) Reagent for peptide synthesis	1430.00 2850.00 10680.00	10g 25g 100g
17398	**Ehrlich's Aldehyde Reagent**	160.00	100ml
99640	**Ehrlich's Amino Sugar Reagent**	180.00	100ml
81802 [112-79-8] ♦	**Elaidic Acid Reference Standard, 99%(GC)** (trans-9-Octadecenoic acid, trans-Oleic acid)	7030.00 21630.00	1g 5g
11814 [39445-21-1] ♦	**Elastase (ELA, PPE) ex. Porcine Pancreas, 10U/mg Protein**	7950.00	10mg
19764 [155569-91-8]	**Emamectin Benzoate extrapure, 90%**	2520.00 6300.00	100mg 1g
73363 [518-82-1] ●	**Emodin extrapure, 95%** for biochemistry	5850.00 13110.00	25mg 500mg
90310	**Emulgen B-66 (Eumulgin B66)** (Polyoxyethylene alkyl ether)	4090.00 15660.00	100ml 500ml
20790 [93106-60-6] ●	**Enrofloxacin (EFX), 98%** for biochemistry & microbiology	1950.00	5g
59508 [21087-74-1] ●	**Epiprogoitrin Potassium Salt Reference Standard Grade, 80%** ((S)-2-Hydroxy 3-butenylglucosinolate potassium salt)	26310.00	10mg
97857 [56390-09-1] ●	**Epirubicin Hydrochloride (EPR.HCl), 97%** for biochemistry & microbiology	5340.00 10680.00	10mg 25mg
49470 [16052-06-5]	**EPPS Buffer extrapure, 99.5%** (HEPPS, 4-(2-hydroxyethyl)-1-piperazinepropanesulfonic acid)	1860.00 5920.00 11720.00	10g 50g 100g
50062 [55750-63-5] ♦	**N-(Epsilon-Maleimidocaproyloxy) Succinimide extrapure, 98% (EMCS)**	5110.00 9340.00	10mg 50mg
41120 [10025-75-9]	**Erbium (III) Chloride Hexahydrate ultrapure, 99.99%**	3150.00 7880.00	5g 25g
54788 [13476-05-6]	**Erbium (III) Nitrate Hexahydrate extrapure, 99.9%**	3300.00 8250.00	5g 25g
29831 [12061-16-4]	**Erbium (III) Oxide ultrapure, 99.99%**	3150.00 7880.00	5g 25g
12485 [139177-64-3]	**Erbium (III) Trifluoromethanesulfonate extrapure, 98%** (Erbium triflate, Trifluoromethanesulfonic acid erbium salt)	3570.00 11550.00	5g 25g
56488 [149-32-6] ✔	**Erythritol extrapure, 99%** (Erythrite, meso-erythritol) for biochemistry	520.00 1520.00 4980.00	25g 100g 500g
48535 [114-07-8] 🌡	**Erythromycin for tissue culture** (Erythrite, meso-erythritol)	380.00 1640.00	1g 5g



code	product name	unit price ₹	packing
51114 [531-75-9] 🌡	**Esculin Sesquihydrate extrapure, 98% (Aesculin)** White crystalline powder	1290.00 5950.00	5g 25g
77688 [1070-11-7] 🌡	**Ethambutol Dihydrochloride (ETB.2HCl), 98%** for biochemistry & microbiology	750.00 1990.00	1g 5g
89737 [540-63-6]	**1,2 Ethanedithiol extrapure, 98.5%** (EDT, 1,2-Dimercaptoethane, dithioethyleneglycol, ethylene mercaptan) Used in peptide cleaving applications.	3780.00 13650.00 67200.00	25ml 100ml 500ml
16844 [31005-02-4] ✔	**7-Ethoxycoumarin extrapure, 98%**	1780.00 4750.00	25mg 100mg
96669 [105-39-5]	**Ethyl Chloroacetate pure, 98%**	460.00 2220.00	500ml 2500ml
95953 [535-13-7]	**Ethyl 2-Chloropropionate practical grade, 95%**	1260.00	100ml
92052 [105-56-6]	**Ethyl Cyanoacetate extrapure, 98%**	790.00 3680.00	500ml 2500ml
69674 [126213-50-1] **new** ✔	**3,4-Ethylenedioxythiophene (EDOT) pure, 98%** (Monomer used to synthesize conductive polymers and as a reductant) **(Flammable - Storage 10-15°C carefully in cool and dry place)**	2800.00 6000.00	5g 25g
62858 [67-42-5] 🌡	**Ethylene Glycol-O,-O'-bis, (2-Aminoethyl) N,N,N',N'-Tetraacetic Acid extrapure, 98% (EGTA)** for complexometry	2850.00 5580.00	10g 25g
78214 [149-57-5]	**2-Ethylhexanoic Acid extrapure, 99%**	210.00 790.00	250ml 1000ml
32021 [104-76-7]	**2-Ethyl-1-Hexanol pure, 99%**	490.00 840.00 1780.00	500ml 1000ml 2500ml
69647 [124-03-8]	**Ethylhexadecyldimethyl ammonium Bromide (EHDDMAB) extrapure, 98%** (Cetyldimethylethylammonium bromide, Dimethylethylhexadecylammonium bromide)	1420.00 4730.00 12600.00	25g 100g 500g
71407 [103-11-7]	**2-Ethylhexyl Acrylate extrapure, 99%** (Acrylic acid 2-ethylhexyl ester)	590.00 2570.00	500ml 2500ml
91018 [13224-99-2] ✔	**Ethylidene Glucose extrapure, 90%** (4,6-O-Ethylidene-D-glucopyranose)	4090.00 10520.00	1g 5g
10674 [75-03-6]	**Ethyl Iodide extrapure, 99%** (Iodoethane)	4680.00 10800.00	100ml 250ml
78503 [128-53-0] 🌡	**N-Ethylmaleimide extrapure, 99%** for biochemistry	2140.00 9660.00 37800.00	5g 25g 100g
For the modification of sulfhydryl groups. Research grade compound.			
81176 [128-53-0] 🌡	**N-Ethylmaleimide ExiPlus, Multi-Compendial, 99%** meets compendial specs of BP, Ph.Eur	2500.00 11000.00 43050.00	5g 25g 100g
For the modification of sulfhydryl groups in bulk production applications.			

code	product name	unit price ₹	packing
85108 [62-50-0] ✔	**Ethyl Methanesulphonate (EMS) extrapure, 99%** (Methanesulphonic acid ethyl ester) Plant mutagen and growth regulator	710.00 6010.00	10g 100g
27035 [62-50-0] 🌡	**Ethyl Methanesulphonate (EMS) for tissue culture, 99%**	2150.00	10g
15371 [65039-09-0] ✔	**1-Ethyl-3-Methylimidazolium Chloride (EMIM.Cl) extrapure, 98%** for catalysis and nanotechnology	3740.00 11830.00 46060.00	5g 25g 100g
10956 [342573-75-5] ✔	**1-Ethyl-3-Methylimidazolium Ethyl Sulfate (EMIM.EtOSO3) extrapure, 99%** for catalysis and nanotechnology	2120.00 6850.00	5g 25g
34543 [155371-19-0] ✔	**1-Ethyl-3-Methylimidazolium Hexafluorophosphate (EMIM.PF6) extrapure, 97%** for catalysis and nanotechnology	1870.00 8100.00 28510.00	5g 25g 100g
96150 [80432-05-9] ✔	**1-Ethyl-3-methylimidazolium Tetrachloroaluminate (EMIM.AlCl4) extrapure, 95%** for catalysis, energy applications and nanotechnology	3120.00 11090.00	5g 25g
60887 [143314-16-3] ✔	**1-Ethyl-3-Methylimidazolium Tetrafluoroborate (EMIM.BF_4) extrapure, 97%** for catalysis and nanotechnology	4740.00 6110.00 23040.00	5g 25g 100g
90329 [145022-44-2] ✔	**1-Ethyl-3-Methylimidazolium Trifluoromethanesulfonate (1-Ethyl-3-Methylimidazolium Triflate, EMIM.Otf) extrapure, 98%** for catalysis, electrochemistry, proteomics and nanotechnology	2990.00 8100.00 15570.00	1g 5g 25g
49544 [104-90-5]	**5-Ethyl-2-Methylpyridine pure, 97%**	860.00 1520.00	100ml 250ml
64770 [223436-99-5] ✔	**1-Ethyl-1-Methylpyrrolidinium Bis(trifluoromethyl-sulfonyl)imide (EMP.TFSI) extrapure, 99%** for catalysis and nanotechnology	4360.00 15570.00 61620.00	1g 5g 25g
70945 [111-62-6] 🌡	**Ethyl Oleate pure**	720.00	500ml
24489 [90002-36-1]	**2-Ethylphenylboronic Acid pure, 95%** (2-Ethylbenzeneboronic acid, o-Ethylphenylboronic acid)	2210.00 9450.00	1g 5g
42676 [5308-25-8] ✔	**N-Ethyl Piperazine pure, 99%**	1620.00 5610.00	250g 1kg
72424 [80-40-0]	**Ethyl p-Toluenesulfonate pure, 98%** (Ethyl tosylate, p-toluenesulfonic acid ethyl ester)	770.00 6470.00	25ml 500ml
59863 [89797-68-2]	**5-(Ethylthio)-1H-Tetrazole (ETT Activator) extrapure, 99%**	2110.00 4440.00	1g 5g

code	product name	unit price ₹	packing
65770 [1530-32-1]	**Ethyltriphenylphosphonium Bromide pure, 97%**	480.00 1200.00	25g 100g
57056 [121-32-4]	**Ethyl Vanillin extrapure, 98%**	1220.00 5850.00	100g 500g
24820 [109-92-2] 🌡	**Ethyl Vinyl Ether pure, 98%** (Ethxy ethylene) Contains ~0.1% Diethyl aniline as a stabilizer	710.00 1750.00	100ml 500ml
93050 [8000-48-4]	**Eucalyptus Oil extrapure, 60%**	2220.00	250ml
69553 [97-53-0] 🌡	**Eugenol extrapure, 99%** (2-Methoxy-4-(2-propenyl)phenol, 4-Allyl-2-methoxyphenol, 4-Allylguaiacol)	1370.00 5150.00	100ml 500ml
98345 [13759-92-7]	**Europium (III) Chloride Hexahydrate ultrapure, 99.99%**	2310.00 6200.00 17850.00	1g 5g 25g
97625 [10031-53-5]	**Europium (III) Nitrate Hexahydrate ultrapure, 99.99%**	6490.00 18700.00	5g 25g
44088 [1308-96-9]	**Europium (III) Oxide extrapure, 99.9%**	1470.00 5250.00	1g 5g
91883 [52093-25-1]	**Europium (III) Trifluoromethanesulfonate extrapure, 98%** (Europium triflate, Trifluoromethanesulfonic acid europium salt)	2000.00 5040.00	1g 5g
46650 [314-13-6]	**Evans Blue** (C.I. No. 23860)(Direct blue 53)	1690.00 4000.00	10g 25g
33138	**Exton's Reagent**	230.00	100ml
66977 [14263-94-6] 🌡	**Fast Blue B Salt (DBB)** (C.I. No. 37235) (o-Dianisidine bis(diazotized) zinc double salt, azoic diazo no. 48, diazo blue B, naphthanil diazo blue B)	870.00 3210.00	25g 100g
94315 [5486-84-0] 🌡	**Fast Blue BB Salt Hemi Zinc Chloride Salt, 99%** (C.I. No. 37175) (4-Amino-2,5-diethoxybenzanilide diazotated zinc double salt, 4-benzoylamino-2,5-diethoxybenzenediazonium chloride hemi(zinc chloride) salt) Dye Content — min.80%	2410.00 4010.00 6010.00	5g 10g 25g
62003 [14726-29-5] 🌡	**Fast Blue RR Salt** (C.I. No. 37155) (Azoic diazo no. 24, 4-benzoylamino-2,5-dimethoxybenzenediazonium chloride hemi(zinc chloride) salt) Dye Content — min.80%	4560.00 21610.00	1g 5g
60339 [2353-45-9]	**Fast Green FCF (Food Green 3)** (C.I. No. 42053)	400.00 1520.00	5g 25g
79950 [89453-69-0]	**Fast Red TR Salt Hemi Zinc Chloride Salt** (4-Chloro-2-methylbenzenediazonium salt, azoic diazo No.11) (C.I. No. 37085) Dye Content — 90%	2670.00 10680.00	100mg 500mg
14977 [102-54-5] ✔	**Ferrocene extrapure, 99%**	730.00 1410.00 4210.00	25g 100g 500g

code	product name	unit price ₹	packing
38082 [69898-45-9] ✔	**Ferrozine Monosodium extrapure, 97%** for biochemistry	2110.00 9350.00 44390.00	1g 5g 25g
Water soluble sensitive iron reagent, highly specific reagent for determination of submicrogram levels of serum iron. Typically suited for Diagnostic production applications and research.			
60096 [1135-24-6] 🌡	**Ferulic Acid pure, 98%** (4-Hydroxy-3-Methoxycinnamic Acid)	830.00 2410.00 8510.00	5g 25g 100g
45460 [26873-85-8] ●	**Ficoll 400® for molecular biology** (Polysucrose 400) DNase, RNase, Protease not detected	2080.00 9490.00 35570.00	5g 25g 100g
Used as a density gradient medium for the separation and isolation of eukaryotic cells, organelles and bacterial cells.			
87939 [146-14-5] ●	**Flavine Adenine Dinucleotie Sodium Salt (FAD) extrapure, 95%** for biochemistry	2140.00 6880.00 11860.00 21350.00	25mg 100mg 250mg 500mg
69510 [525-82-6]	**Flavone extrapure** (2-Phenylchromone)	750.00 2970.00 13050.00	1g 5g 25g
89465 [1343-88-0]	**Florisil 60-100 mesh for chromatography** (An activited magnesium silicate used as an adsorbate in chromatography)	3390.00 8060.00 30370.00	100g 250g 1kg
22239 [86386-73-4]	**Fluconazole (FLC), 98%** for biochemistry & microbiology	1470.00 3990.00	1g 5g
54083 [28920-43-6] ●	**9-Fluorenylmethyl Chloroformate extrapure, 99%** (FMOC-Cl, FMOC Chloride) Popular reagent for preparing FMOC amino acids.	650.00 2330.00 7610.00	5g 25g 100g
29175 [24324-17-2] ●	**9-Fluorenylmethanol (FMOC-OH) extrapure, 98%** (9-Fluorenemethanol, 9-(hydroxymethyl)fluorene)	3990.00 14510.00	25g 100g
Reagent for protection of carboxyl groups as their 9-fluorenylmethyl (FM) esters, which improve solubility of the molecule in organic solvents.			
46068 [38183-12-9] ●	**Fluorescamine extrapure AR, 99%**	1680.00 4310.00 9450.00 13920.00	25mg 100mg 500mg 1g
For fluorometric determination of primary amines and amino acids. This grade is suitable for Pharmaceutical Quality Control applications.			
85445 [38183-12-9] ●	**Fluorescamine extrapure AR, ExiPlus, Multi-Compendial, 99%** meets compendial specs of USP, BP, Ph.Eur	1890.00 4620.00 10770.00	25mg 100mg 500mg
For fluorometric determination of primary amines and amino acids. This grade is suitable for Pharmaceutical Quality Control applications.			
73698 [3326-32-7] ●	**Fluorescein Isothiocyanate Isomer I (FITC) extrapure, 98%** (Fluorescein 5-Isothiocyanate, "2-(6-Hydroxy-3-oxo-3H-xanthen-9-yl)-29400.00 5-Isothiocyanato-Benzoic acid) Suitable for protein labelling	2310.00 4310.00 9450.00	25mg 100mg 250mg 1g
50389 [2321-07-5]	**Fluorescein Free Acid (C.I. No. 45350:1), 96%** (Solvent Yellow 94) Suitable for fluorescence	270.00 900.00	25g 100g



code	product name	unit price ₹	packing
55091 [518-47-8]	**Fluorescein Sodium Salt (C.I. No. 4535)** (Uranine)	320.00 1020.00	25g 100g
92458 [403-42-9]	**4-Fluoroacetophenone pure, 98%**	1430.00 5420.00	25g 100g
57482 [348-54-9]	**2-Fluoroaniline pure, 98% (o-Fluoroaniline)**	1640.00 7070.00	100ml 500ml
61820 [372-19-0]	**3-Fluoroaniline pure, 98%**	3150.00 10290.00	25ml 100ml
62395 [371-40-4]	**4-Fluoroaniline pure, 98%** (p-Fluoroaniline)	1250.00 5450.00	100ml 500ml
55482 [321-28-8]	**2-Fluoroanisole pure, 98%**	3150.00 9980.00	25ml 100ml
45810 [456-49-5]	**3-Fluoroanisole pure, 98%**	2630.00 9450.00	25g 100g
51009 [459-60-9]	**4-Fluoroanisole extrapure, 99%**	1720.00 5380.00	25g 100g
90335 [459-57-4]	**4-Fluorobenzaldehyde pure, 98%**	1630.00 5630.00	100ml 500ml
88879 [462-06-6]	**Fluorobenzene pure, 99%**	440.00 1670.00 2850.00	100ml 500ml 1000ml
68427 [456-22-4]	**4-Fluorobenzoic Acid pure, 98%**	840.00 2310.00	25g 100g
94304 [1194-02-1]	**4-Fluorobenzonitrile pure, 98%**	2430.00 8450.00	25ml 100ml
13212 [140-75-0]	**4-Fluorobenzylamine extrapure, 99%**	840.00 2210.00	5g 25g
11821 [2341-22-2] 🌡	**5-Fluorocytidine (5-FCytd) extrapure, 99%** for biochemistry	4200.00	1g
24245 [2022-85-7] 🌡	**5-Fluorocytosine (5-FCtys) extrapure, 98%** for biochemistry	2100.00 6830.00	1g 5g
81015 [50-91-9] 🌡	**5-Fluoro-2'-Deoxyuridine extrapure, 98%** for biochemistry	1680.00 5260.00 32440.00	25mg 100mg 1g
67782 [70-34-8]	**1-Fluoro-2,4-Dinitrobenzene (FDNB) extrapure AR, 99%**	1650.00 5220.00 12470.00	25ml 100ml 250ml
Sanger's Reagent for modification and determination of amino acids, peptides and phenols.			
42199 [70-34-8] **new**	**1-Fluoro-2,4-Dinitrobenzene (FDNB) for HPLC, 99%** (Sanger reagent) Derivatization of amino acids, peptides & phenols	8000.00	5ml
68632 [179897-94-0]	**5-Fluoro-2-Methoxyphenyl Boronic Acid extrapure, 95%**	7330.00 12830.00	5g 10g
78447 [350-46-9]	**1-Fluoro-4-Nitrobenzene extrapure, 99%** (4-Fluoronitrobenzene)	1960.00 6920.00	100g 500g
78510 [703-95-7] ♦	**5-Fluoroorotic Acid (5-FOA) for molecular biology, 98%**	3970.00 13050.00	250mg 1g
50958 [207291-81-4] ♦	**5-Fluoroorotic Acid Hydrate (5-FOA Hydrate) for molecular biology, 98%**	4200.00 13610.00	250mg 1g
11933 [220141-70-8] ♦	**5-Fluoroorotic Acid Monohydrate (5-FOA Monohydrate) for molecular biology, 98%**	4090.00 13390.00	250mg 1g
66079 [367-12-4]	**2-Fluorophenol pure, 98%**	1730.00 8910.00	10ml 100ml
47982 [372-20-3]	**3-Fluorophenol pure, 98%**	3410.00 11550.00	10ml 50ml
41593 [371-41-5]	**4-Fluorophenol pure, 98%** (p-Fluorophenol)	3410.00 12980.00	100g 500g
10573 [405-50-5]	**4-Fluorophenylacetic Acid pure, 98%**	960.00 2820.00 8660.00	5g 25g 100g
86567 [2629-55-2] 🌡	**o-Fluoro-DL-Phenylalanine extrapure, 99%** for biochemistry	7420.00	1g
53933 [2629-54-1] 🌡	**m-Fluoro-DL-Phenylalanine extrapure, 98%** for biochemistry	4410.00	500mg
96044 [51-65-0] 🌡	**p-Fluoro-DL-Phenylalanine extrapure, 99%** for biochemistry	7420.00	1g
11280 [1993-03-9]	**2-Fluorophenylboronic Acid extrapure, 97%**	980.00 1990.00 8710.00	1g 5g 25g
54271 [768-35-4]	**3-Fluorophenylboronic Acid extrapure, 98%**	790.00 1720.00 7330.00	1g 5g 25g
68733 [1765-93-1]	**4-Fluorophenylboronic Acid extrapure, 98%**	740.00 1720.00 6110.00 21990.00	1g 5g 25g 100g
37042 [352-32-9]	**4-Fluorotoluene pure, 99%**	2850.00	100ml
15088 [51-21-8] 🌡	**5-Fluorouracil (5-FU) extrapure, 99%** for biochemistry	530.00 1680.00 5670.00	1g 5g 25g
28329 [316-46-1] 🌡	**5-Fluorouridine (5-FUrd) extrapure, 98%** for biochemistry	4200.00 9980.00	1g 5g
81073 [3006-96-0] ●	**HMBA Linker extrapure, 99%** (4-(Hydroxymethyl)benzoic acid)	3210.00 13050.00 29640.00	1g 5g 25g
84818 [68858-21-9] ●	**HMPA Linker extrapure, 98%** (4-(Hydroxymethyl)phenoxyacetic acid)	1900.00 4280.00	250mg 1g

code	product name	unit price ₹	packing
	FMOC-Amino Acids, Esters & Derivatives		
53061 ●	**FMOC-L-Amino Acids Kit (20 FMOC-L-Amino Acids, reference standard grade)**	27080.00	1 kit
All 20 FMOC-L-Amino acids, 5g each, in the kit, have assay min.99% and TLC test shows single spot. Amino acids contained are, FMOC-L-Alanine, FMOC-L-Arginine, FMOC-L-Aspagine, FMOC-L-Citrulline, FMOC-L-Glutamine, FMOC-L-Glutamic Acid, FMOC-L-Histidine, FMOC-L-Isoleucine, FMOC-L-Leucine, FMOC-L-Lysine, FMOC-L-Methionine, FMOC-L-Norleucine, FMOC-L-Norvaline, FMOC-L-Phenylalanine, FMOC-L-Proline, FMOC-L-Serine, FMOC-L- Threonine, FMOC-L-Tryptophan, FMOC-L-Tyrosine, FMOC-L-Valine		
97306 [86060-81-3] ●	**FMOC-S-Acetamido Methyl-L-Cysteine extrapure, 98%** for biochemistry (FMOC-L-Cys(Acm)-OH)	2810.00 11100.00	5g 25g
77535 [79990-15-1] ●	**FMOC-D-Alanine extrapure, 99%** for biochemistry	640.00 2470.00 10250.00	1g 5g 25g
33213 [35661-39-3] ●	**FMOC-L-Alanine extrapure, 99%** for biochemistry	520.00 2300.00 8450.00	5g 25g 100g
81433 [135112-27-5] ●	**FMOC-2-Aminobutyric Acid extrapure, 99%** for biochemistry	3650.00 16610.00	1g 5g
66725 ●	**FMOC-D-Arginine extrapure, 99%** for biochemistry	2180.00 9670.00 43500.00	1g 5g 25g
88459 [91000-69-0] ●	**FMOC-L-Arginine extrapure, 98%** for biochemistry	430.00 1470.00 6180.00 22200.00	1g 5g 25g 100g
23508 [108321-39-7] ●	**FMOC-D-Asparagine extrapure, 99%** for biochemistry	720.00 3000.00 12500.00	1g 5g 25g
66815 [71989-16-7] ●	**FMOC-L-Asparagine extrapure, 99%** for biochemistry	520.00 2300.00 8450.00	5g 25g 100g
49323 [132388-59-1] ●	**FMOC-N-Trityl-L-Asparagine (FMOC-Asn(Trt)-OH) extrapure, 99%**	3510.00 22200.00	5g 100g
30074 [119062-05-4] ●	**FMOC-L-Aspartic Acid extrapure, 99%** (IICB for peptide syntesis)	6850.00 12330.00	1g 5g
59022 [86060-84-6] ●	**FMOC-L-Aspartic Acid-4-Benzy Ester extrapure, 98%** for biochemistry (FMOC-L-Asp(OBzl)-OH)	11410.00 19950.00	10g 25g
24407 [53298-33-2] ●	**FMOC-S-Benzyl-L-Cysteine extrapure, 98%** for biochemistry (FMOC-L-Cys(Bzl)-OH)	12150.00 21260.00	10g 25g
52208 [83792-48-7] ●	**FMOC-O-Benzyl-L-Serine extrapure, 98%** for biochemistry (FMOC-L-Ser(Bzl)-OH)	27830.00 48690.00	10g 25g
31407 [71989-40-7] ●	**FMOC-O-Benzyl-L-Tyrosine extrapure, 98%** for biochemistry (FMOC-L-Tyr(Bzl)-OH)	11410.00 19970.00	10g 25g
22303 [200344-33-8] ●	**FMOC-D-Citrulline extrapure, 99%** for biochemistry	3060.00 4550.00	100mg 1g
61458 [133174-15-9] ●	**FMOC-L-Citrulline extrapure, 99%** for biochemistry (FMOC-CIT-OH)	1790.00 6300.00	1g 5g
65668 [135248-89-4] ●	**FMOC-L-Cysteine extrapure, 95%**	4490.00 14940.00	25mg 100mg
86254 [121343-82-6] ●	**FMOC-L-Glutamic Acid extrapure, 99%**	4990.00 9840.00	10g 25g
68902 [123639-61-2] ●	**FMOC-L-Glutamic Acid γ-Benzyl Ester extrapure, 98%** for biochemistry (FMOC-L-Glu(OBzl)-OH)	11540.00 20190.00	10g 25g
90673 [71989-18-9] ●	**FMOC-L-Glutamic Acid 5-Tert-Butyl Ester extrapure, 99%** (FMOC-L-Glu(OtBu)-OH)	4740.00 11830.00 22410.00	10g 25g 100g
21323 [104091-08-9] ●	**FMOC-D-Glutamic Acid 5-Tert-Butyl Ester extrapure, 99%** (Fmoc-D-Glu(OtBu)-OH)	6850.00 23530.00	5g 25g
59874 [112898-00-7] ●	**FMOC-D-Glutamine extrapure, 99%** for biochemistry	630.00 2520.00 22360.00	500mg 2.5g 25g
27631 [71989-20-3] ●	**FMOC-L-Glutamine extrapure, 99%** for biochemistry	520.00 2300.00 8450.00	5g 25g 100g
21282 [132327-80-1] ●	**Na-FMOC-No-Trityl-L-Glutamine (FMOC-Gln(TRT)-OH) extrapure, 98%**	3510.00 22200.00	5g 100g
18680 [29022-11-5] ●	**FMOC-Glycine extrapure, 99%** for biochemistry	840.00 2730.00	5g 25g
17849 [116611-64-4] ●	**FMOC-L-Histidine extrapure, 98%**	3860.00	5g
90688 [143688-83-9] ●	**FMOC-D-Isoleucine extrapure, 99%** for biochemistry	17160.00	500mg
22834 [71989-23-6] ●	**FMOC-L-Isoleucine extrapure, 99%** for biochemistry	630.00 2610.00 9200.00	5g 25g 100g
16515 [114360-54-2] ●	**FMOC-D-Leucine extrapure, 99%** for biochemistry	630.00 2520.00 10490.00	1g 5g 25g
99284 [35661-60-0] ●	**FMOC-L-Leucine extrapure, 99%** for biochemistry	2300.00 6490.00	25g 100g
20340 [71989-26-9] ●	**Na-FMOC-Ne-BOC-L-Lysine (FMOC-Lys(BOC)-OH) extrapure, 98%**	3100.00 7350.00 13130.00	10g 25g 100g



code	product name	unit price ₹	packing
67377 [86060-82-4] ●	**FMOC-N-Ɛ-Z-L-Lysine** **extrapure, 98%** for biochemistry (FMOC-L-Lys(Z)-OH)	14260.00 24240.00	10g 25g
77712 [105047-45-8] ●	**FMOC-L-Lysine** **extrapure, 99%**	1410.00 5380.00	1g 5g
23694 [112883-40-6] ●	**FMOC-D-Methionine** **extrapure, 99%** for biochemistry	1040.00 4330.00 18030.00	1g 5g 25g
50606 [71989-28-1] ●	**FMOC-L-Methionine** **extrapure, 99%** for biochemistry	520.00 2300.00 8450.00	5g 25g 100g
61215 [167393-62-6] 🌡 **new**	**N-a-FMOC-N-e-4-Methyltrityl-L-Lysine (FMOC-Lys(MTT)-OH)** **extrapure, 98%**	3680.00 13230.00	1g 5g
95562 [112883-41-7] ●	**FMOC-D-Norleucine** **extrapure, 99%** for biochemistry	3810.00 17330.00	1g 5g
35941 [77284-32-3] ●	**FMOC-L-Norleucine** **extrapure, 99%** for biochemistry	2700.00 12260.00	1g 5g
73648 [144701-24-6] ●	**FMOC-D-Norvaline** **extrapure, 99%** for biochemistry	3810.00 17330.00	1g 5g
31631 [135112-28-6] ●	**FMOC-L-Norvaline** **extrapure, 99%** for biochemistry	3020.00 13730.00	1g 5g
24626 [95753-55-2] ●	**FMOC-4-Nitro-L-Phenylalanine** **extrapure, 98%** for biochemistry (FMOC-L-Phe(4NO_2)-OH)	8550.00 14950.00	10g 25g
47450 [86123-10-6] ●	**FMOC-D-Phenylalanine** **extrapure, 99%** for biochemistry	630.00 2560.00 8950.00 32200.00	1g 5g 25g 100g
39061 [35661-40-6] ●	**FMOC-L-Phenylalanine** **extrapure, 99%** for biochemistry	520.00 2300.00 8450.00	5g 25g 100g
54836 [111524-95-9] ●	**FMOC-D-Phenylglycine** **extrapure, 98%** for biochemistry	7470.00 13070.00	10g 25g
33014 [102410-65-1] ●	**FMOC-L-Phenylglycine** **extrapure, 98%** for biochemistry	6460.00 11290.00	10g 25g
53412 [101555-62-8] ●	**FMOC-D-Proline** **extrapure, 99%** for biochemistry	4330.00	5g
12047 [71989-31-6] ●	**FMOC-L-Proline** **extrapure, 99%** for biochemistry	630.00 2610.00 9200.00	5g 25g 100g
53534 [116861-26-8] ●	**FMOC-D-Serine** **extrapure, 99%** for biochemistry	2330.00 9660.00 40230.00	500mg 2.5g 25g
18126 [73724-45-5] ●	**FMOC-L-Serine** **extrapure, 99%** for biochemistry	1490.00 3230.00	1g 5g
13334 [71989-33-8] ●	**FMOC-O-Tert-Butyl-L-Serine (FMOC-Ser(tBu)-OH)** **extrapure, 99%**	3510.00 22200.00	10g 100g

code	product name	unit price ₹	packing
56859 [157355-81-2] ●	**FMOC-D-Threonine** **extrapure, 98%** for biochemistry	3500.00 13000.00	1g 5g
64712 [73731-37-0] ●	**FMOC-L-Threonine** **extrapure, 99%** for biochemistry	960.00 4030.00 14390.00	5g 25g 100g
36877 [109425-51-6] ●	**Na-FMOC-N(im)-Trityl-L-Histidine (FMOC-His(Trt)-OH)** **extrapure, 99%**	3510.00 22200.00	10g 100g
38217 [138797-71-4] ●	**FMOC-O-Tert-Butyl-D-Threonine (FMOC-D-Thr(tBu)-OH)** **extrapure, 98%**	4680.00 11450.00	1g 5g
42366 [86123-11-7] ●	**FMOC-D-Tryptophan** **extrapure, 99%** for biochemistry	5780.00 14700.00	5g 25g
70309 [35737-15-6] ●	**FMOC-L-Tryptophan** **extrapure, 99%** for biochemistry	1000.00 2630.00	5g 25g
96532 [163619-04-3] ●	**Na-FMOC-N(in)-BOC-D-Tryptophan (FMOC-D-Trp(BOC)-OH)** **extrapure, 98%**	4090.00 15770.00	1g 5g
54034 [112883-29-1] ●	**FMOC-D-Tyrosine** **extrapure, 99%** for biochemistry	1040.00 4330.00 18030.00	1g 5g 25g
79199 [92954-90-0] ●	**FMOC-L-Tyrosine** **extrapure, 99%** for biochemistry	1430.00 6000.00 21160.00	5g 25g 100g
22292 [71989-38-3] ●	**FMOC-O-Tert-Butyl-L-Tyrosine (FMOC-Tyr(tBu)-OH)** **extrapure, 98%**	2110.00 19860.00	5g 100g
15917 [84624-17-9] ●	**FMOC-D-Valine** **extrapure, 99%** for biochemistry	1360.00 5620.00 23410.00	1g 5g 25g
47834 [68858-20-8] ●	**FMOC-L-Valine** **extrapure, 99%** for biochemistry	410.00 1870.00 7010.00	5g 25g 100g
79235 [82911-69-1] ●	**FMOC-OSu extrapure AR, 99%** for biochmistry (FMOC-ONSu, 9-Fluorenylmethyl-N-sucinimidyl carbonate)	790.00 2840.00 9240.00	5g 25g 100g
33866 [5025-82-1, 54323-50-1] ✔	**Folcisteine technical grade, 99%** (ATCA, 3-acetyl-1,3-thiazolidine-4-carboxylic acid, R-aminofol, (R)-aminofol, NATCA) Plant growth regulator	1050.00 5250.00 12600.00	100mg 1g 5g
43164 [59-30-3] ✔	**Folic Acid pure, 98%**	260.00 650.00 2460.00	5g 25g 100g
24791 [59-30-3] ✔	**Folic Acid ExiPlus, Multi-Compendial, 98%** meets compendial specs of BP	360.00 710.00	10g 25g
17989 [59-30-3] ✔	**Folic Acid** **for tissue culture, 98%**	500.00 1640.00 5260.00	5g 25g 100g

code	product name	unit price ₹	packing
39520	**Folin & Ciocalteu's Phenol (FCP) Reagent AR** 2.0N for estimation of proteins & phenol	420.00 920.00 1700.00	100ml 250ml 500ml

FCP Reagent is used for the colorimetric in vitro assay of phenolic and polyphenolic antioxidants. It does not only measure phenols but will react with any reducing substance. It therefore measures the total reducing capacity of a sample, not just phenolic compounds. It also reacts with some nitrogen-containing compounds like hydroxylamine and guanidine. Frequently also used in Food Science applications.

64684	**Folin's Uric Acid Reagent** For uric acid estimation	590.00	250ml
49244 [68157-60-8] ✔	**Forchlorfenuron (KT-30, CPPU, N-(2-Chloro-4-pyridyl)-N-phenylurea) extrapure, 99%** Plant growth regulator	3040.00 7360.00	1g 5g
53870 [87199-17-5]	**4-Formylphenylboronic Acid extrapure, 95%**	2080.00 8640.00	5g 25g
85925	**Fouchet's Reagent**	180.00	100ml
51594 [37250-85-4] ♦	**D-Fructose Dehydrogenase ex. Gluconobacter Sp., 20U/mg**		Discontinued
35887 [23784-19-2] ●	**D-Fructose-1,6-Diphosphate Tetrasodium Salt extrapure, 99%**	1210.00 3760.00 18020.00	1g 5g 25g
54704 [81028-91-3] ●	**D-Fructose-1,6-Diphosphate Octahydrate Trisodium Salt extrapure, 99%** for biochemistry	480.00 1250.00	250mg 1g
25760 [26177-86-6] ●	**D-Fructose-6-Phosphate Disodium Salt extrapure, 95%** for biochemistry	3170.00 9490.00	100mg 500mg
73212 [2438-80-4] ✔	**L-Fucose extrapure, 99%** (L-Fuc, 6-Deoxy-L-Galactose)	1520.00 2460.00 9930.00	500mg 1g 5g
76007 [3615-37-0] ✔	**D(+)Fucose extrapure** (6-Deoxy-L-Galactose, rhodeose) for biochemistry	8310.00 11860.00 58100.00	500mg 1g 5g
86133 [98-01-1]	**Furfural extrapure AR, ACS, 99%**	1130.00	500ml
11049 [617-89-0]	**Furfurylamine pure, 98%**	1480.00 5780.00	500ml 2500ml
18641 [54-31-9]	**Furosemide (Frusemide), (FRS), 98.5%** for biochemstry & microbiology	3560.00 9930.00	5g 25g
81309 [88-14-2] ✔	**2-Furoic Acid pure, 98%** (Furan-2-carboxylic acid)	1000.00 4510.00	100g 500g
81294 [488-93-7] ✔	**3-Furoic Acid pure, 98%** (Furan-3-carboxylic acid)	3330.00 14230.00	5g 25g

Used in the synthesis of furan-2,5- and furan-2,4-dicarboxylic acid under solvent-free conditions via disproportionation reaction. This compound exhibits hypolipidemic activity in rodents. It lowers serum cholesterol and serum triglyceride levels in mice and rats.

code	product name	unit price ₹	packing
99124 [527-69-5] ✔	**2-Furoyl Chloride pure, 98%** (Furan-2-carbonyl chloride)	1900.00 6650.00	20ml 100ml

2-Furoyl chloride is used in the charactersation of mixtures of polyethoxylated alcohols and their sulphates. Also used in the preparation of S-2-furoyl-O-alkyldithiocarbonic anhydrides.

90068 [26214-65-3] ✔	**3-Furoyl Chloride pure, 97%** (Furan-3-carbonyl chloride)	5820.00 18500.00	1g 5g
79108 [539-47-9]	**Furylacrylic Acid pure, 99%** (3-(2-Furyl)acrylic acid, Furan-2-acrylic acid, Furfurylideneacetic acid)	2020.00	25g
58327 [108321-42-2] 🌡	**G-418 Sulphate (Geneticin) extrapure (GNT)** for biochemistry & molecular biology Assay — min.720 µg/mg (dry basis) Solubility (readily): water & aqueous buffers	1260.00 6300.00 29400.00	100mg 1g 5g
87858 [108321-42-2] 🌡	**G-418 Sulphate (Geneticin) for tissue culture (GNT)** Assay — min.720 µg/mg (dry basis) Solubility (readily): water & aqueous buffers	2220.00 8060.00 36510.00	100mg 1g 5g
45734	**Gaby-Hadley Reagent A**	300.00	100ml
94536	**Gaby-Hadley Reagent B**	430.00	100ml
45781 [13450-84-5]	**Gadolinium (III) Chloride Hexahydrate ultrapure, 99.99%**	2940.00 6090.00	5g 25g
10438 [19598-90-4]	**Gadolinium (III) Nitrate Hexahydrate ultrapure, 99.99%**	3080.00 6380.00	5g 25g
31353 [12064-62-9]	**Gadolinium (III) Oxide extrapure, 99.9%**	920.00 3360.00 11900.00	5g 25g 100g
52480 [52093-29-5]	**Gadolinium (III) Trifluoromethanesulfonate extrapure, 98%** (Gadolinium(III) triflate, Trifluoromethanesulfonic acid gadolinium(III) salt)	1890.00 4200.00	1g 5g
14725 [1772-03-8]	**D-Galactosamine Hydrochloride extrapure, 98%** for biochemistry (D-Chondrosamine hydrochloride) For experimental induction of hepatitis.	580.00 1890.00 6300.00	250mg 1g 5g
88176 [59-23-4]	**D-Galactose extrapure** for bateriology & biochemistry	600.00 1870.00 8650.00	25g 100g 500g
27146 [9031-11-2] ♦	**β-Galactosidase (BGAL) ex. E. Coli, 500U/mg solid** (Lactase, β-D-galactoside galactohydrolase)	38550.00	5KU
20096 [4163-60-4]	**ß-D-Galactose Pentaacetate extrapure, 99%** for biochemistry (1,2,3,,6-Penta-O-acetyl-β-D-galactopyranose)	10560.00	25g
83055 [1953-04-4] ♦	**Galantamine Hydrobromide extrapure, 98%** Reference Standard Grade Water soluble cholinesterase inhibitor.	11100.00	250mg



code	product name	unit price ₹	packing
14101 [69365-72-6]	**Gallium (III) Nitrate Hydrate extrapure, 99.9%**	3860.00 14690.00	5g 25g
23813 [30562-34-6] 🌡	**Geldanamycin (GLD), 98%** for biochemistry & microbiology	65210.00	5mg
72394 [71010-52-1]	**Gelrite Gellan Gum** Gel Strength — ~800g/cm²	2010.00 4720.00 8660.00 14550.00 67870.00	100g 250g 500g 1kg 5kg
Gelrite is a naturally occurring gelling-polymer (sometimes used as an Agar substitute) used to produce clear media for microbiological & other applications.			
53409 [6902-77-8] 🌡	**Genipin extrapure, 98%**	3510.00 11100.00	25mg 100mg
37636 [1405-41-0] 🌡	**Gentamicin Sulphate (GM)** for biochemistry & microbiology Assay — min.590 μg/mg, Solubility (readily): water, Insoluble: chloroform, ether & ethanol	410.00 1640.00 6080.00	1g 5g 25g
50827 [1405-41-0] 🌡	**Gentamicin Sulphate (GM) for tissue culture**	960.00 2400.00 7890.00	1g 5g 25g
95677 [554-91-6] 🌡	**β-D-Gentiobiose (Amygdalose) extrapure, 99%** for biochemistry	1850.00 8130.00 14760.00	100mg 500mg 1g
32614 [1310-53-8]	**Germanium Dioxide electronic grade ultrapure, 99.999%**	7120.00 16800.00 46830.00	10g 25g 100g
56397 [4562-36-1] ✔	**Gitoxin extrapure, 98%** (Gitoxigenin 3-O-tridigitoxoside anhydrogitalin, bigitalin, pseudodigitoxin)	308230.00	5mg
38490 [5996-06-5] 🌡	**Glaucine Hydrobromide, 97%** Reference Standard Grade	9350.00	10g
76052 [9074-98-0] ♦	**β-Glucanase ex. Aspergillus Niger, 60U/g** for biochemistry	2310.00 5900.00 21000.00	25g 100g 500g
40193 [21087-78-5] ●	**Glucobarbarin Potassium Salt Reference Standard Grade, 90%** ((2S)-2-Hydroxy-2-phenethyl glucosinolate, H_2O,potassium salt)	47250.00	10mg
63878 [15592-36-6] ●	**Glucocheirolin Potassium Salt Reference Standard Grade, 95%** (3-Methylsulfonylpropyl glucosinolate potassium salt)	57750.00	10mg
61404 [15592-37-7] ●	**Glucoerucin Potassium Salt Reference Standard Grade, 95%** (4-Methylthiobutyl glucosinolate potassium salt)	58800.00	10mg
97968 [60046-25-5] ✔	**D-Glucoheptonic Acid-1,4-Lactone pure, 98%** (D-Glycero-D-Gulo-Heptono-1,4-Lactone, D-Gluco-Heptono-Gamma-Lactone)	7600.00 14610.00	5g 10g
20378 [15592-34-4] ●	**Glucoiberin Potassium Salt Reference Standard, 85%** (3-Methylsulfinylpropyl glucosinolate potassium salt)	35700.00	10mg
84553 [245550-57-6] ●	**Gluconapin Potassium Salt Reference Standard, 90%** (3-Butenyl glucosinolate potassium salt)	35700.00	10mg

code	product name	unit price ₹	packing
27429 [18425-76-8] ●	**Gluconasturtiin Potassium Salt Reference Standard, 95%** (2-Phenylethyl glucosinolate potassium salt)	44100.00	10mg
45063 [1198-69-2] 🌡	**D-Glucono-1,4-Lactone pure, 85%** (D-Gluconic Acid gamma-Lactone)	7140.00	50mg
57400 [52153-09-0] 🌡	**L-Glucono-1,5-Lactone pure, 85%** (3,4,5-Trihydroxy-6-(hydroxymethyl)tetrahydro-2H-pyran-2-one, L-Gluconolactone)	6510.00	25mg
55195 [90-80-2] **new**	**D-Glucono-1,5-Lactone extrapure, 99%** (D-(+)-Gluconic acid d-lactone, D-gluconolactone, Glucono deltal actone)	1580.00 2420.00	100g 500g
74587 [21414-41-5] ●	**Glucoraphanin Potassium Salt Reference Standard Grade, 90%** (4-Methylsulfinylbutyl glucosinolate potassium salt)	33600.00	10mg
15546 [108844-81-1] ●	**Glucoraphenin Potassium Salt Reference Standard Grade, 95%** (4-Methylsulfinyl 3-butenylglucosinolate potassium salt)	36750.00	10mg
73360 [32449-92-6] ●	**D-Glucorono-3,6-Lactone extrapure, 99%** for biochemistry (Glucuronolactone)	2310.00 3460.00 10290.00	25g 100g 500g
28453 [9032-08-0] ♦	**Glucoamylase ex. Rhizopus Sp., 30U/mg** Salt free, Lyophilized powder	7050.00	1000units
45648 [66-84-2] ✔	**Glucosamine Hydrochloride extrapure, 99%** for biochemistry	750.00 1650.00 6850.00	25g 100g 500g
14810 [9028-53-9] ♦	**Glucose Dehydrogenase ex. Microorganism, 250U/mg**	13000.00	5KU
61788 [9001-37-0] ♦	**Glucose Oxidase (GOD) ex. Aspergillus Sp., 100U/mg solids** containing 75% protein, Lyophilized powder, Source: Aspergillus Sp. (Aspergillus Niger)	2170.00 4870.00	10KU 25KU
12419 [604-68-2] ●	**α-D-Glucose Pentaacetate extrapure, 99%** for biochemistry (1,2,3,4,6-Penta-O-acetyl-α-D-glucopyranose)	1260.00	25g
65776 [604-69-3] ●	**β-D-Glucose Pentaacetate extrapure, 99%** (1,2,3,4,6-Penta-O-acetyl-β-D-glucopyranose) for biochemistry	1080.00 3570.00	25g 100g
23208 [6736-77-2 (anhy)] ●	**D-Glucose-1-Phosphate Dipotassium Salt Hydrate (G1P.K2 Hydrate) extrapure, 98%** for biochemistry (Cori Ester dipotassium salt hydrate) Essentially free from starch and glucose	1470.00 6830.00	1g 5g
62591 [150399-99-8] ●	**D-Glucose-1-Phosphate Disodium Salt Tetrahydrate (G1P.Na2 Tetrahydrate) extrapure, 98%** for biochemistry (Cori Ester disodium salt tetrahydrate)	580.00 2100.00 9720.00	1g 5g 25g

code	product name	unit price ₹	packing
32994 [3671-99-6] ●	**D-Glucose-6-Phosphate Disodium Salt Dihydrate (G6P.Na2 Dihydrate) extrapure, 99%** for biochemistry (Robinson Ester)	1330.00 5870.00 29050.00	1g 5g 25g
74262 [9001-40-5] ♦	**Glucose-6-Phosphate-Dehydrogenase ex. Leuconostoc Mesenteroides, 400U/mg solid** ~600U/mg protein, Lyophilized powder	7580.00 20550.00	1KU 5KU
11997 [9001-40-5] ♦	**r-Glucose-6-Phosphate Dehydrogenase ex. Leuconostoc Mesenteroides, 500U/mg solid** (Recombinant) ~600U/mg protein, Lyophilized powder	8420.00	5KU
84257 [144491-25-8] ♦	**Glucosibarin Potassium Salt extrapure, 90%** ((2R)-2-Hydroxy-2-phenethylglucosinolate, H_2O, potassium salt)		Discontinued
75551 [9001-42-7] ♦	**α-Glucosidase (Maltase) ex. Yeast, 100U/mg**	3210.00 29050.00	10mg 100mg
88884 [9001-22-3] ♦	**ß-Glucosidase ex. Sweet Almonds (Type 1), 1000U/mg** (Gentiobiase, Cellobiase)	6780.00	10KU
13275 [9001-22-3] ♦	**ß-Glucosidase ex. Sweet Almonds (Type 2A), 10U/mg solids** (Gentiobiase, Cellobiase)	3740.00	250U
41369 [9001-22-3] ♦	**ß-Glucosidase ex. Sweet Almonds (Type 2B), 10U/mg solids** (Gentiobiase, Cellobiase)	13790.00	100mg
70077 [5115-71-9] ♦	**Glucotropaeolin Potassium Salt Reference Standard Grade, 95%** (Benzylglucosinolate, H_2O, potassium salt)	18000.00	10mg
88229 [6556-12-3] ✔	**D-Glucuronic Acid extrapure, 98%**	1780.00 4090.00 14610.00	1g 5g 25g
74117 [9029-12-3] ♦	**Glutamate Dehydrogenase (L-GLDH) ex. Bovine Liver, 10U/mg** Lyophilized powder, ~40U/mg enzyme protein	8180.00	100mg
61126 [6893-26-1]	**D-Glutamic Acid extrapure CHR, 99%** for biochemistry	630.00 1680.00	1g 5g
20655 [72669-53-5] 🌡	**γ-L-Glutamic Acid 7-Amido-4-Methylcoumarin extrapure, 98%** (γ-L-Glutamic acid-AMC)	6810.00 13230.00 37790.00	10mg 25mg 100mg
76228 [1676-73-9] ●	**L-Glutamic Acid Benzyl Ester extrapure, 99%** for biochemistry	2080.00 9340.00	5g 25g
98087 [9000-97-9] ♦	**Glutamic-Oxaloacetic Transaminase (GOT) ex. Porcine Heart, 50-300U/mg** (L-Aspartate:2-oxoglutarate aminotransferase, aspartate aminotransferase)	14020.00	1KU

code	product name	unit price ₹	packing
17632 [5959-95-5]	**D-Glutamine extrapure, 99%** for biocemistry	2870.00 12210.00 21790.00	1g 5g 10g
12381 [56-85-9]	**L-Glutamine extrapure CHR, 99%** for biochemistry	360.00 1120.00 5460.00 10200.00	25g 100g 500g 1kg
31498 [67953-08-6] 🌡	**L-γ-Glutamyl-p-Nitro-Anilide Hydrochloride extrapure, 99%** for biochemistry Suitable as substrate for γ-glutamyl transpeptidase	2740.00 4600.00	500mg 1g
37394 [110-94-1] ✔	**Glutaric Acid pure, 99%**	960.00 4390.00	100g 500g
87175 [108-55-4] ✔	**Glutaric Anhydride pure, 98%**	1910.00 8530.00	100g 500g
94980 [27025-41-8] ●	**Glutathione Oxidized (GSSG) extrapue, 99%** for biochemistry free from histamine and glutathione reduced Hydrogen acceptor in the enzymatic determination of NADP & NADPH	1350.00 3550.00 15300.00	250mg 1g 5g
41422 [27025-41-8] ●	**Glutathione Oxidized (GSSG) ExiPlus, Multi-Compendial, 99%** for biochemistry free from histamine and glutathione reduced meets compendial specs of BP, Ph.Eur Hydrogen acceptor in the enzymatic determination of NADP & NADPH	1930.00 4540.00	250mg 1g
22151 [27025-41-8] ●	**Glutathione Oxidized (GSSG) for molecular biology, 99.5%** free from histamine and glutathione reduced DNase, RNase, protease not detected Hydrogen acceptor in the enzymatic determination of NADP & NADPH	2040.00 4990.00	250mg 1g
74693 [27025-41-8]	**Glutathione Oxidized (GSSG) for tissue culture, 99%**	1640.00	100mg
48938 [70-18-8] ●	**Glutathione Reduced (GSH) extrapure, 99%** for biochemistry substantially free from odour	220.00 850.00 3800.00	1g 5g 25g
77285 [70-18-8] ●	**Glutathione Reduced (GSH) ExiPlus, Multi-Compendial, 99%** for biochemistry substantially free from odour meets compendial specs of Ph.Eur	1950.00 6490.00	5g 25g
11514 [70-18-8] ●	**Glutathione Reduced (GSH) for molecular biology, 99.5%** substantially free from odour	740.00 2150.00 8060.00 18710.00	1g 5g 25g 100g
16111 [70-18-8] ●	**Glutathione Reduced (GSH) for tissue culture, 99.5%**	380.00 1740.00 6930.00	1g 5g 25g
14210 [453-17-8] ✔	**D-(+)Glyceraldehyde extrapure, 85%**	21670.00	1g
62423 [9030-66-4] ♦	**Glycerol Kinase (GK) ex. Microorganism, 30U/mg**	9470.00	1KU
36324 [9075-65-4] ♦	**Glycerol-3-Phosphate Dehydrogenase ex. Rabbit Muscle, 15U/mg**	6900.00	500units



code	product name	unit price ₹	packing
36451 [106-91-2]	**Glycidyl Methacrylate pure, 97%**	670.00 2420.00	100ml 500ml
63956 [113728-13-5] 🌡	**Glycine-7-Amido-4-Methylcoumarin Hydrobromide Salt extrapure, 98%** (Glycine-AMC.HBr salt)	9980.00 19400.00	10mg 25mg
56204 [2462-31-9] ♦	**Glycine Benzyl Ester Hydrochloride extrapure, 98%** for biochemistry	2970.00 11530.00	5g 25g
67536 [1738-76-7] 🌡	**Glycine Benzyl Ester p-Toluene Sulfonate extrapure, 98%** for biochemistry	6050.00	25g
85055 [107-43-7] 🌡	**Glycine Betaine (Betaine) anhydrous technical grade, 98%** Plant growth regulator	840.00 1430.00 2380.00 7240.00	5g 25g 100g 500g
99993 [623-33-6] 🌡	**Glycine Ethyl Ester Hydrochoride extrapure, 99%**	560.00 2170.00	100g 500g
18308 [7758-33-0] 🌡	**Glycyl Histidine Glycine extrapure, 95%** for biochemistry For NMR studies of DNA oligopeptide binding.	9140.00	100mg
47055 [72957-37-0] 🌡	**Glycine-L-Histidine-L-Lysine extrapure, 98%**	12210.00	100mg
98803 [31692-85-0]	**Glycofurol extrapure, 99%** (Tetraglycol, Tetrahydrofurfurylalcohol polyethylene glycolether) (Under nitrogen)	3510.00 15190.00	100ml 500ml
Used as solvent to dissolve water-insoluble compounds. Specially suited for pharmaceutical API's and formulations. Not to be confused with Tetraethylene Glycol, which is sometimes also called Tetraglycol.			
74078 [9005-79-2] 🌡	**Glycogen ex. Oyster extrapure, 85%**	2630.00 11550.00	5g 25g
49740 [9005-79-2] 🌡	**Glycogen ex. Oyster for molecular biology, 85%**	1000.00 4100.00 18900.00	1g 5g 25g
50006 [23147-58-2] ✔	**Glycolaldehyde Dimer extrapure, 95%** for biochemistry	3990.00 6830.00	500mg 1g
50391 [64480-66-6] 🌡	**Glycoursodeoxycholic Acid (GUDCA) extrapure, 97%** (Glycylursodeoxycholic acid, ursodeoxycholylglycine)	4680.00 17060.00	1g 5g
97291 [13115-71-4] 🌡	**Glycyl-L-Glutamine Monohydrate extrapure, 99%** for biochemistry	1960.00 7830.00	1g 5g
11530 [556-50-3] 🌡	**Glycyl Glycine extrapure, 99%** for biochemistry	940.00 2080.00 6540.00	10g 25g 100g
72998 [102601-58-1] 🌡	**Z-Glycyl-Glycyl-L-Arginine 7-Amido-4-Methylcoumarin Hydrochloride Salt extrapure, 95%** (Z-Glycine-glycine-arginine-AMC.HCl salt)	9360.00 38950.00	5mg 25mg
41675 [556-33-2] 🌡	**Glycyl-Glycyl-L-Glycine (Triglycine) extrapure, 99%** for biochemistry	1640.00 7310.00 26870.00	1g 5g 25g

code	product name	unit price ₹	packing
27057 [69242-40-6] 🌡	**Glycyl-Glycyl-L-Isoleucne extrapure, 99%** for biochemistry	4660.00 19180.00	1g 5g
70039 [14857-82-0] 🌡	**Glycyl-Glycyl-L-Leucine extrapure, 99%** for biochemistry	4470.00 18900.00	1g 5g
29764 [20274-89-9] 🌡	**Glycyl-Glycyl-L-Valine extrapure, 99%** for biochemistry	7120.00 21350.00	25mg 100mg
82725 [19461-38-2] 🌡	**Glycyl-L-Isoleucine extrapure, 99%** for biochemistry	1960.00 7570.00	1g 5g
96010 [869-19-2] 🌡	**Glycyl-L-Leucine extrapure, 99%** for biochemistry	1700.00 7510.00	1g 5g
27587 [103213-38-3] 🌡	**Glycyl Leucine Phenylalanine extrapure, 99%** for biochemistry Immunostimulating peptide from casein	16310.00	100mg
25952 [115035-46-6] 🌡	**Glycyl-L-Proline-7-Amido-4-Methylcoumarin Hydrobromide Salt extrapure, 99%** (H-Gly-Pro-AMC-HBr, GP-AMC.HBr salt)	61000.00 127070.00	10mg 25mg
74329 [658-79-7] 🌡	**Glycyl-L-Tyrosine extrapure, 99%** for biochemistry	1960.00 7830.00	1g 5g
34601 [1963-21-9] 🌡	**Glycyl-L-Valine extrapure, 99%** for biochemistry	2470.00 10210.00	1g 5g
92245 [107-22-2]	**Glyoxal 40% aq. solution pure**	430.00 1680.00	500ml 2500ml
35657	**Griess Reagent for Nitrite extrapure** for microscopy (Griess-Ilosvays Reagent, Lunge's Reagent)	3490.00	100ml
Flourometric reagent used for the quantitative analysis of nitrite in solutions.			
53613 [90-05-1]	**Guaiacol extrapure, 99%**	1060.00 3860.00	250g 1kg
44260 [73-40-5] 🌡	**Guanine extrapure, 99%** for biochemistry	230.00 560.00 1870.00 17670.00	5g 25g 100g 1kg
37567 [635-39-2] 🌡	**Guanine Hydrochloride extrapure, 98%** for biochemistry	330.00 1410.00	5g 25g
48306 [10333-92-3] 🌡	**Guanine Sulphate extrapure, 99%** for biochemistry	290.00	1g
57892 [118-00-3] 🌡	**Guanosine extrapure, 99%** for biochemistry	1160.00 4200.00	25g 100g
95494 [5550-12-9] ♦	**Guanosine-5'-Monophosphate Disodium Salt (5-GMP-Na_2) extrapure, 96%** for biochemistry	330.00 1220.00 5080.00 17380.00	1g 5g 25g 100g
70564 [56001-37-7] ♦	**Guanosine-5'-Triphosphate Disodium Salt (5-GTP-Na_2) extrapure, 90%** for biochemistry (partial decomposition possible)	3860.00 15190.00	100mg 500mg

code	product name	unit price ₹	packing
11945 [65202-07-5]	**Guayule (DCPTA) for tissue culture, 98%** (2-(3,4-Dichlorophenoxy)-N,N-diethylethanamine) substitute of PD-6 as a Plant Growth Regulator	2310.00 7880.00	25g 100g
11777 [6322-07-2] ♦	**D-Gulono-1,4-Lactone extrapure, 98%** for biochemistry	2340.00 11220.00	1g 5g
97514 [1128-23-0] ♦	**L-Gulono-1,4-Lactone extrapure, 98%** for biochemistry	5440.00 9810.00	10g 25g
37421	**Gunzburg Reagent**	620.00	100ml
95068 [9008-02-0] 🌡	**Haemoglobin Powder ex. Bovine Erythrocytes**	1640.00	100g
52293 [304-21-2] 🌡	**Harmaline pure, 98%** Acetylcholine esterase inhibitor	4860.00	1g
99132 [148893-10-1] 🌡	**HATU extrapure, 98%** for biochemistry (O-(7-Azabenzotriazole-1-yl)-N,N,N',N'-tetramethyuronium hexafluorophosphate) Peptide coupling reagent	370.00 1260.00 6300.00	1g 5g 25g
44424 [94790-37-1] 🌡	**HBTU extrapure, 98%** for biochemistry (O-(Benzotriazole-1-yl)-N,N,N',N'-tetramethyluronium hexafluorophosphate) Peptide coupling reagent	450.00 2020.00 6590.00 28460.00	5g 25g 100g 500g
73322 [330645-87-9] 🌡	**HCTU extrapure, 98%** (O-(6-Chlorobenzotriazol-1-yl)-N,N,N',N'-Tetramethyluronium Hexafluorophosphate)	1130.00 2970.00 10680.00	5g 25g 100g
23315 [150-39-0] 🌡	**HEDTA extrapure, 99%** (N-(2-Hydroxyethyl) ethylenediaminetriacetic acid)	1690.00 6110.00 26150.00	25g 100g 500g
28394 [517-28-2]	**Hematoxylin Monohydrate** for microscopy (Natural black 1)	2100.00 9870.00	5g 25g
78372 [16009-13-5] 🌡	**Hemin Chloride cryst. ex. Bovine extrapure, 98%** for biochemistry (Hematin Hydrochloride, Chlorohemin)	1470.00 5250.00	1g 5g
98457 [16009-13-5] 🌡	**Hemin Chloride cryst. ex. Porcine extrapure, 98%** (Hematin Hydrochloride, Chlorohemin)	1470.00 5250.00	1g 5g
58389 [9041-08-1] 🌡	**Heparin Sodium Salt ex. Bovine Intestinal Mucosa, 150 IU/mg** for biochemistry Assay — min.150 IU/mg material	1300.00 3360.00	20KU (per vial) 100KU (per vial)
50661 [9041-08-1] 🌡	**Heparin Sodium Salt ex. Bovine Intestinal Mucosa, 150 IU/mg**	1470.00 6510.00	100mg 1g
29768 [161308-36-7]	**HEPBS Buffer extrapure, 99%** (N-(2-Hydroxyethyl)piperazine-N'-(4-butanesulfonic acid))	7410.00 9870.00 35760.00	10g 25g 100g
63732 [7365-45-9]	**HEPES Buffer extrapure, 99%** (N-(2-Hydroxyethyl) piperazine-N(2-ethane sulphonic acid)) for biochemistry Useful pH range — 6.8-8.2 For applications in diagnostic production and pharmaceutical QC & bulk production.	530.00 1680.00 7350.00 13650.00	25g 100g 500g 1kg
16826 [7365-45-9]	**HEPES Buffer for molecular biology, 99.5%** (N-(2-Hydroxyethyl) piperazine-N(2-ethane sulphonic acid)) Useful pH range — 6.8-8.2 DNase, RNase, protease not detected For applications in research, diagnostic production and pharmaceutical QC & bulk production.	840.00 2310.00 8400.00	25g 100g 500g
48489 [7365-45-9]	**HEPES Buffer for tissue culture, 99%** (N-(2-Hydroxyethyl) piperazine-N(2-ethane sulphonic acid)	790.00 2100.00	25g 100g
78805 🌡	**HEPES Buffer 1M Solution pH-7.3 for molecular biology**	3360.00	100ml
68744 [75277-39-3]	**HEPES Sodium Salt extrapure, 99%** (N-2-Hydroxyethyl piperazine N-2-ethane sulphonic acid sodium salt) For applications in diagnostic production and pharmaceutical QC & bulk production.	950.00 2730.00 9240.00	25g 100g 500g
32225 [75277-39-3]	**HEPES Sodium Salt for molecular biology, 99%** (N-2-Hydroxyethyl piperazine N-2-ethane sulphonic acid sodium salt) DNase, RNase, protease not detected For applications in research, diagnostic production and pharmaceutical QC & bulk production.	1580.00 3780.00 12600.00	25g 100g 500g
39764 [75277-39-3]	**HEPES Sodium Salt for tissue culture, 99.5%**	1470.00 3360.00	25g 100g
18338 [2528-61-2]	**Heptanoyl Chloride pure, 98%** (Enanthic Chloride, Oenanthic Chloride)	1900.00 3560.00	25g 100g
28373 [143-27-1]	**Hexadecylamine pure, 96%** (Cetylamine)	2380.00 10680.00	5g 25g
98573 [920-66-1] ✔	**1,1,1,3,3,3-Hexafluoro-2-Propanol (HFIP) for UV spectroscopy, 99%** (Hexafluoroisopropanol)	3980.00 9930.00	25ml 100ml
28437 [999-97-3]	**1,1,1,3,3,3-Hexamethyldisilazane pure (HMDS), 98%** for GC Derivatization	780.00 2600.00 12000.00	100ml 500ml 2500ml
79404 [34338-96-0] 🌡	**(2S,5S)-2,5-Hexanediol extrapure, 99%** (chiral grade)	15390.00 37830.00	1g 2.5g
56464 [111-27-3]	**n-Hexanol pure, 98%**	1110.00 4910.00	500ml 2500ml
98669 [111-27-3]	**n-Hexanol extrapure AR, 99%** (n-Hexyl alcohol)	940.00 1820.00	250ml 500ml
68497 [142-61-0]	**Hexanoyl Chloride pure, 98%**	1470.00 5310.00	100ml 500ml



code	product name	unit price ₹	packing
69502 [9001-51-8] ♦	**Hexokinase ex. Saccharmyces Sp. 150U/mg**	6530.00	5000units
46639 [136-77-6] **new**	**4-Hexylresorcinol extrapure, 99%** (Antascarin, Ascarinol, 4-Hexyl-1,3-dihydroxybenzene)	1050.00 3700.00 11200.00	5g 25g 100g
35696 [495-69-2]	**Hippuric Acid pure, 99%**	620.00 2440.00	100g 500g
97843 [495-69-2]	**Hippuric Acid OAS** grade (Organic analytical standard) Assay — min.100 ±0.5%	180.00	10g
98808 [744-59-2] 🌡	**Hippuryl-L-Phenylalanine, 99%** extrapure for biochemistry	2970.00 7000.00	100mg 250mg
83597 [56-92-8] 🌡	**Histamine Dihydrochloride (HSM), 98%** for biochemistry & microbiology	1070.00 2970.00 12100.00	1g 5g 25g
81240 [39968-33-7] 🌡	**HOAT pure, 98%** (1-Hydroxy-7-azobenzotriazole) Reagent for peptide synthesis	780.00 3330.00 14230.00	1g 5g 25g
38653 [2592-95-2] ✔	**HOBT Anhydrous extrapure, 99%** (N-Hydroxybenzotriazole) Reagent for peptide synthesis	300.00 1050.00 4620.00 9050.00	25g 100g 500g 1kg
This grade is especially suited for bulk production and modification of peptides.			
27645 [123333-53-9] ✔	**HOBT Monohydrate pure, 98%** (N-Hydroxybenzotriazole monohydrate) Reagent for peptide synthesis	300.00 1080.00 4320.00 8380.00	25g 100g 500g 1kg
This grade is especially suited for bulk production and modification of peptides.			
93864 [121080-96-4] ✔	**D-Homocitrulline extrapure CHR, 98%**	8540.00 29050.00	1g 5g
94194 [82795-51-5] ✔	**D-Homophenylalanine extrapure, 97%** for biochemistry	2380.00 9490.00	500mg 5g
78523 [943-73-7] ✔	**L-Homophenylalanine extrapure, 97%** for biochemistry	1780.00 2970.00 7120.00 22530.00	500mg 1g 5g 25g
58931 [89-51-0]	**Homophthalic Acid pure, 98%**	1440.00 5110.00	25g 100g
69080 [306-08-1]	**Homovanillic Acid extrapure, 99%**	1170.00 3900.00 22540.00	250mg 1g 10g
For fluorometric determination of oxidases, GOD, etc.			
27698 [9067-32-7] ♦	**Hyaluronic Acid Sodium Salt - Type 1 (600-1000 KD) extrapure, 90%** HA, Hyaluronan, Hyaluronate, Sodium hyaluronate, Poly(b-glucuronic acid-[1->3]-b-N-acetylglucosamine-[1->4])	11570.00	100mg
Hyaluronic acid (HA) is an anionic linerar glycosaminoglycan composed of monomers of glurcuronic acid and N-acetylglucosamine. HA is used in many applications including, cell culture, tissue engineering, and the study of wound healing.			

code	product name	unit price ₹	packing
75810 [9067-32-7] ♦	**Hyaluronic Acid Sodium Salt - Type 2 (1000-2000 kD) extrapure, 90%** HA, Hyaluronan, Hyaluronate, Sodium hyaluronate, Poly(b-glucuronic acid-[1->3]-b-N-acetylglucosamine-[1->4])	11570.00	100mg
Hyaluronic acid (HA) is an anionic linerar glycosaminoglycan composed of monomers of glurcuronic acid and N-acetylglucosamine. HA is used in many applications including, cell culture, tissue engineering, and the study of wound healing.			
39678 [9067-32-7] ♦	**Hyaluronic Acid Sodium Salt - Type 3 (80-100 kD) extrapure, 90%** HA, Hyaluronan, Hyaluronate, Sodium hyaluronate, Poly(b-glucuronic acid-[1->3]-b-N-acetylglucosamine-[1->4])	9930.00	100mg
Hyaluronic acid (HA) is an anionic linerar glycosaminoglycan composed of monomers of glurcuronic acid and N-acetylglucosamine. HA is used in many applications including, cell culture, tissue engineering, and the study of wound healing.			
89002 [9067-32-7] ♦	**Hyaluronic Acid Sodium Salt - Type 4 (40-50 kD) extrapure, 90%** HA, Hyaluronan, Hyaluronate, Sodium hyaluronate, Poly(b-glucuronic acid-[1->3]-b-N-acetylglucosamine-[1->4])	9930.00	100mg
Hyaluronic acid (HA) is an anionic linerar glycosaminoglycan composed of monomers of glurcuronic acid and N-acetylglucosamine. HA is used in many applications including, cell culture, tissue engineering, and the study of wound healing.			
43384 [9067-32-7] ♦	**Hyaluronic Acid Sodium Salt - Type 5 (8-15 kD) extrapure, 90%** HA, Hyaluronan, Hyaluronate, Sodium hyaluronate, Poly(b-glucuronic acid-[1->3]-b-N-acetylglucosamine-[1->4])	9930.00	100mg
Hyaluronic acid (HA) is an anionic linerar glycosaminoglycan composed of monomers of glurcuronic acid and N-acetylglucosamine. HA is used in many applications including, cell culture, tissue engineering, and the study of wound healing.			
98512 [5341-61-7]	**Hydrazine Dihydrochloride extrapure, 99%**	490.00 1880.00	100g 500g
36681 [619-67-0]	**4-Hydrazinobenzoic Acid extrapure, 95%**	3140.00 9340.00	25g 100g
40935 [122-66-7]	**Hydrazobenzene pure, 97%** (1,2-Diphenylhydrazine)	540.00	100g
13542 [50-23-7]	**Hydrocortisone pure, 97%**	440.00	1g
28449 [123-31-9]	**Hydroquinone pure, 98%** (1,4-Dihydroxybenzene, quinol)	510.00 2370.00	100g 500g
25311 [123-31-9]	**Hydroquinone extrapure AR, 99%** (1,4-dihydroxybenzene, quinol)	560.00 2470.00	100g 500g
17732 [123-31-9]	**Hydroquinone extrapure AR, ExiPlus, Multi-Compendial, 99%** (1,4-Dihydroxybenzene, quinol) meets compendial specs of USP, BP, Ph.Eur	660.00 2730.00	100g 500g
82410 [150-78-7] ✔	**1,4-Dimethoxybenzene pure, 99%** (Hydroquinone dimethyl ether)	1870.00	250g
91893 [118-93-4]	**o-Hydroxyacetophenone pure, 95%**	980.00 4110.00	100ml 500ml

code	product name	unit price ₹	packing
58245 [121-71-1]	**m-Hydroxyacetophenone pure, 98%**	570.00 1410.00	25g 100g
54564 [99-93-4]	**p-Hydroxyacetophenone extrapure, 98%**	520.00 2130.00	100g 500g
53993 [1689-82-3]	**4-Phenylazophenol (Solvent Yellow 7, 4-HAB) extrapure, 98%** (p-Hydroxyazobenzene) (C.I. No. 11800) Adsorption indicator	840.00 2940.00	25g 100g
66616 [100-83-4]	**m-Hydroxybenzaldehyde pure, 98%**	540.00 1550.00 6760.00	25g 100g 500g
85692 [123-08-0]	**p-Hydroxybenzaldehyde pure, 99%**	480.00 2050.00	100g 500g
78957 [99-96-7]	**p-Hydroxybenzoic Acid pure, 99%**	310.00 950.00	100g 500g
59645 [1137-42-4]	**4-Hydroxybenzophenone pure, 99%**	3670.00 12420.00	100g 500g
29893 [623-05-2]	**4-Hydroxy Benzyl Alcohol pure, 98%**	1310.00 4630.00 17790.00	25g 100g 500g
82739 [54970-72-8]	**2-Hydroxy-3,5,-Dichlorobenzene Sulphonic Acid Sodium Salt, 98% (HDCBS, Trinder reagent)**	1370.00 3410.00 15770.00	1g 5g 25g
12197 [9028-38-0] ♦	**D-3-Hydroxybutyrate Dehydrogenase (3-HBDH) ex. Pseudomonas Sp., 100U/mg** (β-Hydroxybutyrate dehydrogenase, (R)-3-hydroxybutanoate: NAD+ oxidoreductase) Activity — min.100U/mg solid, Lyophilized powder	27300.00	1000U
56043 [128446-35-5] ✔	**Hydroxypropyl-B-Cyclodextrin (HPBCD) ExiPlus, Multi-Compendial, 98%** (2-Hydroxypropyl)-B-cyclodextrin) meets compendial specs of USP	2970.00 8310.00	25g 100g
58240 [13161-30-3]	**2-Hydroxypyridine-N-oxide pure (HOPO), 98%** (1-Hydroxy-2-pyridone) May be used as a replacement for HOBT in peptide synthesis.	4940.00 18060.00	25g 100g
44923 [1306-06-5] 🌡	**Hydroxylapatite ~ 25% solids suspension (10g solids/40ml) in 0.001M** phosphate buffer pH 6.8 Useful for purification of proteins	1980.00 3770.00	40ml 100ml
62953 [67-47-0] 🌡	**5-Hydroxymethylfurfural (HMF) extrapure, 98%** fo biochemistry ((5-Hydroxymethyl)-2-furfuraldehyde)	1670.00 5500.00 25000.00	1g 5g 25g
77491 [67-47-0] 🌡	**5-Hydroxymethylfurfural (HMF) ExiPlus, Multi-Compendial, 98%** fo biochemistry meets compendial specs of BP, Ph.Eur ((5-Hydroxymethyl)-2-furfuraldehyde)	2100.00 8100.00	1g 5g
79897 [87199-15-3]	**3-(Hydroxymethyl)-Phenylboronic Acid extrapure, 95%**	2500.00 11800.00 21940.00	1g 5g 10g

code	product name	unit price ₹	packing
93740 [63451-35-4]	**Hydroxynaphthol Blue**	570.00 1110.00 1790.00	5g 10g 25g
69399 [524-38-9]	**N-Hydroxyphthalimide pure, 98%**	1260.00	100g
26921 [51-35-4]	**L-Hydroxyproline extrapure CHR, 99%** for biochemistry (4-Hydroxypyrrolidine-2-carboxylic acid)	420.00 1490.00 5220.00	5g 25g 100g
57803 [142-08-5]	**2-Hydroxypyridine pure, 98%**	3620.00 13050.00	100g 500g
64675 [109-00-2]	**3-Hydroxypyridine pure, 98%**	720.00 2420.00 10960.00	25g 100g 500g
87228 [626-64-2]	**4-Hydroxypyridine, 95%** practical grade	1500.00 5110.00	25g 100g
47913 [6066-82-6]	**N-Hydroxysuccinimide pure, 97%** reagent for peptide synthesis	760.00 2490.00 11360.00	25g 100g 500g
88997 [14348-40-4] ●	**3-Hydroxy-2,4,6-Tribromo-Benzoic Acid (TBHBA), 97%** (Trinder reagent)	710.00 3280.00	1g 5g
84688 [53279-72-4] ●	**3-Hydroxy-2,4,6-Triiodobenzoic Acid, 97% (HTBA, Trinder reagent)**	8060.00	1g
67941 [4350-09-8]	**5-Hydroxy-L-Tryptophan extrapure, 99%** for biochemistry	1560.00 2800.00	500mg 1g
67317 [31282-04-9] 🌡	**Hygromycin B (HGR), 90%** for biocemistry & microbiology	1410.00 3390.00 13150.00	100mg 250mg 1g
11056 [31282-04-9] 🌡	**Hygromycin B (HGR) for tissue culture, 90%**	2460.00 5960.00	100mg 250mg
63573 [68-94-0] ✔	**Hypoxanthine extrapure, 99%** for biochemistry	270.00 840.00 3150.00	5g 25g 100g
36693 [3034-50-2]	**4-Imidazolecarboxaldehyde pure, 98%** (4-Formylimidazole, 1H-Imidazole-4-carbaldehyde, 5-Imidazolecarboxaldehyde)	2460.00 8650.00	1g 5g
52106 [606-23-5]	**1,3-Indanedione pure, 92%** (1,3-Diketohydrindene, 1,3-Dioxoindan)	2460.00 9930.00	5g 25g
32328 [615-13-4] 🌡	**2-Indanone pure, 98%**	3140.00 7140.00 20330.00	10g 25g 100g
46486 [860-22-0]	**Indigo Carmine extrapure AR** (C.I. No. 73015)	350.00 1050.00	25g 100g
31016 [22519-64-8]	**Indium (III) Chloride Tetrahydrate ultrapure, 99.99%**	4730.00 9450.00	5g 25g
52859 [20661-21-6]	**Indium(III) Hydroxide ultrapure, 99.99%**	2630.00 7350.00	5g 25g
84697 [7440-74-6]	**Indium Metal Ingots, 99.9%**	4830.00	10g



code	product name	unit price ₹	packing
95867 [207398-97-8]	**Indium (III) Nitrate Hydrate extrapure, 99.9%**	2970.00 4180.00 19800.00	5g 10g 50g
43095 [1312-43-2]	**Indium (III) Oxide extrapure, 99.9%** (Diindium trioxide, Indium sesquioxide)	3790.00 5890.00 8660.00	5g 10g 25g
64331 [13464-82-9]	**Indium (III) Sulphate Anhydrous pure, 99%**	2940.00 6570.00	10g 25g
75920 [13464-82-9]	**Indium(III) Sulphate Anhydrous ultrapure, 99.99%**	6300.00 30450.00	10g 100g
96535 [7440-74-6]	**Indium Wire Dia(Ø) 0.5 mm, 99.9%**	5250.00 9980.00	5g 10g
19228 [120-72-9]	**Indole crystalline extrapure AR, 99%**	540.00 1510.00	25g 100g
69522 [1912-33-0] 🌡	**Indole-3-Acetic Acid Methyl Ester** (Methyl 3-indolylacetate) **extrapure, 98%**	1640.00 9350.00	1g 10g
63661 [57105-50-7] 🌡	**Indole-3-Acetyl-L-Phenylalanine extrapure, 98%** (N-(3-Indolylacetyl)-L-phenylalanine, IAA-L-Phe)	34510.00 103520.00	1g 5g
13550 [57105-42-7] 🌡	**Indole-3-Acetyl-L-Valine extrapure, 99%** (N-(3-Indolylacetyl)-L-valine, IAA-L-val)	2340.00	25mg
60704 [1204-06-4] ✔	**Indole-3-Acrylic Acid extrapure, 99.5%** (3-Indoleacrylic acid)	2900.00 14470.00	1g 5g
97637 [830-96-6] ✔	**Indole-3-Propionic Acid pure, 98%**	1100.00 3290.00	5g 25g
69447 [487-89-8] 🌡	**3-Indolyaldehyde extrapure, 99%** (Indole-3-carboxyaldehyde)	940.00 1890.00 6730.00	10g 25g 100g
96553 [126787-65-3] 🌡	**Indoxyl-β-D-Galactopyranoside extrapure, 98%** for biochemistry	3800.00	25mg
39627 [3318-43-2] 🌡	**3-Indoxyl Phosphate Disodium Salt extrapure, 99%** for biochemistry	3390.00 6430.00 22200.00	25mg 100mg 500mg
Histochemical substrate for alkaline phosphatase (ALP)			
25670 [2642-37-7] ♦	**3-Indoxyl Sulfate Potassium Salt extrapure, 98%**	2580.00 5960.00	50mg 250mg
51113 [58-63-9] 🌡	**Inosine extrapure, 99%** for biochemistry	620.00 1540.00 5820.00	10g 25g 100g
19594 [352195-40-5] 🌡	**Inosine-5'-Monophosphate Disodium Salt Hydrate (5-IMP-Na2 Hydrate) extrapure, 99%** for biochemistry (Disodium Inosate)	1160.00	5g
77985 [36051-67-9] 🌡	**Inosine-5'-Triphosphate Disodium Salt (ITP-Na_2) extrapure, 97%** for biochemistry (partial decomposition possible)	2970.00 5940.00	25mg 100mg

code	product name	unit price ₹	packing
98211 [87-89-8]	**Inositol pure, 99%** (Myo-inositol, meso-inositol)	260.00 720.00 3260.00 6300.00	25g 100g 500g 1kg
87114 [87-89-8]	**Inositol for tissue culture, 99%**	420.00 1260.00 5780.00	25g 100g 500g
31773 [11070-73-8] ●	**Insulin ex. Bovine Pancreas, 26 IU/mg** for biochemistry	6850.00 10270.00	50mg 100mg
Insulin is used as a growth factor in many mammalian cell culture systems.			
53860 [9005-80-5]	**Inulin extrapure** for bacteriology and biochemistry	1050.00 3520.00	25g 100g
61568 [80619-01-8] ♦	**Invertase (Saccharase) ex. Candida Sp., 100U/mg** (Invertase-ß-D-fructofuranoside fructohydrolase)	12250.00	2KU
51611 [88-67-5] 🌡	**2-Iodobenzoic Acid pure, 98%**	980.00 3000.00	25g 100g
55129 [626-62-0] ✔	**Iodocyclohexane (Stabilized w/ Cu) extrapure, 98%** (Cyclohexyl iodide)	3360.00 7200.00 10800.00	10g 25g 100g
82104 [2050-77-3]	**1-Iododecane (Stabilized with Cu) extrapure, 98%** (Decyl Iodide) Stabilized with Copper	1860.00 5940.00	25ml 100ml
83441 [54-42-2] ●	**5-Iodo-2'-Deoxyuridine extrapure, 98%** for biochemistry	1520.00 10450.00	500mg 5g
40686 [146-68-9] ●	**2(4-Iodophenyl)-3 (4-Nitrophenyl)-5-Phenyl-2H-Tetrazolium Chloride (INT) extrapure AR, 98%** for biochemistry	3060.00 14570.00	1g 5g
99918 [696-07-1] ●	**5-Iodouracil extrapure, 98%** for biochemistry	7560.00 14120.00	5g 10g
63088 [538-93-2]	**Isobutyl Benzene pure, 98%**	430.00 2000.00	500ml 2500ml
34516 [84110-40-7]	**Isobutylboronic Acid extrapure, 98%** (2-Methylpropylboronic acid)	1530.00 3460.00 15540.00	1g 5g 25g
78521 [78-77-3]	**Isobutyl Bromide (Stabilized w/ Ag) pure, 98%** (1-Bromo-2-methylpropane)	720.00 2840.00	100ml 500ml
30671 [513-38-2]	**Isobutyl Iodide (Stabilized w/Ag) pure, 97%** (1-Iodo-2-methylpropane)	3760.00 8720.00	100ml 250ml
39634 [79-3-2]	**Isobutyric Acid extrapure, 99%** (2-Methylpropionic acid)	1000.00 4680.00	500ml 2500ml
35853 [79-30-1]	**Isobutyryl Chloride pure, 98%**	1340.00 4860.00	250ml 1000ml

code	product name	unit price ₹	packing
42615 [1637-73-6 anhy] ●	**DL-Isocitrate Trisodium Salt, 49% for biochemistry**	3050.00 9980.00	500mg 1g
90189 [25339-17-7]	**Isodecanol pure, 98%** (Isodecyl alcohol)	1080.00	500ml
60672 [97-54-1] 🌡	**Isoeugenol (mixture of cis and trans) pure, 98%**	1470.00	100ml
33401 [319-78-8]	**D-Isoleucine extrapure, 98%**	27870.00 92470.00 188500.00	250mg 1g 5g
26731 [73-32-5]	**L-Isoleucine extrapure CHR, 99%** for biochemistry	490.00 1750.00 11330.00	25g 100g 1kg
94082 [499-40-1] ✔	**Isomaltose extrapure, 98%** for biochemistry	6300.00 18900.00	25mg 100mg
42021 [3371-50-4] ✔	**Isomaltotriose extrapure, 97%** 6-O-[6-O-(a-D-Glucopyranosyl)-a-D-glucopyranosyl]-D-glucose	11710.00	25mg
88109 [35997-20-7] ✔	**Isomaltotetraose extrapure, 95%**	25490.00	5mg
Isomaltotetraose, can be used for immunization of hybridoma antibodies. the use of synthetic glycolipids as antigens enables one to study the gene control of antibody responses to glycolipids and to investigate the combining-site specificities of antibodies to a single antigenic determinant.			
45433 [6082-32-2] ✔	**Isomaltopentaose extrapure, 95%**	51580.00	1mg
Isomaltopentaose, is an isomalto-oligosaccharides (IMO) compound, used as functional food ingredients.			
94885 [54-85-3] ✔	**Isoniazid extrapure, 99%** (Isonicotinic acid hydrazide, 4-pyridinecarboxylic acid hydrazide)	300.00 820.00	5g 100g
68866 [2365-40-4] 🌡	**N6-[2-Isopentenyl] Adenine extrapure, 98%** for biochemistry	4690.00 5870.00 10680.00	250mg 500mg 1g
18018 [121-91-5]	**Isophthalic Acid pure, 99%** (Benzene-1,3-dicarboxylic acid)	390.00	500g
67742 [99-63-8] 🌡	**Isophthaloyl Chloride pure, 98%**	1640.00 6310.00	100g 500g
36321 [108-21-4]	**Isopropyl Acetate pure, 99%**	640.00 2420.00	500ml 2500ml
58571 [2210-25-5] 🌡	**N-Isopropylacrylamide (NIPAM) extrapure, 99%**	2970.00 4990.00 16010.00	10g 25g 100g
61386 [7724-76-7] 🌡	**N6-(2-Isopentenyl) Adenosine pure, 98%** (6-(γ,γ-Dimethylallylamino)purine riboside, N6-(3,3-dimethylallylamino) purine riboside, 6-(3,3-dimethylallylamino)-9-(ß-D-ribofuranosyl)purine)	7120.00 16010.00	50mg 200mg
45273 [80041-89-0]	**Isopropylboronic Acid extrapure, 97%**	2970.00 13050.00 23120.00	1g 5g 25g

code	product name	unit price ₹	packing
16390 [75-26-3]	**Isopropyl Bromide (Stab w/Ag) pure, 99%** (2-Bromopropane)	350.00 1410.00	100ml 500ml
18346 [105-48-6]	**Isopropyl Chloroacetate pure, 98%**	770.00	500ml
38525 [75-30-9]	**Isopropyl Iodide pure, 98%** (2-Iodopropane)	3190.00 7620.00	100ml 250ml
52469 [142-91-6]	**Isopropyl Palmitate pure, 90%**	670.00	500ml
54110 [367-93-1] 🌡	**Isopropyl-β-D-Thiogalactopyranoside (IPTG) (dioxan free), 99%** for routine biochemistry and production applications	400.00 1780.00 3330.00 8070.00 29640.00	1g 5g 10g 25g 100g
67208 [367-93-1] 🌡	**Isopropyl-β-D-Thiogalactopyranoside (IPTG) (dioxan free) for molecular biology, 99%**	430.00 1950.00 3740.00 8660.00 32010.00	1g 5g 10g 25g 100g
82202 🌡	**IPTG Solution (20mg/ml)**	2020.00	1ml
86577 [590-86-3] 🌡	**Isovaleraldehyde pure, 98%** (3-Methylbutyraldehyde)	630.00 1160.00 4310.00	100ml 250ml 1000ml
51656 [108-12-3]	**Isovaleryl Chloride pure, 98%** (Isopentanoyl Chloride, 3-Methylbutyryl Chloride)	1170.00 2460.00 5610.00	25g 100g 500g
35798 [97-65-4]	**Itaconic Acid pure, 99%**	630.00	250g
18443 [70288-86-7] 🌡	**Ivermectin (IVM), 95-102%** for biochemistry & microbiology	1070.00 1780.00 5940.00	500mg 1g 5g
79238 [77026-92-7] 🌡	**Jasmonic Acid for molecular biology, 95%** Plant growth regulator	16120.00	25mg
98314 [61789-91-1]	**Jojoba Oil extrapure** Saponification value — min.90%	3870.00 7080.00	250ml 500ml
99311 [25389-94-0] 🌡	**Kanamycin Monosulphate (KM) extrapure** for biochemistry & microbiology Potency — min.750µg/mg, Solubility (readily): water, Insoluble: acetone, chloroform, ethanol & ether	580.00 2290.00 8560.00	1g 5g 25g
76061 [25389-94-0] 🌡	**Kanamycin Monosulphate (KM) for tissue culture**	750.00 3100.00 10810.00	1g 5g 25g
14259 [600-18-0] 🌡	**2-Ketobutyric Acid pure, 97%** (a-Ketobutyric acid, propionylformic acid, 2-oxobutyric acid)	6780.00	5g
93929 [328-50-7] ✔	**α-Ketoglutaric Acid extrapure, 99%** (2-Oxoglutaric acid)	610.00 2110.00 8770.00	25g 100g 500g
28386 [328-50-7] ✔	**α-Ketoglutaric Acid (High Purity) extrapure AR, 99.5%** (2-Oxoglutaric acid) highly purified for biochemistry	770.00 2930.00 13440.00	25g 100g 500g



code	product name	unit price ₹	packing
22826 [305-72-6] ✔	**α-Ketoglutaric Acid Disodium Salt Anhydrous extrapure, 95%** (2-Oxoglutaric acid disodium salt)	3010.00 10070.00	25g 100g
18223 [305-72-6] ✔	**α-Ketoglutaric Acid Disodium Dihydrate extrapure, 98%** (2-Oxoglutaric acid disodium salt)	2580.00 8420.00	25g 100g
90814 [22202-68-2] ✔	**α-Ketoglutaric Acid Monosodium Salt extrapure, 98%** (2-Oxoglutaric acid monosodium salt)	2930.00 9120.00	25g 100g
61341 [525-79-1]	**Kinetin extrapure AR, 99%** (6-Furfurylaminopurine)	270.00 950.00 4730.00	1g 5g 25g
34154 [525-79-1]	**Kinetin for tissue culture, 99%** (6-Furfurylaminopurine)	580.00 2310.00 9450.00	1g 5g 25g
83296 [4338-47-0] 🌡	**Kinetin Riboside extrapure, 98%** for biochemistry	3680.00 12600.00	100mg 1g
19744 [501-30-4]	**Kojic acid extrapure, 99%** (5-Hydroxy-2-hydroxymethyl-4-pyranone)	210.00 550.00 2050.00	5g 25g 100g
98158 [2140-29-6] ♦	**Kojibiose extrapure, 99%**	3180.00 10780.00	10mg 50mg
81662 🌡	**Kovac's Reagent for Indoles** Reagent for dectecting indole formation by bacteria	210.00	100ml
69068	**Kraut's Reagent**	680.00	100ml
53110 [9028-36-8] ♦	**D-Lactate Dehydrogenase (D-LDH) ex. Microorganism, 400U/mg** highly purified, Lyophilized powder	4270.00 8180.00	2500units 5000units
49363 [9001-60-9] ♦	**L-Lactate Dehydrogenase (L-LDH) ex. Rabbit Muscle, 400-600U/mg** Lyophilized crystalline powder		Discontinued
82334 [9001-60-9] ♦	**r-Lactate Dehydrogenase (r-LDH) ex. E. Coli (Thermostable), 200U/mg solids** Recombinant LDH	7010.00 12620.00	5000units 10000units
15932 [8006-54-0]	**Lanolin anhydrous extrapure** (Wool grease, wool wax, wool fat) Saponification value — 90-105	2080.00	500g
56839 [79-63-0]	**Lanosterol pure, ~60%**	1160.00 9450.00	1g 10g
20351 [10025-84-0]	**Lanthanum Chloride Heptahydrate extrapure AR, ACS, 99%**	2210.00 8770.00	100g 500g
34032 [10277-43-7]	**Lanthanum Nitrate Hexahydrate extrapure AR, 99%**	1540.00 6600.00	100g 500g
91288 [10277-43-7]	**Lanthanum Nitrate 0.1M**	1540.00 2970.00	500ml 1000ml
36917 [312696-10-9]	**Lathanum Oxalate Hydrate extrapure, AR, 99.5%**	440.00 2630.00 12600.00	10g 100g 500g

code	product name	unit price ₹	packing
59415 [1312-81-8]	**Lanthanum Oxide extrapure, 99.9%**	980.00 4400.00	100g 500g
47835 [52093-26-2]	**Lanthanum (III) Trifluoromethanesulfonate extrapure, 98%** (Lanthanum triflate, Trifluoromethanesulfonic acid lanthanum salt)	1050.00 3250.00	1g 5g
92044 [111-82-0] 🌡	**Lauric Acid Methyl Ester Reference Standard, 99%(GC)** (Methyl laurate) for biochemistry	1840.00 5950.00	5g 25g
87444 [142-18-7] 🌡	**1-Lauroyl-Rac-Glycerol extrapure (Imwitor 312), 99%** for biochemistry	3870.00 15570.00	1g 5g
74090 [137-16-6] 🌡	**N-Lauroylsarcosine Sodium Salt (Sarkosyl Sodium) pure, 98%** (Sodium lauroyl sarcosine)	360.00 1520.00 5870.00	5g 25g 100g
15448 [137-16-6] 🌡	**N-Lauroylsarcosine Sodium Salt (Sarkosyl Sodium) for molecular biology, 98%** (Sodium lauroylsarcosine)	3990.00 10290.00	25g 100g
63645 [8000-28-0]	**Lavender Oil extrapure, 30-60% LA**	1530.00 3060.00	10ml 25ml
71707 [7758-97-6]	**Lead (II) Chromate pure, 98%** (Plumbous chromate)	1050.00	500g
21854 [7439-92-1]	**Lead Metal Lumps, 99%**	680.00	500g
62603 [7439-92-1]	**Lead Metal Powder AR, 99.5%, -32 mesh** Low silver and arsenic content	1000.00	500g
59557 [8002-43-5]	**Lecithin ex. Egg, 60%** (L-α-phosphatidylcholine)	5470.00 19440.00	25g 100g
59561 [8002-43-5]	**Lecithin ex. Soya, 30%** (L-α-phosphatidylcholine)	1770.00 3890.00	100g 500g
64613 [10466-61-2]	**L-Leucinamide Hydrochloride extrapure, 99%** for biochemistry	3360.00	5g
61304 [328-38-1]	**D-Leucine extrapure, 99%** for biochemistry	630.00 1890.00	1g 5g
99664 [33105-81-6]	**tert-DL-Leucine extrapure, 98%** for biochemistry	5250.00	100mg
47736 [62480-44-8] 🌡	**L-Leucine-7-Amido-4-Methylcoumarin Hydrochloride Salt extrapure, 98%** (L-Leucine-AMC.HCl salt)	8400.00 16800.00	10mg 25mg
40528 [9082-71-7] 🌡	**Leucine Dehydrogenase (LeuDH) ex. Bacillus Sp., 20U/mg** (Leucine:NAD+-oxidoreductase)	14230.00	100U
27029 [893-36-7] 🌡	**L-Leucine-β-Napthylamide Hydrochloride extrapure, 97%** for biochemistry	2630.00	100mg
11127 [7298-84-2] 🌡	**L-Leucyl-L-Alanine extrapure, 98%** for biochemistry	9420.00	1g

For flurometric determination of phenylalanine in serum.

code	product name	unit price ₹	packing
37520 [997-05-7] 🌡	**D-Leucyl-Glycine extrapure, 98%** for biochemistry	2520.00 11900.00	100mg 500mg
23467 [100986-85-4] 🌡	**Levofloxacin (LVX), 98%** for biochemistry & microbiology	2380.00 4160.00	500mg 1g
60011 [5141-20-8]	**Light Green SF Yellowish, 65%** (C.I. No. 42095)	2010.00 7210.00	25g 100g
13562 [60-33-3] ●	**Linoleic Acid (Free Acid) Reference Standard, 99%(GC)** for biochemistry	1640.00 6830.00	1g 5g
49462 [112-63-0] ●	**Linoleic Acid Methyl Ester Reference Standard, 99%(GC)** for biochemistry (Methyl linoleate)	2630.00 4730.00 17850.00	1g 5g 25g
60770 [9001-62-1] ●	**Lipase (Steapsin) ex. Microorganism, 40-70U/mg**	790.00 2310.00 6830.00	25g 100g 500g
15471 [9004-02-8] ♦	**Lipoprotein Lipase (LPL) ex. Pseudomonas Sp., 20U/mg**	2460.00 7010.00	10mg 50mg
92661 [9029-60-1] ♦	**Lipoxidase ex. Glycine Max (Soyabean), 50000U/mg solids**	6300.00 13130.00 39900.00	100mg 250mg 1g
68457 [6108-17-4]	**Lithium Acetate Dihydrate extrapure, 99%** buffer component	1200.00 2650.00 5040.00	100g 250g 500g
86701 [16853-85-3]	**Lithium Aluminium Hydride extrapure, 95%**	15630.00	100g
24966 [6080-58-6]	**Lithium Citrate Tribasic Tetrahydrate extrapure AR (High Purity), 99.5%** Buffer component	1130.00 2770.00	100g 250g
91740 [17023-24-4]	**Lithium Iodide Monohydrate pure, 98%**	1320.00 3960.00	25g 100g
89141 [867-55-0]	**Lithium Lactate (specially purified) extrapure, 99%** (Lactic Acid Lithium Salt)	1160.00 5280.00	100g 500g
43904 [2044-56-6]	**Lithium Lauryl Sulphate extrapure, 99%** (Lithium dodecyl sulphate) for electrophoresis & molecular biology	2010.00 8160.00	5g 25g
69375 [7439-93-2]	**Lithium Metal, 99.5%** (will be invoiced on the actual weight of the metal in each tin - approx 100g)	7120.00	100g
23410 [553-91-3]	**Lithium Oxalate extrapure, 99%**	700.00	100g
16350 [14283-07-9]	**Lithium Tetraflouroborate Dried, 99%, water 1%**	8800.00 34100.00	5g 25g
29288 [434-13-9] ♦	**Lithocholic Acid (LCA) pure, 98%**	7010.00 14610.00	10g 25g
52737 [9879-52-8] 🌡	**Lomefloxacin Hydochloride (LMF), 98.5%** for biochemistry & microbiology	1260.00 3260.00	1g 5g

code	product name	unit price ₹	packing
50320 [2591-17-5] ♦	**D-Luciferin ex. Firefly, 99%** ((S)-4,5-Dihydro-2-(6-hydroxy-2-benzothiazolyl)-4-thiazolecarboxylic acid)	5340.00 23720.00	10mg 50mg
58891 [115144-35-9] ♦	**D-Luciferin Potassium Salt ex. Firefly, 99%**	4090.00 9980.00 44100.00	25mg 100mg 500mg
62851 [103404-75-7] ♦ **new**	**D-Luciferin Sodium Salt ex. Firefly, 99%**	5460.00 16800.00 63000.00	25mg 100mg 500mg
49982 [521-31-3]	**Luminol extrapure, 98%** for biochemistry	1070.00 4160.00	5g 25g
60445 ✔	**Luminol - Peroxide Chemiluminisence Solution for ELISA**	1900.00	100ml
70795 [201853-23-8] 🌡	**L-Lysine-7-Amido-4-Methylcoumarin Acetate Salt extrapure, 98%** (L-Lysine-AMC.acetate salt)	8870.00 18150.00	10mg 25mg
72890 [97281-40-8] ♦	**L-α-Lysophosphatidylethanolamine (Egg Lyso PE) ex. Egg, 99%** (L-α-Lysocephalin, 3-sn-Lysophosphatidylethanolamine)	8120.00 18390.00	10mg 25mg
45822 [12650-88-3] ♦	**Lysozyme (3x cryst) ex. Egg White (Muramidase) for molecular biology, 15000U/mg**	840.00 3090.00 14230.00	1g 5g 25g
35355 [1114-34-7]	**D-Lyxose extrapure** for biochemistry	1890.00 5670.00	1g 5g
38894 [1949-78-6]	**L-Lyxose extrapure** for biochemistry	1470.00 8400.00	100mg 1g
81889 [9032-75-1] ♦	**Macerozyme "R-10" ex. Rhizopus Sp., 3000U/g** Cell seperating Enzyme powder	4510.00 6820.00 30240.00	500mg 1g 5g
66638 [9032-75-1] ♦	**Macerozyme R-10" ex. Trichoderma & Aspergillus Niger, 10000U/g** Cell seperating Enzyme powder	4280.00 7120.00	500mg 1g
40169 [9001-64-3] ♦	**Malate Dehydrogenase (MDH) ex. Microorganism, 40U/mg**	2710.00 6390.00	1KU 5KU
87448 ♦	**r-Malate Dehydrogenase (r-MDH) ex. E. Coli (Thermostable), 500U/mg** Recombinant MDH	7600.00 14020.00	5000units 10000units
84225 [08-31-6]	**Maleic Anhydride extrapure AR, 99%** For the complete dissociation of enzymes into soluble subunits.	450.00 4200.00	500g 5kg
18808 [13676-54-5] ✔	**Bis-Maleimide pure, 95%**	6850.00	100g
55114 [80307-12-6] ●	**4-Maleimidobutyric Acid N-hydroxysuccinimide Ester extrapure, 99% (GMBS)**	8100.00 21790.00	25mg 100mg
57096 [108-13-4]	**Malonamide extrapure, 98%**	380.00 1050.00 4510.00	25g 100g 500g



code	product name	unit price ₹	packing
43541 [141-82-2]	**Malonic Acid pure, 99%**	1110.00 2110.00	250g 500g
26504 [141-82-2]	**Malonic Acid extrapure AR, 99%**	530.00 1230.00	100g 250g
32261 [109-77-3]	**Malononitrile extrapure, 98%** (Malonic dinitrile, dicyanomethane)	630.00 2740.00	100g 500g
43786 [1109-28-0]	**Maltotriose (DP3) extrapure, 90%** (a-1,4-Glucotriose)	2800.00 6900.00 26700.00	250mg 1g 5g
Maltotriose is a (1-4)-linked glucose oligomer that serves as the inducer of the maltose regulon of Escherichia coli.			
28083 [34612-38-9] ♦	**Maltotetraose (DP4) extrapure, 97%**	6700.00 15000.00	10mg 25mg
10450 [34620-76-3, 1668-09-3]	**Maltopentaose (DP5) extrapure, 95%**	12000.00 26900.00	10mg 25mg
27607 [34620-77-4] 🌡	**Maltohexaose (DP6) extrapure, 65%**	12000.00	50mg
12894 [34620-78-5]	**Maltoheptaose (DP7) extrapure, 80%**	7900.00	25mg
	Malt Extract for bacteriology - Please refer 'Dehydrated Culture Media' section		
58199 [611-71-2] ✔	**R-(-)-Mandelic Acid extrapure, 99%** (D-(-)-Mandelic acid, D-R-Hydroxyphenyl acetic acid) for biochemistry Chiral intermediate, light sensitive compound	920.00 2820.00	25g 100g
30727 [17199-29-0] ✔	**S-(+)-Mandelic Acid extrapure, 99%** (L-(+)-Mandelic acid, S-Z-Hydroxyphenyl acetic acid) for biochemistry Chiral intermediate light sensitive Specific rotation +154° to +156° (c= 5, water)	920.00 2490.00	25g 100g
27072 [90-64-2]	**DL-Mandelic Acid pure, 99%**	1200.00 5500.00	100g 500g
94551 [5505-63-5] 🌡	**D-Mannosamine Hydrochloride extrapure, 98%** for biochemistry	2020.00 9610.00	100mg 500mg
13735 [3458-28-4]	**D-Mannose extrapure AR, 99%** for bacteriology and biochemistry	530.00 1160.00 4410.00	10g 25g 100g
87875 [3458-28-4]	**D-Mannose extrapure AR, ExiPlus, Multi-Compendial, 99%** for bacteriology and biochemistry meets compendial specs of BP, Ph.Eur	1680.00 5670.00	25g 100g
58476 [3458-28-4]	**D-Mannose for tissue culture, 99%**	840.00 1470.00 5360.00	10g 25g 100g
69795 [4163-65-9] 🌡	**D-Mannose Pentaacetate extrapure, 99%** for biochemistry	Discontinued	
72002 [104872-94-8] 🌡	**D-Mannose-6-Phosphate Barium Salt Hydrate extrapure, 98%** for biochemistry	25080.00	25mg

code	product name	unit price ₹	packing
70902 [73-31-4] ♦	**Melatonin extrapure, 99%** for biochemistry (N-Acetyl-5-methoxytryptamine) Reverses the darkening effect on skin of melanotropin	600.00 1990.00 6780.00	1g 5g 25g
10030 [7057-57-0]	**Meldolas Blue extrapure** (8-Dimethylamino-2,3-benzophenoxazine hemi (zinc Chloride) salt, Naphthol blue R, Basic blue 6)	4090.00	5g
92876 [585-99-9]	**D(+)Melibiose Anhydrous extrapure, 98%** for biochemistry and microbiology	3740.00 14230.00	1g 5g
77393 [66009-10-7]	**D(+)Melibiose Monohydrate extrapure, 98%** for biochemistry and microbiology	1320.00 4630.00 22530.00	1g 5g 25g
83709 [10030-67-8]	**D-Melezitose Monohydrate extrapure, 99%**	18900.00	25g
61495 [58-27-5]	**Menadione O/S (Vitamin K3) pure, 98%**	1000.00	25g
44111 [6147-37-1] ✔	**Menadione Sodium Bisulphite Trihydrate W/S (Vitamin K3 Sodium Bisulphite Trihydrate) pure, 95%** (2-Methyl-1,4-napthoquinone sodium bisulfite)	650.00 2460.00	25g 100g
43804 [95713-52-3] 🌡	**Marfey's Reagent extrapure AR, 98%** (FDAA, FDNP-Ala-NH2, Nα-(2,4-Dinitro-5-fluorophenyl)-L-alaninamide)	5940.00 12450.00 47430.00	50mg 200mg 1g
For derivatization and resolution of amino acids. Derivatized D- and L-amino acids can be resolved and quantitated by HPLC.			
26531 [96-27-5]	**1-Thioglycerol (3-Mercapto-1,2-Propanediol) pure, 90%** Ligand for metal ions (Monothioglycerol) (contains~10% water)	1140.00 3510.00 16940.00	25ml 100ml 500ml
56868 [107-96-0]	**3-Mercaptopropionic Acid pure, 98%**	1100.00 4310.00	100ml 500ml
18382 [6112-76-1] 🌡	**6-Mercaptopurine Monohydrate extrapure, 99%** for biochemistry	650.00 2240.00 8100.00	1g 5g 25g
81439 [4432-31-9]	**MES Free Acid Buffer extrapure, 99%** (4-Morpholineethanesulfonic acid)	1050.00 3780.00 13650.00	25g 100g 500g
31808 [145224-94-8]	**MES Monohydrate Buffer extrapure, 99%** (2-Morpholineethane sulphonic acid monohydrate) for biochemistry	950.00 3470.00 12080.00	25g 100g 500g
86751 [145224-94-8]	**MES Monohydrate Buffer for tissue culture, 99%** (2-Morpholineethane sulphonic acid monohydrate)	1160.00 3730.00	25g 100g
26854 [145224-94-8]	**MES Monohydrate Buffer for molecular biology, 99%** (2-Morpholineethane Sulphonic Acid Monohydrate)	1470.00 3890.00	25g 100g

code	product name	unit price ₹	packing
43396 [117961-21-4]	**MES Hemisodium Salt Buffer extrapure, 98%** (4-Morpholineethane sulphonic acid hemisodium salt) for biochemistry	5430.00 18500.00	25g 100g
69408 [71119-23-8]	**MES Sodium Salt Buffer extrapure, 99%** (4-Morpholineethane sulphonic acid sodium salt) for biochemistry	2290.00 3270.00 10120.00	10g 25g 100g
	Multi-Element Standard Solutions (MES)		
47062 ✔	**MES1: D12 Standard:** Ag, Al, Cr, Cu, Fe, Mg, Na, Ni, Pb, Si, Sn, Ti @ 10 µg/g Aviation Reference Oil	44460.00	100g
19278 ✔	**MES2: Metals in Biodiesel Standard:** Ca, K, Mg, Na, P @ 10 µg/g	102740.00	100g
55049 ✔	**MES3: ICP Alkali's & Alkaline Earths:** Ba, Be, Ca, Cs, K, Li, Mg, Na, Rb, Sr @ 100 µg/ml 5% HNO3	31070.00	100ml
25562 ✔	**MES4: ICP Noble Metals:** Au, Ir, Os, Pd, Pt, Re, Rh, Ru @ 100 µg/ml 20% HCl	34620.00	100ml
21551 ✔	**MES5: ICP Rare Earth & 'Geo' Elements:** Ba, Ce, Dy, Er, Eu, Gd, Ho, La, Lu, Nd, Pr, Rb, Sc, Sm, Sr, Tb, Th, Tm, U, Y, Yb @ 100 µg/ml 5% HNO3	51700.00	100ml
82634 ✔	**MES6: ICP Non-Metals:** As, B, P, S, Se, Si, Te @ 100 µg/ml 5% HCl, tr. HF	27150.00	100ml
18263 ✔	**MES7: ICP Common Elements Mix 1:** Cd, Co, Cr, Cu, Fe, Mn, Ni, V, Zn @ 100 µg/ml 5% HNO3	29640.00	100ml
63924 ✔	**MES8: ICP Common Elements Mix 2:** Ag, Al, B, Ca, Co, Cr, Cu, Fe, K, Mg, Mn, Na, Ni, P, Pb, Si, Sn, Ti, V, Zn @ 100 µg/ml 5% HNO3, tr. HF	46240.00	100ml
58498 ✔	**MES9: ICP Comprehensive Mix A:** Ag, Al, As, Ba, Bi, Ca, Cd, Ce, Dy, Er, Eu, Ga, Gd, Ho, La, Lu, Mg, Na, Nd, P, Pb, Pr, Rb, Sc, Se, Sm, Sr, Tb, Th, Tl, Tm, U, Y, Yb @ 10 µg/ml 40% Aqua Regia	68770.00	100ml
36719 ✔	**MES10: ICP Comprehensive Mix B:** Au, B, Be, Co, Cr, Cu, Fe, Ge, Hf, Ir, K, Li, Mn, Mo, Nb, Ni, Os, Pd, Pt, Re, Rh, Ru, Sb, Si, Sn, Ta, Te, Ti, V, W, Zn, Zr @ 10 µg/ml 40% Aqua Regia, tr. HF	68050.00	100ml
76134 ✔	**MES11: ICP 68 Element Multi Standard 1:** Al, As, B, Ba, Be, Bi, Ca, Cd, Ce, Co, Cr, Cs, Cu, Dy, Er, Eu, Fe, Ga, Gd, Ho, In, K, La, Li, Lu, Mg, Mn, Na, Nd, Ni, P, Pb, Pr, Rb, Re, Sc, Se, Sm, Sr, Tb, Th, Tl, Tm, U, V, Y, Yb, Zn @100 µg/ml (Standard 1 contains 48 elements) 5% HNO3	74690.00	100ml
97799 ✔	**MES12: ICP 68 Element Multi Standard 2:** Ag, Ge, Hf, Mo, Nb, Sb, Si, Sn, Ta, Ti, W, Zr @ 100µg/ml (Standard 2 contains 12 elements) 5% HNO3, tr. HF	32010.00	100ml
45688 ✔	**MES13: ICP 68 Element Multi Standard 3:** Au, Ir, Os, Pd, Pt, Rh, Ru, Te @ 100 µg/ml (Standard 3 contains 8 elements) 10% HCl	42680.00	100ml
53816 ✔	**MES14: ICP Detector Calibration Multi-Element Mix:** 7Li, Be, Mg, Sc, Co, Y, In, Ce, Tb, Tl, U (various conc.) 5% HNO3	100770.00	100ml
91353 ✔	**MES15: ICP Internal Standard Multi-Element Mix 1:** 6Li, Sc, Ga, Y, In, Tb, Bi @ 100 µg/ml 5% HNO3	99590.00	100ml
51587 ✔	**MES16: ICP Internal Standard Multi-Element Mix 2:** 6Li, Sc, Ga, Y, In, Tb, Bi (various conc.) 2% HNO3	99590.00	100ml
67084 ✔	**MES17: ICP Internal Standard Multi-Element Mix 3:** 6Li, Sc, Ge, In, Tb, Lu, Bi @ 100 µg/ml 5% HNO3, tr. HF	99590.00	100ml
31805 ✔	**MES18: ICP Internal Standard Multi-Element Mix 4:** 6Li, Sc, Ge, Te, In, Tb, Bi (various conc.) 5% HNO3, tr. HF	99590.00	100ml
76332 [121-47-1]	**Metanilic Acid pure, 98%**	200.00 720.00	250g 1kg
20302 [7143-01-3] ✔	**Methane Sulphonic Anhydride pure, 97%**	590.00 1670.00 6430.00	5g 25g 100g
54322 [348-6-4]	**D-Methionine extrapure CHR, 99%** for biochemistry (Mesic anhydride)	320.00 1220.00 4630.00 18030.00	1g 5g 25g 100g
65309 [59-51-8]	**DL-Methionine extrapure CHR, 99%** for biochemistry	510.00 1900.00 3680.00	100g 500g 1kg
40043 [7314-32-1] 🌡	**L-Methionine Sulphone extrapure, 99%** for biochemistry	3430.00	1g
19485 [3226-65-1] 🌡	**L-Methionine Sulphoxide extrapure, 99%** for biochemistry	3770.00	1g
86596 [133073-73-1] 🌡	**Methotrexate Hydrate (MTR), 98%** for biochemistry & microbiology Solubility (readily): solutions of mineral acids and solutions of alkali hydroxides & carbonates Insoluble: water, ethanol, chloroform & ether	2970.00 4990.00 14230.00 21350.00	50mg 100mg 500mg 1g
91842 [100-06-1]	**p-Methoxyacetophenone pure, 99%**	610.00 2110.00	100g 500g
81142 [2396-60-3]	**4-Methoxyazobenzene (4-MAB) extrapure AR, 98%** (p-Methyoxyazobenzene, 4-Phenylazoanisole) Adsorption indicator	1320.00 4870.00	1g 5g



code	product name	unit price ₹	packing
81787 [6635-20-7] ✔	**3-Methoxy-4-Hydroxy-5 Nitrobenzaldehyde pure, 98%** (5-Nitrovanillin)	7680.00	25g
13573 [93102-05-7] ●	**N-Methoxymethyl-N-Trimethylsilylmethyl-Benzylamine extrapure, 98%**	10140.00 38020.00	5g 25g
51234 [5720-06-9]	**2-Methoxyphenylboronic Acid extrapure, 95%**	1380.00 6170.00	1g 5g
40632 [5720-07-0]	**4-Methoxyphenylboronic Acid extrapure, 98%**	860.00 1670.00 8070.00	1g 5g 25g
23438 [163105-89-3]	**2-Methoxypyridine-5-Boronic Acid extrapure, 98%**	1570.00 5700.00 17790.00	1g 5g 25g
88381 [105-45-3]	**Methyl Acetoacetate pure, 98%**	980.00 4410.00 42000.00	500ml 2500ml 25lit
21392 [105-45-3]	**Methyl Acetoacetate extrapure AR, 99%**	1160.00 5150.00	500ml 2500ml
64330 [122-00-9]	**p-Methylacetophenone pure, 98%**	510.00 1170.00	100g 250g
93149 [100-61-8]	**N-Methylanilin pure, 98%** (Monomethylaniline)	650.00 3100.00	500ml 2500ml
61063 [38894-11-0] ●	**3-Methyl-2-Benzothiazolinone Hydrazone Hydrochloride Monohydrate (MBTH) extrapure, 97%**	discontinued	
Chromogenic & fluorogenic substrate for spectrophotometric determination o aldehydes, gives a colour reaction with peroxidase. It is also used as an electrophilic coupling reagent for the determination of residual chlorine.			
29879 [38894-11-0] ●	**3-Methyl-2-Benzothiazolinone Hydrazone Hydrochloride Monohydrate (MBTH) extrapure AR (High Purity), 99%**	1230.00 3980.00 17760.00	1g 5g 25g
Chromogenic & fluorogenic substrate for spectrophotometric determination o aldehydes, gives a colour reaction with peroxidase. It is also used as an electrophilic coupling reagent for the determination of residual chlorine.			
23343 [98139-72-1]	**3-Methylbutylboronic Acid extrapure, 95%**	3610.00 17550.00	1g 5g
39876 [96-34-4]	**Methyl Chloroacetate extrapure, 99%**	680.00	500ml
64426 ♦ [3100-04-7]	**1-Methylcyclopropene (1-MCP), 98%** Synthetic plant growth regulator, ethylene inhibitor.	4440.00 10520.00	100mg 500mg
34428 [116-54-1]	**Methyl Dichloroacetate extrapure, 99%**	960.00	500ml
45880 [41798-81-6]	**3-Methyl-1,5-Di-p-Tolyl-1,4-Pentazadiene pure, 97%** (N,N-bis[(4-methylphenyl) diazenyl]methanamine)	4160.00 19570.00	1g 5g
31535 [1934-16-3]	**New Methylene Blue N extrapure, 70%** (Basic blue 24, Methylene blue N)	2580.00 9120.00	5g 25g

code	product name	unit price ₹	packing
28710 [6586-05-6]	**New Methylene Blue N Zinc Chloride Double Salt** (Basic blue 24) Dye Content — 90%, Bronzy crystalline powder, Molar extinction coefficient at 633nm (water): min.44000	1540.00 7410.00 27350.00	5g 25g 100g
73603 [6586-05-6]	**New Methylene Blue N Zinc Chloride Double Salt for tissue culture**	3510.00	5g
84753 [93-15-2]	**Methyl Eugenol extrapure, 99%** Synthetic insect lure	1310.00 5580.00 25700.00	100ml 500ml 2500ml
28409 [93-61-8]	**N-Methylformanilide extrapure, 99%**	750.00 3030.00	100ml 500ml
77007 [107-31-3]	**Methyl Formate pure, 99%**	680.00	500ml
49281 [97-30-3]	**Methyl-α-D-Glucopyranoside extrapure, 99%** (a-Methyl-D-Glucoside) for microbiology and biochemistry	2140.00 8600.00	100g 500g
Methyl a-D-glucopyranoside has been used to study the effects of cryoprotection and to investigate saccharide-mediated protection of chaotropic-induced deactivation of concanavalin A.			
85544 [134253-42-2] 🌡	**1-O-Methyl-ß-D-Glucuronic Acid Sodium Salt extrapure, 99%** (1-OMe-ß-D-GlcA.Na)	3800.00	50mg
96595 [7114-03-6]	**Methyl Green Zinc Choride Double Salt**	860.00 4000.00	5g 25g
74916 [7114-03-6]	**Methyl Green Zinc Choride Double Salt ExiPlus, Multi-Compendial** meets compendial specs of BP, Ph.Eur	940.00 4140.00	5g 25g
37685 [603-76-9]	**1-Methylindole pure, 97%**	1780.00 6760.00 22530.00	5ml 25ml 100ml
86720 [693-98-1] 🌡	**2-Methylimidazole pure, 99%**	380.00 1500.00 2740.00	100g 500g 1kg
15913 [93-16-3]	**Methylisoeugenol (mixture of cis and trans) (1,2-Dimethoxy-4-propenylbenzene) pure, 98%** (4-(1-Propenyl)-1,2-dimethoxybenzene, Isoeugenyl methyl ether)	1260.00 3100.00 8400.00	25ml 100ml 500ml
74384 [66-27-3]	**Methyl Methanesulphonate (MMS) extrapure, 99%**	980.00 3570.00	25ml 100ml
42067 [66-27-3]	**Methyl Methanesulphonate (MMS) for tissue culture, 99%**	1580.00	10ml
66960 [93-04-9]	**Methyl 2-Naphthyl Ether pure, 99%** (2-Methoxynaphthalene, yara yara)	450.00 1250.00	250g 1kg
67915 [109-01-3]	**1-Methylpiperazine extrapure, 99%** (N-Methylpiperazine)	440.00 1630.00	100ml 500ml
40610 [16419-60-6]	**2-Methylphenylboronic Acid extrapure, 97%**	1580.00 2500.00 10380.00	1g 5g 25g
20622 [17933-03-8]	**3-Methylphenylboronic Acid extrapure, 97%** (m-Tolylboronic acid)	840.00 2380.00 11500.00	1g 5g 25g

code	product name	unit price ₹	packing
43322 [107-87-9]	**Methyl-n-Propyl Ketone (2-Pentanone) pure, 99%**	1430.00 5600.00	500ml 2500ml
87964 [1340-02-9]	**Methyl Purple Indicator 0.1% Solution extrapure AR** pH indicator (Fleishers Indicator) pH Range — 4.8-5.4 Turns purple to green for testing of petroleum products by the ASTM method.	810.00	250ml
29783 [119-36-8]	**Methyl Salicylate pure, 99%**	1000.00 4910.00	500ml 2500ml
41652 [80-48-8]	**Methyl p-Toluenesulfonate pure, 98%** (Methyl p-tosylate, p-toluenesulfonic acid methyl ester)	900.00 2620.00	100ml 500ml
92009 [24589-78-4]	**N-Methyl-N-Trimethylsilyl Trifluoroacetamide (MSTFA) extrapure, 98%** for GC Derivatization	2800.00 12760.00 49060.00	5ml 25ml 100ml
83294 [24589-78-4] ✔	**MSTFA+TMCS (99:1)** (N-Methyl-N-(trimethylsilyl) trifluoroacetamide, Trimethylchlorosilane) for GC Derivitization	7010.00	10x1ml
44243 [1779-49-3]	**Methyltriphenylphosphonium Bromide pure, 98%**	1070.00 3620.00	100g 500g
18040 [90-33-5] 🌡	**β-Methylumbelliferone** (7-Hydroxy-4-methylcoumarn) **extrapure AR, 99%**	520.00 840.00 2250.00	10g 25g 100g
13050 [37067-30-4] 🌡	**4-Methylumbelliferyl-N-Acetyl-β-D-Glucosaminide extrapure, 99%**	5400.00 9000.00 17100.00	25mg 50mg 100mg
15208 [20671-66-3] 🌡	**4-Methylumbelliferyl Caprylate extrapure** Free 4MU <300ppm.	4640.00 6480.00 11120.00	25mg 50mg 100mg
21896 [72626-61-0] 🌡	**4-Methylumbelliferyl-β-D-Cellobioside extrapure, 98%**	3710.00 6490.00	25mg 50mg
34391 [6160-78-7] 🌡	**4-Metylumbelliferyl-β-D-Galactopyranoside extrapure** for biochemistry	1070.00 2450.00	100mg 250mg
48838 [18997-57-4] 🌡	**4-Methylumbelliferyl-β-D-Glucopyranoside extrapure** for biochemistry	1290.00 5780.00	100mg 500mg
51504 [199329-67-4, 881005-91-0] 🌡	**4-Methylumbelliferyl-b-D-Glucuronide Trihydrate (MUG) extrapure, 99%**	1890.00 4620.00 20480.00	100Mg 1g 5g
86338 [66966-09-4] 🌡	**4-Methylumbelliferyl-α-L-Iduronide Free Acid extrapure, 97%**	26250.00	1mg
49959 [244145-23-1] 🌡	**4-Methylumbelliferyl Myo-Inositol-1-Phosphate, N-Methyl-Morpholine Salt, Biosynth patent (WO99/48899)** Free — 4MU<300 mg/kg	15180.00	25mg
21400 [15220-11-8] 🌡	**4-Methylumbelliferyl Sulfate Potassium Salt extrapure, 99%**	4620.00 12580.00	100mg 500mg

code	product name	unit price ₹	packing
77337 [1463-10-1]	**5-Methyluridine extrapure, 98% extrapure** (Ribothymidine)	2110.00 6660.00	5g 25g
25828 [22832-87-7] 🌡	**Miconazole Nitrate (MCN) extrapure, 98%** for biochemistry & microbiology	860.00 2820.00 7710.00	1g 5g 25g
67424 [72432-03-2]	**Miglitol extrapure, 98%** (N-(b-Hydroxyethyl)-1-deoxynojirimycin, Glyset)	9490.00 26090.00	1g 5g
64563 [500-44-7]	**Mimosine extrapure** (Leucenol) for biochemistry	4560.00 16360.00	25mg 100mg
15761	**Molisch Reagent**	410.00	100ml
55690 [22373-78-0] 🌡	**Monensin Sodium Salt (MSN), 90-95%** for biochemistry & microbiology	2970.00 7710.00	1g 5g
37233 [1317-33-5]	**Molybdenum Disulfide pure, 98%**	1230.00 5850.00	100g 500g
75556 [7439-98-7]	**Molybdenum Metal Sheet 99.9%** 0.1mm thick, 75mm×100mm	25700.00	1 piece
68078 🌡	**10X MOPS Buffer for molecular biology** (Electrophoresis Running Buffer)	600.00 1960.00	100ml 500ml
69824 [1132-61-2]	**MOPS Buffer extrapure, 99%** (3-Morpholinopropane sulphonic acid) for biochemistry Suitable for use in research and diagnostic and pharmaceutical Quality Control and bulk production applications.	1000.00 2310.00 9450.00	25g 100g 500g
85123 [117961-20-3]	**MOPS Hemisodium Salt Buffer extrapure, 99%** (4-Morpholinepropane sulphonic acid hemisodium salt) for biochemistry	5190.00 16650.00	25g 100g
57851 [71119-22-7]	**MOPS Sodium Salt Buffer extrapure, 99.5%** (4-Morpholinepropane sulphonic acid sodium salt) for biochemistry Suitable for use in research and diagnostic and pharmaceutical Quality Control and bulk production applications.	3210.00 6050.00	50g 100g
66043 [1132-61-2]	**MOPS Buffer for molecular biology, 99%** (3-Morpholinopropane sulphonic acid)	1370.00 3360.00	25g 100g
38602 [68399-77-9]	**MOPSO Buffer extrapure, 99%** (3-Morpholino-2-hydroxy propane sulphonic acid) for biochemistry	2110.00 8060.00	25g 100g
82595 [79803-73-9]	**MOPSO Sodium Salt Buffer extrapure, 99%** (3-Morpholino-2-hydroxy propane sulphonic acid sodium salt) for biochemistry	4970.00 22780.00	50g 250g
24829 [480-16-0, 6472-38-4] ✔	**Morin Hydrate (Aluminium Ionophore I, C.I. 75660) extrapure AR 98%** (2',3,4',5,7- Pentahydroxyflavone) Reagent for Al, Be, Ga, Zn, Sc	1140.00 4200.00	1g 5g



code	product name	unit price ₹	packing
14189 [526-99-8]	**Mucic Acid extrapure, 99%** (Saccharolactic acid, MTPA, tetrahydroxyadipic acid, tetrahydroxyhexanedioic acid)	690.00 2210.00 7880.00	25g 100g 500g
57868 🌡	**Myosin II (in 4% SDS) ex. rabbit skeletal muscle, 95%** for biochemistry	10680.00 16600.00	1mg 2mg
15358 [529-44-2] 🌡	**Myricetin cryst pure, 98%**	2250.00 3870.00 11830.00	10mg 25mg 100mg
45945 [544-63-8]	**Myristic Acid pure, 95%** (Tetradecanoic acid)	590.00	500g
36459 [544-63-8]	**Myristic Acid extrapure AR, 99%** for biochemistry (Tetradecanoic acid)	240.00 1070.00	100g 500g
86442 [544-638]	**Myristic Acid (High Purity) extrapure, 99.5%** for biochemistry (Tetradecanoic acid)	300.00 1070.00	5g 25g
67415 [124-10-7]	**Myristic Acid Methyl Ester extrapure, 98%(GC)** (Methyl myristate)	2630.00 6300.00 11550.00	25g 100g 250g
70718 [124-10-7]	**Myristic Acid Methyl Ester Reference Standard, 99%(GC)** for biochemistry (Methyl myristate)	2730.00 9980.00	5g 25g
28136 [112-72-1]	**Myristyl Alcohol (1-Tetradecanol) pure, 98%**	210.00 840.00	100ml 500ml
	β-NAD - see Nicotinamide adenine dinucleotide (oxidised) **β-NADH** - see Nicotinamide adenine dinucleotide (reduced) **β-NAD-Li** - see β–Nicotinamide adenine dinucleotide lithium salt (oxidised) **β-NADP** - see Nicotinamide adeninedinucleotide phosphate **β-NADPH** - see Nicotinamide adenine dinucleotide phosphate (reduced) **β-NADP-K** - see β-Nicotinamide adenine dinucelotide phosphate monopotassium salt (oxidised) **β-NMN** - see β-Nicotinamide mononucleotide **X-NANA.Na** - 5-Bromo-4-chloro-3-indoxyl-α-D-N-acetylneuraminic acid, sodium salt		
20346 [389-08-2] 🌡	**Nalidixic Acid free acid extrapure, 99%** (8-Naphthyridine-3-carboxylic acid)	300.00 1320.00	1g 5g
96676 [120-18-3]	**Naphthalene-2-Sulphonic Acid (Free Acid) Monohydrate extrapure, 98%** for teting rosins as per AOAC & ISI methods	1250.00 3980.00	25g 100g
55335 [123409-01-8] **new**	**1,3,6-Naphthalenetrisulfonic Trisodium Salt Hydrate (NTSA Sodium Hydrate) extrapure, 95%**	7000.00 16000.00	250g 1kg
57955 [604-59-1]	**α-Naphthoflavone extrapure AR** (7,8 -Benzoflavone) Redox indicator and reagent for active chlorine	730.00 2650.00 12040.00	1g 5g 25g
93051 [1163-67-3] 🌡	**Naphthol-AS-Acetate extrapure, 99%** for biochemistry	1430.00 5220.00	100mg 500mg

code	product name	unit price ₹	packing
56061 [1237-75-8] 🌡	**Naphthol-AS-BI extrapure, 98%**	720.00	5g
70430 [37-87-6] 🌡	**Naphthol-AS-BI-β-D-Glucuronide extrapure, 99%** for biochemistry β-Glucoronidase substrate	8310.00 26090.00	25mg 100mg
87408 [13989-98-5] 🌡	**Naphthol-AS-Phosphate extrapure, 95%** for biochemistry	8310.00 11620.00	250mg 500mg
11401 [1919-91-1] 🌡	**Naphthol-AS-BI-Phosphate extrapure, 98%** for biochemistry	4160.00 9490.00	100mg 250mg
40688 [2616-72-0] 🌡	**Naphthol-AS-TR-Phosphate extrapure, 98%** for biochemistry	Discontinued	
87791 [1064-48-8]	**Naphthol Blue Black B for electrophoresis** (Amido black 10B, naphthalene black 12B) Protein stain and redox indicator	530.00 1900.00	25g 100g
45838 [521-24-4]	**1,2-Naphthoquinone-4-Sulphonic Acid Sodium Salt extrapure AR, 99%**	640.00 2540.00	5g 25g
69911 [132-86-5]	**Naphthoresorcinol (1,3-Dihydroxynaphthalene) extrapure AR , 99%** (1,3-Naphthalenediol)	4210.00 18690.00	1g 5g
10150 [86-86-2]	**1-Naphthyl Acetamide technical grade, 98%** (NAD, 1-Naphthaleneacetamide)	3490.00 13700.00	5g 25g
42383 [2183-17-7] ●	**1-Naphthyl Phosphate Disodium Salt extrapure** (a-Naphthyl phosphate disodium salt, Disodium 1-naphthyl phosphate) Phosphatase substrate.	1830.00 5470.00	25mg 250mg
59523 [120-23-0]	**2-Naphthoxyacetic Acid (BNOA) pure, 98%** (β-Naphthoxyacetic acid)	300.00 980.00	25g 100g
43036 [830-81-9] 🌡	**α-Naphthyl Acetate extrapure AR, 99%** Substrate for esterase	1000.00 1810.00 3660.00 11360.00	5g 10g 25g 100g
79388 [1523-11-1] 🌡	**β-Naphthyl Acetate extrapure AR, 99%** (2-Naphthyl acetate) (substrate for esterase)	1000.00 1850.00 3170.00 10730.00	5g 10g 25g 100g
11939 [132-7-2] 🌡	**1-Naphthylacetonitrile pure, 97%**	4900.00 18980.00	25g 100g
61166 [1465-25-4]	**N-(1-Naphthyl)Ethylenediamine Dihydrochloride (NEDA) extrapure AR, ACS, 98%** (Bratton-Marshall reagent, Marshall's reagent)	770.00 1290.00 2520.00	5g 10g 25g

A high quality product for critical sensitivity testing with excellent solution clarity characteristics. For determination of sulphonamide in blood & a reagent for nitrite.

Storage : ♦ -20°C • 0-4°C 🌡 2-8°C ✔ 8-25°C

code	product name	unit price ₹	packing
84942 [1465-25-4]	**N-(1-Naphthyl)Ethylenediamine Dihydrochloride (NEDA) extrapure AR, ACS, ExiPlus, Multi-Compendial, 98%** meets compendial specs of BP (Bratton-Marshall reagent, Marshall's reagent)	880.00 1520.00 2810.00	5g 10g 25g
A high quality product for critical sensitivity testing with excellent solution clarity characteristics. This is specially suitable for Pharmaceutical Quality Control applications. For determination of sulphonamide in blood & a reagent for nitrite.			
27734 [10236-47-2] 🌡	**Naringin pure, 97%**	960.00 2320.00 6880.00	5g 25g 100g
95956 [67604-48-2] 🌡	**Naringenin pure, 95%**	1410.00 3510.00 8180.00	1g 5g 25g
93007 [654054-57-6]	**Neocuproine extrapure, 99%** (2,9-Dimethyl-1,10-phenanthroline)	1310.00 6410.00 27270.00	1g 5g 25g
35449 [7296-20-0]	**Neocuproine Hydrochloride Monohydrate extrapure AR, 99%** (2,9 Dimethyl-1-10-phenanthroline hydrochloride)	1640.00 7600.00	1g 5g
23049 [10024-93-8]	**Neodymium (III) Chloride Anhydrous, 99.9%**	3920.00 9610.00	5g 25g
78442 [13477-89-9]	**Neodymium (III) Chloride Hexahydrate extrapure, 99.9%**	2620.00 6530.00	25g 100g
86879 [16454-60-7]	**Neodymium (III) Nitrate Hexahydrate extrapure, 99.9%**	2640.00 6600.00	25g 100g
37499 [1313-97-9]	**Neodymium (III) Oxide extrapure AR, 99.9%**	990.00 2400.00 8500.00	10g 25g 100g
99080 [34622-08-7]	**Neodymium (III) Trifluoromethanesulfonate extrapure, 98%** (Neodymium triflate, Neodymium perfluoromethanesulfonate)	1580.00 3990.00	1g 5g
35282 [1405-10-3] 🌡	**Neomycin Sulphate (NMS) pure** Potency — min 600µg/mg Solubility (readily): water, Solubility (partially): ethanol, Insoluble: acetone, chloroform & ether	180.00 650.00	5g 25g
27309 [126-30-7]	**Neopentyl Glycol pure, 98%** (2,2-Dimethyl-1,3-propnediol)	540.00	500g
13607 [15501-33-4] ✔	**Neopentyl Iodide extrapure, 98%** (2,2-Dimethyl-1-iodopropane, 1-Iodo-2,2-dimethylpropane)	6180.00 19780.00	5ml 25ml
14678	**Nessler's Reagent**	600.00	100ml
60609 [56391-57-2] 🌡	**Netilmicin Sulphate (NTC Sulphate), 595ug/mg** for biochemistry & microbiology Assay (anhy) — min.595µg/mg, Solubility (readily): water	4200.00	100mg
72860 [98-92-0]	**Nicotinamide extrapure** for biocemistry**, 99.5%** Assay — min.99.5%	390.00 1780.00	100g 500g

code	product name	unit price ₹	packing
Co-Factor/Co-Enzymes - NAD,NADP,NADH,NADP These Co-Enzymes are useful in the determination of enzyme activity of oxido-reductase enzymes. All these co enzymes are of high purity spectrophotometrically.			
26759 [53-84-9] ♦	**β-Nicotinamide Adenine Dinucleotide (Oxidized) (β-NAD, DPN), extrapure, 98%** for biochemistry (**NAD Free Acid**)	900.00 4330.00 20750.00	1g 5g 25g
19628 [53-84-9] ♦	**β-Nicotinamide Adenine Dinucleotide (Oxidized) (β-NAD, DPN), ExiPlus, Multi-Compendial, 98%** for biochemistry (**NAD Free Acid**) meets compendial specs of Ph.Eur, BP	970.00 4630.00 21940.00	1g 5g 25g
87253 [53-84-9] ◆	**β-Nicotinamide Adenine Dinucleotide (Oxidized) (β-NAD, DPN) for molecular biology, 98%**	1410.00 6080.00	1g 5g
77268 [606-68-8] ♦	**β-Nicotinamide Adenine Dinucleotide Disodium Salt (Reduced) (β-NADH.Na2, DPNH.Na2) extrapure, 98%** for biochemistry	270.00 1250.00 2260.00 10200.00	100mg 500mg 1g 5g
54941 [606-68-8] ◆	**β-Nicotinamide Adenine Dinucleotide Disodium Salt (Reduced) (β-NADH.Na2, DPNH.Na2) for molecular biology, 98%**	380.00 3160.00 14610.00	100mg 1g 5g
44566 [64417-72-7] ♦	**β-Nicotinamide Adenine Dinucleotide Lithium Salt (Oxidized) (β-NAD.Li) extrapure, 95%** for biochemistry	2280.00 4320.00 11380.00	500mg 1g 5g
57451 ♦ [24292-60-2]	**β-Nicotinamide Adenine Dinucleotide Phosphate Disodium Salt (ß-NADP.Na2, TPN.Na2) extrapure, 95%**	850.00 3280.00 5610.00 18110.00	100mg 500mg 1g 5g
56640 [24292-60-2] ◆	**β-Nicotinamide Adenine Dinucleotide Phosphate Disodium Salt (β-NADP.Na2, TPN.Na2) for molecular biology, 95%**	1230.00 10280.00	100mg 1g
55615 [68141-45-7] ♦	**β-Nicotinamide Adenine Dinucelotide Phosphate Monopotassium Salt (Oxidized) (β-NADP.K) extrapure, 95%** for biochemistry	2940.00 4700.00 9400.00	100mg 500mg 1g
82819 [1184-16-3] ♦	**β-Nicotinamide Adenine Dinucleotide Phosphate Monosodium Salt (β-NADP.Na, TPN.Na) extrapure, 98%** for biochemistry	820.00 3100.00 5960.00 20680.00	100mg 500mg 1g 5g
72970 [1184-16-3] ◆	**β-Nicotinamide Adenine Dinucleotide Phosphate Monosodium Salt (ß-NADP.Na, TPN.Na) for molecular biology, 98%**	1640.00 7770.00	100mg 1g
99197 [2646-71-1] ♦	**β-Nicotinamide Adenine Dinucleotide Phosphate Reduced Tetrasodium Salt, (β-NADPH.Na4, TPNH.Na4) extrapure, 98%** for biochemistry	940.00 2690.00 22780.00	25mg 100mg 1g



code	product name	unit price ₹	packing
57647 [2646-71-1] ♦	**β-Nicotinamide Adenine Dinucleotide Phosphate Reduced Tetrasodium Salt (β-NADPH.Na4, TPNH.Na4) for molecular biology, 98%**	2580.00 5610.00	25mg 100mg
88991 [20111-18-6] ♦	**β-Nicotinamide Adenine Dinucleotide Sodium Salt extrapure, 95% (NAD.Na)**	2620.00 2970.00 11270.00	500mg 1g 5g
This product is a more soluble and faster action product then NAD free Acid and has vast applications in vaccine manufacture, biochemistry studies or biocatalytic reactions.			
95130 [1094-61-7] ♦	**β-Nicotinamide Mononucleotide (β-NMN) extrapure, 95%** (ß-Nicotinamide ribose monophosphate, NMN, nicotinamide ribotide, nicotinamide-1-ium-1-ß-D-ribofuranoside 5'-phosphate)	3160.00 5260.00 8180.00	25mg 100mg 1g
Molar extinction coreefficient (260nm, pH7.5) -4200 +-200 L/(mol.cm) (ß-Nicotinamide mononucleotide is a NAD+ intermediate. In recent years, the relation of NAD+ metabolism and aging-associated disease is attracting attention from various research fields.)			
35410 ♦	**Enzyme Co-Factor Kit Type 1 (EK100)**	Discontinued	
Contains 100mg each of: NAD, NADH, NADP, NADPH			
75058 ♦	**Enzyme Co-Factor Kit Type 2 (EK500)**	Discontinued	
Contains 500mg each of: NAD, NADH, NADP, NADPH			
29865 ♦	**Enzyme Co-Factor Kit Type 3 (EKS100)**	Discontinued	
Contains 100mg each of: NAD, NADH, NADP, NADPH, NAD-Li, NADP-K			
31537 ♦	**Enzyme Co-Factor Kit Type 4 (EKS500)**	Discontinued	
Contains 500mg each of: NAD, NADH, NADP, NADPH, NAD-Li, NADP-K			
73387 [1313-96-8]	**Niobium Pentoxide extrapure AR, 99.9%**	630.00 1280.00 4210.00 20210.00	10g 25g 100g 500g
31162 [150824-47-8]	**Nitenpyram extrapure, 98%**	2310.00 8400.00	1g 5g
39180 [121-89-1]	**m-Nitroacetophenone pure, 98%**	630.00 2950.00	100g 500g
21254 [552-89-6]	**2-Nitobenzaldehyde extrapure AR, 99%** (o-Nitrobenzaldehyde)	740.00 2580.00	25g 100g
17735 [555-16-8]	**p-Nitrobenzaldehyde extrapure, 99%**	640.00 1660.00	25g 100g
17644 [99-61-6]	**m-Nitrobenzaldehyde pure, 98%**	730.00 2990.00	100g 500g
17003 [127-68-4]	**m-Nitrobenzene Sulphonic Acid Sodium Salt pure, 98%** (Sodium 3-nitrobenzenesulfonate, resist salt)	880.00 3850.00	1kg 5kg
96144 [121-92-6]	**m-Nitrobenzoic Acid pure, 99%**	500.00 2230.00	100g 500g
81431 [121-92-6]	**m-Nitrobenzoic Acid extrapure AR, 99%**	430.00 1280.00 2800.00	25g 100g 250g

code	product name	unit price ₹	packing
79303 [62-23-7]	**p-Nitobenzoic Acid pure, 99%** (4-Nitrobenzoic acid)	390.00 1780.00	100g 500g
27500 [122-04-3]	**4-Nitrobenzoyl Chloride (PNBC) pure, 98%** (p-Nitrobenzoic acid chloride) Useful for derivatization of hydroxy groups	740.00 1470.00 4290.00	25g 100g 500g
39996 [619-73-8]	**p-Nitrobenzyl Alcohol pure, 97%**	1090.00 3420.00	25g 100g
12790 [100-11-8]	**p-Nitrobenzyl Bromide (PNBBR) pure, 99%**	510.00 910.00 4310.00	25g 100g 500g
97695 [1083-48-3]	**4-(4-Nitrobenzyl)Pyridine extrapure AR, 99%**	2940.00 13470.00	5g 25g
Reagent for analysis for phosgene and organophosphorus pesticides.			
11207 [298-83-9] ♦	**Nitro Blue Tetrazolium Chloride (Nitro BT) (NBT) extrapure AR, 99%** for biochemistry	610.00 1100.00 3300.00 15400.00	100mg 250mg 1g 5g
48898 [298-83-9] ♦	**Nitro Blue Tetrazolium Chloride (Nitro BT) (NBT) for molecular biology, 99%** DNase, RNase, protease not detected	880.00 1540.00 4840.00	100mg 250mg 1g
13001 [298-83-9] ♦	**Nitro Blue Tetrazolium Chloride (Nitro BT) (NBT) for tissue culture, 99%**	1760.00	100mg
	For NBT solution with BCIP Red see 5-Bromo-6-chloro-3-indolylphosphate p-toluidine salt (BCIP red) and BCIP Red/NBT solution A & B		
for BCIP Red/NBT Liquid substrate see - BCIP Red/NBT Liquid substrate for molecular biology			
15527 [88-73-3]	**o-Nitrochlorobenzene (ONCB) pure, 99%** (1-Chloro-2-nitrobenzene)	470.00 3800.00	500g 5kg
84258 [67-20-9] **new** 🌡	**Nitrofurantoin extrapure, 98-102%** (N-(5-Nitro-2-furfurylidene)-1-aminohydantoin, Furadoxyl, Nitrofurantoine)	1320.00 2970.00 5940.00	5g 25g 100g
A nitrofuran antibiotic that is used as a substrate for bacterial nitrofuran reductase to study the interactions of active metabolites with DNA, ribosomal proteins and metabolic and pro-oxidant processes. It is used to study nitrofurantoin-induced toxicity and antibiotic resistance.			
90728 [88-75-5]	**o-Nitrophenol extrapure AR, 99%**	390.00 1180.00	25g 100g
18432 [830-03-5]	**p-Nitophenyl Acetate extrapure, 99%** for biochemistry	440.00 1030.00 3490.00 9570.00	1g 5g 25g 100g
13463 [3740-52-1]	**2-Nitrophenylacetic Acid pure, 98%**	700.00 2430.00 8470.00	5g 25g 100g
68146 [104-03-0]	**p-Nitrophenylacetic Acid pure, 98%**	350.00 1240.00 3980.00 16150.00	5g 25g 100g 500g
72565 ♦ [3459-18-5]	**4-Nitrophenyl-N-Acetyl-B-D-Glucosaminide extrapure, 99%** (4-Nitrophenyl 2-acetamido-2-deoxy-ß-D-glucopyranoside)	3800.00 20200.00	100mg 1g
Useful substrate for rapid colorimetric assay of N-acetyl-ß-glucosaminidase activity in human urine.			

code	product name	unit price ₹	packing
72367 [207591-86-4] 🌡	**4-Nitro-L-Phenylalanine Monohydrate extrapure, 99%** for biochemistry	10770.00	25g
83602 [3482-57-3] 🌡	**p-Nitrophenyl ß-D-Cellobioside extrapure, 98%** (4-Nitrophenyl-ß-D-cellobioside, PNP-ß-D-cellobioside)	11800.00 30440.00	100mg 500mg
38325 [96597-16-9] ●	**4-Nitrophenyl-4,6-Ethylidene-α-D-Maltoheptaoside (pNP-G7, EPS), EPS 90%** (Ethylidene-4-nitrophenyl-α-D-maltoheptaoside, EPS-PNP-G7)	5510.00 11630.00	25mg 100mg
66398 [369-07-3] ●	**o-Nitrophenyl-β-D-Galactopyranoside extrapure, 99% (ONPG, NIPHEGAL)** for biochemistry	730.00 1370.00 3150.00 10440.00	500mg 1g 2.5g 10g
64685 [7493-95-0] ●	**p-Nitrophenyl-α-D-Galactopyranoside extrapure, 98%** α-galactosidase substrate	3730.00 10560.00	250mg 1g
96226 [3150-24-1] ●	**p-Nitrophenyl-β-D-Galactopyranoside (PNPG) extrapure, 98%** for biochemistry Substrate for b-Galactosidase	1220.00 2200.00 3950.00	250mg 500mg 1g
92734 [2492-87-7] ●	**p-Nitrophenyl-β-D-Glucopyranoside extrapure,98%** for biochemistry Substrate for β-Glucosidase	920.00 4400.00 14500.00	100mg 1g 5g
12735 [3767-28-0] ●	**p-Nitrophenyl-α-D-Glucopyranoside extrapure, 98%** for biochemistry Substrate for α-Glucosidase	1170.00 2010.00 4530.00	100mg 250mg 1g
92822 [10344-94-2] ●	**p-Nitrophenyl-β-D-Glucuronide (PNPG (Gus)) extrapure, 99%**	2450.00 4900.00 13470.00	50mg 100mg 500mg
27166 [13331-27-6]	**3-Nitrophenylboronic Acid extrapure, 97%**	1130.00 2240.00 10250.00	1g 5g 25g
82582 [100-16-3]	**p-Nitrophenylhydrazine extrapure AR, 99%** Reagent for aldehydes and ketones	930.00 1560.00	10g 25g
88485 [333338-18-4, 4264-83-9] ♦	**p-Nitrophenylphosphate Disodium Salt Hexahydrate (PNPP) Crystalline extrapure, 99%** for biochemistry Suitable for use as a substrate for acid and alkaline phosphatases (ALPs) suitable for ELISA Test. Highly suited for Diary product testing and Quality Control applications.	690.00 3080.00 27500.00	5g 25g 250g
90341 [333338-18-4 4264-83-9] ♦	**p-Nitrophenylphosphate Disodium Salt Hexahydrate (PNPP) for molecular biology, 99%** DNase, RNase, protease not detected Suitable for use as a substrate for acid and alkaline phosphatases (ALPs) suitable for ELISA Test. Highly suited for Diary product testing and critical Quality Control applications. Also suited to Diagnostic production applications.	750.00 3630.00	5g 25g
93413 [68189-42-4] ♦	**p-Nitrophenylphosphate Ditris Salt crystalline (PNPP-d) extrapure, 99%** for biochemistry Suitable for use as a substrate for acid and alkaline phosphatases (ALPs).	640.00 1900.00 6800.00	1g 5g 25g

code	product name	unit price ₹	packing
53456 [398128-60-4]	**4-Nitrophenyl trans-Ferulate extrapure, 98%** (3-Methoxy-4-hydroxycinnamic acid 4-nitrophenyl ester, PNP-trans-Ferulate)	5150.00 14910.00	25mg 100mg
85173 [603-11-2]	**3-Nitrophthalic Acid pure, 98%**	900.00 2740.00	100g 500g
46384 [610-27-5]	**4-Nitrophthalic Acid pure, 98%**	2420.00 7830.00	100g 500g
43713 [525-05-3]	**Nitroso R-Salt extrapure AR** (1-Nitroso-2-naphthol-3,6-disulphonic acid disodium salt)	410.00 1230.00	25g 100g
21872 [99-08-1]	**3-Nitrotoluene extrapure, 99%**	340.00	250ml
60944 [611-08-5] 🌡	**5-Nitrouracil extrapure, 98%** for biochemistry	2700.00 5510.00	10g 25g
64659 [821-55-6]	**2-Nonanone pure, 98%** (n-Heptyl Methyl Ketone)	530.00 1260.00 2940.00	25ml 100ml 500ml
56986 [58-22-0] 🌡	**Norethindrone Acetate extrapure, 99%** (19-Norethindrone acetate) A female hormone used for research.	3450.00 11270.00	100mg 500mg
43000 [70458-96-7] 🌡	**Norfloxacin (NFX) , 98%** for biochemistry & microbiology	2140.00 4990.00	1g 5g
49021 [616-06-8]	**DL-Norleucine extrapure, 99%**	3330.00 7180.00	5g 25g
56221 [6600-40-4]	**L-Norvaline extrapure, 99%** for biochemistry Arginase Inhibitor	1780.00 3680.00	1g 5g
27434 [1476-53-5] 🌡	**Novobiocin Sodium Salt (NVB), 95%** for biochemistry & microbiology	1110.00 5250.00 14700.00	100mg 1g 5g
68547 [6409-77-4]	**Nuclear Fast Red** (C.I. No. 60760)	2010.00 9010.00	1g 5g
64390	**Nucleosides Kit I**	Discontinued	
77609	**Nucleotides Kit II**	Discontinued	
89249	**Nylander's Reagent** Reagent for Glucose	430.00	50ml
56083	**Obermayor's Reagent**	190.00	100ml
62339 [124-30-1]	**Octadecylamine technical, 70%** (Stearylamine)	440.00	500g
51038 [124-30-1]	**Octadecylamine pure, 97%** (Stearylamine)	570.00	250g
27703 [111-64-8]	**Octanoyl Chloride pure, 99%** (Capryloyl chloride)	470.00 1230.00 3790.00	25ml 100ml 500ml
60507 [149342-80-3] ♦	**Octyl α-D-Galactopyranoside extrapure, 98%** for biochemistry	2120.00 7970.00	50mg 250mg
63777 [40427-75-6] ♦	**Octyl β-D-Galactopyranoside extrapure, 98%** for biochemistry	2250.00 8600.00	50mg 250mg



code	product name	unit price ₹	packing
25253 [29781-80-4] ♦	**Octyl α-D-Glucopyranoside extrapure, 98%** for biochemistry	6480.00 14940.00	100mg 250mg
33134 [29836-26-8] ♦	**Octyl β-D-Glucopyranoside extrapure, 98%** for biochemistry	4340.00 17560.00	1g 5g
	Octyl Bromide - see 1-Bromooctane		
33910 [9002-93-1] ✔	**Octylphenyl Polyethylene Glycol (IGEPAL CA-630®) for molecular biology** ((Octylphenoxy) polyethoxyethanol) DNase, RNase, Protease not detected Critical Micelle Concentration — 0.005% Surface Tension at CMC (dynes/CM) — 31dynes/CM HLB — 13.4	940.00 4220.00	100ml 500ml
62799 [82419-36-1] 🌡	**Ofloxacin (OFX), 98%** for biochemistry & microbiology	3330.00 6050.00	1g 5g
23576 [1320-06-5]	**Oil Red O for molecular biology, 75%** (C.I. NO. 26125) (Solvent Red 27, Sudan Red 5B)	710.00 2220.00	25g 100g
23534 [1914-99-4] ✔	**Oleandomycin Phosphate extrapure, 800U/mg** (Matromycin)	2420.00 10710.00	100mg 1g
70855 [8008-57-9] ✔	**Orange Oil extrapure, 1.2%** (Citrus aurantium, citrus sinensis)	840.00 3890.00	100ml 500ml
30774 [1400-62-0]	**Orcein**	1370.00 2630.00	5g 10g
86848 [3184-13-2]	**L-Ornithine Monohydrochloride extrapure CHR, 99%** for biochemistry	240.00 710.00	5g 25g
98499 [7240-38-2]	**Oxacillin Sodium Salt Monohydrate (OXC.Na.H2O), 815ug/mg**	4330.00	5g
62704 [328-42-7] 🌡	**Oxalacetic Acid extrapure, 98%** for biochemistry (Oxaloacetic acid, Ketosuccinic acid, Oxobutanedioic acid, 2-Oxosuccinic acid)	1110.00 4680.00 18900.00	1g 5g 25g
76207 🌡	**Oxidase Reagent (Gordon-Macleod Reagent)**	450.00	100ml
91088 [14698-29-4] 🌡	**Oxolinic Acid (OXO), 99%** for biochemistry & microbiology	8770.00 32890.00	5g 25g
29779 [59587-05-8] 🌡	**Oxolinic Acid Sodium (OXO-Na), 98%** for biochemistry & microbiology	2690.00 9140.00	1g 5g
55540 [6153-64-6] 🌡	**Oxytetracycline Dihydrate (OTC.2H2O) extrapure, 98%**	410.00	1g
12455 [2058-46-0] 🌡	**Oxytetracycline Hydrochloride (OTC), 95%** for biochemistry & microbiology	830.00 3810.00	1g 5g
61799 [9006-59-1] ●	**Ovalbumin ex. Chicken Egg White for molecular biology, 90%**	2350.00 11000.00	1g 5g
13788 ● [9006-59-1]	**Ovalbumin ex. Chicken Egg White for molecular biology, 98%**	4750.00 8000.00 24000.00	250mg 1g 5g
82374	**P11 (Phospho Cellulose) analytical grade** for column chromatography	7900.00 37660.00	5g 25g
	PABA - see p-Amino benzoic acid		
42883 [33069-62-4] 🌡	**Paclitaxel (Taxol, PCXL), 99%** for biochemistry & microbiology	1260.00 5040.00 9450.00	10mg 50mg 250mg
57590 [76738-62-0] 🌡	**Paclobutrazol pure, 95%** (α-tert-Butyl-ß-(4-chlorobenzyl)-1H-1,2,4-triazole-1-ethanol, PACZEE)	1310.00 4750.00	5g 25g
34262 [57-10-3]	**Palmitic Acid Reference Standard, 99%(GC)** for biochemistry	630.00 2630.00 8400.00	5g 25g 100g
77065 [112-39-0] ✔	**Palmitic Acid Methyl Ester Reference Standard, 99%(GC)** for biochemistry (Methyl palmitate)	1890.00 5880.00	5g 25g
83162 [130-85-8]	**Pamoic Acid pure, 98%** (Embonic acid)	1410.00 4910.00	25g 100g
74635 [85-85-8]	**PAN Indicator extrapure AR, 99%** for complexometry (1(2-Pyridylazo)-2-Naphthol)	1340.00 5720.00	1g 5g
37740 [8049-47-6] ♦	**Pancreatin 3x ex. Porcine Pancreas, 75U/mg**	1010.00 4910.00	100g 500g
41421 [8049-47-6] ♦	**Pancreatin 4NF ex. Porcine Pancreas, 100U/mg**	2900.00 11950.00	100g 500g
95907 [9001-73-4] 🌡	**Papain 1x USP ex. Papaya Latex, 6000USP U/mg** Activity — min. 10TU Units/mg, min.1Anson Units/mg	400.00 1730.00	100g 500g
14049 [9001-73-4] 🌡	**Papain 2x USP ex. Papaya Latex (cryst), 25U/mg**	2380.00 4510.00 6530.00	25mg 100mg 500mg
80400 [9001-73-4] 🌡	**Papain 5x USP ex. Papaya Latex, 30000USP U/mg** (Carica papaya)	940.00 3500.00 11500.00	25g 100g 500g
59196 [16593-81-0]	**PAR extrapure, 99%** (4-(2-Pyridylazo)-Resorcinol Monosodium Salt Hydrate)	860.00 3680.00	1g 5g
27436 [1263-89-4] 🌡	**Paromomycin Sulfate (PRM)** for biochemistry & microbiology Potency — 675μg/mg, Solubility (readily): water	3150.00 8900.00 34270.00	1g 5g 25g
13684 [9046-40-6]	**Pectic Acid pure**	3700.00	100g
90464 [9032-75-1] ♦	**Pectinase ex. Aspergillus Niger, 3.5U/mg**	2450.00	1000units
41991 [602-94-8]	**2,3,4,5,6-Pentafluorobenzoic Acid pure, 98%** (2,3,4,5,6-Pentafluorobenzoic Acid)	940.00 3280.00 7540.00	5g 25g 100g

code	product name	unit price ₹	packing
40309 [69-57-8] ✔	**Penicillin G Sodium Salt (PNL), 98%**	2500.00	1g
13585 [771-61-9]	**Pentafluorophenol (PFP) extrapure, 99%** (2,3,4,5,6-Pentafluorophenol)	1420.00 5880.00	5g 25g
20895 [42075-32-1] 🌡	**(2R,4R)-2,4-Pentanediol extrapure, 99%** (chiral compound)	33240.00 80550.00	1g 2.5g
10610 [72345-23-4] 🌡	**(2S,4S)-2,4-Pentanediol extrapure, 99%** (chiral compound)	27700.00 67160.00	1g 2.5g
16165 [54-95-5] 🌡	**Pentylenetetrazole (Pentetrazole)extrapure, 99%** (1,5-Pentamethylenetetrazole) Non-specific CNS stimulant, convulsant.	1310.00 5460.00	5g 25g
	Pentyl Bromide - see 1-Bromopentane		
32212 [8006-90-4, 68917-18-0]	**Peppermint Oil extrapure, 50%** (Cornmint oil)	930.00 3970.00	100ml 500ml
12647 ♦ [9001-75-6]	**Pepsin 1:3000 ex. Porcine Stomach Mucosa, 0.8Anson U/mg**	950.00 2310.00 10500.00	25g 100g 500g
48062 [9001-75-6] ♦	**Pepsin 1:10000 ex. Porcine Stomach Mucosa, 2.5Anson U/mg**	1890.00 6720.00 30450.00	25g 100g 500g
11787 [9001-75-6] ♦	**Pepsin 1:10000 ex. Porcine Stomach Mucosa extrapure AR, 2.5Anson U/mg** (Suitable for Vaccine Production)	2100.00 7350.00 34130.00	25g 100g 500g
63364 [9001-75-6] ♦	**Pepsin 2x cryst. ex. Porcine Stomach Mucosa, 2500U/mg**	3000.00 9500.00 35000.00 75000.00	250mg 1g 5g 25g
28498 [9003-99-0] ♦	**Peroxidase ex. Horseradish RZ >3.0, w/o Stab., Salt free (HRP Type 1), 250U/mg solids** Enzyme for ELISA	3150.00 5780.00 23630.00	1.25KU 5KU 25KU
73292 [9003-99-0] ♦	**Peroxidase ex. Horseradish RZ >2.0, w/ 30% Stab., Salt free (HRP Type 2), 110U/mg solids** Enzyme for ELISA	3210.00 8070.00 13640.00	5KU 25KU 50KU
87913 [9003-99-0] ♦	**Peroxidase ex. Horseradish RZ >2.0, w/o Stab., Salt free (HRP Type 3), 180U/mg solids** for biochemistry Enzyme for ELISA Activity — min.180 Pupurogallin U/mg solid, Salt free	4310.00 9370.00	5KU 25KU
65556 ♦	**r-POD (Recombinant Peroxidase), 1500U/mg**	5340.00 9610.00	5KU 10KU
30709 [66-71-7]	**1,10-Phenanthroline Anhydrous extrapure, 99%, water 2%**	1070.00 3560.00 11270.00	5g 25g 100g
65898 [5144-89-8]	**1,10-Phenanthroline Monohydrate extrapure AR, 99.5%** Redox indicator and reagent for Fe (II)	560.00 2240.00 6550.00 31540.00	5g 25g 100g 500g
81067 [5144-89-8]	**1,10-Phenanthroline Monohydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%** Redox indicator and reagent for Fe (II) meets compendial specs of USP	680.00 2440.00 6880.00 33290.00	5g 25g 100g 500g
31888 [18851-33-7]	**1,10-Phenanthroline Hydrochloride Monohydrate extrapure AR, 99.5%** (Redox Indicator)	730.00 2850.00	5g 25g
55782 [299-11-6] ●	**Phenazonium Methosulphate (PMS) extrapure, 99%** for biochemistry	810.00 3280.00	1g 5g
13920 [299-11-6] ●	**Phenazonium Methosulphate (PMS) for tissue culture, 99%** (N-Methylphenazonium methyl sulphate, N-Methylphenazonium methosulphate, Phenazine methosulphate)	1060.00 4910.00 20450.00	1g 5g 25g
48914 [68807-90-9]	**Phenolphthalein Diphosphate Tetrasodium Salt extrapure AR, 95%** for biochemistry Substrate for phosphatases	1800.00 4340.00 16650.00	1g 5g 25g
	Phenol Reagent - see Folin & ciocalteu's phenol reagent (FCP reagent)		
95444 [122-59-8]	**Phenoxyacetic Acid extrapure, 99%**	510.00 1890.00	100g 500g
	2-Phenoxyethanol - see Ethyleneglycol monophenlyether		
19630 [108321-84-2] 🌡	**L-Phenylalanine-7-Amido-4-Methylcoumarin Trifluoroacetate Salt extrapure, 98%** (L-Phenylalanine-AMC.TFA salt)	11650.00 16940.00	25mg 50mg
79455 [2462-32-0] ●	**L-Phenylalanine Benzyl Ester Hydrochloride extrapure, 99%** for biochemistry	11710.00	25g
34351 [3182-93-2] ●	**L-Phenylalanine Ethyl Ester Hydrochloride extrapure, 99%** for biochemistry	1000.00 4110.00 12210.00	1g 5g 25g
78586 [13033-84-6] ●	**L-Phenylalanine Methyl Ester Hydrochloride extrapure, 99%** for biochemistry	880.00 3620.00 12210.00	1g 5g 25g
89311 [65147-22-0] ●	**Z-Phenylalanylarginine-7-Amido-4-Methylcoumarin Hydrochloride Salt extrapure, 99%** (Z-Phe-Arg-AMC.HCl salt)	16360.00 35050.00	10mg 25mg
14059 [91-40-7]	**N-Phenylanthranilic Acid extrapure AR, 99%** (Diphenylamine-2-carboxylic acid)	1430.00 5340.00	25g 100g
92890 [98-80-6]	**Phenylboronic Acid extrapure, 95%**	1900.00 7000.00	25g 100g
70291 [1821-12-1]	**4-Phenyl Butyric Acid pure, 99%**	3500.00 11000.00	25g 100g
27644 [95-54-5] 🌡	**o-Phenylenediamine free base (OPD) extrapure AR, 99%** (1,2-Diaminobenzene,1,2-phenylenediamine) Commonly used ELISA substrate	3800.00 10790.00 22530.00	5g 25g 100g



code	product name	unit price ₹	packing
73229 [615-28-1]	**o-Phenylenediamine Dihydrochloride (OPD.2HCl) extrapure AR, 99%** (1,2-Diaminobenzene dihydrochloride, 1,2-phenylenediamine dihydrochloride) Commonly used ELISA substrate	3800.00 10790.00	5g 25g
59576 [64-04-0]	**2-Phenyl Ethylamine pure, 99%**	1130.00 2140.00	250ml 500ml
27861 [2871-15-0]	**Phenyl-α-D-Galactopyranoside extrapure, 98%**	10950.00	250mg
77334 [2818-58-8]	**Phenyl-β-D-Galactopyranoside extrapure, 97%**	6830.00	1g
45754 [122-60-1]	**Phenyl Glycidyl Ether (PGE) extrapure, 98%** (2,3-Epoxypropyl phenyl ether, 1,2-Epoxy-3-phenoxypropane)	3280.00 13440.00	500ml 2500ml
23116 [2935-35-5]	**L-Phenyl Glycine extrapure, 99%** for biochemistry	300.00 720.00 1670.00 7360.00	10g 25g 100g 500g
17083 [103-72-0]	**Phenyl Isothiocyanate pure, 98% (PITC)**	3140.00 12820.00	100ml 500ml
18962 [103-72-0]	**Phenyl Isothiocyanate extrapure AR, 99% (PITC)**	1750.00 2260.00 6020.00	25ml 5 x 5 ml 100ml
98152 [941-69-5]	**N-Phenyl Maleimide extrapure, 98%** for biochemistry	1780.00 3450.00	5g 25g
89793 [62-38-4]	**Phenylmercuric Acetate pure, 98%** (Mercury phenyl acetate)	1000.00 4100.00 16280.00	5g 25g 100g
23358 [8003-05-2]	**Phenylmercuric Nitrate (Basic) pure, 98%** (Mercury phenyl nitrate)	2090.00 9900.00 37400.00	5g 25g 100g
87606 [329-98-6] ●	**Phenylmethane Sulphonyl Flouride (PMSF) extrapure, 99%** for biochemistry	640.00 2280.00 8240.00	1g 5g 25g
84375 [329-98-6] ●	**Phenylmethane Sulphonyl Flouride (PMSF) for molecular biology, 99%** DNase, RNase, protease not detected	900.00 3800.00 15420.00	1g 5g 25g
13590 [63884-89-9]	**4-(Phenylmethylsulfanyl carbothioylamino)butanoic Acid technical grade, 98%** (PD-6, 3-propyl-2-hexanoic acid) Plant growth regulator	Discontinued	
90365 [66778-08-3]	**Phenylphosphate Disodium Salt Dihydrate (High Purity) extrapure AR, 98%** for biochemistry (Disodium phenyl phosphate dihydrate, sodium phenyl phosphate dibasic dihydrate) For detection of phosphatase in milk	2140.00 6410.00 16010.00	25g 100g 250g
50478 [118-55-8]	**Phenyl Salicylate (Salol) extrapure, 99%**	1030.00 3900.00	100g 500g

code	product name	unit price ₹	packing
21726 [2936-70-1] ●	**Phenyl β-D-Thioglucopyranoside extrapure, 98%**	4510.00 7870.00	25mg 50mg
16795 [103-85-5]	**N-Phenylthiourea extrapure, 97%**	2140.00 3800.00	10g 25g
69353 [108-73-6]	**Phloroglucinol Anhydrous extrapure AR, 99%** (1,3,5-Trihydroxybenzene)	1180.00 3980.00	25g 100g
99529 [18472-87-2]	**Phloxin B** for microscopy (Acid red 92, cyanosine) C.I. No. 45410	550.00 1890.00	25g 100g
	Phosphatase Alkaline - see Alkaline phosphatase		
95131	**1X Phosphate Buffered Saline (PBS) for molecular biology**	530.00 1290.00	100ml 500ml
78529	**10X Phosphate Buffered Saline (PBS) for molecular biology** (10X PBS, pH 7.4)	660.00 1520.00	100ml 500ml
13435	**10X Phosphate Buffered Saline Tween-20 (PBST) for molecular biology** (10X PBST)	600.00 2500.00	200ml 1000ml
40083 [10526-80-4] ●	**Phosphoenolpyruvate Monocyclohexylammonium Salt (PEP MCHA Salt) extrapure, 98%** for biochemistry	710.00 1420.00 3410.00 16610.00	100mg 250mg 1g 5g
31569 [35556-70-8] ●	**Phosphoenolpyruvate Tricyclohexylammonium Salt (PEP TCHA Salt) extrapure, 98%** for biochemistry	1180.00 1770.00 5290.00	100mg 250mg 1g
31651 [72556-74-2]	**Phosphocholine Chloride Calcium Salt Tetrahydrate pure, 97%** (Calcium phosphorylcholine chloride, Choline chloride phosphate calcium salt, Choline phosphate chloride, Phosphorocholine chloride calcium salt, Phosphorylcholine chloride calcium salt)	2530.00 5420.00 15650.00	5g 25g 100g
69400 [9001-87-0] ♦	**Phospholipase D (Lecithinase D) ex. Streptomyces chromofuscus, 40U/mg** Phospholipase D hydrolyzes the phosphate bonds of phospholipids & sphingomyelin to give the corresponding phosphatidic acid.	17960.00 28730.00	200U 400U
84122 [26016-99-9] **new**	**Phosphomycin Disodium Salt (Fosfomycin Disodium Salt) extrapure, 99%** ((-)-(1R,2S)-(1,2-Epoxypropyl)phosphonic acid, Phosphonomycin) (Prevents peptidoglycan synthesis by inhibiting MurA, an enzyme responsible for synthesizing N-acetylmuramic acid or NAM, a major component of peptidoglycan.)	3570.00 7140.00	1g 5g
65312 [9012-69-5] ♦	**Phosphorylase B ex. Rabbit Muscle, 50U/mg** (a-Glucan Phosphorylase, Glycogen Phosphorylase)	8650.00	10mg
27329 [643-79-8]	**o-Phthalaldehyde (OPA) extrapure AR, 99%** (Phthaldialdehyde) for GC Derivatization Reagent for amino acids	940.00 4030.00	5g 25g

code	product name	unit price ₹	packing
89886 [88-96-0]	**Phthalamide (Phthalic Acid Diamide) pure, 98%**	1260.00 2310.00	25g 100g
45501 [87-41-2]	**Phthalide pure, 98%** (1-Iso-benzofuranone)	530.00 2210.00	100g 250g
62747 [85-41-6]	**Phthalimide extrapure, 98%** (Phthalic dicarboximide, 1,3-Dihydro-1,3-dioxoisoindole, 1,3-dioxoisoindoline)	580.00 5570.00	500g 5Kg
26603 ✔	**N-Phthaloyl-L-Alanine extrapure, 98%** for biochemistry	1080.00 4890.00	1g 5g
44729 [340-90-9] 🌡	**N-Phthaloyl-L-Glutamic Acid extrapure, 98%** for biochemistry	4450.00	5g
19971 🌡	**N-Phthaloyl-L-Methionine extrapure, 98%** for biochemistry	1830.00 7690.00	1g 5g
15187 [5123-55-7] 🌡	**N-Phthaloyl-L-Phenylalanine extrapure, 99%** for biochemistry	910.00 3170.00	1g 5g
64073 🌡	**N-Phthaloyl-L-Valine extrapure, 98%** for biochemistry	1670.00 7690.00	1g 5g
92486 [1445-69-8]	**Phthalyl Hydrazide pure, 98%**	1640.00 4680.00	25g 100g
67432 [1918-02-1]	**Picloram extrapure, 95%** (4-Amino-3,5,6-trichloropicolinic acid, 4-amino-3,5,6-trichloropyridine -2-carboxylic acid)	2620.00 8540.00 41380.00	1g 5g 25g
41238 [98-98-6]	**α-Picolinic Aid pure, 98%**	1060.00 2460.00 9120.00	25g 100g 500g
93418 [124-87-8]	**Picrotoxin pure, 98%**	2110.00	1g
90670 [160-60-0]	**Pimelic Acid (Heptanedioic acid) extrapure, 98%** for biochemistry	3290.00 11650.00	25g 100g
99487 [76-09-5]	**Pinacol pure, 98%**	1780.00 4750.00 11860.00	25g 100g 500g
31826 [2620-50-0]	**Piperonylamine pure, 98%** (1,3-Benzodioxole-5-methylamine 3,4-(Methylenedioxy)benzylamine)	5250.00	5ml
70375 [5625-37-6]	**PIPES Buffer extrapure, 99%** (Piperazine-1,4bis (2-ethanesulphonic acid)) for biochemistry	1000.00 3100.00 10710.00	25g 100g 500g
For bulk production applications in diagnostics and pharmaceuticals.			
49159 [5625-37-6]	**PIPES Buffer for molecular biology, 99%** (Piperazine-1,4-bis (2-ethanesulphonic acid)) DNase, RNase, protease not detected	3470.00 12500.00	100g 500g
For bulk production applications in research, diagnostics and pharmaceuticals.			
48112 [5625-37-6]	**PIPES Buffer for tissue culture, 99%**	1470.00 4200.00	25g 100g

code	product name	unit price ₹	packing
58842 [108321-27-3]	**PIPES Dipotassium Salt Buffer extrapure, 99%** (Piperazine-1,4-bis (2-ethanesulphonic acid) dipotassium salt) for biochemistry	8630.00	25g
55025 [76836-02-7]	**PIPES Disodium Salt Buffer extrapure, 99%** (Piperazine-1,4-bis (2-ethanesulphonic acid) disodium salt) for biochemistry	4810.00 12190.00 35710.00	25g 100g 500g
44033 [100037-69-2]	**PIPES Sesquisodium Salt Buffer extrapure, 99%** (Piperazine-1,4-bis (2-ethanesulphonic acid) sesquisodium salt) for biochemistry	3580.00 12320.00 30170.00	25g 100g 250g
94348 [10010-67-0]	**PIPES Sodium Salt Buffer extrapure, 99%** (Piperazine-1,4-bis (2-ethanesulphonic acid) sodium salt) for biochemistry	2940.00 7880.00 15960.00	25g 100g 250g
72328 [110-85-0]	**Piperazine Anhydrous pure, 98%**	670.00 1170.00	250g 500g
	Piperazine Diacrylamide see 1,4-(Diacrylol piperazine)		
15861 [3282-30-2]	**Pivaloyl Chloride extrapure, 99%** (Trimethylacetyl chloride)	480.00 850.00 1650.00	100ml 250ml 500ml
	PNPP - see p-Nitrophenyl phosphate disodium salt		
20924 [26763-19-9] ♦	**Polyadenylic Acid Potassium Salt (POLY A Potassium) extrapure**	5250.00 18900.00 71400.00	25mg 100mg 1g
44196 [26936-40-3] ♦	**Polycytidylic Acid Potassium Salt (POLY C Potassium) extrapure**	5250.00	25mg
62995 [26936-41-4] ♦	**Polyinosinic Acid Potassium Salt (POLY I Potassium) extrapure**	5250.00	10mg
90347 [25513-46-6] ♦	**γ-Polyglutamic Acid technical grade, 20%**	3470.00	1g
83011 [1405-20-5] ♦	**Polymyxin B Sulphate (Aerosporin, PXNS), 6000U/mg** for biochemistry & microbiology Assay — min.6000 units/mg (dry basis) Solubility (partially): water Solubility (sparingly): other organic solvents	2100.00 5040.00	250mg 1g
22810 [68412-54-4] ✔	**Polyoxyethylene (5) Nonylphenylether Branched (IGEPAL CO-520) for molecular biology**	2730.00 6200.00	100g 500g
20659 [68412-54-4] ✔	**Polyoxyethylene (9) Nonylphenylether Branched (IGEPAL CO-630) for molecular biology**	2420.00 5460.00	100g 500g
47380 [61788-85-0]	**Polyoxyl 40 Hydrogenated Castor Oil extrapure** (Macrogolglycerol hydroxystearate, PEG-40 hydrogenated castor oil) equivalent to Kolliphor RH40, Cr	2520.00	500g
14749 [27416-86-0] ♦	**Polyuridylic Acid Potassium Salt (POLY U Potassium) extrapure**	6830.00	25mg



code	product name	unit price ₹	packing
38610 [6226-79-5]	**Ponceau S for microscopy** (C.I. No. 27195)	790.00 3050.00	25g 100g
14092	**Ponceau S Staining Solution**	1750.00	100ml
	POPOP-see-1,4-bis(5-phenyloxazol-2-ylbenzene **PPO**-see-2,5 Diphenyloxazole		
41186 [68189-43-5]	**POPSO Buffer extrapure, 99%** (Piperazine-1,-bis (2-hydroxypropane sulphonic acid) free acid) for biochemistry, useful pH 7.2-8.5	3690.00 13070.00	25g 100g
81800 [108321-08-0]	**POPSO Sesquisodium Salt Buffer extrapure, 98%** (Piperazine-1,-bis (2-hydroxypropane sulphonic acid) sesquisodium salt) for biochemistry	2190.00 10250.00	5g 25g
20883 [299-27-4]	**Potassium Gluconate extrapure, 99%**	300.00 1260.00	100g 500g
48320 [865-47-4]	**Potassium tert-Butoxide pure, 98%**	890.00 3940.00	100g 500g
95056 [24634-61-5]	**Potassium Sorbate pure, 99%**	1100.00 2000.00	500g 1kg
28008 [19423-77-9]	**Praseodymium (III) Chloride Hydrate extrapure, 99.9%**	4620.00 9450.00	25g 100g
83218 [15878-77-0]	**Praseodymium (III) Nitrate Hexahydrate extrapure, 99.9%** (Praseodymium trinitrate hexahydrate)	3520.00 12100.00	25g 100g
99350 [52093-27-3]	**Praseodymium (III) Trifluoromethanesulfonate extrapure, 98%** (Praseodymium triflate, Trifluoromethanesulfonic acid praseodymium salt)	4100.00 15330.00	5g 25g
63639 [12037-29-5]	**Praseodymium (III, IV) Oxide extrapure, 99.9%**	740.00 2940.00	10g 50g
10693 [57-83-0] ●	**Progesterone extrapure, 97-103%** (4-pregnene-3,20-dione)	1310.00 5340.00	5g 25g
Use in cell culture applications to study sterol regulation of cell signaling and gene expression			
54236 [585-95-5]	**Progoitrin Potassium Salt Reference Standard Grade, 75%** ((R)-2-Hydroxy-3-butenylglucosinolate potassium salt)	44100.00	10mg
92825 [127277-53-6] ♦	**Prohexadione-Calcium technical grade, 95%** (3,5-Dioxo-4-propionyl-cyclohexane carboxylic acid calcium salt)	5200.00 27710.00	100mg 1g
35981 [7531-52-4]	**L-Prolinamide extrapure, 98%** ((2S)-2-Pyrrolidinecarboxamide, (-)-prolinamide, (2S)-2-carbamoylpyrrolidine)	3150.00 8900.00	5g 25g
57732 [68832-13-3] 🌡	**D-Prolinol extrapure, 98%** ((R)-(-)-2-(Hydroxymethyl)pyrrolidine, (R)-(-)-2-Pyrrolidinemethanol)	2050.00 8010.00 13790.00	1ml 5ml 25ml
46457 [23356-96-9] 🌡	**L-Prolinol extrapure, 98%** ((S)-(+)-2-(Hydroxymethyl)pyrrolidine, (S)-(+)-2-Pyrrolidinemethanol)	3280.00 10810.00	5ml 25ml

code	product name	unit price ₹	packing
90557 [62937-45-5]	**D-Prolinamide extrapure, 98%** ((R)-Pyrrolidine-2-carboxamide)	4750.00 17790.00	5g 25g
74152 [115388-93-7] 🌡	**L-Proline-7-Amido-4-Methylcoumarin Hydrobromide Salt extrapure, 98%** (L-Proline-AMC.HBr salt)	4540.00 7560.00	10mg 25mg
79380 [70375-23-4] 🌡	**Z-Proline-Arginine-7-Amido-4-Methylcoumarin Hydrochloride extrapure, 99%** (Z-Pro-Arg-AMC-HCl)	71280.00 152720.00	10mg 25mg
16110 [16652-71-4] 🌡	**L-Proline Benzyl Ester Hydrocloride extrapure, 99%** for biochemistry	3560.00 12450.00	5g 25g
73978 [97216-17-6] 🌡	**L-Proline-β-Naphthylamide Hydrobromide extrapure, 99%** for biochemistry	4440.00	100mg
16680 ♦	**Proline Specific Endopeptidase ex. Flavobacterium Sp., 5U/mg**	8770.00	50U
	2-Propanol - see Isopropanol		
31798 [107-19-7]	**Propargyl Alcohol pure, 99%**	960.00 1780.00 8190.00	250ml 500ml 2500ml
11195 [25535-16-4] 🌡	**Propidium Iodide (PI) for molecular biology, 95%** (3,8-Diamino-5-[3-(diethylmethylammonio)propyl]-6-phenylphenanthridinium diiodide)	2350.00 4280.00 10590.00	10mg 25mg 100mg
Fluorescent intercalating agent used to stain DNA (flow cytometry suitable)			
14887 [25535-16-4] 🌡	**Propidium Iodide Solution (1mg/ml in H2O)**	6200.00	10ml
Suitable for use in fluorescence microscopy, laser scanning microscopy, flow cytometry, and fluorometry.			
41622 [93-55-0]	**Propiophenone pure, 99%**	1380.00 4930.00	500ml 2500ml
84215 [106-94-5]	**n-Propyl Bromide pure, 98%** (1-Bromopropane)	480.00 1600.00 6200.00	100ml 500ml 500ml
45799 [108-32-7]	**Propylene Carbonate pure, 99%**	600.00 2660.00	500ml 2500ml
56082 [107-08-4]	**n-Propyl Iodide extrapure, 99%** (1-Iodopropane)	1550.00 3230.00 6990.00	25ml 100ml 250ml
25034 [106-36-5]	**Propyl Propionate extrapure, 99%**	1130.00 4240.00	250ml 1000ml
84589 [9036-06-0] ●	**Protease ex. Aspergillus Oryzae (Fungal) (Type 1 - Acidic, powder), 500kHUT/g** (Subtilisin A)	4860.00	25g
66789 [9036-06-0] ●	**Protease ex. Bacillus Subtilis (Type 2 - Alkaline, granules), 100kAPU/g** (Subtilisin A)	3890.00	250g

code	product name	unit price ₹	packing
23434 [9036-06-0] ●	**Protease ex. Bacillus Subtilis (Type 3 - Alkaline, granules), 1000kAPU/g** (Subtilisin A)	2190.00	500g
38207 [9036-06-0] ●	**Protease ex. Bacillus Licheniformis (Type 4 - Neutral, powder), 10U/mg** (Subtilisin A)	3890.00 10210.00	25mg 100mg
Suitable for use in AOAC INTERNATIONAL Total Dietary Fibre analytical procedures.			
81525 [9036-06-0] ●	**Protease ex. Bacillus Sp. (Type 5 - Neutral, granules), 8kNPU/g** (Subtilisin A)	730.00 3160.00	100g 500g
84244 [9036-06-0] ●	**Protease ex. Bacillus Subtilis (Type 6 - Neutral, powder), 100kNPU/g** (Subtilisin A)	3530.00	100g
79546 ♦	**Protein A soluble** purified from Staphylococcus Aureus cell wall lyophilized, essentially salt free binding capacity 7-14 mgm of human IgG per mg solid	12190.00	2mg
26309 [39450-01-6] ♦	**Proteinase K ex. Tritirachium Album (Type B), 30U/mg**	530.00 1300.00 4660.00 21940.00 42210.00	10mg 25mg 100mg 500mg 1g
32753 [39450-01-6] ♦	**Proteinase K ex. Pichia Pastoris (Type D - Recombinant) for molecular biology & PCR, 30U/mg**	780.00 1780.00 7000.00 29640.00 56910.00	10mg 25mg 100mg 500mg 1g
45073 [39450-01-6] ●	**Proteinase K ex. Pichia Pastoris (Type E - Recombinant) for molecular biology & PCR, 40U/mg** (Endopeptidase K)	2110.00 7310.00	25mg 100mg
49936 [39450-01-6] ●	**Proteinase K ex. Tritirachium Album (Type A) for molecular biology, 30U/mg** for critical applications	560.00 1370.00 4810.00 23420.00 45170.00	10mg 25mg 100mg 500mg 1g
36331 🌡	**Proteinase K Solution (20 mg/ml)** Activity — min.500units/ml	3560.00 7250.00 22530.00	1 ml 5x1ml 5x5ml
66893 [9057-02-7] ✔	**Pullulan extrapure** (Polymaltotriose, PULL) (Oligosaccharide)	7120.00 11860.00 22530.00	5g 25g 100g
Pullulan (PULL), a glucan polymer composed of a(1,6) linked maltotriose (three glucose) units, is used for the development of copolymers, permeability barrier coatings, nanofibers, nanospheres, nanogels, and biofilms with potential uses that range from protective food wrapping materials to biocompatible tissue engineering and drug delivery materials and structures.			
93909 [58-58-2] 🌡	**Puromycin Dihydrochloride (PRM), 98%** for biochemistry & microbiology	3280.00 6400.00 23480.00	10mg 25mg 100mg
85492 [110-60-1]	**Putrescine free base extrapure, 99%** (1,4-Diaminobutane, 1,4-Butanediamine, Tetramethylenediamine)	1410.00 3740.00 16360.00	25g 100g 500g

code	product name	unit price ₹	packing
81343 [333-93-7] 🌡	**Putrescine Dihydrochloride extrapure, 99%** for biochemistry (1,4-Diaminobutane dihydrochloride)	470.00 1430.00 5940.00 21350.00	1g 5g 25g 100g
49270 [333-93-7] 🌡	**Putrescine Dihydrochloride for tissue culture, 99%** (1,4-Diaminobutane dihydrochloride)	940.00 3280.00 8650.00	1g 5g 25g
31412 [288-13-1]	**Pyrazole extrapure, 98%** (1,2-Diazole)	1130.00 2380.00 5940.00	5g 25g 100g
32357 🌡	**Pyrene Actin (10%) ex. Rabbit Skeletal Muscle extrapure, 99%** for biochemistry	88920.00	1mg
81284 [19694-02-1]	**1-Pyrenecarboxylic Acid pure, 97%** (Functionalized pyrene for synthesis)	4390.00 7830.00 34390.00	500mg 1g 5g
39433 [67000-89-9]	**1-Pyrenebutanol extrapure, 99%**	4450.00 8540.00	500mg 1g
1-Pyrenebutanol, an alcohol, is an organic building block. It participates in the polymerization of cyclic esters (lactide, d-valerolactone and e-caprolactone). It may be employed to investigate fluorescent substrates in allosteric mechanisms, prepare fluorescent polymer based products by ring-opening polymerization and synthesis of 1-Pyrenebutanol labelled nanoparticles.			
59503 [93324-65-3]	**1-Pyrenemethylamine Hydrochloride (PyNH2) pure, 95%**	4090.00 7480.00	500mg 1g
(1-Pyrenemethylamine hydrochloride (PyNH2) is an organic building block, used for the loading of human telomerase reverse transcriptase (hTERT) small interfering RNA (siRNA) to the functionalized graphene oxide (GO) for the tumor targeting delivery of siRNA. It has also been used in the preparation of 1-pyrenemethylamine & certain Schiff-base ligands. It may be used for the noncovalent functionalization of SWNTs with cationic moieties which binds strongly to the negatively charged phosphate backbone of the DNA.)			
67172 [289-80-5] 🌡	**Pyridazine pure, 98%**	2730.00 12600.00	5g 25g
31129 [7291-22-7] ✔	**Pyridine-d5 for NMR spectroscopy, 99.5 Atom% D**	15890.00	10ml
73512 [1692-25-7]	**3-Pyridineboronic Acid extrapure, 98%**	2040.00 8480.00 37300.00	1g 5g 25g
16539 [499-83-2]	**Pyridine-2,6-Dicarboxylic Acid extrapure, 99%** (Dipicolinic acid)	560.00 1640.00	5g 25g
12644 [636-73-7]	**Pyridine-3-Sulphonic Acid (P3SA) extrapure, 98%** (3-Pyridinesulfonic acid)	1410.00 3980.00	5g 25g
52928 [41468-25-1] ✔	**Pyridoxal-5-Phosphate Monohydrate extrapure, 98%** for biochemistry	1020.00 4630.00 14820.00	1g 5g 25g
88205 [58-56-0] ✔	**Pyridoxine Hydrochloride pure, 98%** (Vitamin B6)	210.00 510.00 1870.00	10g 25g 100g



code	product name	unit price ₹	packing
47330 [1046-56-6] ✔	**3(2-Pyridyl)-5,6-Diphenyl-1,2,4-Triazine extrapure AR** (Ferrospectron) **(PDT), 99%**	2850.00 12450.00	1g 5g
Reagent for the extraction and spectrophotometric determination of Fe (III) and Ru(II))			
16315 [68181-17-9] 🌡	**3-(2-Pyridyldithio)propionic Acid N-Hydroxysuccinimide Ester (SPDP Crosslinker) extrapure, 95%** (N-Succinimidyl 3-(2-pyridyldithio)propionate, 3-(2-Pyridyldithio)-propionic acid-OSu)	6430.00 11980.00 23950.00	10mg 25mg 100mg
SPDP, important heterobifunctional crosslinking reagent for the preparation of protein-protein and peptide-protein conjugates linked by disulfide bonds.			
77504 [79551-14-7] ✔	**3-(2-Pyridyl)-5,6-di(2-Furyl)-1, 2,4-Triazine-5',5''-Disulfonic Acid Disodium Salt extrapure, 99%** (Ferene disodium salt)	7060.00 11680.00 33200.00	1g 2.5g 10g
Colorimetric reagent for determination of Fe, which is more sensitive than other reagents (e.g. Ferrozine)			
77577 [98-79-3] 🌡	**L-Pyroglutamic Acid extrapure, 99%** for biochemistry	630.00 1640.00	25g 100g
36306 [66642-36-2] 🌡	**L-Pyroglutamic Acid-7-Amido-4-Methylcoumarin extrapure, 98%** (L-Pyroglutamic acid-AMC)	10010.00 19450.00	10mg 25mg
97079 [89-32-7] **new**	**Pyromellitic Dianhydride (PMDA) extrapure, 98%** (Benzene-1,2,4,5-tetracarboxylic dianhydride)	1370.00 2210.00 7040.00	25g 100g 500g
75612 [92-32-0] 🌡	**Pyronin G (Pyronin Y), 50%** (C.I. No. 45005)	940.00 2700.00	1g 5g
71692 [109-97-7]	**Pyrrole extrapure, 99%**	900.00 3360.00 14700.00	25ml 100ml 500ml
91402 [123-75-1]	**Pyrrolidine pure, 99%**	980.00 4620.00	100ml 500ml
88543 [123-75-1]	**Pyrrolidine extrapure AR, 99.5%**	1160.00 2790.00	100ml 250ml
73694 [616-45-5]	**2-Pyrrolidone pure, 99%**	890.00 1710.00 8300.00	250ml 500ml 2500ml
63884 [9014-20-4] ♦	**Pyruvate Dehydrogenase ex. Microorganism, 2.0U/mg**	10320.00	10 units
29986 [9001-59-6] ♦	**Pyruvate Kinase ex. Rabbit Muscle, 300U/mg**	7710.00	4000Units
59150 [127-17-3] 🌡	**Pyruvic Acid pure, 98%** (2-Oxopropionic acid)	670.00 2140.00	25ml 100ml
	Pyruvic Acid Sodium Salt - see Sodium pyruvate		
71923 [6151-25-3] 🌡	**Quercetin Dihydrate extrapure, 99%**	1830.00 6690.00	25g 100g
97899 [117-92-0] 🌡	**Quinaldine Red** (2-(4-Dimethylaminostyryl)-1-ethylquinolinium iodide) for microscopy	1430.00 6650.00	1g 5g

code	product name	unit price ₹	packing
81076 [77-95-2] 🌡	**Quinic Acid extrapure, 98%** for resolution of racemates	1130.00 3560.00 11980.00	5g 25g 100g
32648 [91-22-5]	**Quinoline pure, 97%**	1430.00 6650.00	500ml 2500ml
51649 [17629-30-0]	**D-Raffinose Pentahydrate extrapure** for biochemistry & microbiology	1800.00 6800.00	25g 100g
21719 [212783-75-0] ●	**Ramage Linker extrapure, 98%** (FMOC-Suberol)	2670.00 6050.00	100mg 1g
24527 🌡	**Rapeseed Glucosinolate Mixture Reference Standard Grade, 90%** (Mixture of glucosinolates as occurring in oilseed rape (Brassica napus L.))	9450.00	10mg
36474 [2580-78-1]	**Reactive Blue 19 (Remazol Brilliant Blue R)** (C.I. No. 61200) Dye content — min.50%	2490.00	25g
95238 [12236-86-1]	**Reactive Blue 21 (Remazol Turquoise Blue G-133)** (C.I. No. 21) Dye content — min.50%	2810.00 8010.00	25g 100g
12176 [12225-83-1]	**Reactive Orange 16 (Remazol Brilliant Orange 3R)** (C.I. No. 17757) Dye content — min.70%, Absorption λmax 388 nm, λmax 494 nm (2nd)	2810.00 6940.00	25g 100g
65637 [12220-08-5]	**Reactive Orange 107 (Remazol Golden Yellow RNL)** (Acid orange)	3340.00 8010.00	25g 100g
15034 [11099-79-9]	**Reactive Red 21 (Remazol Red BB)**	4670.00 10010.00	25g 100g
35832 [12226-12-9]	**Reactive Red 35 (Remazol Brilliant Red 5B)**	840.00 3150.00	25g 100g
79740 [61951-82-4]	**Reactive Red 120 (Reactive Brilliant Red HE3B)** (C.I. No. 292775)	3340.00 8010.00	25g 100g
23176 [98114-32-0]	**Reactive Red 180 (Remazol Brilliant Red F3B)** (C.I. No. 181055)	3340.00 8010.00	25g 100g
80539 [12226-38-9]	**Reactive Violet 5 (Remazol Brilliant Violet 5R)** (C.I. No. 18097) E1% min.50, Wavelength 323 - 326 nm	3340.00 8010.00	25g 100g
67074 [20317-19-5]	**Reactive Yellow 17 (Remazol Golden Yellow G)** (C.I. No. 18852)	6680.00 24010.00	25g 100g
42650 [62758-13-8]	**Resazurin Sodium extrapure AR**	1210.00 5780.00 28350.00	1g 5g 25g
42817 [62758-13-8]	**Resazurin Sodium extrapure AR, ExiPlus, Multi-Compendial** meets compendial specs of USP	1320.00 6090.00 29930.00	1g 5g 25g
46861 [50-55-5] ✔	**Reserpine extrapure, 99%**	3450.00 13050.00	1g 5g

code	product name	unit price ₹	packing
39798 [108-46-3]	**Resorcinol extrapure AR, 99%**	950.00 4440.00	100g 500g
22173 [108-46-3]	**Resorcinol extrapure AR, ExiPlus, Multi-Compendial, 99%** meets compendial specs of BP	1090.00 4870.00	100g 500g
13256 [34994-50-8]	**Resorufin Sodium Salt extrapure, 95%**	Discounted	
69040 [10030-85-0]	**L-Rhamnose Monohydrate extrapure** for biochemistry & microbiology	650.00 1200.00 2690.00	5g 10g 25g
59652 [7440-15-5]	**Rhenium Powder extrapure, 99.99%, -325 mesh**	1920.00 6830.00	1g 5g
45165 [20765-98-4]	**Rhodium (III) Chloride Trihydrate pure, 98%** Assay(UV) — min.98%, Rh content — ~40%	13650.00 53030.00	250mg 1g
46729 [73482-96-9] ✔	**Rhodium (II) Octanoate Dimer extrapure, 97%**	5250.00 13650.00	250mg 1g
34392 [83-88-5]	**Riboflavin pure, 98%** (Vitamin B2)	320.00 760.00 2870.00	10g 25g 100g
57443 [130-40-5] 🌡	**Riboflavin-5-Phosphate Disodium Salt extrapure, 93%** for biochemistry (FMN, flavine mononucleotide)	200.00 660.00	5g 25g
98915 [9001-99-4] ♦	**Ribonuclease A (RNase A) ex. Bovine Pancreas for molecular biology, 50Kunitz/mg**	2340.00 4910.00 21030.00	25mg 100mg 500mg
62910 [63231-63-0] ♦	**Ribonucleic Acid (RNA) Free Acid, ex. Yeast, 85%**	1750.00 6730.00	25g 100g
61866 [73049-77-1] ♦	**Ribonucleic Acid Sodium Salt (RNA Sodium, Sodium Nucleinate) ex. Yeast for molecular biology, 85%**	1580.00 3260.00	10g 25g
48259 [50-69-1] 🌡	**D-Ribose extrapure** for biochemistry & microbiology	550.00 1520.00	25g 100g
76538 [50-69-1] 🌡	**D-Ribose for tissue culture**	350.00 980.00	5g 25g
72377 [15673-79-7]	**D-Ribose-5-Phosphate Barium Salt Hexahydrate extrapure, 98%** for biochemistry	4600.00	100mg
12310 [13292-46-1] 🌡	**Rifampicin (RFP) (Rifapin), 97-102%** for biochemistry & microbiology	720.00 3270.00	1g 5g
81319 [80621-81-4] ♦	**Rifaximin (RFX) extrapure, 98%**	2930.00 12270.00	1g 5g
23311 [145069-56-3] 🌡	**Rink Amide Linker Resin (Knorr Linker) extrapure, 99%** (4-[(2,4-Dimethoxyphenyl) (FMOC-amino)methyl]phenoxy acetic acid)	5250.00 9450.00	1g 5g

code	product name	unit price ₹	packing
34140 [431041-83-7] 🌡 **new**	**Rink Amide MBHA Resin (100-200 mesh), Loading 0.3-0.8mmol/g** (4-(2,4-Dimethoxyphenyl-Fmoc-aminomethyl)-phenoxyacetamido-norleucyl-MBHA resin)	2520.00 9660.00 32030.00	1g 5g 25g
90780 [569-61-9]	**p-Rosaniline Hydrochloride** (C.I. No. 42500) (Pararosaniline hydrochloride, pararosaniline chloride, basic parafuchsin, basic red 9, magenta O, parafuchsin hydrochloride, paramagenta hydrochloride)	1390.00 5040.00	25g 100g
60549 [632-69-9]	**Rose Bengal** (Acid red 94) (C.I. No. 45440)	620.00 1470.00	10g 25g
10641 [8007-01-1]	**Rose Oil extrapure**	2130.00 4250.00	10ml 25ml
66412 [603-45-2]	**p-Rosolic Acid, 99%** (Aurin) (C.I. No. 43800)	1530.00 4580.00	25g 100g
18325 [250249-75-3]	**Rutin Trihydrate pure, 95%** (Vitamin P trihydrate, rutoside, quercetin-3-rutinoside)	950.00 3470.00	25g 100g
16281	**Safranine 0.5 w/v Aq. Solution**	150.00 530.00	125ml 500ml
16593 [477-73-6]	**Safranine O** (Basic red 2) (C.I. No. 50240)	530.00 1870.00	25g 100g
10673 [138-52-3]	**D-(-)-Salicin extrapure** for biochemistry Substrate for β-Glucosidase	1800.00 4800.00	5g 25g
57467 [959-36-4] ✔	**Salicylaldehyde Azine extrapure, 97%** (2-Hydroxybenzaldehyde azine)	950.00 2460.00 10050.00	1g 5g 25g
77386 [65-45-2]	**Salicylamide pure, 98%**	1550.00	500g
	Standard Biological Test Diets		
45549	**Salt Mixture Bernhart Tommarelli** (a modified NRC salt mixture)	400.00 750.00 3370.00	500g 1kg 5kg
13464	**Salt Mixture H.M.W** (acc. to Hubble, Mendel & Wakeman, Journal of Nutrition 14, 273 (1937))	440.00 820.00 3710.00	500g 1kg 5kg
71637	**Salt Mixture U.S.P. XIV** (as per USP XIV (1950))	470.00 900.00 4230.00	500g 1kg 5kg
93538 [13465-55-9]	**Samarium (III) Chloride Hexahydrate pure, 99.9%** (Samarium trichloride hydrate)	3570.00 11760.00	10g 50g
92082 [13759-83-6]	**Samarium (III) Nitrate Hexahydrate ultrapure, 99.95%** (Trinitric acid samarium (III) hexahydrate, Samarium trinitrate)	1980.00 5890.00	5g 25g
31372 [12060-58-1]	**Samarium (III) Oxide ultrapure, 99.95%** (Samaria)	1790.00 5200.00	5g 25g
54043 [52093-28-4]	**Samarium (III) Trifluoromethanesulfonate extrapure, 98%** (Samarium (III) triflate, Trifluoromethanesulfonic acid samarium (III) salt)	2730.00 6300.00	1g 5g



code	product name	unit price ₹	packing
80967 [8047-15-2]	**Saponin extrapure** for biochemistry used as non-ionic surfactant, adjuvant Sapogenine — min.9%	5120.00 10230.00	25g 100g
10147 [9029-22-5] ♦	**Sarcosine Oxidase (SOX) ex. Recombinant E.Coli, 20U/mg**	5940.00 11270.00	500U 1KU
21032 [12060-08-1]	**Scandium Oxide, 99.99%**	2630.00 8400.00	1g 5g
68580 [144026-79-9]	**Scandium (III) Trifluoromethanesulfonate extrapure, 98%** (Scandium triflate, Trifluoromethanesulfonic acid scandium salt)	1680.00 7670.00	1g 5g
17386	**Schiff's Regent** for detection of aldehydes	720.00	500ml
32380 [92-61-5]	**Scopoletin extrapure, 99%** (6-Methoxycoumarin, 7-hydroxy-6-methoxycoumarin)	5430.00 8790.00 15510.00	25mg 50mg 100mg
Dye used to detect the release of reactive oxygen species during the oxidative burst, peroxynitrite scavenger, acetylcholinesterase inhibitor			
62330 [111-20-6]	**Sebacic Acid pure, 98%**	1080.00	500g
19182 [563-41-7]	**Semicarbazide Hydrochloride extrapure, 98%**	670.00	100g
44779 [7446-08-4]	**Selenium Dioxide pure, 98%**	3680.00 16600.00	100g 500g
90945 [7782-49-2]	**Selenium Metal Powder extrapure, 100 mesh, 99.9%**	1050.00 3150.00 12600.00	25g 100g 500g
51200 [7782-49-2]	**Selenium Metal Powder ultrapure, 100 mesh, 99.999%**	3570.00 13130.00	25g 100g
77855 [7782-49-2]	**Selenium Metal Granular electronic grade, 99.999%**	3780.00 14180.00	25g 100g
29815	**Seliwanoff's Reagent**	290.00	100ml
Seralose® Gel Filtration Media (Agarose, Beaded Form)			
64088 🌡	**Seralose®-2B**	3500.00 14790.00	100ml 500ml
54540 🌡	**Seralose®-4B**	3500.00 14790.00	100ml 500ml
12585 🌡	**Seralose®-6B**	3770.00 16810.00	100ml 500ml
81862 🌡	**Seralose® CL-2B** cross-linked	5520.00 22850.00	100ml 500ml
11974 🌡	**Seralose® CL-4B** cross-linked	5520.00 22850.00	100ml 500ml
22264 🌡	**Seralose® CL-6B** cross-linked	5790.00 24470.00	100ml 500ml
85165 [55819-71-1] 🌡	**DL-Serine Hydrazide Hydrochloride pure, 98%** (DL-Serinohydrazide hydrochloride)	15690.00	5g
17017 [5680-80-8] 🌡	**L-Serine Methyl Ester Hydrochloride extrapure, 99%** for biochemistry	960.00 4160.00 11270.00	5g 25g 100g

code	product name	unit price ₹	packing
18472 [3722-51-8] 🌡	**Sieber Linker extrapure, 99%** (3-Hydroxyxanthone)	2620.00 5940.00 9490.00	100mg 1g 5g
Silica Functionalized, Catalyst & Bonded Compounds			
77996 🌡	**Silica Cysteine-Functionalized extrapure** Particle Size — 40-63µm, Pore Size - 60A	19970.00 33270.00	5g 10g
This is the silica bound equivalent of the amino acid cysteine. It is a versatile Metal Scavenger for a variety of metals and the preferred scavenger for tin residues. Frequently used for removal of metals such as: Cd, Fe, Ir, Os, Ru, Sc & Sn (preferred scavenger), Ca, Cr, Cs, Cu, La, Mg, Pd2+, Pd0, Pt, Rh+1, Rh+2 & Zn (also scavenges)			
46400 🌡	**Silica DMT-Functionalized extrapure** (Dimercaptotriazine) Particle Size — 40-63µm, Pore Size - 60A	11230.00 46740.00	5g 25g
Metal Scavenger, is the silica-bound equivalent of 2,4,6-trimercaptotriazine (trithiocyanuric acid, TMT), for removal of metals such as: Ir, Ni, Os, Pd2+, Pd0, Pt, Rh+1, Rh+2, Rh+3 & Ru (preferred scavenger), Cd, Co, Cu, Fe, Sc & Zn (also scavenges)			
31156 🌡	**Silica Imidazole-Functionalized extrapure** Particle Size — 40-63µm, Pore Size - 60A	6660.00 27720.00	5g 25g
Metal Scavenger for removal of metals such as: Cd, Co, Cu, Fe, Ni, Os, W & Zn (preferred scavenger), Cr, Pd2+, Pd0, Rh1+, & Rh2+ (also scavenges)			
68360 🌡	**Silica TAAcOH-Functionalized extrapure** Particle Size — 40-63µm, Pore Size - 60A	9600.00 39990.00	5g 25g
Metal Scavenger TAAcOH (Si-Triaminetetraacetic Acid) is a supported version of EDTA in its free form and is effective for metals in low or zero oxydation states. Used for the removal of metals such as: Co, Ni, Os & Sc (preferred scavenger), Cr, Cs, Fe, Pd2+, Pd0, Rh1+, Rh2+ & Sn (also scavenges)			
28466 🌡	**Silica TAAcONa-Functionalized extrapure** Particle Size — 40-63µm, Pore Size - 60A	9600.00 39990.00	5g 25g
Metal Scavenger TAAcONa (Si-Triaminetetraacetic Acid Sodium Salt) is a supported version of EDTA in its sodium salt form and is useful for metals in higher oxydation states (2+ or higher). Used for the removal of metals such as: Cd, Cs, Cu, Fe, Ir, La, Li, Mg, Ni, Os, Rh3+, Sc, & Sn (preferred scavenger), Cu, Ir, Pd, Rh1+, Rh2+, Cr, Pd2+, Pd0, Rh1+, Rh2+ & Zn (also scavenges)			
39343 🌡	**Silica Thiol-Functionalized (STF) extrapure** Particle Size — 40-63µm, Pore Size - 60A	8030.00 33410.00	5g 25g
Versatile Metal Scavenger for removal of metals such as: Ag, Hg, Os, Pd2+, Pd0 & Ru (preferred scavenger), Cu, Ir, Pd, Rh1+, Rh2+, Rh3+, Sc, Sn (also scavenges)			
20356 🌡	**Silica DPP-Pd Catalyst extrapure** (Diphenylphosphine Palladium) Particle Size — 63-250µm, Pore Size - 25-70A	37790.00 62970.00	5g 10g
Catalyst DPP-Pd is a unique diphenylphosphine palladium (II) heterogeneous catalyst made from a leach-resistant organoceramic matrix typically used for the following applications, Suzuki, Heck, Sonogashira, Kumada, Stille, etc.			
45570 🌡	**Silica TEMPO Catalyst extrapure** Particle Size — 63-250µm, Pore Size - 25-70A	18510.00 30850.00	5g 10g
Catalyst TEMPO is a new oxidizing catalyst made from organosilica-entrapped radicals making it highly efficient and selective compared to homogeneous TEMPO reagents. No activation is required prior to use. Typical applications, Oxidation of alcohols or aldehydes.			
78339 🌡	**Silica C18 (17%) Bonded monomeric extrapure** Particle Size — 40-63µm, Pore Size - 60A	5260.00 15190.00	5g 25g
This versatile Silica C18 is the best choice for your applications in reversed-phase chromatography.			

code	product name	unit price ₹	packing
43139 🌡	**Silica Carbonate Bonded extrapure** Particle Size — 40-63µm, Pore Size - 60A	9260.00 38570.00	5g 25g
Used as a heterogenous catalyst in the Henry reaction and can replace more expensive and toxic heterogeneous catalysts.			
35228 🌡	**Silica Cyano Bonded extrapure** Particle Size — 40-63µm, Pore Size - 60A	5870.00 11450.00	5g 10g
Can be used both in normal and reversed-phase chromatography as its polarity marks the separation between the polar and non-polar phases.			
30753 🌡	**Silica Diol Bonded extrapure** Particle Size — 40-63µm, Pore Size - 60A	5780.00 24040.00	5g 25g
Can be used as polar sorbent in normal phase and aqueous size exclusion chromatography. Since most of its surface is covered with organic functions, this compound absorbs less water, which leads to a more reproducible activity. It is also the absorbent of choice when working in normal phase in the presence of water.			
92868 🌡	**Silica TMA Acetate Bonded non-endcapped extrapure** (Trimethylammonium acetate) Particle Size — 40-63µm, Pore Size - 60A	8240.00 34300.00	5g 25g
A strong anion exchange sorbent with a low-selectivity acetate counter ion already in place and is used to selectively purify acidic compounds or remove acidic impurities from reaction mixtures.			
50648 🌡	**Silica Tosic Acid Bonded extrapure** Particle Size — 40-63µm, Pore Size - 60A	10030.00 41770.00	5g 25g
This product is in a class of strong acids used in different fields of synthetic organic chemistry, used as an acid catalyst for Fischer-Speier estherification provides excellent conversion and the most common use is likely for 'Catch & Release' purifications.			
30540 [7440-21-3]	**Silicon Metal Flakes, 98.5%**	Discounted	
73081 [7440-21-3]	**Silicon Metal powder, 98.5%, -200 mesh**	320.00 840.00	100g 500g
43800 [26042-64-8]	**Silver Hexafluoroantimonate(V) extrapure, 98%**	1580.00 6300.00	1g 5g
32422 [7440-22-4]	**Silver Metal powder, 99.9%, -400 mesh**	3300.00 7900.00 31000.00	10g 25g 100g
43491 [2386-52-9]	**Silver Methanesulfonate (Silver MSA) extrapure, 47.8%-58.4% Ag** (Methanesulfonic acid silver salt, silver methylsulfonate, silver methylsulphonate, methanesulphonic acid silver salt)	4600.00 16800.00	1g 5g
46241 [9008-42-8] 🌡	**Silver Proteinate extrapure, 8% Ag** Histological stain for microscopic analysis	1890.00 6830.00	5g 25g
27821 [2923-28-6] 🌡	**Silver Trifluoromethanesulfonate extrapure, 98%** (Silver triflate, Trifluoromethanesulfonic acid silver salt)	1050.00 4310.00	1g 5g
69717 [13497-94-4]	**Silver Vanadate pure**	3600.00	5g
90677 [16411-05-5] 🌡	**Sinalbin Potassium Salt Reference Standard Grade, 98%** (p-Hydroxybenzylglucosinolate potassium salt, Glucosinalbin potassium salt)	33600.00	10mg

code	product name	unit price ₹	packing
28945 [3952-98-5] ●	**Sinigrin Potassium Salt Reference Standard Grade, 97%** (2-Propenyl glucosinolate potassium salt, Sinigroside potassium salt)	6300.00 10290.00	10mg 25mg
56226 [83-46-5] ♦	**β-Sitosterol ex. Rice Bran, 98%** (Phytosterol)	4910.00	25g
13728 [83-46-5] ♦	**β-Sitosterol ex. Glycine Max (Soyabean), 95%** (Phytosterol)	4440.00 17410.00	25g 100g
(A phytosterol with structure very similar to cholesterol that exhibits estrogenic activity. Inhibits proliferation of human leukemia cells, with G2/M arrest, endoreduplication, and polymerization of α-tubulin and microtubules.)			
89658 [1333-83-1]	**Sodium Bifluoride pure, 98%**	1430.00	500gm
53713 [7782-82-3]	**Sodium Biselenite pure, 98%** (Sodium hydrogen selenite)	4330.00	100g
22308 [156-54-7]	**Sodium Butyrate pure, 98%**	710.00 3050.00	100g 500g
41059 [9005-46-3]	**Sodium Caseinate extrapure for biochemistry** (Casein sodium salt)	1470.00 5520.00	100g 500g
43624 [7775-11-3]	**Sodium Chromate pure, 98%**	640.00	500g
60947 [22722-98-1]	**Sodium Dihydro-bis-Methoxyethoxy Aluminate (VITRIDE®) pure, 68-71%** (70% in Toluene)	1260.00 5250.00	100g 500g
46288 [6152-67-6]	**Sodium Diphenylamine Sulphonate extrapure AR** Redox indicator	630.00 1460.00 5210.00	10g 25g 100g

Sodium Biphenyl Reagent

It is a versatile reagent used for the quantitative determination of covalently bound organic Chlorides & Fluorides at ppm levels in petroleum products. It is also used at macro levels to check the purity of covalently bound halides.

25818 [5137-46-2] ●	**Sodium Diphenyl Reagent AR** (Sodium biphenyl complex)	960.00 8900.00	15ml 10×15ml
67516 [5137-46-2] ●	**Sodium Diphenyl Reagent ExiPlus, Multi-Compendial** (Sodium biphenyl complex) meets compendial specs of USP	1430.00 10440.00	15ml 10×15ml
55083 [25155-30-0]	**Sodium Dodecylbenzenesulfonate (SDBS) pure, 80%** (Dodecylbenzenesulfonic acid sodium salt)	450.00 1210.00 9450.00	100g 500g 5Kg
36511 [751-94-0]	**Sodium Fucidate (Na-FC), 97.5%** (Fucidic acid sodium salt) for biochemistry & microbiology	3000.00 8000.00	1g 5g
55655 [17013-01-3]	**Sodium Fumarate extrapure AR, 99.5%**	350.00 3140.00	100g 1kg
15331 [55073-41-1, 154804-51-0] 🌡	**Sodium-ß-Glycerophosphate Hydrate extrapure AR, 99%** (Sodium-ß-glycerol phosphate hydrate, ß-GP, ß-glycerolphosphate, Disodium ß-glycerol phosphate hydrate, glycerol-2-phosphate)	2000.00 4500.00 15000.00	5g 25g 100g



code	product name	unit price ₹	packing
97971 [16564-43-5] 🌡	**Sodium Glycochenodeoxycholate (SGCDC) extrapure, 97%**	2740.00 6220.00 11190.00 42270.00 191430.00	100mg 500mg 1g 5g 25g
Bile Salt suitable for preparation of media and simulated gastric and intestinal fluids for Pharmaceutical Quality Control applications.			
31287 [863-57-0] 🌡	**Sodium Glycocholate Dried (SGC Dried) extrapure, 98%**	3690.00 6910.00 18420.00 87480.00	500mg 1g 5g 25g
Bile Salt suitable for preparation of media and simulated gastric and intestinal fluids for Pharmaceutical Quality Control applications.			
15556 [338950-81-5] 🌡	**Sodium Glycocholate Hydrate (SGC Hydrate) extrapure, 98%**	3350.00 5760.00 16120.00 80570.00	500mg 1g 5g 25g
Bile Salt suitable for preparation of media and simulated gastric and intestinal fluids for Pharmaceutical Quality Control applications.			
43453 [527-07-1] 🌡	**Sodium Gluconate pure, 99%**	350.00	500g
54565 [141-95-7]	**Sodium Malonate extrapure, 99%** suitable for microbiology	900.00 3290.00	100g 500g
18444 [13718-26-8]	**Sodium Metavanadate extrapure, 99%** (Sodium trioxovanadate, Sodium vanadium oxide, Sodium vanadium trioxide)	840.00 3300.00 15600.00	25g 100g 500g
85247 [31681-98-8] 🌡	**Sodium-2-Naphthyl Phosphate Disodium Salt extrapure AR, 99%** for biochemistry (sodium-b-naphthyl phosphate)	980.00 4740.00	1g 5g
86766 [13721-39-6] ✔	**Sodium Orthovanadate pure, 45%** (Sodium vanadium oxide) Inhibitor of protein tyrosine phosphatases (PTP)	3890.00 11670.00	10g 50g
14215 [55963-78-5]	**Sodium Polyanethol Sulphonate (SPS, Liquoid) extrapure** (Polyanethol sulphonic acid sodium salt)	500.00 2270.00 10890.00	1g 5g 25g
23569 [113-24-6]	**Sodium Pyruvate (Pyruvic Acid Sodium Salt) extrapure AR, 99%**	340.00 1030.00 3050.00	25g 100g 500g
19099 [523-21-7] 🌡	**Sodium Rhodizonate dibasic extrapure AR, 99%** (Rhodizonic acid sodium salt)	580.00 1380.00 6340.00	1g 5g 25g
95335 [10102-18-8]	**Sodium Selenite Anhydrous extrapure, 98%**	780.00 2610.00 10210.00	25g 100g 500g
80451 [10102-18-8]	**Sodium Selenite Anhydrous extrapure AR, 99%**	820.00 2950.00 11120.00	25g 100g 500g
17169 [10102-18-8]	**Sodium Selenite Anhydrous for tissue culture, 99%**	960.00 2840.00 14070.00	25g 100g 500g
58529 [6009-98-9] 🌡	**Sodium Taurochenodeoxycholate (STCDC) extrapure, 95%** (Taurochenodeoxycholic acid sodium salt)	11520.00 22450.00	250mg 500mg
Bile Salt suitable for preparation of media and simulated gastric and intestinal fluids for Pharmaceutical Quality Control applications.			

code	product name	unit price ₹	packing
63703 [345909-26-4] 🌡	**Sodium Taurocholate Hydrate (STC Hydrate) extrapure, 98%** (Taurocholic acid sodium salt hydrate)	2370.00 9100.00 20490.00 71770.00	1g 5g 25g 100g
Bile Salt suitable for preparation of media and simulated gastric and intestinal fluids for Pharmaceutical Quality Control applications.			
57861 [1180-95-6] 🌡	**Sodium Taurodeoxycholate Dried (STDC Dried) extrapure, 97%** (Taurodeoxycholic acid sodium salt anhydrous)	2500.00 8230.00 38560.00	1g 5g 25g
Bile Salt suitable for preparation of media and simulated gastric and intestinal fluids for Pharmaceutical Quality Control applications.			
40391 [207737-97-1] 🌡	**Sodium Taurodeoxycholate Hydrate (STDC Hydrate) extrapure, 97%** (Taurodeoxycholic acid sodium salt hydrate)	740.00 1310.00 6360.00 30620.00	500mg 1g 5g 25g
Bile Salt suitable for preparation of media and simulated gastric and intestinal fluids for Pharmaceutical Quality Control applications.			
31102 [35807-85-3] 🌡	**Sodium Tauroursodeoxycholate (TUDCA Sodium) extrapure, 98%** (Tauroursodeoxycholic acid sodium salt)	4540.00 16560.00	1g 5g
78786 [367-51-1]	**Sodium Thioglycolate extrapure, 99%**	970.00 2880.00	100g 500g
48950 [56553-60-7] ✔	**Sodium Triacetoxyborohydride (STAB) pure, 98%**	1030.00 2840.00 13050.00	25g 100g 500g
69128 [2926-29-6]	**Sodium Trifluoromethanesulfinate (Langlois reagent) extrapure, 95%** (Sodium trifluoromethylsulfinate, Trifluoromethanesulfinic acid sodium salt, Sodium triflinate)	4990.00	5g
99957 [20311-51-7] 🌡	**α-Solamargine extrapure, 98%** (Solasodine-L-rhamnosido-D-glucoside)	6460.00 15500.00	10mg 25mg
53771 [126-17-0] 🌡	**Solasodine extrapure, 98%** (Purapuridine, solancarpidine)	6470.00 15500.00	10mg 25mg
89725 [19121-58-5] 🌡	**Solasonine extrapure, 98%** (Solasodamine)	18150.00	25mg
54281 [38916-34-6] ♦	**Somatostatin extrapure, 97%** for biochemistry	9800.00 30820.00	5mg 25mg
62468 [87-79-6]	**L(-)Sorbose extrapure, 99%** for biochemistry	4300.00 16500.00	25g 100g
17030 [124-20-9] ●	**Spermidine extrapure, 99%** for biochemistry (1,8-Diamino-4-azaoctane)	1100.00 2140.00 8930.00	250mg 1g 5g
91710 [71-44-3] ●	**Spermine Free Base extrapure, 99%** for biochemistry (Gerontine)	1730.00 3990.00	250mg 1g
22310 [306-67-2] ●	**Spermine Tetrahydrochloride extrapure, 99%** (N,N-Bis(3-aminopropyl)-1,4-butanediamine tetrahydrochloride) Used to precipitate DNA from low salt aqueous buffers.	3460.00 8980.00 17270.00 31080.00	1g 5g 10g 25g

code	product name	unit price ₹	packing
26413 [85187-10-6] ●	**Sphingomyelin (Type I) extrapure, 99%** (ex. Bovine Brain Spingolipids)	7710.00 12450.00 40310.00	10mg 25mg 100mg
A major lipid constituent of myelin sheath. Contains primarily stearic, nevonic, and lignoceric acids.			
95852 [85187-10-6] ●	**Sphingomyelin (Type II) extrapure, 99%** (ex. Bovine Heart Sphingolipids)	7710.00 17200.00 45060.00	10mg 25mg 100mg
A major lipid constituent of myelin sheath. Contains primarily stearic, nevonic, and lignoceric acids.			
77061 [657408-07-6] ✔	**S-Phos extrapure, 98%** (2-Dicyclohexylphosphino-2',6'-Dimethoxybiphenyl)	2970.00 13050.00 53350.00	1g 5g 25g
Generally used in the following chemical reactions namely Buchwald-Hartwig Cross Coupling Reaction, Heck Reaction, Kumada Coupling, Negishi Coupling, Suzuki-Miyaura Coupling			
63056 [122341-56-4] 🌡	**3-(2'-Spiroadamantane)-4-Methoxy-4-(3"-Phosphoryloxy) Phenyl-1,2-Dioxetane (AMPPD) extrapure, 98%**	20920.00	5mg
A chemiluminescent substrate for alkaline phosphatase (ALP)			
67715 [52-01-7] 🌡	**Spironolactone extrapure, 97%** for biochemistry	5210.00 9310.00	500mg 1g
12590 🌡	**20X SSC Buffer pH 6.9-7.1 for molecular biology**	330.00 740.00	200ml 500ml
78305 🌡	**20X SSPE Buffer pH-7.4 for molecular biology** DNase, RNase, protease not detected	900.00 2500.00	200ml 1000ml
80268 [10094-58-3] 🌡	**Stachyose Tetrahydrate extrapure, 98%** for biochemistry	3150.00 12450.00 28690.00	25mg 100mg 250mg
31384 [57-11-4]	**Stearic Acid pure, 95%-106%**	410.00	500g
73878 [57-11-4]	**Stearic Acid extrapure, 99%** for biochemistry	470.00 1960.00 6530.00	5g 25g 100g
73439 [57-11-4]	**Stearic Acid ExiPlus, Multi-Compendial, 99%** for biochemistry meets compendial specs of Ph.Eur	510.00 2200.00 7000.00	5g 25g 100g
61609 [112-61-8] 🌡	**Stearic Acid Methyl Ester extrapure, 99%** for biochemistry (Methyl stearate) Reference standard	2060.00 8910.00 20680.00	5g 25g 100g
61600 🌡	**STET Lysis Buffer**	3800.00	500ml
39895 [83-48-7]	**Stigmasterol extrapure, 95%** for biochemistry	1170.00 5300.00 10340.00 18100.00	1g 5g 10g 25g
87610 [9013-20-1] 🌡	**Streptavidin (SA) ex. Streptomyces Avidinii for molecular biology, 15U/mg Protein** Lyophilized powder, Solubility (readily): water	8120.00 14930.00	5mg 10mg
54224 🌡	**r-Streptavidin (r-SA) ex. Streptomyces Acidinii in E.Coli - Type 1, 17U/mg protein**	44390.00	5mg

code	product name	unit price ₹	packing
91014 [3810-74-0] 🌡	**Streptomycin Sulphate (STM)** for biochemistry & microbiology Potency — min.720 μg/mg Solubility (readily): water, Insoluble: acetone, chloroform & ether	410.00 1350.00 2810.00	5g 25g 100g
62463 🌡 [3810-74-0]	**Streptomycin Sulphate (STM) for tissue culture**	930.00 1860.00 3380.00	5g 25g 100g
14653 [18883-66-4] 🌡	**Streptozotocin (STZ) extrapure, 98%** (N-(Methylnitrosocarbamoyl, streptozocin) (α-D-glucosamine mixed anomers patent methylating agent for DNA) Solubility (readily): water	2020.00 4990.00 9490.00 17200.00 75880.00	100mg 250mg 500mg 1g 5g
Streptozotocin is a glucosamine-nitrosourea and is used to induce Diabetes (usually Type-1) for research applications.			
48142 [108-30-5]	**Succinic Anhydride extrapure, 99.5%**	740.00 1250.00	250g 500g
24088 [64987-85-5] 🌡	**Succinimidyl-4-(N-(N-Maleimidomethyl) Cyclohexane-1-Carboxylate (SMCC), 98%**	2620.00 10680.00	50mg 250mg
20721 [386229-69-2] 🌡	**Sucrose Heptasulphate Potassium Salt pure, 80%** (1,3,4,6-Tetra-O-sulfo-b-D-fructofuranosyl a-D-glucopyranoside 2,3,4-tris(hydrogen sulfate) heptapotassium salt)	19380.00 39920.00	10mg 25mg
47973 [54182-58-0] 🌡	**Sucrose Octasulphate Aluminium Salt (Sucralfate) extrapure** (Sucrose octasulfate–aluminum complex) Aluminium content — 16.5 to 18.5%, Sucrose octasulfate content — 30.0 to 36.0%	7670.00 18020.00	5g 25g
An alkaline aluminum-sucrose complex which inhibits peptic hydrolysis and raises gastric pH.			
69538 [26446-38-8] 🌡	**Sucrose Palmitate extrapure, 90%** (β-D-Fructofuranosyl-α-D-glucopyranoside monohexadecanoate)	6760.00	25g
67787 [85-86-9]	**Sudan III** for microscopy C.I.No. 26100	210.00 610.00	25g 100g
16775 [68-35-9] 🌡	**Sulfadiazine (SFD) extrapure, 99-101%** (4-Amino-N-(2-pyrimidinyl) benzenesulfonamide)	2630.00 4990.00	50g 100g
69181 [7704-34-9]	**Sulfur Precipitated pure, 98%**	230.00	500g
86684 [723-46-6] 🌡	**Sulphamethaoxazole (SMX), 99%** for biochemistry & microbiology	2350.00 6410.00	5g 25g
72701 [126-33-0]	**Sulpholane Anhydrous pure, 99%**	770.00 3520.00	500ml 2500ml
31249 [9054-89-1] ♦	**Superoxide Dismutase (SOD) ex. Bovine Erythrocytes, 3000U/mg** Lyophilized powder (approx 3500U/mg protein)	12450.00 40310.00	20KU 100KU
47406 [14414-32-5]	**Syringaldazine pure, 95%** (4-Hydroxy-3,5-dimethoxybenzaldehyde azine) Indicator for laccase and peroxidase activity	3380.00 12450.00	1g 5g



code	product name	unit price ₹	packing
41719 [134-96-3]	**Syringaldehyde extrapure, 99%**	630.00 1840.00 6530.00	5g 25g 100g
71989 🌡	**10X TAE Buffer pH-8.3 for molecular biology** DNase, RNase,protease not detected	590.00 1040.00	100ml 500ml
83170 🌡	**10X TBE Buffer pH-8.3 for molecular biology** DNase, RNase, protease not detected	660.00 1130.00	200ml 500ml
51782 🌡	**10X TE Buffer pH-8.0 for molecular biology** DNase, RNase, protease not detected	1260.00 4200.00	100ml 500ml
89528 [7440-25-7]	**Tantalum Metal Sheet 99.9% (Type 1)** 0.1mm thick 40mm x 50mm	10810.00	1 piece
27101 [7440-25-7]	**Tantalum Metal Sheet 99.9% (Type 2)** 0.1mm thick 40mm×100mm	16140.00	1 piece
70040 [7440-25-7]	**Tantalum Metal Sheet 99.9% (Type 3)** 0.25 mm thick 40mm×50mm	9440.00	1 piece
10964 [29915-38-6]	**TAPS Buffer extrapure, 99%** (N-Tris-(hydroxymethyl) methyl-3-aminopropane sulphonic acid) for biochemistry	1190.00 3140.00	25g 100g
44194 [68399-81-5]	**TAPSO Buffer extrapure, 99%** (3-[Tris-(hydroxymethyl) methylamino]-2-hydroxypropane sulphonic acid) for biochemistry	2440.00 8070.00	25g 100g
28682 [147-71-7]	**D(-)Tartaric Acid extrapure, 99%**	540.00 1310.00	100g 250g
63904 [133-37-9]	**DL-Tartaric Acid extrapure, 99%**	530.00	500g
60301 [87-69-4]	**L-(+)-Tartaric Acid extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.7%** (L-Threaric acid) meets specs of USP, BP, Ph.Eur	960.00 8350.00	500g 5kg
15711 [107-35-7]	**Taurine extrapure CHR, 99%** for biochemistry	480.00 1430.00 11860.00	25g 100g 1kg
47064 [125700-67-6] 🌡	**TBTU extrapure, 98%** (2-(1-4-Benzotriazol-1-yl)-1,1,3,3-tetramethyl uroniun tetraflouroborate) Reagent for peptide synthesis	800.00 1600.00 6600.00	10g 25g 100g
92481 [7446-07-3]	**Tellurium Dioxide ultrapure, 99.999%**	2940.00 8930.00	5g 25g
67813 [13798-24-8]	**Terbium (III) Chloride Hexahydrate extrapure, 99.9%**	4200.00 18380.00	5g 25g
52633 [13451-19-9]	**Terbium (III) Nitrate Hexahydrate ultrapure, 99.99%**	4180.00 15400.00	2g 10g
52313 [57584-27-7]	**Terbium (III) Nitrate Pentahydrate extrapure, 99.9%**	4400.00 19250.00	5g 25g
99186 [148980-31-8]	**Terbium (III) Trifluoromethanesulfonate extrapure, 98%** (Terbium(III) triflate, Trifluoromethanesulfonic acid terbium(III) salt)	3150.00 11550.00	1g 5g
62369 [12037-01-3]	**Terbium (III,IV) Oxide ultrapure, 99.99%**	3680.00 10290.00	1g 5g
59479 [13494-80-9]	**Tellurium Metal powder, 99.9% -200 mesh**	1580.00 8190.00	10g 100g
96104 [100-20-9]	**Terephthaloyl Choride practical grade, 95%**	1170.00 5340.00	100g 500g
14676 [7365-44-8]	**TES Buffer extrapure, 99%** (N-Tris-(hydroxmethyl) methyl-2-aminoethane sulphonic acid)	450.00 2000.00 7350.00	25g 100g 500g
51318 [70331-82-7]	**TES Buffer Sodium Salt extrapure, 99%** (N-Tris-(hydroxymethyl)methyl-2-aminoethane sulfonic acid sodium salt)	5900.00 17930.00	25g 100g
19914 [315-37-7] ●	**Testosterone (free base) extrapure, 99%** (17ß-Hydroxy-4-androsten-3-one) A male hormone used for research.	2260.00 4100.00	1g 5g
83651 [315-37-7] ●	**Testosterone Enanthate extrapure, 99%** (17ß-Hydroxy-4-androsten-3-one 17-enanthate) A male hormone used for research.	2720.00 8990.00	1g 5g
71344 [51-98-9] ●	**Testosterone Propionate extrapure, 98%** (17ß-Hydroxy-4-androsten-3-one 17-propionate) A male hormone used for research.	1670.00 7420.00	5g 25g
93831 [13035-61-5] ✔	**1,2,3,5-Tetra-O-Acetyl-ß-D-Ribofuranose extrapure, 98%** (ß-D-Ribofuranose-1,2,3,5-tetraacetate)	2620.00 9490.00	5g 25g
76333 [79-34-5]	**1,1,2,2-Tetrachloroethane extrapure AR, 99%**	1750.00 3430.00	500ml 1000ml
38614 [64-75-5] ♦	**Tetracycline Hydrochloride (TC), 95%** for biochemistry & microbiology Potency — min.900U/mg, Solubility (partially): water & ethanol	440.00 2170.00 7950.00	5g 25g 100g
82175 [64-75-5] ♦	**Tetracycline Hydrochloride (TC), 95% for tissue culture**	1050.00 4000.00 11100.00	5g 25g 100g
58128 [1191-50-0]	**Tetradecyl Sulphate Sodium Salt pure, 95%** (Tergitol-4, sodium myristyl sulfate, sodium tetradecyl sulfate, STDS)	1890.00 7390.00	100mg 500mg
64090 [68-05-3]	**Tetraethylammonium Iodide extrapure, 99%**	1340.00 3700.00 16260.00 31030.00	25g 100g 500g 1kg
23231 [74163-81-8] ✔	**(S)-(-) 1,2,3, 4-Tetrahydroisoquinoline-3-Carboxylic Acid pure, 98%**	2570.00 9900.00	1g 5g
55633 [14221-01-3] 🌡	**Tetrakis(Triphenylphosphine) Palladium (0) extrapure, 97%**	3600.00 16800.00	1g 5g

Catalyst for the following chemical reactions namely Buchwald-Hartwig Reaction, Negishi Coupling, Reduction Reaction, Suzuki Coupling, Sonogashira Coupling, Stille Coupling,

code	product name	unit price ₹	packing
76265 [529-34-0]	**1-Tetralone pure, 98%**	2110.00 8520.00	100ml 500ml
19028 [75-57-0]	**Tetramethylammonium Chloride pure, 98%**	670.00 3160.00	100g 500g
82774 [75-58-1]	**Tetramethylammonium Iodide extrapure, 99%**	3630.00	100g
84821 [54827-17-7] 🌡	**3,3,5,5-Tetramethyl Benzidine (TMB) pure, 98%** Suitable for the enzyme immuno assay of horseradish peroxidase (HRP)	1950.00 7300.00 29160.00	1g 5g 25g
69860 [54827-17-7] 🌡	**3,3,5,5-Teramethyl Benzidine (TMB) extrapure AR, 98%** Suitable for the enzyme immuno assay of horseradish peroxidase (HRP) & molecular biology	610.00 3040.00 8750.00	100mg 1g 5g
68738 [54827-17-7] 🌡	**3,3,5,5-Teramethyl Benzidine (TMB) extrapure AR, ExiPlus, Multi-Compendial, 98%** meets compendial specs of BP, Ph.Eur suitable for the enzyme immuno assay of horseradish peroxidase (HRP) & molecular biology	4260.00	1g
55597 [64285-73-0] 🌡	**3,3,5,5-Tetramethyl Benzidine Dihydrochloride Anhydrous (TMB.2HCl) extrapure AR, 99%** Peroxidase substrate	2730.00 5820.00 18980.00	100mg 1g 5g
A highly sensitive and popular chromogenic substrate for Horseradish Peroxidase (HRP) labelled probes, particularly in solution-based assays like ELISA techniques. It produces a soluble, blue-coloured end product which can be read spectrophotometrically.			
36746 [207738-08-7] 🌡	**3,3,5,5-Tetramethyl Benzidine Dihydrochloride Hydrate (TMB.2HCl.xH$_2$O) extrapure, 98%** Peroxidase substrate	3000.00 5760.00 19610.00	500mg 1g 5g
A highly sensitive and popular chromogenic substrate for Horseradish Peroxidase (HRP) labelled probes, particularly in solution-based assays like ELISA techniques. It produces a soluble, blue-coloured end product which can be read spectrophotometrically.			
	3,3,5,5-Tetramethyl Benzidine Solutions (TMB) A & B		
64407 🌡	**TMB Solution A**	1560.00	100ml
38783 🌡	**TMB Solution B**	910.00	100ml
99986 [366-29-0] ✔	**N,N,N',N'-Tetramethyl Benzidine extrapure AR, 95%**	1520.00 4370.00	100mg 1g
13618 [3010-96-6] **new** ✔	**2,2,4,4-Tetramethyl-1,3-Cyclobutanediol (CBDO) (mixture of isomers) extrapure, 99%** (Used to prepare new copolyester materials) (Flammable - Storage 10-15°C carefully in cool and dry place)	5250.00 15500.00	5g 25g
88001 🌡 [3277-26-7]	**1,1,3,3-Tetramethyldisiloxane (TMDS) extrapure, 98%**	1230.00 3740.00	25ml 100ml
53180 [80-70-6] ✔	**1,1,3,3-Tetramethylguanidine extrapure AR, 99%** (N,N,N',N'-Tetramethylguanidine)	2100.00 8190.00	100ml 500ml

code	product name	unit price ₹	packing
52300 [637-01-4] 🌡	**N,N,N',N'-Tetramethyl-p-Phenylenediamine Dihydrochloride (Wurster's Reagent, TMPPD) extrapure AR, 99%**	1240.00 5600.00	5g 25g
Test reagent in microbiology for the classification of cytochrome oxidase positive aerobic microorganisms. For oxidase reagent, use a 1% aqueous solution of TMPPD.			
91902 [2564-83-2] 🌡	**2,2,6,6-Tetramethylpiperidine 1-Oxyl (TEMPO) pure, 98%** (free radical) (free flowing milled solid)	240.00 710.00 2970.00 9490.00	1g 5g 25g 100g
33379 [75-76-3] ♦	**Tetramethyl Silane (TMS) for NMR spectroscopy, 99.8%** Calibration standard	4910.00 14020.00	25ml 100ml
77204 [1941-30-6]	**Tetrapropylammonium Bromide extrapure, 99%**	1220.00	100g
84990 [4499-86-9]	**Tetrapropylammonium Hydroxide (TPAH) 10% aq. solution**	1580.00 4200.00	100ml 500ml
98078 [4499-86-9]	**Tetrapropylammonium Hydroxide (TPAH) 20% aq. solution**	2000.00 8400.00	100ml 500ml
58146 [4499-86-9]	**Tetrapropylammonium Hydroxide (TPAH) 40% aq. solution**	3840.00 16280.00	100ml 500ml
75311 [288-94-8] 🌡	**1-H-Tetrazole sublimed extrapure, 99%** (for use with automated or manual solid phase DNA synthesizers)	300.00 1350.00 5090.00	1g 5g 25g
92739 [1719-71-7] 🌡	**Tetrazolium Violet extrapure, 95%** (2,5-Diphenyl-3-(1-naphthyl) tetrazolium chloride, TV) Enzyme assay reagent	2950.00	1g
62183 [1719-71-7] 🌡	**Tetrazolium Violet (High Purity) extrapure AR, 98%** (2,5-Diphenyl-3-(1-naphthyl) tetrazolium chloride, TV) Enzyme assay reagent	1300.00 4110.00 16010.00	100mg 1g 5g
36610 [563-68-8]	**Thallium (I) Acetate extrapure, 99.9%** (Acetic acid thallium(I) salt, Thallous Acetate)	2970.00 10200.00 .00	5g 25g 100g
98446 [7446-18-6]	**Thallium (I) Sulphate extrapure, 99%** (Thallous Sulphate)	3740.00 13440.00	5g 25g
44826 [3081-61-6]	**L-Theanine extrapure, 99%** for biochemistry (N-Ethyl-L-glutamine)	840.00 3990.00	1g 5g
83155 [326-91-0]	**3(2-Thenoyl)-11,1-Trifluoroacetone (TTFA) extrapure AR, 99%** (2-Thenoyltrifluoroacetone, TTA (extractant), TTB) suitable for extraction analysis Reagent for colorimetric determination of Al, Co, Cr, Cu, U	1260.00 10290.00	10g 100g
71081 [67-03-8]	**Thiamine Hydrochoride pure, 98.5%** (Vitamin B1 hydrochloride)	370.00 820.00 2730.00	10g 25g 100g
82500 [67-03-8]	**Thiamine Hydrochloride for tissue culture, 98.5%**	1000.00 3680.00	25g 100g



code	product name	unit price ₹	packing
79903 [15318-45-3] 🌡	**Thiamphenicol (TMP), 98%** for biochemistry & microbiology	1680.00 4730.00	1g 5g
58910 [57360-69-7] 🌡	**Thiazolyl Blue Formazan (MTT Formazan) extrapure AR, 98%** (1-(4,5-Dimethylthiazol-2-yl)-3,5-diphenylformazan)	4600.00 11300.00	250mg 1g
33611 [298-93-1] 🌡	**Thiazolyl Blue Tetrazolium Bromide (MTT) extrapure AR, 98%**	580.00 2310.00 4200.00 13650.00	100mg 500mg 1g 5g
MTT is utilized for the detection of cell viability and cell proliferation studies. Since MTT has a positive charge, it can pass through a cell membrane and is reduced by mitochondria to form a purple color formazan dye. Organic solvents are required to dissovle MTT formazan dyes. MTT is also rapidly reduced to the formazan, which chelates with nickel, copper, and cobalt; the cobalt chelate has been used in oxidative systems.			
58945 [298-93-1] 🌡	**Thiazolyl Blue Tetrazolium Bromide (MTT) for tissue culture, 98%**	3150.00 5780.00	500mg 1g
11652 [51707-55-2] 🌡	**Thidiazuron (TDZ) extrapure, 97%**	4140.00 13100.00 33460.00	250mg 1g 5g
Thidiazuron (TDZ) is a plant growth regulator used in micropropagations to supplement media such as Murashige and Skoog medium. TDZ promotes plant organogenesis (shoot regeneration) and plant regeneration. Thidiazuron (TDZ) enables the production of virus-free stock plants, speeds up breeding, and provides new genotypes for the market.			
88098 [51707-55-2] 🌡	**Thidiazuron (TDZ) for tissue culture, 97%**	5390.00 18150.00 43660.00	250mg 1g 5g
10083 [507-09-5]	**Thioacetic Acid pure, 97%**	1050.00 4030.00	100ml 500ml
94066 [602-41-5] 🌡	**Thiocolchicoside extrapure, 98%** (2-Demethoxy-2-glucosidoxythiocolchicine)	6910.00 16120.00 28780.00	50mg 250mg 1g
46913 [1077-28-7] ●	**DL-6,8-Thioctic Acid extrapure, 98% (α-Lipoic Acid)** for biochemistry	710.00 2540.00	1g 5g
45487 [70-49-5]	**Thiomalic Acid (Mercaptosuccinic Acid) pure, 99%**	840.00 1370.00 6090.00	25g 100g 500g
85090 [54-64-8]	**Thiomersal (Thimerosal) Reagent Grade, 98%** (Suitable for Vaccine & Diagnostic Production)	4300.00 8250.00 20000.00 75000.00	5g 10g 25g 100g
27662 [54-64-8]	**Thiomersal (Thimerosal) ExiPlus, Multi-Compendial, 98%** meets compendial specs of BP, Ph.Eur (Suitable for Vaccine & Diagnostic Production)	9000.00 22000.00 82000.00	10g 25g 100g
40413 [6165-68-0]	**Thiophene-2-Boronic Acid extrapure, 98%** (2-Thienylboronic acid, Thien-5-ylboronic acid)	810.00 2220.00 9980.00	1g 5g 25g
57589 [527-72-0]	**Thiophene-2-Carboxylic Acid pure, 98%**	1640.00 5430.00 16160.00	5g 25g 100g

code	product name	unit price ₹	packing
39416 [4090-29-3] ♦	**Thionicotinamide Adenine Dinucleotide (Thio-NAD) extrapure, 90%** for biochemistry	3470.00 12980.00	25mg 100mg
35020 [1921-48-8] ♦	**Thionicotinamide Adenine Dinucleotide Sodium Salt Reduced (Thio-NADH) extrapure, 93%** for biochemistry	3250.00 9740.00	25mg 100mg
29808 [1918-77-0]	**Thiophene-2-Acetic Acid pure, 98%**	930.00 3000.00 10130.00	5g 25g 100g
14055 [98-03-3]	**2-Thiophenecarboxaldehyde pure, 98%** (Thenaldehyde, thiophene-2-carboxaldehyde)	1020.00 3680.00	25ml 100ml
28033 [34592-47-7]	**L-Thioproline extrapure, 98%** (L-4-Thiazolidinecarboxylic acid)	1620.00 2770.00 6910.00	10g 25g 100g
83203 [147-93-3]	**Thiosalicylic Acid pure, 98%** (2-Mercaptobenzoic acid)	840.00 2210.00	25g 100g
96768 [141-90-2]	**2-Thiouracil extrapure** (2-Mercaptopyrimidine-4-ol)	1050.00 3890.00	25g 100g
41862 [3688-92-4]	**Thorin extrapure AR**	2270.00 7380.00	1g 5g
Absorption Maxima in IPA: 480-490nm Reagent for the determination of thorium, lithium, zirconium, organic sulfur compounds and sulfate.			
50444 [632-20-2]	**D-Threonine (allo-free) extrapure, 99%** for biochemistry	1800.00 6580.00 23910.00	5g 25g 100g
75164 [80-68-2]	**DL-Threonine extrapure CHR, 99%** for biochemistry	510.00 1890.00 7030.00 67780.00	5g 25g 100g 1kg
88355 [72-19-5]	**L-Threonine extrapure CHR, 99%** for biochemistry	650.00 1920.00 4910.00 9570.00	25g 100g 500g 1kg
62667 [72-19-5]	**L-Threonine for tissue culture, 99%**	160.00 790.00 2500.00	5g 25g 100g
24815 [44520-55-0]	**D-Threoninol extrapure, 98%**	6130.00 10550.00	500mg 1g
20724 [50-89-5] 🌡	**Thymidine extrapure, 99%** for biochemistry	1730.00 7200.00	1g 25g
45764 [33430-62-5] ♦	**Thymidine-5'-Monophosphate Disodium Salt (TMP-Na_2) extrapure, 98%** for biochemistry	1680.00 3570.00	100mg 250mg
48100 [365-08-2] ♦	**Thymidine-5-Triphosphate Trisodium Salt (TTP-Na_3) extrapure, 98%**	Discounted	
57046 [65-71-4] 🌡	**Thymine extrapure, 98%** for biochemistry	630.00 1320.00 4020.00	10g 25g 100g
47110 [89-83-8] ✔	**Thymol Crystal pure, 99%**	780.00 2770.00	100g 500g

code	product name	unit price ₹	packing
77675 [1913-93-5]	**Thymolphthelexone** (Thymolththalein complexone)	3050.00 11620.00	1g 5g
86637 [7512-38-1]	**Thymol Violet**	470.00	5g
12558 [1596-67-4]	**L-Thyronin extrapure, 98%** for biochemistry	7080.00	100mg
90196 [80-59-1]	**Tiglic Acid extrapure, 98%**	1310.00 4620.00	25g 100g
87347 [7550-45-0] ✔	**Titanium Tetrachloride 1M in Dichloromethane** (Titanium (IV) Chloride in MDC)	1080.00 4990.00	100ml 500ml
83692 [7550-45-0] ✔	**Titanium Tetrachloride 1M in Toluene** (Titanium (IV) Chloride in Toluene)	1080.00 4990.00	100ml 500ml
84161 [125700-73-4] 🌡	**TNTU extrapure, 99%** (2-(5-Norbornene-2,3-dicarboximide)-1,1,3,3-tetramethyl urionium tetrafluoroborate)	4090.00 8040.00	10g 25g
Excellent activating reagent for the peptide coupling optimized replacement of BOP			
56183 [32986-56-4] 🌡	**Tobramycin (TBM)** for biochemistry & microbiology Assay — min.900µg/mg, Solubility (readily): water, Solubility (partially): ethanol, Insoluble: chloroform & ether	1760.00 15060.00	50mg 500mg
59844 🌡 [7695-91-2]	**DL-α-Tocopherol Acetate (Vitamin E Acetate) for tissue culture, 98%**	360.00 1250.00 4770.00	5g 25g 100g
52885 [887144-97-0] 🌡	**Togni's Reagent (3,3-Dimethyl-1-(trifluoromethyl)-1,2-benziodoxole) extrapure, 97%** (1-Trifluoromethyl-3,3-dimethyl-1,2-benziodoxole)	9000.00 18000.00	250mg 1g
67593 [119-93-7] ✔	**o-Tolidine extrapure AR, 98%** (3,3-Dimethyl benzidine)	690.00 2100.00 3780.00	25g 100g 500g
65954 [119-93-7] ✔	**o-Tolidine extrapure AR, ExiPlus, Multi-Compendial, 98%** (3,3-Dimethyl benzidine) meets compendial specs of USP, BP, Ph.Eur	790.00 2520.00 4200.00	25g 100g 500g
82897 [118-90-1] ✔	**o-Toluic Acid pure, 99.5%** (2-Methyl benzoic acid)	500.00 890.00	250g 500g
70097 [90-04-7] ✔	**m-Toluic Acid pure, 98%**	670.00 1270.00	250g 500g
61421 [90-94-5] ✔	**p-Toluic Acid pure, 98%**	480.00 850.00	250g 500g
12358 [106-49-0] ✔	**p-Toluidine pure, 98%**	820.00	500g
22134 [92-31-9] 🌡	**Toluidine Blue O for microscopy** (Basic Blue 17, Blutene Chloride, Methylene Blue T50, Tolonium Chloride)	340.00 770.00 2660.00	10g 25g 100g
37699 🌡 [92-31-9]	**Toluidine Blue O for tissue culture**	910.00 2050.00	10g 25g
20611 [1576-35-8] ✔	**p-Toluenesulfonyl Hydrazide pure, 98%** (p-Toluenesulfonic acid hydrazide, p-Toluenesulphonyl hydrazide, tosylhydrazide)	740.00 2100.00 7770.00	25g 100g 500g
68913 [75737-38-1] 🌡	**meta-Topolin (mT) for molecular biology, 98%** (6-(3-Hydroxybenzylamino)purine)	2330.00 8310.00	25mg 100mg
56521 [82692-93-1] 🌡	**TOOS extrapure, 98%** (3-(N-Ethyl-3-methylanilino)-2-hydroxypropanesulfonic acid sodium salt)	6090.00 21920.00	1g 5g
Water-soluble reagent for the enzymatic photometric determination of hydrogen peroxide.2			
95595 [136849-72-4] 🌡	**TOTU extrapure, 99%** for biochemistry (O-[(Ethoxycarbonyl) cyanomethylenamino]-N,N,N',N'-tetramethyluronium tetrafluoroborate)	2100.00 4200.00	5g 25g
25793 [3682-35-7] 🌡	**TPTZ extrapure AR, 99%** (2,4,6-Tri-(2-pyridyl)-5-triazine)	1400.00 5170.00	1g 5g
49011 [593-50-0] 🌡	**Triacontanol (TRIA) technical grade, 90%** (1-Hydroxytriacontane, melissyl alcohol)	8790.00 17450.00	500mg 1g
68084 [3588-17-8] 🌡	**trans,trans-Muconic acid (ttMA) extrapure, 98%** (trans,trans-2,4-Hexadienedioic acid, trans,trans-1,3-butadiene-1,4-dicarboxylic acid)	2380.00 11150.00	1g 5g
42618 [288-88-0]	**1,2,4-Triazole pure, 98%**	580.00 2630.00	100g 500g
78411 [626-39-1]	**1,3,5-Tribromobenzene pure, 98%**	3700.00	25g
76074 🌡 [90131-68-3]	**Tribulus Terrestris Extract (Bulgarian), 45% FS** Reference Standard Grade	8770.00	5g
99486 [108-70-3]	**1,3,5-Trichlorobenzene (1,3,5-TCB) pure, 99%**	3390.00 14610.00	100g 500g
27740 [5704-04-1]	**TRICINE Buffer Reagent Grade, 99%** (N-Tris(Hydroxymethyl) methylglycine) for biochemistry	1320.00 4830.00	25g 100g
67490 [2622-14-2]	**Tricyclohexylphosphine (Cy3P) extrapure, 97%** (P(Cy)3, PCy3)	1430.00 3920.00 15420.00	1g 5g 25g
Generally used in the following chemical reactions namely Heck Reaction, Hiyama, Sonogashira Coupling, Suzuki-Miyaura Coupling			
63437 [58656-04-5]	**Tricyclohexylphosphine Tetrafluoroborate extrapure, 98%**	2170.00 6490.00	1g 5g
Generally used in the following chemical reactions namely Arylations, Sonogashira Coupling, Stille Coupling, Suzuki-Miyaura Coupling			
80184 [637-39-8]	**Triethanolamine Hydrochloride extrapure AR, 99%** buffer component	430.00 1500.00	100g 500g



code	product name	unit price ₹	packing
14428 [10009-20-8]	**N-6-Trifluoroacetyl-L-Lysine extrapure, 98%** (H-Lys(Tfa)-OH)	1640.00 3860.00	5g 25g

Ne-Trifluoroacetyl-L-lysine is an inhibitor of L-lysine cyclodeaminase. "Ne-Trifluoroacetyl-L-lysine may be used to create synthetic organic polypeptides useful for nonaqueous capillary electrophoresis (NACE). A cysteine conjugate metabolite adduct formation with specific mitochondrial proteins using antibodies raised against halothane metabolite adducts.

80058 [75-89-8]	**2,2,2-Trifluoroethanol pure, 99%**	1250.00 5000.00	100ml 500ml
12631 [1423-26-3]	**3-Trifluoromethyl Phenylboronic Acid extrapure, 97%**	1340.00 2500.00 12450.00	1g 5g 25g
79009 [70-00-8]	**5-Trifluorothymidine extrapure, 99%** for biochemistry (Trifluridine)	2380.00 8220.00	25mg 100mg
38438 [2411-36-1]	**Triheptylamine pure, 98%** (Tri-n-Heptylamine)	7120.00 24900.00	25ml 100ml
37758 [88-82-4]	**2,3,5-Triiodobenzoic Acid (TIBA) extrapure, 98%**	1020.00 1920.00	5g 10g
35241 [6893-02-3]	**3,3,5-Triiodo-L-Thyronine extrapure, 95%**	4700.00 28430.00	100mg 1g
14219 [538-24-9]	**Trilaurin pure, 98%(GC)** (Glycerol trilaurate)	1410.00 3250.00 4760.00	1g 5g 25g
84217 [538-24-9]	**Trilaurin Reference Standard, 99%(GC)** for biochemistry (Glycerol trilaurate)	1950.00 6330.00	100mg 500mg
57355 [554-95-0]	**Trimesic Acid extrapure, 98%** (Benzene-1,3,5-tricarboxylic acid, 1,3,5-Benzenetricarboxylic acid)	740.00 2630.00 4200.00	5g 25g 100g
20139 [75-77-4]	**Trimethyl Chlorosilane (TMCS) extrapure, 98%** for GC Derivatization	320.00 1100.00 4200.00	25ml 250ml 1000ml
90265 [75-77-4]	**Trimethyl Chlorosilane (TMCS) extrapure, 99%** for GC Derivatization	360.00 1200.00 4400.00	25ml 250ml 1000ml
67883	**Trimethyl Chlorosilane (TMCS) 1M Solution in THF**	3860.00	100ml
66889 [142-25-6]	**N,N,N'-Trimethylethylenediamine pure, 97%**	3920.00 17790.00	5g 25g
18879 [738-70-5]	**Trimethoprim (TMP), 98.5%** for biochemistry & microbiology	750.00 2980.00	5g 25g
66069 [86-81-7]	**3,4,5-Trimethoxy Benzaldehyde pure, 98%**	1580.00 3680.00	25g 100g
41569 [621-23-8]	**1,3,5-Trimethoxybenzene pure, 99%**	3020.00	25g
40017 [118-41-2]	**3,4,5-Trimethoxybenzoic Acid extrapure, 99%** (Gallic acid trimethyl ether, Trimethylgallic acid)	950.00 3150.00	25g 100g

code	product name	unit price ₹	packing
49601 [35141-30-1]	**N-(3-Trimethoxysilylpropyl) Diethylenetriamine (TMSPD) pure, 95%** (2-[2-(3-Trimethoxysilylpropylamino) ethylamino]ethylamine, 3-[2-(2-Aminoethylamino)ethylamino] propyltrimethoxysilane, Diethylenetriaminopropyltrimethoxysilane)	10940.00	100ml
41020 [10108-86-8]	**Trimethyloctylammonium Chloride (TMOACl) extrapure, 98%** (Octyltrimethylammonium chloride)	3260.00 8400.00	25g 100g
68989 [149-73-5]	**Trimethyl Orthoformate pure, 98%**	1030.00 4660.00	500ml 2500ml
49901 [996-50-9]	**N-(Trimethylsilyl)diethylamine (TMSDEA) extrapure, 97%** ((Diethylamino)trimethylsilane, N,N-Diethyltrimethylsilylamine) for GC Derivatization	5110.00 14580.00	25ml 100ml
45238 [18156-74-6]	**N-Trimethylsilyl Imidazole (TMSIM) extrapure, 98%** ((1-(Trimethylsilyl)imidazole) N-Trimethylsilylimidazole, TSIM) for GC Derivatization	890.00 2310.00 7960.00	5ml 25ml 100ml
97039 [5683-30-7]	**3-Trimethylsilylpropionic Acid (TMSPA) extrapure, 95%** for GC Derivatization	5470.00 17620.00	1ml 5ml
39671 [1774-47-6]	**Trimethylsulfoxonium Iodide (TMSI) extrapure, 99%**	880.00 1680.00 7200.00	25g 100g 500g
18779 [555-45-3]	**Trimyristin pure, 95%** (Glycerol trimyristate)	1830.00 4260.00	1g 5g
83676 [555-45-3]	**Trimyristin Reference Standard, 99%(GC)** (glyceroltrimyristate)	7030.00 11360.00	500mg 1g
84050 [1116-76-3]	**Trioctylamine pure, 95%** (Tri-n-Octylamine)	1050.00 3680.00	100ml 500ml
37958 [122-32-7] ●	**Triolein Reference Standard, 99%(GC)** for biochemistry (Glycerol trioleate) Reference Standard for TLC/GLC	4870.00 8420.00	500mg 1g
59708 [555-44-2]	**Tripalmitin pure, 85%(GC)** (Glycerol tripalmitate)	6710.00	25g
75700 [555-44-2]	**Tripalmitin Reference Standard, 99%(GC)** for biochemistry (Glycerol tripalmitate)	2380.00 4530.00	100mg 500mg
38015 [5893-05-0]	**N-Triphenyl Methyl Glycine extrapure, 98%** for biochemistry (N-Tritylglycine)	19920.00	25g
24651 [603-35-0]	**Triphenylphosphine pure, 98%**	800.00 3800.00 7200.00	100g 500g 1000g
43068 [14243-64-2]	**Triphenylphosphinegold(I) Chloride ((Ph3P)AuCl), 98%** (Chloro(triphenylphosphine)gold(I))	14040.00	500mg
95474 [6399-81-1]	**Triphenylphosphine Hydrobromide pure, 98%**	1240.00 3110.00	5g 25g

code	product name	unit price ₹	packing
32098 [791-28-6]	**Triphenylphosphine Oxide (TPPO) pure, 98.5%** (Triphenyl phosphorus oxide)	650.00 1620.00 4330.00	25g 100g 500g
70874 [1034-39-5] ✔	**Triphenylphosphonium Dibromide pure, 98%**	1170.00 3110.00 8410.00	5g 25g 100g
53730 [531-52-2] 🌡	**1,3,5-Triphenyltetrazolium Formazan (TTC Formazan) extrapure, 95%**	1470.00 4550.00 8190.00	1g 5g 25g
65599 [298-96-4] ●	**2,3,5-Triphenyltetrazolium Chloride (TTC) extrapure, 99%** (Tetrazolium Red)	1780.00 4390.00 8250.00	10g 25g 50g
Reagent for reducing sugars,corticosteroids and other reducing agents, for testing germination power of seeds			
98635 🌡	**10X Tris Acetate-SDS Buffer pH-8.3 for molecular biology** (TA-SDS Running Buffer)	1110.00 1930.00	500ml 1000ml
47804 🌡	**20X Tris Acetate-SDS Buffer pH-8.3 for molecular biology** (TA-SDS Running Buffer)	1700.00 3280.00	500ml 1000ml
65421 ✔ [60804-74-2]	**Tris(2,2-bipyridine) Ruthenium(II) Hexafluorophosphate ((Ru(BPY)3(PF6)2), 97%** (Ruthenium-tris(2,2'-bipyridyl) dihexafluorophosphate)	9600.00 28800.00	250mg 1g
26055 ✔ [50525-27-4]	**Tris(2,2-bipyridyl) Dichlororuthenium (II) Hexahydrate (Ru(BPY)3), 98%** (Ruthenium-tris(2,2'-bipyridyl) dichloride, Tris(2,2'-bipyridyl)ruthenium(II) chloride hexahydrate)	4670.00 9920.00	250mg 1g
55664 🌡 [51805-45-9]	**Tris(2-Carboxyethyl) Phosphine Hydrochloride (TCEP) extrapure AR, 98%** (A superior reducing agent than DTT)	3040.00 8800.00 23000.00	1g 5g 25g
79175 [51364-51-3] ✔	**Tris(dibenzylideneacetone) dipalladium(0) (Pd2(dba)3) extrapure, 22-25% Pd**	4680.00 9000.00	500mg 1g
87326 🌡	**10X Tris-Glycine pH-8.3 Tank Buffer for molecular biology** DNase, RNase, protease not detected	840.00 3150.00	200ml 1000ml
57806 🌡	**10X Tris-Glycine-SDS Buffer for molecular biology** (TG-SDS Running Buffer)	480.00 1070.00	200ml 1000ml
83471 🌡	**10X Tris Buffered Saline (TBS) for molecular biology** (10X TBS Buffer)	1960.00	500ml
63825 🌡	**10X Tris Buffered Saline Tween-20 (TBST) for molecular biology** (10X TBST Buffer)	520.00	500ml
79091 ✔	**1M Tris Hydrochloride Buffer (1M Tris HCl) pH-7.2 for molecular biology**	1110.00 4680.00	100ml 500ml
55904 ✔	**1M Tris HCl Buffer (1M Tris HCl) pH-8.0 for molecular biology**	1640.00 4910.00	100ml 500ml
37852 🌡	**10X Tris-Tricine-SDS Buffer for molecular biology** (TT-SDS Running Buffer)	1210.00	500ml
	Tris Salts		
62850 [6850-28-8]	**Tris(Hydroxymethyl) Aminomethane Acetate extrapure AR, 99% (Tris Acetate Buffer)**	1400.00 6530.00	100g 500g
34969 [6850-28-8]	**Tris (Hydroxymethyl) Aminomethane Acetate for molecular biology, 99%** (Tris Acetate Buffer)	1900.00 8900.00	100g 500g
23017 [68123-29-5]	**Tris(Hydroxymethyl)-Aminomethane Carbonate extrapure, 99% (Tris Carbonate)**	2070.00	100g
32119 [72200-76-1]	**Tris(Hydroxymethyl)-Aminomethane Maleate extrapure, 99.5% (Tris Maleate)**	1550.00	100g
25913 [41521-38-4]	**Tris(Hydroxymethyl)-Aminomethane Nitrate extrapure, 99% (Tris Nitrate)**	2070.00	100g
55088 [108321-13-7]	**Tris(Hydroxymethyl)-Aminomethane Oxalate extrapure, 99% (Tris Oxalate)**	1450.00	100g
68353 [108321-11-5]	**Tris(Hydroxymethyl)-Aminomethane Phosphate Dibasic extrapure, 98% (Tris Phosphate Dibasic)**	1640.00	100g
43235 [6992-39-8]	**Tris(Hydroxymethyl)-Aminomethane Phosphate Monobasic extrapure, 98% (Tris Phosphate Monobasic)**	1640.00	100g
63291 [85169-32-0]	**Tris(Hydroxymethyl)-Aminomethane Succinate extrapure, 99% (Tris Succinate)**	1640.00	100g
47952 [6992-38-7]	**Tris(Hydroxymethyl)-Aminomethane Sulphate extrapure (Tris Sulphate)**	1090.00	100g
50615 [555-43-1] 🌡	**Tristearin pure, 90%(GC)** (Glycerol tristearate)	2380.00 8660.00	25g 100g
11085 [555-43-1] 🌡	**Tristearin Reference Standard, 99%(GC)** for biochemistry (Glycerol tristearate) Reference Standard for GLC	4870.00	500mg
48445 [2799-07-7] 🌡	**S-Trityl-L-Cysteine extrapure, 98%** for biochemistry	4510.00	1g
58026 [72-57-1]	**Trypan Blue** (Direct blue 14) (C.I. No. 23850) Dye content — min.80%	1060.00 3340.00	25g 100g
Use to detect dead and dying cells in cytotoxicity assays and for routine assessment of cell viability. Trypan blue is recommended for use in dye exclusion procedures for viable cell counting. Non-viable cells will uptake trypan blue at a faster rate than viable cells. Used as a vital dye which is especially important because it is taken up by the reticuloendothelial system.Trypan Blue is blue acid dye with a strong affinity for cellulose containing substrates such as cotton; less affinity for proteinaceous materials			



code	product name	unit price ₹	packing
31591 [72-57-1]	**Trypan Blue for tissue culture**	1670.00	25g
12788	**Trypan Blue 0.4% Solution**	1380.00	50ml
60484 [9002-07-7] ♦	**Trypsin (3x cryst.) ex Bovine Pancreas, 7500BAEE U/mg (2500NF U/mg)** lyophilized electrophoretically	1180.00 2380.00 10600.00	250mg 1g 5g
42657 [9002-07-7] ♦	**Trypsin Inhibitor ex. Soyabean, 10000 BAEE U/mg**	1700.00 4310.00 8610.00	25mg 100mg 250mg
12094 [343-94-2]	**Tryptamine Hydrochloride extrapure, 98%**	610.00 2820.00	1g 5g
67654 [7524-52-9] 🌡	**L-Tryptophan Methyl Ester Hydrochloride extrapure, 99%** for biochemistry Inhibitor for dexamethasone	2140.00 9250.00	5g 25g
53032 [12138-09-9]	**Tungsten Disulfide extrapure, 99.9%** (Tungsten (IV) sulphide) APS: ~0.6micron	6650.00 31170.00	100g 500g
51335 [7440-33-7]	**Tungsten Metal Powder, 99.9% -325mesh**	2580.00 12510.00	100g 500g
17472 [7783-03-1]	**Tungstic Acid pure, 98%**	1460.00 3500.00	100g 250g
55401 [7783-03-1]	**Tungstic Acid extrapure AR, 99%** low heavy metal content	1500.00 7250.00	100g 500g
98328 [8006-64-2]	**Turpentine Oil extrapure**	550.00 2400.00 21000.00	500ml 2500ml 25lit
33541 [60-19-5]	**Tyramine Hydrochloride extrapure, 98%** for biochemistry	420.00 1060.00 4510.00	1g 5g 25g
94870 [9002-10-2] ♦	**Tyrosinase (Polyphenol Oxidase) ex. Mushroom, 1000U/mg** (Catechol Oxidase, Monophenol Monooxygenase, Monophenol, dihydroxyphenylalanine: oxygen oxidoreductase) (Converts tyrosine to L-DOPA or tyramine to dopamine)	8750.00 32200.00	25KU 100KU
46121 [93-35-6] 🌡	**Umbelliferone (7-Hydroxycoumarin) extrapure, 98%** biological dye	2100.00 4500.00	10g 25g
46487 [112-38-9] 🌡	**Undecylenic Acid extrapure, 99%**	650.00 2810.00	100g 500g
23622 [66-22-8] 🌡	**Uracil extrapure, 99%** for biochemistry	240.00 430.00 1550.00	10g 25g 100g
81405 ✔ [6159-44-0]	**Uranyl Acetate Dihydrate extrapure, 98%** Uranyl acetate is extensively used as a negative stain in electron microscopy.	4550.00 13440.00	1g 5g
70780 [20596-93-4]	**Uranyl Magnesium Acetate extrapure, 98%**	5150.00	1g
74495 ✔ [13520-83-7]	**Uranyl Nitrate Hexahydrate extrapure, 98%** Uranium nitrate is used as a negative stain for viruses in electron microscopy; in tissue samples it stabilizes nucleic acids and cell membranes.	6740.00 19270.00	1g 5g
64807 [9002-13-5] ♦	**Urease ex. Jack Beans, 200U/mg**	1250.00 2800.00 6530.00 11270.00	3000U 10000U 25 KU 100 KU
64632 ♦	**r-Urease (Thermostable) ex. E. Coli, 150U/mg** Urease Recombinant from Bacteria	13140.00	10000U
90739 [69-93-2] 🌡	**Uric Acid extrapure AR, 99%** for biochemistry	2310.00 8930.00	25g 100g
95410 ♦	**r-Uricase (Thermostable) ex. Yeast, 3U/mg** Uricase Recombinant from Yeast	6490.00	500units
62205 [58-96-8] 🌡	**Uridine extrapure, 99%** for biochemistry	870.00 3530.00 12820.00	5g 25g 100g
20964 [28053-08-9 117756-22-6] ●	**Uridine-5'-Diphosphoglucose Disodium Salt Hydrate extrapure (UDPG.2Na Hydrate), 98%** for biochemistry	1950.00 5090.00 23480.00	25mg 100mg 1g
48301 [3387-36-8] ●	**Uridine-5'-Monophosphate Disodium Salt Hydrate (5-UMP-Na_2) extrapure, 98.5%** for biochemistry	650.00 2460.00 7250.00	1g 5g 25g
56613 [19817-92-6] ●	**Uridine-5'-Triphosphate Trisodium Salt Dihydrate (UTP-Na_3) extrapure, 96%** for biochemistry (partial decomposition possible)	1410.00 3390.00 11450.00	25mg 100mg 500mg
50178 [128-13-2] 🌡	**Ursodeoxycholic Acid (UDCS) extrapure, 99%**	950.00 4410.00 8930.00	1g 5g 25g
24436 [7562-61-0]	**(+)- Usnic Acid, 95%**	4160.00 13440.00	5g 25g
44762 [110-62-3]	**Valeraldehyde (Pentanal) pure, 98%**	470.00 940.00	100ml 500ml
31477 [109-52-4]	**n-Valeric Acid pure, 99%**	1060.00 1990.00	500ml 1000ml
22128 [110-59-8]	**Valeronitrile (Butyl cyanide) pure, 99%**	620.00 1840.00	100ml 500ml
80634 [1009-14-9]	**Valerophenone pure, 98%**	2670.00 11090.00	100ml 500ml
95091 [638-29-9]	**Valeroyl Chloride pure, 98%**	970.00 4250.00	100ml 500ml
21562 [640-68-6]	**D-Valine extrapure CHR, 99%** for biochemistry	860.00 2710.00 8120.00	5g 25g 100g
14159 [516-06-3]	**DL-Valine extrapure CHR, 99%** for biochemistry	1310.00 4750.00 22530.00 42680.00	25g 100g 500g 1kg

code	product name	unit price ₹	packing
83185 [2462-34-2] 🌡	**L-Valine Benzyl Ester Hydrochloride extrapure, 98%** for biochemistry	10520.00	25g
38052 [6306-52-1] 🌡	**L-Valine Methyl Ester Hydrochloride extrapure, 99%** for biochemistry	360.00 960.00 2850.00 8310.00	1g 5g 25g 100g
40652 [2001-95-8] 🌡	**Valinomycin (VN), 95%** for biochemistry & microbiology	7000.00	10mg
45344 [7440-62-2]	**Vanadium Metal Powder, 99.7%**	2410.00 11220.00	5g 25g
50342 [3153-26-2] 🌡	**Vanadyl Acetylacetonate pure, 98%** (Vanadyl acetoacetate, vanadium (IV) oxide acetylacetonate)	1310.00 4170.00	25g 100g
23761 [123334-20-3] 🌡	**Vanadyl Sulphate Hydrate pure, 97%** (Vanadium(IV) oxide sulfate hydrate, oxysulphato vanadium (IV) hydrate, vanadium oxysulphate)	960.00 2760.00 12600.00	25g 100g 500g
61078 [1404-93-9] 🌡	**Vancomycin Hydrochloride (VNC), 90%** for biochemistry & microbiology	2710.00 4440.00 11360.00	500mg 1g 5g
72241 [2394-20-9] 🌡	**Vanillylmandelic Acid extrapure, 99%** for biochemistry (VMA, DL-4-Hydroxy-3-methoxy mandelic acid)	1300.00 4360.00 15640.00	250mg 1g 5g
11547 [120-14-9] 🌡	**n-Veratraldehyde pure, 98%**	1070.00 2430.00	100g 250g
96011 [91-16-7]	**Veratrole pure, 98%** (1,2-Dimethoxy benzene)	660.00 2850.00	100ml 500ml
77472 [68-19-9] 🌡	**Vitamin B12 for molecular biology, 97%** (Cyanocobalamin)	770.00 2930.00 12850.00	250mg 1g 5g
56437 🌡 [68-19-9]	**Vitamin B12 for tissue culture, 97%**	1470.00 3860.00	250mg 1g
54911 [84-80-0] 🌡	**Vitamin K1 extrapure, 98%** for biochemistry (2-Methyl-3-phytyl-1,4-napthoquinone)(3-phytylmenadione)	1580.00 7140.00	1g 5g
40996 [83480-29-9] 🌡	**Voglibose extrapure, 98%** 3,4-Dideoxy-4-[[2-hydroxy-1-(hydroxymethyl)ethyl]amino]-2-C-(hydroxymethyl)-D-epiinositol, N-(1,3-dihydroxy-2-propyl)valiolamine, basen, glustat)	4870.00 16230.00	100mg 500mg
66532 [201058-08-4]	**Wang Resin, 1% DVB, 0.4-2mmol/g, 100-200 mesh** (p-Benzyloxybenzyl alcohol resin) 100-200 mesh 1% DVB cross linked (suitable for peptide synthesis)	3210.00 12600.00 28350.00	5g 25g 100g
76374 [247021-90-5] 🌡	**Weinreb Linker extrapure, 98%** (N-FMOC-N-methoxy-3-aminopropionic acid)	8310.00	1g

code	product name	unit price ₹	packing
13111 [68988-92-1] 🌡	**Wright Stain** Eosine methylene blue solution according to Wright (suitable for hematology & histology)	600.00 2340.00	25g 100g
72465 [193149-74-5] 🌡	**WST-8, 95%** (2-(2-Methoxy-4-nitrophenyl)-3-(4-nitrophenyl)-5-(2,4-disulfophenyl)-2H-tetrazolium sodium salt)	9350.00	50mg
52714 ●	**X-Gal Solution (20mg/ml)**	2140.00	1ml
20748 [69-89-6] ✔	**Xanthine extrapure CHR, 99%** for biochemistry	820.00 3280.00	5g 25g
39607 [9002-17-9] 🌡	**Xanthine Oxidase Suspension ex. Butter Milk, 0.4/mg protein** Containing approx 15% protein, 0.5% sodium salicylate and <50ppm phosphate	6080.00 12980.00	5units 25units
62965 [9002-17-9] ♦	**Xanthine Oxidase ex. Microorganism, 15U/mg**	14610.00	250units
94623 [6754-58-1] ✔	**Xanthohumol ex. Hop (Humulus Lupulus), 94%**	18690.00	5mg
62630 [59-00-7] ✔	**Xanthurenic Acid extrapure, 96%** for biochemistry	7250.00	500mg
55962 [161265-03-8] ●	**XantPhos extrapure, 98%** (4,5-Bis(Diphenylphosphino)-9,9-dimethylxanthine)	2380.00 9490.00	1g 5g
Generally used in the following chemical reactions namely Buchwald-Hartwig Cross Coupling Reaction, C-X Bond Formation, Hydroformylations, Miyaura Borylation Reaction, Stille Coupling, Suzuki-Miyaura Coupling.			
27540 [564483-18-7] ●	**X-Phos extrapure, 98%** (2-Dicyclohexylphosphino-2',4',6'-Triisopropylbiphenyl)	2380.00 10080.00	1g 5g
Generally used in the following chemical reactions namely Buchwald-Hartwig Cross Coupling Reaction, C-C Bond Formation, Heck Reaction, Hiyama Reaction, Negishi Coupling, Sonogashira Coupling, Stille Coupling,Suzuki-Miyaura Coupling			
91186 [9014-63-5] ✔	**Xylan from beechwood**	3560.00 6880.00 16010.00	5g 10g 25g
30565 [9014-63-5] ✔	**Xylan from Corn Cob, 95%**	1200.00 2500.00 7000.00 24000.00	10g 25g 100g 500g
13814 [37278-89-0] ●	**Xylanase ex. Aspergillus Niger, 60MU/g**	1230.00 4330.00 20450.00	25g 100g 500g
64949 [87-99-0] ✔	**Xylitol extrapure** for biochemistry	210.00 710.00 2380.00	25g 100g 500g
84974 [58-86-6]	**D-(+)-Xylose extrapure** for microbiology & biochemistry	420.00 1790.00	100g 500g



code	product name	unit price ₹	packing
29426 [58-86-6]	**D-(+)-Xylose ExiPlus, Multi-Compendial** for microbiology & biochemistry meets compendial specs of USP, BP	510.00 2000.00	100g 500g
98468 [609-06-3]	**L-(-) Xylose extrapure, 99%** for biochemistry	840.00 1890.00	1g 5g
31832 [65-19-0] ♦	**Yohimbine Hydrochloride extrapure, 99%**	3150.00 9450.00	1g 5g
36744 [10361-91-8]	**Ytterbium (III) Chloride anhydrous, 99.9%**	7140.00	5g
24099 [10035-01-5]	**Ytterbium (III) Chloride Hexahydrate extrapure, 99.9%** (Ytterbium trichloride hexahydrate)	5250.00 9980.00	10g 50g
20435 [35725-34-9]	**Ytterbium (III) Nitrate Pentahydrate extrapure, 99.9%**	5500.00 10450.00	10g 50g
58985	**Ytterbium (III) Oxide extrapure, 99.9%**	5250.00 9980.00	10g 50g
61813 [252976-51-5]	**Ytterbium (III) Trifluoromethanesulfonate Hydrate extrapure, 98%** (Ytterbium triflate, Trifluoromethanesulfonic acid ytterbium salt)	950.00 3570.00 11550.00	1g 5g 25g
63190 [10361-92-9]	**Yttrium (III) Chloride anhydrous ultrapure, 99.99%** (Yttrium trichloride)	3990.00 11550.00	10g 50g
63390 [10025-94-2]	**Yttrium (III) Chloride Hexahydrate extrapure AR, 99.9%**	1160.00 2420.00 5460.00	25g 100g 500g
51515 [13494-98-9]	**Yttrium(III) Nitrate Hexahydrate extrapure AR, 99.9%**	1320.00 3630.00	25g 100g
21412 [52093-30-8]	**Yttrium (III) Trifluoromethanesulfonate extrapure, 98%** (Yttrium triflate, Trifluoromethanesulfonic acid yttrium salt)	3990.00 13230.00	5g 25g
	Z-Amino Acids, Esters & Derivatives [N-(benzyloxycarbonyl)-amino acids, CBZ-amino acids]		
37482 ●	**Z-L-Amino Acids Kit (20 Z-L-Amino acids, reference standard grade)**	25870.00	1 kit

All 20 Z-L-Amino acids, 5g each, in the kit, have assay min.99% and TLC test shows single spot. Amino acids contained are, Z--Alanine, Z-L-Arginine, Z-L-Aspargine, Z-L-Aspartic Acid, Z-L-Glutamic Acid, Z-L-Glutamine, Z-L-Histidine, Z-L-Hydroxy Proline, Z-L-Isoleucine, Z-L-Leucine, Z-L-Lysine, Z-L-Methionine, Z-L-Ornithine, Z-L-Phenylalanine, Z-L-Proline, Z-L-Serine, Z-L-Threonine, Z-L-Tryptophan, Z-L-Tyrosine, Z-L-Valine

code	product name	unit price ₹	packing
68280 [2304-94-1] ●	**Z-β-Alanine extrapure, 99%** for biochemistry	580.00 1480.00 5870.00	1g 5g 25g
15701 [26607-51-2] ●	**Z-D-Alanine extrapure, 99%** for biochemistry	600.00 2430.00 11080.00	1g 5g 25g
24368 [4132-86-9] ●	**Z-DL-Alanine extrapure, 99%** for biochemistry	510.00 2410.00 11470.00	1g 5g 25g
46096 [1142-20-7] ●	**Z-L-Alanine extrapure, 99%** for biochemistry	540.00 2220.00 7970.00	5g 25g 100g
30211 [42918-86-5] ●	**Z-2-Aminobutyric Acid extrapure, 99%** for biochemistry	950.00 4200.00 20330.00	1g 5g 25g
94475 [6382-93-0] ●	**Z-D-Arginine extrapure, 99%** for biochemistry	6080.00 20240.00 73570.00	1g 5g 25g
60020 ● [1234-35-1]	**Z-L-Arginine extrapure, 99%**	4210.00	25g
55237 [56672-63-0] ●	**Z-L-Arginine HCl extrapure, 99%** for biochemistry	5230.00 19600.00	25g 100g
92873 [4474-86-6] ●	**Z-D-Asparagine extrapure, 99%** for biochemistry	1090.00 4490.00 18710.00	1g 5g 25g
60164 [29880-22-6] ●	**Z-DL-Asparagine extrapure, 98%** for biochemistry	1520.00 4980.00	1g 5g
13328 [2304-96-3] ●	**Z-L-Asparagine extrapure, 99%** for biochemistry	310.00 990.00 2590.00 8630.00	1g 5g 25g 100g
32899 [78663-07-7] ●	**Z-D-Aspartic Acid extrapure, 99%** for biochemistry	640.00 2660.00 11080.00	1g 5g 25g
84275 [4515-21-3] ●	**Z-DL-Aspartic Acid extrapure, 99%** for biochemistry	700.00 3320.00 15820.00	1g 5g 25g
63143 [1152-61-0] ●	**Z-L-Aspartic Acid extrapure, 99%** for biochemistry	460.00 860.00 2060.00	5g 10g 25g
78064 [3479-47-8] ●	**Z-L-Aspartic Acid-4-Benzyl Ester extrapure, 98%** for biochemistry (Z-L-Asp(OBzl)-OH)	13560.00 23730.00	10g 25g
97300 [5680-86-4] ●	**Z-L-Glutamic Acid-5-Benzyl Ester extrapure, 98%** for biochemistry (Z-L-Glu(OBzl)-OH)	14130.00 24720.00	10g 25g
73971 [63648-73-7] ●	**Z-D-Glutamic Acid extrapure, 98%** for biochemistry	760.00 2660.00	1g 5g
45851 ●	**Z-DL-Glutamic Acid extrapure, 99%** for biochemistry	Discontinued	
67271 [1155-62-0] ●	**Z-L-Glutamic Acid extrapure, 99%** for biochemistry	360.00 1460.00 5220.00	5g 25g 100g
83309 [13139-52-1] ●	**Z-D-Glutamine extrapure, 99%** for biochemistry	1230.00 5110.00 21270.00	1g 5g 25g


code	product name	unit price ₹	packing
44096 [2650-64-8] ●	**Z-L-Glutamine** **extrapure, 99%** for biochemistry	750.00 2590.00 8630.00	5g 25g 100g
86632 [1138-80-3] ●	**Z-Glycine** **extrapure, 99%** for biochemistry	700.00 1420.00 4320.00	5g 25g 100g
21793 [19728-57-5] ●	**Z-DL-Histidine** **extrapure, 99%** for biochemistry	3480.00 16560.00	1g 5g
57156 [14997-58-1] ●	**Z-L-Histidine** **extrapure, 99%** for biochemistry	1200.00 5430.00 21290.00	1g 5g 25g
14088 [13504-85-3] ●	**Z-L-Hydroxyproline** **extrapure, 99%** for biochemistry	1400.00 6330.00 24720.00	1g 5g 25g
34913 [3160-59-6] ●	**Z-L-Isoleucine** **extrapure, 95%** for biochemistry	2010.00 6280.00	5g 25g
46817 [28862-79-5] ●	**Z-D-Leucine** **extrapure** for biochemistry	1090.00 4510.00 18800.00	1g 5g 25g
76353 [3588-60-1] ●	**Z-DL-Leucine** **extrapure, 99%** for biochemistry	1830.00 8700.00	5g 25g
85612 [2018-66-8] ●	**Z-L-Leucine** **extrapure, 99%** for biochemistry	1520.00 4330.00	5g 25g
39218 [70671-54-4] ●	**Z-D-Lysine** **extrapure, 99%** for biochemistry	9490.00 37940.00	1g 5g
54420 [2212-75-1] ●	**Z-L-Lysine** **extrapure, 99%** for biochemistry	1280.00 5900.00 24260.00	1g 5g 25g
71691 [2212-76-2] ●	**Z-N-ε-Lysine Dicyclohexyl Ammonium Salt** **extrapure, 98%** for biochemistry (Z-Lysine(BOC)-OH.dicyclohexylamine salt)	5950.00	5g
91642 [28862-80-8] ●	**Z-D-Methionine** **extrapure, 99%** for biochemistry	2380.00 6490.00	1g 5g
11751 [4434-61-1] ●	**Z-DL-Methionine** **extrapure, 99%** for biochemistry	740.00 3480.00 16850.00	1g 5g 25g
55768 [1152-62-1] ●	**Z-L-Methionine** **extrapure, 99%** for biochemistry	690.00 2850.00 9350.00	1g 5g 25g
21200 ●	**Z-4-Nitro-L-Phenylalanine** **extrapure, 99%** for biochemistry (Z-L-Phe(4NO_2)-OH)	10840.00 18970.00	10g 25g
66829 [15027-14-2] ●	**Z-D-Norleucine** **extrapure, 99%** for biochemistry	4610.00 20700.00	500mg 2.5g
12185 [15027-13-1] ●	**Z-DL-Norleucine** **extrapure, 99%** for biochemistry	3150.00	1g
90175 [39608-30-5] ●	**Z-L-Norleucine** **extrapure, 99%** for biochemistry	4130.00 18790.00	1g 5g

code	product name	unit price ₹	packing
34201 ●	**Z-D-Norvaline** **extrapure, 99%** for biochemistry	2790.00 12660.00	1g 5g
21693 [21691-43-0] ●	**Z-DL-Norvaline** **extrapure, 99%** for biochemistry	2310.00 10480.00	1g 5g
75427 [21691-44-1] ●	**Z-L-Norvaline** **extrapure, 99%** for biochemistry	2790.00 12660.00	1g 5g
72850 [3304-51-6] ●	**Z-L-Ornithine** **extrapure, 99%** for biochemistry	5010.00 22760.00	1g 5g
24317 [2448-45-5] ●	**Z-D-Phenylalanine** **extrapure, 99%** for biochemistry	640.00 2660.00 11040.00	1g 5g 25g
32900 [3588-57-6] ●	**Z-DL-Phenylalanine** **extrapure, 99%** for biochemistry	2310.00 10480.00	5g 25g
42182 [1161-13-3] ●	**Z-L-Phenylalanine** **extrapure, 99%** for biochemistry	2240.00 7910.00	25g 100g
27486 [35909-92-3] ●	**Z-L-Phenyalanine Methyl Ester extrapure, 98%** for biochemistry	12240.00 21410.00	10g 25g
41739 [19647-71-3] ●	**Z-L-Phenylalanine-p-Nitroanilide extrapure** for biochemistry Substrate for chymotrypsin	7590.00	1g
16881 [2578-84-9] ●	**Z-L-Phenylalanine-4-Nitrophenyl Ester extrapure, 98%** for biochemistry	11020.00 19270.00	10g 25g
12399 [17609-52-8] ●	**Z-D-Phenylglycine extrapure, 98%** for biochemistry	7400.00 12940.00	10g 25g
74157 [53990-33-3] ●	**Z-L-Phenylglycine** **extrapure, 99%** for biochemistry	6490.00 11360.00	10g 25g
24037 [6404-31-5] ●	**Z-D-Proline** **extrapure, 99%** for biochemistry	930.00 1570.00 6040.00 30180.00	500mg 1g 5g 25g
31688 [1148-11-4] ●	**Z-L-Proline** **extrapure, 99%** for biochemistry	1260.00 3780.00	5g 25g
63273 [6081-61-4] ●	**Z-D-Serine** **extrapure, 99%** for biochemistry	2180.00 3360.00 14030.00 58450.00	500mg 1g 5g 25g
75675 [1145-80-8] ●	**Z-L-Serine** **extrapure, 99%** for biochemistry	420.00 1450.00 7000.00	1g 5g 25g
52287 [80384-27-6] ●	**Z-D-Threonine** **extrapure, 99%** for biochemistry	1300.00 5200.00	1g 5g
11228 [19728-63-3] ●	**Z-L-Threonine** **extrapure, 99%** for biochemistry	1300.00	5g



code	product name	unit price ₹	packing
39868 [2279-15-4] ●	**Z-D-Tryptophan extrapure, 99%** for biochemistry	2200.00 5500.00	1g 5g
57591 [7432-21-5] ●	**Z-L-Tryptophan extrapure, 99%** for biochemistry	1050.00 2100.00 7350.00	5g 25g 100g
59268 [64205-12-5] ●	**Z-D-Tyrosine extrapure, 99%** for biochemistry	2580.00 8470.00	1g 5g
31078 [1164-16-5] ●	**Z-L-Tyrosine extrapure, 99%** for biochemistry	980.00 1950.00 4980.00	1g 5g 25g
39463 [16677-29-5] ●	**Z-O-Benzyl-L-Tyrosine extrapure, 98%** for biochemistry (Z-L-Tyr(Bzl)-OH)	7580.00	10g
74556 [1685-33-2] ●	**Z-D-Valine extrapure, 99%** for biochemistry	1320.00 5480.00 21050.00	1g 5g 25g
17520 [3588-63-4] ●	**Z-DL-Valine extrapure, 99%** for biochemistry	2790.00 13250.00	5g 25g
73743 [1149-26-4] ●	**Z-L-Valine extrapure, 99%** for biochemistry	940.00 2460.00 4680.00	5g 25g 100g
92186 [10314-98-4] ●	**Z-Isonipecotic Acid extrapure, 99%** for biochemistry	6130.00 10710.00	10g 25g

code	product name	unit price ₹	packing
88291 [78190-11-1] ●	**Z-Nipecotic Acid, 95%** for biochemistry	6470.00	10g
70443 [13139-17-8] ●	**Z-OSu (Z-ONSu) extrapure, 99%** for biochemistry	840.00 3360.00	5g 25g
67299 [13114-27-7] 🌡	**Zeatin mixed Isomers, 95%** Plant growth regulator	2160.00 7200.00	25mg 100mg
81055 [13114-27-7] 🌡	**Zeatin mixed Isomers for tissue culture, ~95%**	2940.00 8400.00	25mg 100mg
80440 [6025-53-2] 🌡	**Zeatin Riboside extrapure, 99%** for biochemistry	6300.00 12600.00 42000.00	10 mg 25mg 100mg
25910 [7699-45-8]	**Zinc Bromide Anhydrous, 99%** (Zinc Dibromide)	1100.00 2420.00	100g 500g
56814 [62625-22-3]	**Zincon Sodium Salt extrapure AR, 98%** for colorimetric determination of Cu and Zn	630.00 2890.00	1g 5g
86849 [62625-22-3]	**Zincon Sodium Salt extrapure AR, ACS, 98%** for colorimetric determination of Cu and Zn	670.00 3260.00	1g 5g
52049 [1314-23-4]	**Zirconium Oxide pure, 99%** (Zirconia, Zirconium (IV) oxide)	840.00 3400.00	100g 500g



Part B1

Animal Cell Culture



code	product name	unit price ₹	packing
23568 [87-32-1] **new**	**N-Acetyl-DL-Tryptophan for cell culture, 99%, Endotoxin (BET) 0.05EU/mg**	3000.00 9000.00	5g 25g
52937 [3244-88-0]	**Acid Fuchsin for cell culture, Endotoxin (BET) 0.05EU/mg** (Acid Violet 19, Fuchsin S, Fuchsin acid, Rubine S, C.I. 42685)	1600.00	25g
75250 [56-41-7]	**L-Alanine for cell culture, 99%, Endotoxin (BET) 0.05EU/mg**	1050.00 2490.00	25g 100g
96409 [9048-46-8] ●	**Albumin Bovine (pH 6-7) fraction V for cell culture (Bovine Serum Albumin, BSA), 98%**	900.00 3500.00 11500.00 51000.00	5g 25g 100g 500g
31539 [33864-99-2]	**Alcian Blue for cell culture, Endotoxin (BET) 0.05EU/mg**	5500.00 24000.00	5g 25g
68860 [7784-24-9]	**Aluminium Potassium Sulphate Dodecahydrate for cell culture, 99.5%, Endotoxin (BET) 0.05EU/mg**	1350.00 2500.00	500g 1kg
15875 [1397-89-3] ♦	**Amphotericin B (AMT) Solution (250ug/ml) for cell culture**	1860.00 5360.00	20ml 100ml
20969 [74-79-3]	**L-Arginine (free base) for cell culture, 99%, Endotoxin (BET) 0.05EU/mg**	1150.00 3550.00	25g 100g
33468 [1405-87-4] ●	**Bacitracin (BCT) ex. Bacillus Licheniformis for cell culture**	1400.00 4500.00	50000U 250000U
36884 [10191-18-1]	**BES Buffer for cell culture, 99%, Endotoxin (BET) 0.05EU/mg** (N,N-bis(2-Hydroxyethyl)2-aminoethane-sulphonic acid)	1650.00 5400.00	25g 100g
92370 [3513-03-9] ♦	**Blasticidin S Hydrochloride for cell culture, 98%, Endotoxin (BET) 0.05EU/mg**	6120.00 14470.00	10mg 25mg
84483 [57-09-0]	**Cetyltrimethyl Ammonium Bromide (CTAB) for cell culture, 99%, Endotoxin (BET) 0.05EU/mg**	2500.00 6000.00	25g 100g
97900 [57-88-5] ●	**Cholesterol for cell culture, 99%, Endotoxin (BET) 0.05EU/mg** For Diagnostic production applications	2400.00 10500.00 30000.00	5g 25g 100g
70553 [86393-32-0] ●	**Ciprofloxacin Hydrochloride Hydrate (CPFX) for cell culture, 98-102%, Endotoxin (BET) 0.05EU/mg**	690.00 2300.00	1g 5g
81395 [11028-71-0] ♦	**Concanavalin A (Con A) Lectin ex. Canavalia Ensiformis (Jack bean) Type 1 for cell culture, 64ug/ml** lyophilized powder essentialy salt free. (Contains traces of CaCl2, MnCl2) extrapure for biochemistry	3680.00 5460.00	25mg 40mg
68722 [11028-71-0] ♦	**Concanavalin A Lectin (Con A) ex. Canavalia Ensiformis (Jack bean) Type 2 for cell culture, 20ug/ml**	2670.00 6010.00	25mg 100mg
67133 [10510-54-0]	**Cresyl Violet Acetate for cell culture**	10000.00	5g

code	product name	unit price ₹	packing
29751 [548-62-9]	**Crystal Violet for cell culture, Endotoxin (BET) 0.05EU/mg** (Gention violet, Methyl violet 10B) (CI No.42555)	1750.00 5800.00 5800.00	25g 100g 100g
70134 [7048-04-6]	**L-Cysteine Hydrochloride Monohydrate for cell culture, 99%, Endotoxin (BET) 0.05EU/mg**	1150.00 3250.00	25g 100g
54676 [50-99-7]	**Dextrose for cell culture, Endotoxin (BET) 0.05EU/mg** (D-Glucose) Anhydrous	500.00 1450.00	100g 500g
28525 [3483-12-3] ●	**DL-Dithiothreitol (DTT) for cell culture, 98%, Endotoxin (BET) 0.05EU/mg** (Clelands reagent)	2000.00 7000.00	1g 5g
81614 [17372-87-1]	**Eosin Yellow (water soluble) for cell culture, Endotoxin (BET) 0.05EU/mg**	2250.00 4500.00	25g 100g
74516 [122-99-6]	**Ethylene Glycol Monophenyl Ether for cell culture, 99%** (Phenyl cellosolve, 2-Phenoxyethanol)	2400.00 4500.00	100ml 500ml
11324 [7782-63-0]	**Ferrous Sulphate Heptahydrate for cell culture, 99.5%, Endotoxin (BET) 0.05EU/mg** (Iron (II) sulphate heptahydrate)	1200.00	500g
98131 [518-47-8]	**Fluorescein Sodium Salt (C.I. No. 45350) for cell culture, Endotoxin (BET) 0.05EU/mg** (Acid Yellow 73)	2500.00	100g
76611 [59-30-3] ✔	**Folic Acid for cell culture, 98%, Endotoxin (BET) 0.05EU/mg** (Pteroyl-L-glutamic acid, Vitamin M)	750.00 3250.00	5g 25g
20596 [632-99-5]	**Fuchsin Basic for cell culture, Endotoxin (BET) 0.05EU/mg** (Basic fuchsin, C.I.No. 42510)	2200.00 8000.00	25g 100g
77469 [51811-82-6]	**Giemsa Stain for cell culture, Endotoxin (BET) 0.05EU/mg**	4000.00 15500.00	5g 25g
75931 [6106-04-3]	**L-Glutamic Acid Monosodium Salt Monohydrate (MSG) for cell culture, 99%, Endotoxin (BET) 0.05EU/mg** (Monosodium Glutamate, Monosodium L-Glutamate)	900.00 2750.00	100g 500g
80952 [56-85-9]	**L-Glutamine for cell culture, 99%, Endotoxin (BET) 0.05EU/mg**	950.00 1800.00	10g 25g
65542 [56-81-5]	**Glycerol (Glycerine) Anhydrous for cell culture, 99.5%, Endotoxin (BET) 0.05EU/mg**	1300.00	500ml
34268 [56-40-6]	**Glycine for cell culture, 99.5%, Endotoxin (BET) 1EU/mg** (Aminoacetic Acid)	1700.00	100g
39149 [7365-45-9]	**HEPES Buffer for cell culture, 99.5%, Endotoxin (BET) 0.05EU/mg** N-(2-Hydroxyethyl)piperazine-N (2-ethane sulphonic acid))	1950.00 6400.00 26500.00	25g 100g 500g
16509 [71-00-1]	**L-Histidine (base) for cell culture, 99%, Endotoxin (BET) 1EU/mg**	1250.00 3500.00	25g 100g

Storage : ♦ -20°C • 0-4°C 🌡 2-8°C ✔ 8-25°C

code	product name	unit price ₹	packing
86877 [5934-29-2]	**L-Histidine Hydrochloride Monohydrate for cell culture, 99%, Endotoxin (BET) 1EU/mg**	1100.00 3500.00	25g 100g
54661 [3258-02-4] ◆	**N-Hydroxycytidine (EIDD-1931) for cell culture, 98%, Endotoxin (BET) 0.05EU/mg**	7000.00 14000.00	10mg 25mg
75054 [99011-02-6]	**Imiquimod for cell culture, 98%**	13500.00	250mg
77379 [87-89-8]	**Inositol for cell culture, 99%, Endotoxin (BET) 0.05EU/mg**	1000.00 3200.00	25g 100g
72828 [11061-68-0] ◆	**r-Insulin ex. Human for cell culture , 25 USP U/mg, Endotoxin (BET) 0.05EU/mg** (Recombinant Insulin, Animal Component Free) Potency — min. 25 USP Units/mg, Lyophilized powder, Aerobic Plate Count: <300CUF/g	7000.00 13000.00	50mg 100mg
11894 [73-32-5]	**L-Isoleucine for cell culture, 99%, Endotoxin (BET) 1EU/mg**	1300.00 4300.00	25g 100g
95793 [62851-42-7]	**Jenners Stain (Eosin-methylene blue) for cell culture**	3100.00 9800.00	25g 100g
95173 [56-87-1] 🌡	**L-Lysine (free base) Anhydrous for cell culture, 98%**	4000.00 12000.00	25g 100g
29011 [12650-88-3] ◆	**Lysozyme (3x cryst) ex. Egg white (Muramidase) for cell culture, 15000 U/mg, Endotoxin (BET) 0.05EU/mg**	3000.00 13500.00 40000.00	1g 5g 25g
22352 [7786-30-3]	**Magnesium Chloride Anhydrous for cell culture, 98%, Endotoxin (BET) 0.05EU/mg**	1800.00	100g
13546 [7791-18-6] **new**	**Magnesium Chloride Hexahydrate for cell culture, 99.5%, Endotoxin (BET) 0.05EU/mg**	3000.00	500g
36502 [7487-88-9]	**Magnesium Sulphate Dried for cell culture, 62-70% $MgSO_4$, 99%, Endotoxin (BET) 0.05EU/mg**	1750.00	500g
12493 [6363-53-7]	**D-Maltose Monohydrate for cell culture, Endotoxin (BET) 0.05EU/mg**	1000.00 4000.00	100g 500g
20490 [60-24-2]	**2-Mercaptoethanol for cell culture, 99%, Endotoxin (BET) 0.05EU/mg**	1300.00 2650.00	100ml 250ml
55311 [145224-94-8]	**MES Monohydrate Buffer for cell culture, 99%, Endotoxin (BET) 0.05EU/mg** (2-Morpholineethane sulphonic acid hydrate)	3800.00 8500.00	25g 100g
42125 [63-68-3]	**L-Methionine for cell culture, 99%, Endotoxin (BET) 0.05EU/mg**	1100.00 4000.00	25g 100g
13908 [1132-61-2]	**MOPS Buffer for cell culture, 99%, Endotoxin (BET) 0.05EU/mg** (3-Morpholinopropane sulphonic acid)	3200.00 7800.00 17000.00	25g 100g 500g
69599 [1405-10-3] 🌡	**Neomycin Sulphate (NMS) for cell culture, Endotoxin (BET) 0.05EU/mg**	800.00 1900.00	5g 25g


code	product name	unit price ₹	packing
64257 [53-84-9] ◆	**β-Nicotinamide Adenine Dinucleotide (Oxidized) (β-NAD, DPN) for cell culture, 98%**	1010.00 4680.00 17250.00	100mg 1g 5g
10581 [606-68-8] ◆	**β-Nicotinamide Adenine Dinucleotide Disodium Salt (Reduced) (β-NADH.Na2, DPNH.Na2) for cell culture, 98%**	2010.00 10290.00 37830.00	100mg 1g 5g
88722 [24292-60-2] ◆	**β-Nicotinamide Adenine Dinucleotide Phosphate Disodium Salt (β-NADP.Na2, TPN.Na2) for cell culture, 95%**	3680.00 21140.00	100mg 1g
28771 [1184-16-3] ◆	**β-Nicotinamide Adenine Dinucleotide Phosphate Monosodium Salt (ß-NADP.Na, TPN.Na) for cell culture, 98%**	3560.00 13350.00	100mg 1g
63509 [1094-61-7] ◆	**β-Nicotinamide Mononucleotide (β-NMN) for cell culture, 99%, Endotoxin (BET) 0.05EU/mg**	6460.00	100mg
93517 [98-92-0]	**Nicotinamide for cell culture, 99.5%, Endotoxin (BET) 0.05EU/mg** (Niacinamide, Pyridine-3-Carboxylic Acid Amide)	1250.00 3750.00	100g 500g
50275 [59-67-6]	**Nicotinic Acid (Pyridine-3-Carboxylic Acid) for cell culture, 99%, Endotoxin (BET) 0.05EU/mg** (3-Picolinic acid, Niacin, Vitamin B3)	950.00 3000.00	100g 500g
16828 [1400-61-9] 🌡	**Nystatin (Mycostatin) for cell culture, 85%, Endotoxin (BET) 0.05EU/mg** (Fungicidin) Potency 4400 USP U/mg	670.00 2340.00 8900.00	250mg 1g 5g
17565 [1400-61-9] ♦	**Nystatin (Mycostatin) Solution (10000U/ml) for cell culture** (Fungicidin)	1240.00	20ml
56341 [3184-13-2]	**L-Ornithine Monohydrochloride for cell culture, 99%, Endotoxin (BET) 0.05EU/mg**	1600.00 4500.00	25g 100g
30917 [328-42-7] 🌡	**Oxalacetic Acid for cell culture, 98%, Endotoxin (BET) 0.05EU/mg** (Oxaloacetic acid, Ketosuccinic acid, Oxobutanedioic acid, 2-Oxosuccinic acid) Use as a TCA (Krebs cycle) intermediate supplement in insect cell culture applications. Enhances insect cell growth and productivity.	1400.00 5100.00	1g 5g
79311 [34487-61-1]	**Phenol Red Sodium Salt (water soluble) for cell culture, 95%, Endotoxin (BET) 0.05EU/mg** (Phenolsulfonephthalein sodium salt)	1100.00 4000.00	5g 25g
68793 [63-91-2]	**L-Phenylalanine for cell culture, 99%, Endotoxin (BET) 1EU/mg**	1100.00 3000.00	25g 100g
77839 [329-98-6] ●	**Phenylmethane Sulphonyl Fluoride (PMSF) for cell culture, 99%, Endotoxin (BET) 0.05EU/mg**	1300.00 4400.00	1g 5g



code	product name	unit price ₹	packing
52819 [1405-20-5] ♦	**Polymyxin B Sulphate (Aerosporin, PXNS), 6000U/mg for cell culture, Endotoxin (BET) 0.05EU/mg**	2200.00 4870.00	250mg 1g
67209 [9005-65-6]	**Polysorbate 80 (Tween 80) for cell culture, Endotoxin (BET) 0.05EU/mg** (polyoxyethylene sorbitan monoleate)	3000.00	500g
47425 [7447-40-7]	**Potassium Chloride for cell culture, 99.5%, Endotoxin (BET) 0.05EU/mg**	3450.00	500g
65897 [147-85-3]	**L-Proline for cell culture, 99%**	1050.00 3350.00	25g 100g
82361 [58-58-2] 🌡	**Puromycin Dihydrochloride (PRM) for cell culture**	3500.00 7000.00	10mg 25mg
14050 [58-56-0] ✔	**Pyridoxine Hydrochloride (Vitamin B6) for cell culture, 99%, Endotoxin (BET) 0.05EU/mg**	1500.00 3500.00	10g 25g
77387 [83-88-5]	**Riboflavin for cell culture, 98%, Endotoxin (BET) 0.05EU/mg** (Vitamin B2)	1150.00 3500.00	25g 100g
46143 [13292-46-1] 🌡	**Rifampicin (RFP) (Rifampin) for cell culture, 97-102%, Endotoxin (BET) 0.05EU/mg**	4200.00 15000.00	1g 5g
31904 [477-73-6]	**Safranine O for cell culture, Endotoxin (BET) 0.05EU/mg** (Basic red 2)	5300.00 9500.00	25g 100g
59260 [56-45-1]	**L-Serine for cell culture, 99%, Endotoxin (BET) 1EU/mg**	2500.00 5300.00	25g 100g
16670 [156-54-7] **new**	**Sodium Butyrate for cell culture, 99%**	1150.00 4500.00	100g 500g
89360 [7647-14-5]	**Sodium Chloride for cell culture, 99.9%, Endotoxin (BET) 0.05EU/mg**	2000.00 3900.00 12750.00	500g 1kg 5kg
66003 [7558-79-4]	**Sodium Phosphate Dibasic Anhydrous for cell culture, 99.5%** (Disodium Hydrogen Phosphate Anhydrous)	3500.00 32000.00	500g 5kg
16120 [10028-24-7]	**Sodium Phosphate Dibasic Dihydrate for cell culture, 99.5%, Endotoxin (BET) 0.05EU/mg** (Disodium hydrogen phosphate dihydrate)	1700.00 10000.00	500g 5kg
27621 [7558-80-7]	**Sodium Phosphate Monobasic Anhydrous for cell culture, 99%** (Sodium Dihydrogen Phosphate Anhydrous)	2000.00 5500.00	100g 500g
68350 [18883-66-4] 🌡	**Streptozotocin (STZ) for cell culture, 98%, Endotoxin (BET) 0.05EU/mg**	2800.00 19000.00	100mg 1g
68250 [57-50-1]	**Sucrose for cell culture, Endotoxin (BET) 0.05EU/mg**	3000.00 5500.00 22000.00	500g 1kg 5kg
88726 [72-19-5]	**L-Threonine for cell culture, 99%, Endotoxin (BET) 1EU/mg**	2500.00 7500.00	25g 100g
53073 [4697-14-7] 🌡	**Ticarcillin Disodium Salt for cell culture, 85%, Endotoxin (BET) 0.05EU/mg**	1950.00 8860.00	1g 5g

code	product name	unit price ₹	packing
24000 [92-31-9]	**Toluidine Blue O for cell culture** (Basic Blue 17, Blutene Chloride, Methylene Blue T50, Tolonium Chloride)	3300.00 6200.00	10g 25g
30766 [5704-04-1] **new**	**TRICINE Buffer for cell culture, 99%** (N-Tris(Hydroxymethyl) Methylglycine)	2400.00 5500.00	25g 100g
35416 [38748-32-2] ♦	**Triptolide ex. Tripterigium Wilfordii for cell culture, 98%**	15000.00	5mg
12695 [77-86-1]	**Tris Buffer for cell culture, 99.9%, Endotoxin (BET) 0.05 EU/mg** (Tris(hydroxymethyl)aminomethane, Tromethamine)	950.00 4000.00	100g 500g
52682 [9002-07-7] ♦	**Trypsin ex. Bovine Pancreas, for cell culture, 0.2Anson U/g (2000U/g), Endotoxin (BET) 0.05EU/mg** Suitable for Vaccine preparation High quality product	950.00 4640.00 8550.00	100g 500g 1Kg
20374 [9002-07-7] ♦	**Trypsin ex. Porcine Gastric Mucosa for cell culture, 0.2Anson U/g (2000 U/g)** Suitable for Vaccine preparation High quality product	990.00 4580.00 8930.00	100g 500g 1Kg
74055 [9002-07-7] ♦	**Trypsin 1:250 ex. Bovine Pancreas, for cell culture, 1000BAEE U/mg, Endotoxin (BET) 0.05EU/mg**	1650.00 4330.00 17510.00	25g 100g 500g
65972 [9002-07-7] ♦	**r-Trypsin - Type Standard ACF ex. Porcine, for cell culture, 800U/mg** for biochemistry & cell culture (Recombinant Trypsin, Animal Component Free)	5090.00 16940.00 33880.00	100mg 1g 5g
It is recommended for use in cell culture applications for detachment and harvest of cell-based vaccine production, stem cell culture, & therapeutic and primary cell culture processes.			
23560 🌡	**r-Trypsin 1x Solution with EDTA in Phosphate Buffer for cell culture (AOF), 150U/ml**	3340.00	100ml
A Ready-to-Use highly purified, recombinant cell-dissociation Non-Animal Origin Trypsin that replaces porcine/bovine trypsin. This r-Trypsin is expressed in E.Coli and is for dissociating attachment-dependent cell lines in both serum-containing and serum-free conditions, and can be directly substituted for trypsin without protocol changes.			
80149 [60-18-4]	**L-Tyrosine for cell culture, 99%, Endotoxin (BET) 1EU/mg**	1300.00 4800.00	25g 100g
78168 [57-13-6]	**Urea for cell culture, 99.5%, Endotoxin (BET) 0.05EU/mg**	2000.00 9500.00	500g 5kg
20451 [72-18-4]	**L-Valine for cell culture, 99%, Endotoxin (BET) 1EU/mg**	850.00 3000.00	25g 100g
12540 [68-19-9] 🌡	**Vitamin B12 for cell culture, 97%, Endotoxin (BET) 0.05EU/mg** (Cyanocobalamin)	1570.00 4100.00	250mg 1g
18681 [111072-31-2] ●	**XTT Sodium for cell culture, 90%, Endotoxin (BET) 0.05EU/mg**	6500.00 15000.00 69000.00	25mg 100mg 500mg
30108 [7646-85-7]	**Zinc Chloride for cell culture, 98%, Endotoxin (BET) 0.05EU/mg**	2700.00	500g
92647 [7446-20-0]	**Zinc Sulphate Heptahydrate for cell culture, 99.5%**	1600.00 3400.00	100g 500g


Storage : ♦ -20°C • 0-4°C 🌡 2-8°C ✔ 8-25°C



Part C

Nanotechnology Products

(Carbon Nanotubes, Nanodispersants and Nanodispersions, Nanowires, Nanofilms and Nanopowders)




Carbon Nanotubes (CNT) Reference Chart


SINGLE & THIN WALLED CARBON NANOTUBES (SWCNT)

	Product Code	LENGTH OF CARBON NANOTUBES	Outer Dia. (OD)	Assay
Types	59800	TWCNT Type 1 (5µm - 10µm)	1-2 nm	90%
Types	0340351	SWCNT Type 1 (5µm - 10µm)	1-2 nm	90%
Types	0340423	SWCNT Type 8 – in aq. media (Semiconducting) (0.5µm – 4µm)	~1-2 nm	95%
Types	0340425	SWCNT Type 10 – in aq. media (Metallic/Conducting) (0.5µm – 4µm)	~1-2 nm	95%
Types	0348436	SWCNT Type 11 – (Semiconducting) (0.5µm – 1µm)	~0.7 nm-0.9 nm	90%
Types	0340422	SWCNT Type 7 – in aq. media (Semiconducting) (0.5µm – 4µm)	~1-2 nm	90%
Types	0340424	SWCNT Type 9 – in aq. media (Metallic/Conducting) (0.5µm – 4µm)	~1-2 nm	70%
Types	0348437	SWCNT Type 12 – (Metallic/Conducting) (0.5µm – 1.5µm)	~1.2 nm	90%
Short	0340390	SWCNT Type 2 (0.5µm – 2µm)	1-2 nm	90%
Short	0340391	SWCNT Type 3 – COOH (0.5µm – 2µm)	1-2 nm	90%
Functionalized	0340406	SWCNT Type 4 – COOH (5µm - 10µm)	1-2 nm	90%
Functionalized	0340407	SWCNT Type 5 – OH (5µm - 10µm)	1-2 nm	90%
Functionalized	0340408	SWCNT Type 6 – NH2 (5µm - 10µm)	1-2 nm	90%

DOUBLE WALLED CARBON NANOTUBES (DWCNT)

	Product Code	LENGTH OF CARBON NANOTUBES	Outer Dia. (OD)	Assay
Types	0340387	DWCNT Type 1 (50µm)	2-4 nm	60%
Short & Functionalized	0340388	DWCNT Type 2 (0.5µm – 2µm)	2-4 nm	60%
Short & Functionalized	0340420	DWCNT Type 3 – COOH (50µm)	2-4 nm	60%
Short & Functionalized	0340421	DWCNT Type 4 – OH (50µm)	2-4 nm	60%



MULTI WALLED CARBON NANOTUBES (MWCNT)
Types
Short
Functionalized
Graphitized & Functional
Product Code
LENGTH OF CARBON NANOTUBES
0.5µm
1µm
1.5µm
2µm
2.5µm - 5µm
10µm
20µm
30µm
Outer Dia. (OD)
Assay
34528
Helical MWCNT Type 1
~200 nm
CNT ~90% HCNT ~60-65%
0340352
MWCNT Type 1
<8 nm
95%
0340353
MWCNT Type 2
~8-15 nm
95%
0340354
MWCNT Type 3
~10-20 nm
95%
0340355
MWCNT Type 4
~20-30 nm
95%
0340356
MWCNT Type 5
~30-50 nm
95%
0340357
MWCNT Type 6
>50 nm
95%
0340417
MWCNT Type 16
<8 nm
95%
0340418
MWCNT Type 17
~10-20 nm
95%
0340419
MWCNT Type 18
~30-50 nm
95%
0340411
MWCNT Type 10 – COOH
~10-20 nm
95%
0340414
MWCNT Type 13 – COOH
~30-50 nm
95%
0340412
MWCNT Type 11 – NH2
~10-20 nm
95%
0340415
MWCNT Type 14 – NH2
~30-50 nm
95%
0340413
MWCNT Type 12 – OH
~10-20 nm
95%
0340416
MWCNT Type 15 – OH
~30-50 nm
95%
0340389
MWCNT Type 7
30-50 nm
99.9%
0340409
MWCNT Type 8 – COOH
10-20 nm
99.9%
0340410
MWCNT Type 9 – OH
10-20 nm
99.9%



code	product name	unit price ₹	packing
75964	**Alumina (Alpha) Nanopowder**	2270.00 5670.00 10200.00	25g 100g 250g
Al_2O_3-Alpha **[1344-28-1]**	M.W. 101.96 Assay — min.99.9%, APS: 20-30nm		
25536	**Alumina (Gamma) Nanopowder** (Hydrophilic)	9250.00 13870.00	25g 100g
Al_2O_3-Gamma **[1344-28-1]**	M.W. 101.96 Assay — min.99.5%, APS:15nm		
96202	**Aluminium Nanopowder (Type 1)**	12130.00 32530.00	1g 5g
Ai **[7429-90-5]**	M.W. 26.98 Assay — min.99%, APS:30-40nm		
18412	**Aluminium Nanopowder (Tpe 2)**	12130.00 32530.00	1g 5g
Ai **[7429-90-5]**	M.W. 26.98 Assay — min.99.9%, APS:70nm		
41892	**Aluminium Oxide (Boehmite) Nanodispersion (50nm), 20% in water**	2840.00 8610.00	25g 100g
AlO(OH) **[1318-23-6]**	M.W. 59.99 APS: 50nm, Particle charge: (+), pH 4, Specific gravity: 1.19, Viscosity: 10cps, counter ion (mol/mol): 0.049 No_3, 20wt% in H_2O, colloidal dispersion		
29603	**Aluminium Titanate Nanopowder**	13460.00	2g
Al_2O_3·TiO_2 **[1204-39-6]**	M.W. 181.86 Assay — min.98.5%, APS: 25nm		
38818	**Aminated Graphene Amino-PEG covalently linked (GnAmPG) Nanopowder**	5000.00 16000.00	10mg 50mg
[7782-42-5]	(Reduced Graphene Oxide-NH2) Carbon — min.70% Preparation Method: Modified Hummer's Method to make Graphene Oxide, Convert -OH and C-O-C into -NH2. Elemental Analysis: O&H: 23%, N: 7%, S: 0.02%.		
19158	**Aminated Graphene Octadecylamine covalently linked (GnAm18d) Nanopowder**	5000.00 16000.00	10mg 50mg
[7782-42-5]	(Reduced Graphene Oxide-NH-(CH2)17-CH3) Carbon — min.70%, Preparation Method: Modified Hummer's Method to make Graphene Oxide, which is modified by Octadecylamine. Elemental Analysis: O&H: 11%, N: 8%, S: 0.02%		
67801	**Antimony Trioxide Nanopowder**	1330.00 3860.00	5g 25g
[1309-64-4]	(Diantimony trioxide)		
10842	**Barium Titanate Nanopowder**	3150.00 8400.00	25g 100g
$BaTiO_3$-Tetragonal **[12047-27-7]**	M.W. 233.192 Assay — min.99.5%, APS: <100nm		
78768 **[1403674-49-6]**	**Bis(2',4'-Bis(Hexyloxy) Biphenyl-4-yl) Amine extrapure, 95%** (Z-907 Modified Red Dye) Used as a dye in solar cell research	12800.00	25mg
14683	**Bismuth (III) Oxide Nanopowder** (Dibismuth trioxide)	6300.00 17850.00	25g 100g
Bi_2O_3 **[1304-76-3]**	M.W. 465.96 Assay — min.99.8%, APS: 200nm		

code	product name	unit price ₹	packing
21772	**Boehmite Nanopowder**	2840.00 10710.00	5g 25g
AlO(OH) **[1318-23-6]**	M.W. 59.99 Assay — min.99.9% APS: 20nm		
62554	**Boron Carbide Nanopowder**	12600.00 23630.00	10g 25g
B_4C **[12069-32-8]**	M.W. 55.26 Assay — min.99%, APS: 50nm		
50943	**Boron Nitride (hBN) Aerosol Spray (13Oz/369g)**	12710.00	1 piece
BN **[10043-11-5]**	M.W. 24.82 Hex-Boron Nitride (hBN) Aerosol Spray offers convenient way to apply thin film of Hex-Boron Nitride (hBN) coating on any surface as well as in hard to reach places. Hex-Boron Nitride (hBN) spray is high temperature, anti-stick release agent & lubricant		
75454	**Boron Nitride Nanopowder**	3150.00 8400.00	25g 100g
BN **[10043-11-5]**	M.W. 24.82 Assay — min.99%, APS: 70nm, SSA: 19.4m^2/g, Morphology: hexagonal		
45882	**Boron Nitride Nanotubes (C) Cylindrical structure**	32000.00	50mg
BN **[10043-11-5]**	M.W. 24.82 Purity: 60-75%, OD: <15nm, Length: 10-30microns		
74899	**Calcium Carbonate Nanopowder**	1030.00 2730.00 13130.00	25g 100g 500g
$CaCO_3$ **[471-34-1]**	M.W.100.09 Assay — min.98%, APS: 80nm, pH — 8.5-9.5, Morphology: Cubic		
72893	**Calcium Titanate Nanopowder**	14490.00	1g
$CaTiO_3$ **[12049-50-2]**	M.W. 135.94 Assay — min.99.9%, APS: 90nm, SSA (BET): <20m^2/g		
12918	**Calcium Zirconium Oxide Nanopowder**	14280.00 45590.00	1g 5g
$CaZrO_3$ **[12013-47-7]**	M.W. 179.30 Assay — min.99.5%, APS: 50nm, SSA (BET): < 65m^2/g		
69126 🌡	**CdSe/ZnS Core Shell Quantum Dots, Fluorescence 560nm, (Hydrophobic)**	21530.00	10mg
33618 🌡	**CdSe/ZnS Core Shell Quantum Dots, Fluorescence 600nm, (Hydrophobic)**	21530.00	10mg
15377 🌡	**CdSe/ZnS Core Shell Quantum Dots, Fluorescence 630nm, (Hydrophobic)**	21530.00	10mg
50439 🌡	**CdTe Core Type COOH Functionalized Quantum Dots, Fluorescence 510nm, (Hydrophilic)**	22050.00	10mg
37909 🌡	**CdTe Core Type COOH Functionalized Quantum Dots, Fluorescence 610nm, (Hydrophilic)**	22050.00	10mg
19960 🌡	**CdTe Core Type COOH Functionalized Quantum Dots, Fluorescence 710nm, (Hydrophilic)**	22050.00	10mg


code	product name	unit price ₹	packing
37194	**Carbon Porous Nanopowder**	2630.00	1g
C	M.W. 12.01	12390.00	10g
[7440-44-0]	APS(D50) — 5-8μm, Pore size: 2.0-2.2nm, SSA 2000m²/g, pH 6.5-7.5, Density: ~0.3 g/cm³, Ash: ~0.5%, Cl: <20 ppm, Organic capacitance: 140-160F/g, Organic capacitance: 60-70F/cc		
28186	**CNT Dispersant AC**	11500.00	20ml
35210	**CNT Dispersant AQ**	11500.00	20ml
	TCNT - Carbon Nanotubes Thin-Walled		
59800	**TCNT Type 1 Carbon Nanotubes Thin-Walled**	12340.00 31880.00	25mg 100mg
[308068-56-6]	Assay — min.90% 2-5nm OD, 1-2nm ID, L- 5-30μm, SSA: 320m²/g		
	SWCNT - Carbon Nanotubes Single-Walled		
73953	**SWCNT Type 1 Carbon Nanotubes Single-Walled**	17950.00 41030.00	250mg 1g
[308068-56-6]	Assay — min.90%, OD: 1-2nm, Length: 5-30μm		
20770	**SWCNT Type 2 Carbon Nanotubes Single-Walled (Short)**	14260.00 31180.00	100mg 250mg
[308068-56-6]	Assay — min.90%, OD: 1-2nm, Length: 0.5-2μm		
29129	**SWCNT Type 3 Carbon Nanotubes Single-Walled (Short, -COOH Functionalized)**	19010.00	100mg
[308068-56-6]	Assay — min.90%, OD: 1-2 nm, Length: 0.5-2μm, -COOH Content: 2.73 wt.%, Carboxyl(-COOH) Functionalized		
18989	**SWCNT Type 4 Carbon Nanotubes Single-Walled (-COOH Functionalized)**	9720.00 29150.00 84210.00	50mg 250mg 1g
[308068-56-6]	Assay — min.90%, OD: 1-2nm, Length: 5-30μm -COOH Content: ~2.75wt%, Carboxyl(-COOH) Functionalized		
55024	**SWCNT Type 5 Carbon Nanotubes Single-Walled (-OH Functionalized)**	10690.00 29150.00	50mg 250mg
[308068-56-6]	Assay — min.90%, OD: 1-2nm, Length: 5-30μm -OH Content: ~ 4wt%, Hydroxyl (-OH) Functionalized		
27404	**SWCNT Type 6 Carbon Nanotubes Single-Walled (-NH_2 Functionalized)**	16200.00 62620.00	50mg 250mg
[308068-56-6]	Assay — min.99%, OD: 1-2nm, Length: 5-30μm Amide (-NH_2) Functionalized		
95425	**SWCNT Type 7 Carbon Nanotubes Single-Walled in aq. media (Semiconducting) pure**	49560.00	20ml
[308068-56-6]	Assay — min.90%, OD: 1-2nm, Length: 0.5-4μm Concentration: 1mg/100ml		
52710	**SWCNT Type 8 Carbon Nanotubes Single-Walled in aq. media (Semiconducting) extrapure**	68020.00	20ml
[308068-56-6]	Assay — min.95%, OD: 1-2nm, Length: 0.5-4μum Concentration: 1mg/100ml		
42480	**SWCNT Type 9 Carbon Nanotubes Single-Walled in aq. media (Metallic/Conducting) pure**	58300.00	20ml
[308068-56-6]	Assay — min.70%, OD: 1-2nm, Length: 0.5-4μm Concentration: 1mg/100ml		
68069	**SWCNT Type 10 Carbon Nanotubes Single-Walled in aq. media (Metallic/Conducting) extrapure**	136030.00	20ml
[308068-56-6]	Assay — min.95%, OD: 1-2nm, Length: 0.5-4μm Concentration: 1mg/100ml		
81868	**SWCNT Type 11 Carbon Nanotubes Single-Walled (Semiconducting) ultrapure**	81620.00	50mg
[308068-56-6]	Assay — min.90%, OD: 0.7-0.9nm, Length: ~1μm Typical Properties: High aspect ratio (1,000) Carbon content (>90 wt%), >50% of tubes are (6,5) chirality, >90% of tubes are semiconducting		
28989	**SWCNT Type 12 Single-Walled Carbon Nanotubes (Metallic/Conducting) ultrapure**	81620.00	50mg
[308068-56-6]	Assay — min.90%, OD: ~1.2nm, Length: ~1.5μm Bulk Density: 0.091g/cm³ Typical properties: High aspect ratio (1,000) Carbon content (>90 wt%), High metallic tube content, High electrical conductivity		
	DWCNT - Carbon Nanotubes Double-Walled		
36078	**DWCNT Type 1 Carbon Nanotubes Double-Walled**	21600.00 53990.00	100mg 500mg
[308068-56-6]	Assay — min.60%, OD: 2-4 nm, Length: 50μm, SSA: >350m²/g		
85143	**DWCNT Type 2 Carbon Nanotubes Double-Walled (Short)**	22630.00	100mg
[308068-56-6]	Assay — min.60%, OD: 2-4 nm, Length: 0.5-2μm, SSA: >350m²/g		
45565	**DWCNT Type 3 Carbon Nanotubes Double-Walled (-COOH Functionalized)**	11850.00	50mg
[308068-56-6]	Assay — min.60%, OD: 2-4 nm, Length: 50μm, -COOH content: 2.73wt%, SSA: >350m²/g Carboxyl (-COOH) Functionalized		
69072	**DWCNT Type 4 Carbon Nanotubes Double-Walled (-OH Functionalized)**	11850.00 37020.00	50mg 250mg
[308068-56-6]	Assay — min.60%, OD: 2-4nm, Length: 50μm, -OH content: 3.96wt% SSA: >350m²/g Hydroxyl (-OH) Functionalized		
	HMWCNT - Carbon Nanotubes Multi-Walled Helical		
34528	**HMWCNT Type 1 - Carbon Nanotubes Multi Walled Helical**	12340.00 16660.00	250mg 1g
[308068-56-6]	Total CNT content — 90% pure Helical CNTs: 60~65%, OD: 200 nm, Length: <10μm, SSA: > 30m²/g		



code	product name	unit price ₹	packing

MWCNT - Carbon Nanotubes Multi-Walled

57743 **MWCNT Type 1** 3570.00 1g
Carbon Nanotubes Multi-Walled 12390.00 5g
35700.00 25g
[308068-56-6] Assay — min.95%, OD: <8nm, Length: 10-30μm




88440 **MWCNT Type 2** 5400.00 1g
Carbon Nanotubes Multi-Walled 19440.00 5g
68020.00 25g
[308068-56-6] Assay — min.95%, OD: 8-15nm, Length: 10-30μm


68465 **MWCNT Type 3** 2700.00 1g
Carbon Nanotubes Multi-Walled 8100.00 5g
23760.00 25g
75580.00 100g
[308068-56-6] Assay — min.95%, OD: 10-20nm, Length: 10-30μm

41067 **MWCNT Type 4** 2380.00 1g
Carbon Nanotubes Multi-Walled 6480.00 5g
16200.00 25g
53990.00 100g
[308068-56-6] Assay — min.95%, OD: 20-30nm, Length: 10-30μm

41335 **MWCNT Type 5** 2170.00 1g
Carbon Nanotubes Multi-Walled 4320.00 5g
8640.00 25g
29000.00 100g
[308068-56-6] Assay — min.95%, OD: 30-50nm, Length: 10-30μm



96390 **MWCNT Type 6** 2170.00 1g
Carbon Nanotubes Multi-Walled 4320.00 5g
8640.00 25g
21600.00 100g
[308068-56-6] Assay — min.95%, OD: >50nm, Length: 10-30μm



35203 **MWCNT Type 7** 8020.00 1g
Carbon Nanotubes Multi-Walled 26720.00 5g
(Graphitized)
[308068-56-6] Assay — min.99.9% OD: 30-50nm, Length: 20μm, SSA: >30m^2/g

73235 **MWCNT Type 8** 7020.00 500mg
Carbon Nanotubes Multi-Walled 10800.00 1g
(Graphitized, -COOH Functionalized)
[308068-56-6] Assay — min.99.9%, OD: 10-20nm, Length: 20μm, -COOH content: 1.0wt%, SSA: >100m^2/g, Carboxyl (-COOH) Functionalized

46918 **MWCNT Type 9** 7020.00 500mg
Carbon Nanotubes Multi-Walled 10800.00 1g
(Graphitized -OH Functionalized)
[308068-56-6] Assay — min.99.9%, OD: 10-20nm, Length: 20μm, -OH content: 1.53wt%, SSA: >100m^2/g, Hydroxyl (-OH) Functionalized

58255 **MWCNT Type 10** 2400.00 1g
Carbon Nanotubes Multi-Walled 7500.00 5g
(-COOH Functionalized)
[308068-56-6] Assay — min.95%, OD: 10-20nm, Length: 10-30μm, -COOH content: ~2wt%, Carboxyl (-COOH) Functionalized

29466 **MWCNT Type 11** 3240.00 50mg
Carbon Nanotubes Multi-Walled 4860.00 100mg
(-NH2 Functionalized) 16200.00 1g
48590.00 5g
[308068-56-6] Assay — min. 95%, OD: 10-20nm, Length: 10-30μm Amide (-NH_2) Functionalized

82903 **MWCNT Type 12** 2700.00 500mg
Carbon Nanotubes Multi-Walled 4860.00 1g
(-OH Functionalized) 9720.00 5g
[308068-56-6] Assay — min.95%, OD: 10-20 nm, Length: 10-30μm, -OH content: ~3.1wt%, Hydroxyl (-OH) Functionalized

28658 **MWCNT Type 13** 2380.00 500mg
Carbon Nanotubes Multi-Walled 4320.00 1g
(-COOH Functionalized) 8640.00 5g
28080.00 25g
[308068-56-6] Assay — min.95%, OD: 30-50 nm, Length: 10-30μm, -COOH content: ~0.7wt%, Carboxyl (-COOH) Functionalized

65875 **MWCNT Type 14** 10800.00 50mg
Carbon Nanotubes Multi-Walled 16200.00 100mg
(-NH_2 Functionalized)
[308068-56-6] Assay — min.95%, OD: 30-50nm, Length: 10-30μm, Amide (-NH_2) Functionalized

24968 **MWCNT Type 15** 2380.00 500mg
Carbon Nanotubes Multi-Walled 4320.00 1g
(-OH Functionalized) 8640.00 5g
[308068-56-6] Assay — min.95%, OD: 30-50 nm, Length: 10-30μm -OH content: ~1.1wt%, Hydroxyl (-OH) Functionalized

33670 **MWCNT Type 16** 5400.00 500mg
Carbon Nanotubes Multi-Walled 8640.00 1g
Short 26990.00 5g
[308068-56-6] Assay — min.95%, OD: <8nm, Length: 0.5-2μm

28174 **MWCNT Type 17** 4320.00 500mg
Carbon Nanotubes Multi-Walled 6480.00 1g
Short 23760.00 5g
80970.00 25g
[308068-56-6] Assay — min.95%, OD: 10-20 nm, Length: 0.5-2μm


90797 **MWCNT Type 18** 5400.00 1g
Carbon Nanotubes Multi-Walled 18360.00 5g
Short
[308068-56-6] Assay — min.95%, OD: 30-50nm, Length: 0.5-2μm


42927 **MWCNT Type 19 -** 19440.00 1g
Carbon Nanotubes Multi Walled 64780.00 5g
(Conducting)
[308068-56-6] Assay — min.99%, OD: 10 nm, Length: 3~6 micron, Bulk density: 0.68 g/cm^3, SSA: 350 m^2/g

code	product name	unit price ₹	packing

MWCNT - Carbon Nanotubes Multi-Walled Nickel Coated

58908	**MWCNT-Ni Type 1 (Carbon Nanotubes Multi Walled Nickel coated)**	11340.00 42110.00	1g 5g
[308068-56-6]	Assay — min.98%(wt%) (~40wt% CNTs, ~60wt% Ni) OD: 5-20 nm,Length: 10-30 micron		
53105	**MWCNT-Ni Type 2 (Carbon Nanotubes Multi Walled Nickel coated)**	11340.00 42110.00	1g 5g
[308068-56-6]	Assay — min.98%(wt%) (~40wt% CNTs, ~60wt% Ni) OD: 20-30 nm,Length: 10-30 micron		
90500	**MWCNT-Ni Type 3 (Carbon Nanotubes Multi Walled Nickel coated)**	11340.00 42110.00	1g 5g
[308068-56-6]	Assay — min.98%(wt%) (~40wt% CNTs, ~60wt% Ni) OD: 30-50 nm,Length: 10-20 micron		
75288	**MWCNT-Ni Type 4 (Carbon Nanotubes Multi Walled Nickel coated)**	11340.00 42110.00	1g 5g
[308068-56-6]	Assay — min.98%(wt%) (~40wt% CNTs, ~60wt% Ni) OD: >50 nm,Length: 10-20 micron		
65468	**Chitosan Nanopowder**	3400.00 10200.00	5g 25g
[9012-76-4]	Assay — min.99%, APS: 80-100nm		
44316	**Chromium (III) Oxide Nanopowder** (Chromia)	20390.00	10g
Cr_2O_3	M.W. 151.99		
[1308-38-9]	Assay — min.99% APS: 90nm		
64835	**C106 Dye, 90%**	9140.00	25mg
[1152310-69-4] ♦	(Cis-Bis(isothiocyanato)(2,2'-bipyridyl-4,4'-dicarboxylato)(4,4'-bis(5-(hexylthio)thiophen-2-yl)-2,2'-bipyridyl)ruthenium(II))		
35347	**K19 Dye, 85%**	9240.00	25mg
[847665-45-6] ✔	(Cis-bis(thiocyanato)(2,2'-bipyridyl-4,4'-dicarboxylic acid)(4,4'-bis(phexyloxystyryl)-2,2'-bipyridine)ruthenium(II))		
74373	**Clay Nanopowder**	6800.00 10200.00	5g 25g
[1332-58- 7]	(Nano Clay) Assay — min 99%, APS: 80-150nm, Sourced from Bentonite/Montmorillonite Clay		
31570	**Cobalt Ferrite Nanopowder**	5000.00 12000.00	1g 5g
$CoFe_2O_4$	M.W. 234.62		
[12052-28-7]	Assay — min.99.9%, APS: 50nm, Typical magnetic properties: Saturation magnetization Ms: 46.8 emu/g Remanent magnetization Mr: 17.3emu/g Coercivity: 900Oe		
74613	**Cobalt Zinc Ferrite Nanopowder**	6380.00 17330.00	1g 5g
$CoZnFe_2O_4$	(Co: 0.5 Zn: 0.5) Assay — min.99.9%, APS: 50 nm Typical magnetic properties: Saturation magnetization Ms: 27.5 emu/g Remanent magnetization Mr: 5.7 emu/g Coercivity: 286 Oe		
74343	**Copper Nanopowder** SSA: ~12 m^2/g Morphology: Spherical	29560.00	5g
Cu [7440-50-8]	A.W. 63.55 Assay — min.99.9% APS: 50 nm		
73612	**Copper Nanowires**	35000.00	10mg
Cu [7440-50-8]	A.W. 63.55 Dia 50 nm x length 50 microns		
28954	**Cupric Oxide Nanopowder** (Copper (II) oxide)	1900.00 5440.00 9970.00	5g 25g 100g
CuO [1317-38-0]	M.W.79.54 Assay — min.99% APS: 40nm, SSA: 80m^2/g		
19151	**Diamond Nanopowder**	21700.00	1g
C [7782-40-3] ✔	M.W. 12.01 Assay — min.98%, APS:~5nm		
85476	**Diisobutyl 2,2'-Bipyridine-4,4'-Dicarboxylate extrapure, 95%**	12800.00	100mg
[1141011-53-1] 🌡	Used as a ligand in solar cell research		
91287	**Ferric Oxide (Alpha) Nanopowder**	1910.00 5140.00	5g 25g
Fe_2O_3 [1309-37-1]	(Iron (III) oxide (alpha)) Assay — min.99%, APS: 30nm	16520.00 23820.00	100g 250g
51744	**Ferric Oxide (Gamma) Nanopowder**	1580.00 4130.00	5g 25g
Fe_2O_3 (gamma) [1309-37-1]	(Iron (III) oxide (gamma)) Assay — min.99.9%, APS: 20-50nm	12180.00 21700.00	100g 250g
16708	**Ferrous Ferric Oxide Nanopowder (Type 1)**	2100.00 4730.00	5g 25g
Fe_3O_4 [1317-61-9]	(Iron (II, III) oxide) Assay — min.99%, APS: 20-50nm Morphology: Spinel crystal, black magnetic powder	16800.00	100g
47223	**Ferrous Ferric Oxide Nanopowder (Type 2)**	3680.00 11030.00	25g 100g
[1317-61-9]	(Iron (II, III) Oxide) Assay — min.99.5%, APS: 50-80nm, Morphology: Spherical, black magnetic powder		
37461	**Fullerene C60**	11550.00 33600.00	250mg 1g
	(Carbon 60) for biochemistry & microbiology Assay — min.99.5%		
44170	**Fullerene C70**	16640.00 63010.00 110890.00	100mg 500mg 1g
	(Carbon 70) for biochemistry & microbiology Assay — min.99%		
84500	**Gold Nanopowder**	93620.00	1g
Au [7440-57-5]	A.W. 196.97 Assay — min.99.99%, APS: 90nm		





code	product name	unit price ₹	packing

73225 🌡 — **Gold Nanoparticles Dispersion (Spherical) (AU05), 0.05mg/ml Citrate, 0.1mM in PBS** — 5500.00 / 11500.00 — 10ml / 25ml

Au [7440-57-5] — A.W. 196.97; APS: 5nm; Concentration: 0.1mM in PBS

Truely uniform and monodisperse spherical Gold nanoparticles in aqueous media. The particles have a very narrow size distribution (CV between 5% and 15%). The solutions are stabilized with $HAuCl_4$.

36848 🌡 — **Gold Nanoparticles Dispersion (Spherical) (AU10), 0.05mg/ml Citrate, 0.1mM in PBS** — 5500.00 / 11500.00 — 10ml / 25ml

Au [7440-57-5] — A.W. 196.97; APS: 10nm; Concentration: 0.1mM in PBS

Truely uniform and monodisperse spherical Gold nanoparticles in aqueous media. The particles have a very narrow size distribution (CV between 5% and 15%). The solutions are stabilized with $HAuCl_4$.

72123 🌡 — **Gold Nanoparticles Dispersion (Spherical) (AU20), 0.05mg/ml Citrate, 0.1mM in PBS** — 5500.00 / 11500.00 — 10ml / 25ml

Au [7440-57-5] — A.W. 196.97; APS: 20nm; Concentration: 0.1mM in PBS

Truely uniform and monodisperse spherical Gold nanoparticles in aqueous media. The particles have a very narrow size distribution (CV between 5% and 15%). The solutions are stabilized with $HAuCl_4$.

60974 🌡 — **Gold Nanoparticles Dispersion (Spherical)(AU40), 0.05mg/ml Citrate, 0.1mM in PBS** — 5500.00 / 11500.00 — 10ml / 25ml

Au [7440-57-5] — A.W. 196.97; APS: 40nm; Concentration: 0.1mM in PBS

Truely uniform and monodisperse spherical Gold nanoparticles in aqueous media. The particles have a very narrow size distribution (CV between 5% and 15%). The solutions are stabilized with $HAuCl_4$.

91082 🌡 — **Gold Nanoparticles Dispersion (Spherical) (AU60), 0.05mg/ml Citrate, 0.1mM in PBS** — 5500.00 / 11500.00 — 10ml / 25ml

Au [7440-57-5] — A.W. 196.97; APS: 60nm; Concentration: 0.1mM in PBS

Truely uniform and monodisperse spherical Gold nanoparticles in aqueous media. The particles have a very narrow size distribution (CV between 5% and 15%). The solutions are stabilized with $HAuCl_4$.

27944 — **Single Layer Graphene (SLG) Nanopowder** — 6000.00 / 18000.00 — 10mg / 100mg

C [7782-42-5] — M.W. 12.01; Assay — min.98%, Graphene with high surface area, SSA (BET): 400~1000 m^2/g, Electrical Resistivity: ~0.30(Ωcm^{-1}), Preparation method: Thermal exfoliation reduction + Hydrogen reduction (Modified hummer's method)

Dispersible property: Can be redispersed in most solvents with the help of sonication

73949 — **Single Layer Graphene Factory (SLGF) Nanopowder** — 5250.00 / 13130.00 — 100mg / 250mg

C [7782-42-5] — M.W. 12.01; 1-5 atomic layer graphene nanosheets; Assay — min.98%, SSA (BET) : 650~750 m^2/g, Conductivity : 500~700 S/m, Lateral size: 0.5-5μm

code	product name	unit price ₹	packing

89922 — **Graphene Carboxyl (GCOOH) Nanopowder** — 12000.00 — 25mg

C [7782-42-5] — M.W. 12.01; Assay — min.99%, APS: 1-5μm, Thickness: 0.8-1.2nm, Carboxyl ratio: 5.0%

60703 — **Graphene Carboxyl (GCOOHW) Nanodispersion 5mg/ml in water** — 44000.00 — 20ml

C [7782-42-5] — M.W. 12.01; Assay — min.99%, APS: 1-5μm, Thickness 0.8-1.2nm, Carboxyl ratio 5.0%

88398 — **Graphene Film (Super Paper) (GFSP)** — 150000.00 — 1piece

(Preparation of graphene, Solar energy, Graphene semiconductor chips, Conductive graphene film, Graphene computer memory, Biomaterials, Transparent conductive coatings)

[7782-42-5] — Assay — min.98% C, Preparation Method: Modified Hummer's Method, Direct Flow, Chemical Reduction, Shape Circular, Diameter 40 mm, Thickness 20 μ, Conductive 2x10 3S/m, Tensile Modulus > 10 GPa, Color Black, High Thermal Conductivity >1000W/m.k, Bends easily, Flexible

87185 — **Graphene Nitrogen-doped (GNdp) Nanopowder** — 6090.00 / 25200.00 — 50mg / 250mg

(N-doped Graphene)

C [7782-42-5] — M.W. 12.01; Layers: 1-5 atomic layer graphene nanosheets, Lateral size (μm): 0.5-5, SSA (BET): 500~700m^2/g, Conductivity: >1000 S/m (characterized at density of 0.3g/cm^3)

90251 — **Graphene Oxide Film (Super Paper) (GOFSP)** — 112200.00 — 1piece

(Preparation of graphene, Solar energy, Graphene semiconductor chips, Conductive graphene film, Graphene computer memory, Biomaterials, Transparent conductive coatings)

[7782-42-5] — Assay — min.98% C, Preparation Method: Modified Hummer's Method, Direct Flow, Chemical Reduction, Shape Circular, Diameter 40 mm, Thickness 20 μ, Electrical Conductivity: Non-conductive $8x10^{-2}$ S/m, Tensile Modulus > 20 GPa, Color Black, High Thermal Conductivity >1000W/m.k, Bends easily, Flexible


55093 — **Graphene Platelet Nanopowder (GPN Type 1)** — 4500.00 / 18000.00 / 70000.00 — 5g / 25g / 100g

C [7782-42-5] — M.W. 12.01; Carbon — min.99.5%, APS: 15 micron, Thickness: 6-8 nm, Surface area: 150 m^2/g, Appearance: Black granules, Bulk density: 0.03-0.1 g/cc, Oxygen content: < 1%, Residual acid content: <0.5 wt%


36529 — **Graphene Platelet Nanopowder (GPN Type 2)** — 1300.00 / 4200.00 — 1g / 5g

C [7782-42-5] — M.W. 12.01; Carbon — min.99.5%, APS: 15 micron, Thickness: 11-15 nm, Surface area: 50-80 m^2/g, Appearance: Black granules, Bulk density: 0.03-0.1 g/cc, Oxygen content: < 1%, Residual acid content: <0.5 wt%


code	product name	unit price ₹	packing
98585	**Graphene Platelet Nanopowder (GPN Type 3)**	4000.00 16000.00	5g 25g
C [7782-42-5]	M.W. 12.01 Carbon — min.99.5%, APS: 15 micron, Thickness: 2-10nm, Surface area: 20-40 m^2/g, Appearance: Black grey powder, Bulk density: 0.10g/ml, Water content <0.5%, Residual impurities <0.5 wt%, Electrical conductivity: 80000S/m, Tensile strength: 5Gpa		
53927 🌡	**Graphene Quantum Dots (1mg/ml) (GQD)** The solution of GQDs emits blue light (460 nm) when excited with 365nm UV beam.	6790.00 25200.00	5ml 25ml
C [7440-40-0]	M.W. 12.01 Assay — ~80%, Quantum Dots Size: ~15nm, Thickness 0.5-2nm, Preparation method: Bottom-up method		
49888	**Single Layer Graphene Oxide (SLGO) Nanopowder**	5250.00 14700.00 57750.00	25mg 100mg 500mg
C [7782-42-5]	M.W. 12.01 Assay — min.99%, APS: 1-5μm, Thickness 0.8-1.2nm, Single layer ratio: 99%, Preparation method: Modified hummer's method		
58531	**Single Layer Graphene Oxide (SLGOE) Nanodispersion, 5mg/ml in ethanol**	20830.00	10ml
C [7782-42-5]	M.W. 12.01 Flake size: 0.5-2.0μm, Single-layer Ratio: >80%, Thickness: 0.6-1.2nm, Appearance: Brown/Black, Preparation method: Modified hummer's method		
72536	**Single Layer Graphene Oxide (SLGOW) Nanodispersion, 5mg/ml in water**	10290.00 17480.00	10ml 25ml
C [7782-42-5]	M.W. 12.01 Flake size: ~500nm, Single-layer ratio: >80%, Thickness: 0.6-1.2nm, Appearance: Brown/Black, Preparation method: Modified hummer's method		
68908	**Graphite Nanopowder (Type 2)**	9840.00 37020.00	1g 5g
C [7440-44-0]	M.W. 12.01 Carbon — min.87%, Spherical, Grit size: 10nm (avg), Preparation method: Detonation synthesized, Appearance: Black powder, Distribution scope: 1-18nm, Density: ~1.2-2.0 g/cm^3, SSA (BET): 660-720 m^2/g, Oxidized temperature:~610°C, Thermal weightlessness: 10-15% in 1200°C N_2 medium		
85833	**Graphite Nanopowder (Type 1)**	9880.00 29620.00	25g 100g
C [7782-42-5]	M.W. 12.01 Assay — min.98%, APS:400nm		



code	product name	unit price ₹	packing
69869	**Graphite Nanopowder Lubricant Grade**	8100.00 33550.00	5g 25g
C [7782-42-5]	M.W. 12.01 Assay — min.99.5%, APS: 50 nm, pH: 6~7, Moisture: 0.3%, SSA: not measured, Morphology: Hex-Lamellar, Bulk density: N/A True density: 2.26 g/cm^3		



38058	**Graphite Fluoride Nanopowder** (Carbon Monofluoride)	2630.00 7460.00	1g 5g
C [51311-17-2]	M.W. 12.01 Fluoride content — 56-61 wt.%,APS: 1~10μm, Appearance: Grey/White, Density: 2.5 g/cm^3, D90: 8μm, Electrical resistivity: ~1011(Ωm), Friction factor: <0.14, Surface energy: 7.01(Mj/m^2), F/C Ratio: 0.8~1.1		
39525	**Graphite Oxide Nanopowder** (Graphene Oxide)	2630.00 6830.00	100mg 500mg
C [7782-42-5]	M.W. 12.01 Preparation method: Modified hummer's method	12080.00	1g
11934	**Graphite Pyrolytic Micronpowder**	8400.00	5g
C [7782-42-5]	M.W. 12.01		
69895	**Hydroxyapatite Micronpowder** (Calcium phosphate tribasic, Calcium hydroxyapatite)	5780.00 12130.00	5g 25g
[12167-74-7]			
13616	**Hydroxyapatite Nanopowder** (Calcium Hydroxyapatite, Calcium phospate tribasic)	7880.00 15230.00	5g 25g
$Ca_{10}(PO_4)_6(OH)_2$ [12167-74-7]	M.W. 502.31 Assay — min.99%, APS: 20nm, Morphology: Needle-like		
66614	**Indium (III) Oxide Nanopowder ultrapure**	33040.00	1g
In_2O_3 [1312-43-2]	M.W. 277.64 Assay — min.99.99%, APS: 50nm		
45974	**Lanthanum Oxide Nanopowder ultrapure**	3680.00 13130.00	5g 25g
La_2O_3 [1312-81-8]	M.W. 325.81 Assay — min.99.99%, APS: 90nm		
52726 [15365-14-7] ✔	**Lithium Iron (II) Phosphate Micronpowder** (Ferrous lithium phosphate, Iron lithium phosphate, LFP, Triphylite) (Lithium-Ion Cathode Battery material)	4310.00 8610.00	5g 25g
53768	**Lithium Titanate (LTO) (Spinel) Nanopowder** (Tetralithium titanate)	11500.00 18000.00	5g 10g
$Li_4Ti_5O_{12}$ [12031-95-7]	M.W. 459.09 Assay — min.99.5%, APS: 50nm		



code	product name	unit price ₹	packing
69667 $MgAl_2O_4$ [12068-51-8]	**Magnesium Aluminate (Spinel) Nanopowder** M.W. 142.27 Assay — min.99%, APS: 50nm	4120.00 7200.00	1g 2g
71829 MgO [1309-48-4]	**Magnesium Oxide Nanopowder** M.W. 40.30 Assay — min.99.5%, APS: 50nm	2500.00 7500.00	1g 2g
56176 Fe3O4 [73905-81-4]	**Magnetic Iron Oxide Nanocrystals Powder** Assay — min.99%, APS: 20nm Magnetization (M): 32.4emu/g Magnetic Susceptibility (xg): 0.0072 c.g.s	119620.00	20mg
85918 Mn_2O_3 [1317-34-6]	**Manganese (III) Oxide Nanopowder** (Manganese sesquioxide) M.W. 157.87 Assay — min.99%, APS: 50nm	8400.00	10g
31562 [247058-06-6]	**Methyl 4,4"-Dimethyl-[2,2':6',2"-Terpyridine]-4'-Carboxylate extrapure, 95%** Used as a ligand in solar cell research	11730.00 18120.00	50mg 100mg
83005 MoS_2 [1317-33-5]	**Molybdenum Disulfide Nanopowder Lubricant Grade** M.W. 160.07 Assay — min.99.0%, APS: 90nm, SSA: 35 m^2/g Morphology: nearly spherical Bulk Density: ~0.78 g/cm^3, True density: 5.06 g/cm^3	11250.00 21210.00	5g 10g
16806 [141460-19-7] ✔	**N3 Red Dye, 95%** (Bis(Isothiocyanato)bis (2,2'-Bipyridyl-4,4'-Dicarboxylato) Ruthenium(II)) Used as a dye in solar cell research	7880.00	100mg
30786 [207347-46-4]	**N719 Dye, 95%** (Di-Tetrabutylammonium cis-Bis(Isothiocyanato) Bis(2,2'-Bipyridyl-4,4'-Dicarboxylato) Ruthenium(II)) Used as a dye in solar cell research	5780.00 11550.00 33600.00	50mg 250mg 1g
52716 [359415-47-7] 🌡	**N749 Dye (Black Dye), 95%** (Triisothiocyanato-(2,2':6',6"-Terpyridyl-4,4', 4"-Tricarboxylato) Ruthenium(II) Di(Tetra-Butylammonium)) (Ruthenium 620) Used as a dye in solar cell research	20790.00	50mg
35001 Ni [7440-02-0]	**Nickel Nanopowder** A.W. 58.71 Assay — min.99.9%, APS: 20nm, SSA: 55m^2/g Morphology: Spherical	28920.00	5g
32293 NiO [1313-99-1]	**Nickel (II) Oxide Nanopowder** (Nickel Monoxide) M.W. 74.69 APS: <50nm	9500.00	25g
73985	**Nickel Titanium Alloy Nanopowder** (Ni~50% Ti~50%) Assay (Ni/Ti) — min.99.9%, APS: 30-120 nm	18510.00 55530.00	250mg 1g

code	product name	unit price ₹	packing
69691 $NiZnFe_2O_4$	**Nickel Zinc Ferrite Nanopowder** (NZFO) (Ni: 0.5 Zn: 0.5) Assay — min.99.9%, APS: 50nm Typical magnetic properties: Saturation magnetization Ms: 51 emu/g Remanent magnetization Mr: 4.2 emu/g Coercivity: 53 Oe	15630.00	5g
74380 🌡	**Perovskite Quantum Dots (pQD 450), Fluorescence 450nm (Hydrophobic)**	18900.00	50mg
15360 🌡	**Perovskite Quantum Dots (pQD 480), Fluorescence 480nm (Hydrophobic)**	18900.00	50mg
77345 🌡	**Perovskite Quantum Dots (pQD 510), Fluorescence 510nm (Hydrophobic)**	18900.00	50mg
23300 🌡	**Perovskite Quantum Dots (pQD 550), Fluorescence 550nm (Hydrophobic)**	18900.00	50mg
22116 Pd [7440-05-3]	**Palladium Nanopowder (Type I)** A.W. 106.42 Assay — min.99.9%, APS: 30nm	13000.00 26000.00	100mg 500mg
41341 Pd [7440-05-3]	**Palladium Nanopowder (Type II)** A.W. 106.42 Assay — min.99.95%, APS: 400nm	42040.00	100mg
14387 Pt [7440-06-4]	**Platinum Nanopowder** A.W. 195.08 Assay — min.99.9%, APS: 50nm	85800.00	250mg
65469 [9002-88-4]	**Polyethylene Nanospheres - Type 1 (740-4990nm)** Density: 0.98g/cc, Spherical Particles — min. 90%, APS: 740nm-4990nm Particle Distribution: d4=1060nm, d50=2180nm, d95=3210nm, Auto-Ignition Temperature: 330-410dC Nanospheres are supplied in dry powder form. Polyethylene nano powder can be used to produce porous ceramics by burning out the polymer or as an anti wetting agent.	7380.00 17010.00	25mg 100mg
50349 [9002-88-4]	**Polyethylene Nanospheres - Type 2 (200-9900nm)** Density: 0.95g/cc, Spherical Particles — min 90%, APS: 200nm-9900nm, Particle Size Distribution: d25=990nm, d50=2090nm, d96=7290nm, d99=9610nm, Auto-Ignition Temperature: 330-410dC Nanospheres are supplied in dry powder form. Polyethylene beads can be used to produce porous ceramics by burning out the polymer at temperatures above autoignition. Polyethylene nanospheres are hydrophobic and need to be coated with a surfactant prior to suspending in water.	6700.00 15650.00	25mg 100mg

code	product name	unit price ₹	packing
64798	**Poly(Methyl Methacrylate) (pMMAC) Nanospheres (1500-11500nm)**	4430.00 18150.00	100mg 500mg
(C5O2H8)n [9011-14-7]	Density: 1.40g/cc, Spherical Particles — min. 95%, APS: 1500nm-11500nm, Particle Size Distribution: d9=3100nm, d50=5840nm, d90=8500nm, d97=9800nm, Auto-Ignition Temperature: 325-380dC Poly(Methyl Methacrylate) spheres can be used to produce porous ceramics by burning out the polymer at temperatures above autoignition. PMMA nanospheres are hydrophilic and do not require surfactant for suspending in water.		
28699	**Selenium Nanopowder in aq. media**	118760.00	2ml
Se [7782-49-2]	A.W. 78.96 Concentration: 0.1mg/ml, APS: 50nm Note: Selenium nanoparticles have strong absorption around 565nm (bright red)		
26112	**Silicon Nanopowder**	5200.00 24000.00	1g 5g
Si-Crystalline [7440-21-3]	A.W. 28.09 Assay — min.98%, APS: 40nm		
43362	**Silicon Carbide Nanopowder**	5570.00 19440.00	25g 100g
SiC [409-21-2]	M.W. 40.10 Assay — min.98%, APS: 50-80nm		
69294	**Silicon Dioxide Nanopowder** (Hydrophilic SiO_2)	2220.00 7020.00	25g 100g
SiO_2,amorphous [7631-86-9]	M.W. 60.08 Assay — min.99.5%, APS: 15nm, SSA: 650m^2/g		
22806	**Silicon Dioxide (Silica) Nanodispersion Type A (20nm), 40% in water**	1950.00 5940.00	25g 100g
SiO2 [7631-86-9]	M.W. 60.08 APS: 20nm Particle charge (-), pH 9, Viscosity: 25 cps 40wt% in H_2O, colloidal dispersion		
69337	**Silicon Dioxide (Silica) Nanodispersion Type B (20nm), 40% in water**	1950.00 5940.00	25g 100g
SiO2 [7631-86-9]	M.W. 60.08 APS: 20 nm Particle charge (-), Sodium stabilizing counter ion, pH 10.0, Viscosity: 13 cps 40wt% in H_2O, colloidal dispersion		
38475	**Silicon Monoxide Nanopowder**	8510.00 33600.00	1g 5g
[10097-28-6]	(Lithium-ion Battery (LIB) Anode Material)		
63338	**Silicon Nitride Nanopowder**	5100.00 16500.00	1g 5g
Si_3N_4 [12033-89-5]	M.W. 140.28 Assay — min.99%, APS: 20nm		
44416	**Silver Nanopowder (Type I)**	10100.00 19000.00	5g 10g
Ag [7440-22-4]	A.W. 107.87 Assay — min.99.9% APS: <90nm		
36214	**Silver Nanopowder (Type II)**	21320.00 34110.00	5g 10g
Ag [7440-22-4]	A.W. 107.87 Assay — min.99.95%, APS: 20nm		


code	product name	unit price ₹	packing
53941	**Silver Nanowires**	58030.00	10mg
Ag [7440-22-4]	A.W. 107.87 Dia 100 nm x Length: 50 microns		
46912 🌡	**Silver Nanoparticles Dispersion (Spherical) (AG20), 0.02mg/ml in Citrate (5mM)**	5500.00 11500.00	10ml 25ml
Ag [7440-22-4]	A.W. 107.87 APS: 20nm Concentration: 7.0x10^{11} particles/ml Truely monodisperse Silver nanoparticles in aqueous media, 0.02 mg/ml, supplied in 2mM citrate.		
49241 🌡	**Silver Nanoparticles Dispersion (Spherical) (AG40), 0.02mg/ml in Citrate (2mM)**	5500.00 11500.00	10ml 25ml
Ag [7440-22-4]	A.W. 107.87 APS: 40nm Concentration: 9x10^{10} particles/ml Truely monodisperse Silver nanoparticles in aqueous media, 0.02 mg/ml, supplied in 2mM citrate.		
58322 🌡	**Silver Nanoparticles Dispersion (Spherical) (AG60), 0.02mg/ml in Citrate (2mM)**	5500.00 11500.00	10ml 25ml
Ag 7440-22-4]	A.W. 107.87 APS: 60nm Concentration: 2.6x10^{10} particles/ml Truely monodisperse Silver nanoparticles in aqueous media, 0.02 mg/ml, supplied in 2mM citrate.		
15669	**Stannic Oxide Nanopowder** (Tin (IV) oxide)	4200.00 12080.00	5g 25g
SnO_2 [18282-10-5]	M.W. 134.71 Assay — min.99.5%, APS: 60nm		
27873	**Tantalum Nanopowder**	43010.00	1g
Ta [7440-25-7]	A.W. 180.95 Assay — min.99.9%, APS: 70nm		
74708 ♦	**Tectomer 2-Tailed (C8H16(CH2NHGLY4)2.2HCl), 90%**	13130.00	5mg
73330 ♦	**Tectomer 3-Tailed (CH3C(CH2-NH-Gly7)3.3CF3CO2H), 90%** (N,N',N'"-Tris(glycylglycylglycylglycylglycylglycylglycylglycine)-tris(2-aminomethyl)ethane tetra(trifluoroacetate) salt)	13130.00	5mg
27570 [318286-59-8] ♦	**Tectomer 4-Tailed (C(CH2-NH-Gly7)4.4HCl), 90%** (N,N',N'",N'"-Tetrakis (glycylglycylglycylglycylglycylglycylglycylglycine)-tetrakis(aminomethyl)methane tetrahydrochloride, Glycylglycylglycylglycylglycylglycylglycylglycine tetraamide with 2,2-bis(aminomethyl)-1,3-propanediamine)	13130.00	5mg
72951	**Titanium Nanopowder**	9530.00	1g
Ti [7440-32-6]	A.W. 47.86 Assay — min.99.9%, APS: 50nm		
74629	**Titanium Dioxide Photocatalyst Nanopowder** (Tin (IV) oxide)	5100.00 13000.00	25g 100g
TiO_2-Anatase [13463-67-7]	M.W. 79.87 Assay — min.95%, APS: ~10nm, SSA: 326m^2/g		

code	product name	unit price ₹	packing
90885	**Titanium Dioxide Catalyst Nanopowder** (Titanium (IV) oxide)	3400.00 10200.00	25g 100g
TiO_2-Anatase [13463-67-7]	M.W. 79.87 Assay — min.98%, APS: ~50nm		
94632	**Titanium Dioxide Anatase Nanodispersion (15nm), 15% in water** (Titanium (IV) oxide)	9500.00	25g
TiO2-Anatase [13463-67-7]	M.W. 79.87 APS: 15nm 15wt% in H_2O, colloidal dispersion		
40566	**Titanium Dioxide Ultrapure Nanopowder** (Titanium (IV) oxide)	4000.00 11200.00	25g 100g
TiO_2-Rutile [13463-67-7]	M.W. 79.87 Assay — min.99.97%, APS: 250nm		
35299	**Titanium Dioxide Rutile Nanopowder** (Hydrophilic, High Opacity)(with Alumina & Silica coating, UV resistance) (Titanium (IV) oxide)	3900.00	25g
TiO_2-Rutile [13463-67-7]	M.W. 79.87 Assay — min.92%, APS: 20nm,		
10161	**Titanium Dioxide Rutile Nanopowder (Hydrophobic)** (with Alumina+Fatty acid coating)	5500.00	25g
TiO_2-Rutile [13463-67-7]	M.W. 79.87 Assay — min.99%, APS: 50nm		
86729	**Titanium Dioxide Rutile Nanopowder (Hydrophilic)** (with SiO_2 coating) (Titanium (IV) Oxide)	3900.00 11500.00	25g 100g
TiO_2-Rutile [13463-67-7]	M.W. 79.87 Assay — min.99%, APS: 50nm		
64394	**Titanium Dioxide Rutile Nanodispersion (30nm), 40% in water**	7800.00	25g
TiO_2-Rutile [13463-67-7]	M.W. 79.87 APS: 30nm 40wt% in H_2O, colloidal dispersion		
16547	**Titanium Dioxide Nanowires (Type 1)** (Titanium (IV) oxide)	12500.00	100mg
TiO_2 [13463-67-7]	M.W. 79.87 OD: 10nm, Length: >10um (Supplied in semi-paste/suspension form)		
22091	**Titanium Dioxide Nanowires (Type 2)** (Titanium (IV) oxide)	12500.00	100mg
TiO_2 [13463-67-7]	M.W. 79.87 OD: 100nm, Length: 10-30um (Supplied in semi-paste/suspension form)		
52163	**Titanium Nitride Nanopowder** (Titanium (III) nitride)	27970.00	10g
TiN [25583-20-4]	M.W. 61.874 Assay — min.97%, APS: 20nm		
75513 [1392221-69-0] ✔	**FK 102 Co(II) PF6 Salt Complex, 98%** (Tris(2-(1H-pyrazol-1-yl)pyridine) cobalt(II) Di[hexafluorophosphate]) Used as a dye in solar cell research	3680.00 12600.00	1g 5g
51632 [1346416-71-4] ✔	**FK 102 Co(III) PF6 Salt Complex, 98%** (Tris(2-(1H-pyrazol-1-yl)pyridine) cobalt(III) Tri[hexafluorophosphate]) Used as a dye in solar cell research	4730.00 15750.00	1g 5g
66142 ✔	**FK 102 Co(II) TFSI Salt Complex, 98%** (Tris(2-(1H-pyrazol-1-yl)pyridine) cobalt(II) Di[bis(trifluoromethane)sulfonimide]) Used as a dye in solar cell research	3680.00 12600.00	1g 5g
84076 [2057441-94-6] ✔	**FK 102 Co(III) TFSI Salt Complex, 98%** (Tris(2-(1H-pyrazol-1-yl)pyridine) cobalt(III) Tri[bis(trifluoromethane)sulfonimide) Used as a dye in solar cell research	2630.00 8930.00	1g 5g
33139 [1197995-33-7] 🌡	**Triethyl [2,2':6',2"-Terpyridine]-4,4',4"-Tricarboxylate extrapure, 95%** Used as a ligand in solar cell research Assay — min.95%	10660.00	50mg
88917 W [7440-33-7]	**Tungsten Nanopowder** A.W. 183.84 Assay — min.99.9%, APS: 50nm	9260.00 34710.00	1g 5g
51456 WC [12070-12-1]	**Tungsten Carbide Nanopowder** M.W. 195.86 Assay — min.99%, APS: 60nm	7140.00 26710.00	25g 100g
23882 [12138-09-9]	**Tungsten Disulfide (WS2) Aerosol Spray (13Oz/369g)**	16360.00	1piece

Tungsten Disulfide (WS2) Aerosol Spray offers convenient way to apply thin film of Tungsten Disulfide (WS2) coating on any surface as well as in hard to reach places. Tungsten Disulfide (WS2) Spray provides extreme lubricity, dry lubricant film on a substrate.


- Bonds well with substrates and form a coating film
- WS2 is chemically inert
- High Temperature lubrication
- Very high load bearing properties
- Contains no fluorocarbons or lead
- Not harmful to Ozone

78519 WS_2 [12138-09-9]	**Tungsten Disulfide Nanopowder** M.W. 247.98 Assay — min.99.0%, APS: 90nm, SSA: 30m^2/g Morphology: Hexagonal Lamellar, True Density: 7.5g/cm^3	3120.00 11430.00	1g 5g



code	product name	unit price ₹	packing
23851	**Tungsten Trioxide Nanopowder**	2210.00 9450.00	5g 25g
WO_3 [1314-35-8]	M.W. 231.84 Assay — min.99.5%, APS: 60-90nm		
82874 [502693-09-6] ✔	**Z907 Dye, 95%** (cis-Bis(Isothiocyanato) (2,2'-Bipyridyl-4,4'-Dicarboxylato)(4,4'-Di-Nonyl-2'-Bipyridyl) Ruthenium(II)) Used as a dye in solar cell research	5780.00 16280.00	50mg 250mg
19366	**Zeolite - Mesoporous Carbon Nanopowder (CMK-3 Type)**	13130.00 19950.00	100mg 250mg
C [7440-44-0]	A.W. 6.00 Size: ~1 μm (0.5 - 5 μm), Micropore volume - 0.01cc/g, SSA (BET): ~1000 m^2/g, Assay : min 99% Pore diameter: 5.57nm, Total pore volume: 1.2-1.5 cm2/g (1.35cc/g)		
31755	**Zeolite - Mesoporous Silica Molecular Sieve Kit-5**	12600.00	1g
65276	**Zeolite - Mesoporous Silica Molecular Sieve Kit-6**	12600.00	1g
83881	**Zeolite - Mesoporous Silica Nanopowder (1D-Hexagonal SBA-15 Type)**	3150.00 9480.00	250mg 1g
[7631-86-9]	Average BJH Pore size: 8.5nm, SSA (BET): 718 m^2/g, Framework pore volume: 0.90 cc/g Total pore volume: 0.93 cc/g		
97621	**Zeolite - Mesoporous Silica Nanopowder (1D-Hexagonal SBA-41 Type)**	14580.00 21380.00	250mg 500mg
[7631-86-9]	Average BJH Pore size: 2.4nm, SSA (BET): 1050 m^2/g, Framework pore volume: 0.79 cc/g Total pore volume: 0.92 cc/g		
63876	**Zeolite - Mesoporous Silica Nanopowder (3D-Cubic MCM-48 Type)**	14580.00 .00	250mg 500mg
[7631-86-9]	Average BJH Pore size: 2.1nm, SSA (BET): 1600 m^2/g, Framework pore volume: 0.85 cc/g Total pore volume: 1.1 cc/g		
52201 [1318-02-1]	**Zeolite - Ultrastable Y**	21380.00	5g
79132	**Zeolite - Molecular Sieve SAPO-11** (Sodium aluminium silicate)	9720.00	5g
74601	**Zinc Nanopowder**	10290.00	5g
Zn [7440-66-6]	A.W. 65.38 Assay — min.99.9%, APS: 50nm		

code	product name	unit price ₹	packing
50841	**Zinc Ferrite Nanopowder**	5500.00	10g
$ZnFe_2O_4$	M.W. 241.08 Assay — min.99.9%, APS: 50nm Typical magnetic properties: Saturation magnetization Ms: 4.0 emu/g Remanent magnetization Mr: 0.06 emu/g Coercivity: 84 Oe		
91148	**Zinc Oxide Nanopowder (Type I)**	2190.00 4370.00 6550.00 27260.00	10g 25g 100g 500g
ZnO [1314-13-2]	M.W. 81.38 Assay — min.99.9%, APS: ~30nm		
60345	**Zinc Oxide Nanopowder (Type II)**	2190.00 4370.00 6550.00 27260.00	5g 25g 100g 500g
ZnO [1314-13-2]	M.W. 81.38 Assay — min.99.999% APS: 240nm		
64168	**Zinc Oxide Nanodispersion Type A-Nonionic (70nm), 50% in water**	10180.00	10g
ZnO [1314-13-2]	M.W. 81.38 APS: 70nm 50wt% in H_2O, colloidal dispersion with nonionic dispersant Application: Nonionic dispersion of zinc oxide in water is designed to be incorporated in coatings applied to a fabric or non-woven substrates. Zinc oxide is generally used to provide UVa and UVb blocking.		
80467	**Zinc Oxide Nanodispersion Type B-Anionic (70nm), 50% in water**	9770.00	10g
ZnO [1314-13-2]	M.W. 81.38 APS: 70nm 50wt% in H_2O, colloidal dispersion with anionic dispersant Application: Anionic dispersion of zinc oxide in water is designed to be incorporated in coatings applied to a fabric or non-woven substrates. Zinc oxide is generally used to provide UVa and UVb blocking.		
74963	**Zinc Oxide Nanodispersion Type C-Cationic (70nm)**	9770.00	10g
ZnO [1314-13-2]	M.W. 81.38 APS: 70nm 50wt% in H_2O,colloidal dispersion with cationic dispersant Application: Cationic dispersion of zinc oxide in water is designed to be incorporated in coatings applied to a fabric or non-woven substrates. Zinc oxide is generally used to provide UVa and UVb blockings.		
99997	**Zinc Titanate Nanopowder**	16820.00	1g
Zn_2TiO_4 [12036-43-0]	M.W. 242.62 Assay — min.99.5%, APS: 90nm		
38501	**Zirconium Oxide Nanopowder** (Zirconia, Zirconium (IV) oxide)	3500.00 9000.00	25g 100g
ZrO_2 [1314-23-4]	M.W. 123.22 Assay — min.99.5% APS: ~45nm		



code	product name	unit price ₹	packing

code	product name	unit price ₹	packing

Nanotechnology Products Classification

Battery Materials
Lithium Iron (II) Phosphate
Silicon Monoxide

Boron Nitride Nanotubes
Boron Nitride (Bamboo & Cylindrical)

Carbon, Graphene & Graphite Nanopowders
Aminated Graphene Amino-PEG
Aminated Graphene Octadecylamine
Carbon (Porous)
Graphene (Single layer, factory, industrial quality)
Graphene Carboxyl
Graphene Film (super pape - GFSP)
Graphene Nitrogen-doped
Graphene Oxide Film (super paper GOFSP)
Graphene Oxide (Single layer)
Graphene Platelet (Type 1,2,3)
Graphite (Type 1, 2 & Lubricant Grade)
Graphite Fluoride
Graphite Oxide

Carbon Nanotubes (Regular & Functionalized, Helical , Thin-walled & Nickel coated)
DWDNT (Type 1-4)
HMWCNT (Type 1)
MWCNT (Type 1-19)
MWCNT-Ni (Type 1-4)
SWCNT (Type 1-12)
TWCNT (Type 1)

Dispersants for Nanotubes
CNT Dispersant AC
CNT Dispersant AQ

Dye-Sensitized Solar Cell Products
Bis(2',4'-Bis(Hexyloxy)Biphenyl-4-yl)Amine
C106 Dye
Diisobutyl 2,2'-Bipyridine-4,4'-Dicarboxylate
FK 102 Co(II) PF6 Salt Complex
FK 102 Co(III) PF6 Salt Complex
FK 102 Co(II) TFSI Salt Complex
FK 102 Co(III) TFSISalt Complex
K19 Dye
Methyl 4,4''-Dimethyl-[2,2':6',2''-Terpyridine]-4'-Carboxylate
N3 Red Dye
N719 Dye
N749 Dye (Black Dye)
Triethyl [2,2':6',2''-Terpyridine]-4,4',4''-Tricarboxylate
Z907 Dye

Fullerene
Fullerene C60
Fullerene C70

General Nanopowders
Alumina (Alpha & Gamma)
Antimony Trioxide
Beomite
Bismuth (III) Oxide
Boron Carbide
Boron Nitride (Powder & Aerosol Spray)
Calcium Carbonate
Calcium Phosphate
Chitosan
Chromium (III) Oxide
Clay
Cupric Oxide
Ferric Oxide (Alpha)
Ferric Oxide (Gamma)
Ferrous Ferric Oxide
Hydroxyapatite
Indium (III) Oxide ultrapure
Lanthanum Oxide ultrapure
Maganese (III) Oxide
Molybdenum Disulfide Lubricant Grade
Nickel (II) Oxide
Nickel Titanium Alloy
Silicon Carbide
Silicon Dioxide
Silicon Nitride
Stannic Oxide
Titanium (IV) Oxide Rutile & Anatase (Catalyst, Photocatalyst, Ultrapure, High Opacity, Hydrophilic, Hydrophobic)
Tungsten Carbide
Tungsten Disulfide (Powder & Aerosol Spray)
Tungsten Trioxide
Zinc Oxide
Zirconium Oxide

Magnetic Ferrite Nanopowders
Cobalt Ferrite
Cobalt Zinc Ferrite
Magnetic Iron Oxide Nanocrystals Powder
Nickel Zinc Ferrite
Zinc Ferrite

Zeolites
Alumina (3D-Wormhole)
Carbon (CMK-3)
Silica (MCM-48, SBA-15, SBA-41,SAPO-11, Ultrastable Y, Molecular Sieve Kit)

Multi-Element Oxide Nanopowders
Aluminum Titanate
Barium Titanate
Calcium Phosphate
CalciumTitanate
Calcium Zirconium Oxide
Lithium Titanate
Magnesium Aluminate
Manganese (II) Titanate
Zinc Titanate
Zirconium Silicate

Nanodispersions
Aluminium Oxide
Graphene Carboxyl (Water)
Graphene Oxide (Water & ethanol)
Monodisperse Silver (AG20, AG40, AG60)
Monodisperse Gold (AU05, AU10, AU20, AU40, AU60)
Silicon Dioxide (Type A & B)
Titanium Dioxide (Anatase & Rutile)
Zinc Oxide (Type A-Nonionic, B-Anionic, C-Cationic)

Nanowires
Copper
Silver
Titanium Dioxide (Type 1 & 2)

Polymer Nanospheres
Polyethylene (Type 1-2)
Poly(Methyl Methacrylate) (pMMAC)

Quantum Dots
CdSe/ZnS Core Shell (560nm, 600nm, 630nm)
CdTe Core Type COOH Functionalized (510nm, 610nm, 710nm)
Graphene
Perovskite (450nm, 480nm, 510nm, 550nm)

Single-Element Nanopowders
Aluminium (Type 1 & 2)
Copper
Diamond
Gold
Nickel
Palladium (Type I & II)
Platinum Nanoparticles (w/ polymer) ultrapure
Platinum
Silicon
Silver (Type I & II)
Tantalum
Titanium
Tungsten
Zinc

Tectomers
2-Tailed
3-Tailed
4-Tailed

Pharmacopoeial Products (IP/BP/USP/NF)



We take pride in introducing a select range of pharmacopoeial grade products according to IP/BP/USP/NF to meet the critical requirements of the pharmaceutical and biotech industries for drug manufacture and diagnostics use.

These products have stringent limits of purity and impurities, often more critical than specified in the pharmacopoeial standards. This will enable the niche pharmaceutical manufacturers to obtain very high quality raw material ingredients indigenously.

IP, BP, USP & NF Product List

A4P392	6-Aminocaproic Acid IP
A4P393	6-Aminocaproic Acid BP
A4P394	6-Aminocaproic Acid USP
G4P100	Glycine IP
G4P101	Glycine BP
G4P102	Glycine USP
P4P328	L-Proline BP
P4P329	L-Proline USP
P4P330	Propyl Gallate IP
P4P331	Propyl Gallate BP
P4P332	Propyl Gallate NF
S4P306	Salicylic Acid IP
S4P307	Salicylic Acid BP
S4P308	Salicylic Acid USP
S4P304	Sodium Caprylate BP
S4P305	Sodium Caprylate NF
S4P312	Sodium Lauryl Sulphate IP
S4P313	Sodium Lauryl Sulphate BP
S4P309	Sucrose IP
S4P310	Sucrose BP
S4P311	Sucrose USP
T4P289	Tris (Hydroxymethyl) Aminomethane USP (Tromethamine)(Tris Buffer)





Sodium Lauryl Sulphate

A highly versatile product for Drug Dissolution Testing, Quality Control, Research and Electrophoresis applications.

For Drug Dissolution Testing Studies

Sodium Lauryl Sulphate (Sodium Dodecyl Sulphate, SLS, SDS) is a strong component of the media used for Dissolution Testing in In Vitro methods for water-soluble and slightly-water-soluble drugs. It's importance as a simulated gastric/intestinal media ingredient makes it's quality a critical factor in the accuracy of results.

Principally used as a QC Test, Dissolution Testing, SDS of AR & High Purity grades are the most prevalent reagents in use due to constant production improvements, testing and stability studies. SRL is one of the first developers of the High Purity SLS (99.5%) which is fast-becoming the industry standard across the Pharma QC Testing, with many scientists now adopting the newer improved grade as a Protocol standard.

Our Premier Product, Sodium Lauryl Sulphate High Purity (99.5%) (35825) can,

- Eliminate further purification by the customer by foaming & other processes, demonstrate exceptionally lower lauryl alcohol (LA) impurities
- Improve testing accuracy and confirm lot-to-lot bioequivalence
- Ensure consistent and reliable results in In Vitro Testing and Intrinsic Dissolution Rate (IDR) studies
- Secure accurate Dissolution profiles (suitable to fast-release and slow-release drugs)
- Assist in detection of relevant product changes so as to ensure the quality and consistent performance of final products

For SDS Polyacrylamide Gel Electrophoresis (SDS-PAGE) Studies

Primarily used in the denaturing of proteins, Sodium Lauryl Sulphate of high purity and molecular biology grades play a critical role in PAGE electrophoresis techniques as well as SDS Gradient Gel Electrophoresis to,

- Unfold normally buried polypeptide chains while retaining their normal (native) structure
- Bind to difficult regions (hydrophobic regions) within the protein chains
- Induce a predominant negative charge for the subsequent electrophoresis
- Ensure a electrophoretic separation for a large number (and types) of proteins

Types of Sodium Lauryl Sulphate we offer:

Product code	Product Name	Assay	Pack Size
54468	Sodium Lauryl Sulphate extrapure AR, ACS	(C12) min. 99% (GC)	100g, 250g, 500g, 1kg
99671	Sodium Lauryl Sulphate for HPLC	(C12) min. 99% (GC)	10g, 25g, 100g, 1kg
32096	Sodium Lauryl Sulphate for molecular biology	(C12) min. 99.5% (GC)	25g, 100g, 500g
35825	Sodium Lauryl Sulphate High Purity	(C12) min. 99.5% (GC)	25g, 100g, 500g
85369	Sodium Lauryl Sulphate (10%) solution	10%	100ml
87545	Sodium Lauryl Sulphate (20%) solution	20%	250ml
34378	Sodium Lauryl Sulphate BP	min. 85%	1kg
93117	Sodium Lauryl Sulphate IP	min. 85%	1kg
14374	Sodium Lauryl Sulphate pure	min. 85% (dry basis)	500g, 5kg

Larger pack sizes 1kg, 5kg, 25kg available on request



Products in **Bulk**





YOU have used our Micro packs have used our Lab packs ...now use our BULK packs!

To meet the increasing demand of the growing chemical, pharmaceutical and biotech industry, we offer a large range of our AR and extrapure grade, organic and inorganic compounds, solvents, absorbents, amino acids, biological buffers, sugars, biochemicals and dehydrated culture media in suitable sealed, safe and non-contaminating bulk packs.

Product Code	Product Name	CAS Number	Purity (min)	Pack size
12052	4-Acetamido-2,2,6, 6-Tetramethylpiperidine-1-Oxyl (Acetamido TEMPO) pure	14691-89-5	98%	5kg
90868	Acetic Acid Glacial extrapure	64-19-7	99.5%	25lit
15168	Acetone extrapure AR	67-64-1	99.5%	25lit
31566	Acetone pure	67-64-1	99%	25lit
49967	Acetonitrile (ACN) extrapure	75-05-8	99%	25lit
84578	Acetonitrile (ACN) extrapure AR	75-05-8	99.5%	25lit
15873	Acetophenone extrapure	98-86-2	99%	25lit
60452	Acrylic Acid pure	79-10-7	99%	25lit
60064	Adipic Acid pure	124-04-9	99%	25kg
19661	Agar powder regular grade for bacteriology	9002-18-0	–	25kg
97350	Albumin Bovine (pH 5.2) fraction V (Bovine Serum Albumin, BSA)	9048-46-8	98%	1kg
83803	Albumin Bovine (pH 6-7) fraction V (Bovine Serum Albumin, BSA)	9048-46-8	98%	1kg
17996	Aliquat 336	63393-96-4	88%	25lit
19093	Allyl Alcohol pure	107-18-6	98%	25lit
73056	Allyl Bromide pure	106-95-6	98%	25lit
92459	Allyl Chloride pure	107-05-1	98%	25lit
34321	Aluminium Oxide activated (Basic) for column chromatography	1344-28-1	–	25kg
39882	Aluminium Oxide activated (Neutral) for column chromatography	1344-28-1	–	25kg
62690	Aluminium Oxide G (Neutral) for TLC (with binder)	1344-28-1	–	25kg
44683	Ammonium Acetate extrapure AR	631-61-8	98%	25kg
46813	Ammonium Bromide pure	12124-97-9	99%	25kg
25103	Ammonium Chloride extrapure AR	12125-02-9	99.5%	25kg
84937	Ammonium Ferrous Sulphate Hexahydrate extrapure AR	7783-85-9	99%	25kg

Product Code	Product Name	CAS Number	Purity (min)	Pack size
85084	Ammonium Oxalate Monohydrate extrapure	6009-70-7	98%	25kg
72913	Ammonium Oxalate Monohydrate extrapure AR	6009-70-7	99%	25kg
61563	Ammonium Phosphate Monobasic extrapure AR	7722-76-1	99%	25kg
88064	Ammonium Sulphate extrapure AR	7783-20-2	99.5%	25kg
23006	L-Ascorbic Acid extrapure AR	50-81-7	99.7%	25kg
78118	Barium Chloride Dihydrate pure	10326-27-9	99%	25kg
68554	Barium Chloride Dihydrate extrapure AR	10326-27-9	99%	25kg
85499	Barium Hydroxide Octahydrate pure	12230-71-6	98%	25kg
37278	Benzaldehyde pure	100-52-7	99%	25lit
16410	Benzene extrapure AR	71-43-2	99.7%	25lit
51448	Benzophenone extrapure	119-61-9	99.0%	25kg
30307	Benzyltrimethyl Ammonium Hydroxide 40% in Methanolextrapure	100-85-6	~40%	25lit
78388	1-Bromodecane pure	112-29-8	98%	25lit
80870	Butyl Acetate extrapure AR	123-86-4	99%	25lit
95725	sec-Butyl Alcohol extrapure	78-92-2	99%	25lit
21835	tert-Butyl Alcohol extrapure	75-65-0	99%	25lit
72768	n-Butyl Alcohol extrapure AR	71-36-3	99.5%	25lit
33781	tert-Butyl Bromide pure	507-19-7	98%	25lit
38033	Butylated Hydroxytoluene (BHT) pure	128-37-0	99%	25kg
79927	tert-Butyl Methyl Ether pure	1634-04-4	98%	25lit
94340	(+) Camphor Sulphonic Acid pure	3144-16-9	97%	25kg
20940	(-) Camphor Sulphonic Acid pure	35963-20-3	99%	25kg
45662	Cellulose Acetate Phthalate extrapure	9004-38-0	–	25kg
81586	Cetrimide extrapure AR	1119-97-7	99%	25kg
66302	Cetyltrimethyl Ammonium Bromide (CTAB) extrapure AR	57-09-0	99%	25kg



Product Code	Product Name	CAS Number	Purity (min)	Pack size
89370	Chlorobenzene extrapure	108-90-7	99%	25lit
96712	Chloroform extrapure	67-66-3	99%	25lit
54181	Cholesterol extrapure	57-88-5	–	5kg
49897	Citric Acid Monohydrate extrapure	5949-29-1	99.5%	25kg
43667	Citric Acid Monohydrate extrapure AR	5949-29-1	99.7%	25kg
38869	Cupric Sulphate Pentahydrate pure	7758-99-8	99%	25kg
61298	Cupric Sulphate Pentahydrate extrapure AR	7758-99-8	99.5%	25kg
65291	Cyanogen Bromide pure	506-68-3	97%	1kg
20259	Cyclohexane extrapure	110-82-7	99%	25lit
98395	Cyclohexanecarboxaldehyde pure	2043-61-0	97%	25lit
31726	Cyclohexanone extrapure	108-94-1	99%	25lit
51758	Dextrose extrapure AR, ACS	50-99-7		25kg
96763	Di-tert-Butyldicarbonate (BOC Anhydride, DiBOC) extrapure	24424-99-5	99%	25kg
79510	1,2-Dichloroethane extrapure	107-06-2	99%	25lit
56825	Dichloromethane (DCM) pure	75-09-2	99%	25lit
71164	Diethanolamine pure	111-42-2	98%	25lit
78652	Diethyl Sulphate extrapure	64-67-5	99%	25lit
16150	Diethyl Phthalate pure	84-66-2	99%	25lit
83040	Diethylene Glycol pure	111-46-6	98%	25lit
21800	Dimethyl Dichlorosilane pure	75-78-5	98%	25lit
16616	N,N-Dimethylformamide (DMF) extrapure	68-12-2	99%	25lit
43404	Dimethyl Sulphoxide (DMSO) extrapure	67-68-5	99%	25lit
75522	2,5-Diphenyloxazole scintillation grade (PPO)	92-71-7	99%	5kg, 25kg
88738	Disodium Tartrate Dihydrate extrapure	6106-24-7	99%	25kg
43324	1,4-Dioxane pure	123-91-1	99%	25lit
17315	DL-Dithiothreitol (DTT) for molecular biology	27565-41-9	98%	1kg
40942	Ethanolamine pure	141-43-5	98%	25lit
66183	Ethyl Acetate extrapure AR	141-78-6	99.5%	25lit
96669	Ethyl Chloroacetate pure	105-39-5	98%	25lit
25049	Ethyl Ether pure	60-29-7	99.5%	25lit
65428	Ethylene Diamine pure	107-15-3	99%	25lit
47471	Ethylene Glycol pure	107-21-1	98%	25lit
40648	Ethylenediaminetetraacetic Acid Free Acid extrapure(EDTA free acid)	60-00-4	99%	25kg
62196	Ethylenediaminetetraacetic Acid Free Acid Dipotassium Salt extrapure AR (EDTA dipotassium)	25102-12-9	99%	25kg
40088	Ethylenediaminetetraacetic Acid Disodium Salt Dihydrateextrapure AR (EDTA disodium dihydrate)	6381-92-6	99.5%	25kg
27466	Ethylene Glycol Monophenylether pure	122-99-6	99%	25lit
62673	Formic Acid (98%) extrapure AR	64-18-6	98%	25lit
42868	D (-) Fructose extrapure	57-48-7	–	25kg
12381	L-Glutamine extrapure CHR	56-85-9	99%	5kg, 25kg
42595	Glycerol anhydrous pure	56-81-5	99%	25lit
66327	Glycine extrapure AR	56-40-6	99.5%	25kg
64072	Glycine for molecular biology	56-40-6	99.5%	5kg
98803	Glycofurol extrapure	31692-85-0	99%	5lit, 25lit
25722	Guanidine Hydrochloride extrapure for biochemistry	50-01-1	99.0%	25kg
99132	HATU extrapure	148893-10-1	98%	25kg
73322	HCTU extrapure	330645-87-9	98%	25kg
63732	HEPES Buffer extrapure	7365-45-9	99%	25kg
19241	n-Heptane extrapure	142-82-5	99%	25lit
56464	n-Hexanol pure	111-27-3	98%	25lit
98669	n-Hexanol extrapure AR	111-27-3	99%	25lit
38653	HOBT Anhydrous extrapure	2592-95-2	99%	25kg
27645	HOBT Monohydrate pure	123333-53-9	99%	25kg
56059	Hydroxylamine Hydrochloride pure	5470-11-1	98%	25kg
98211	Inositol pure	87-89-8	–	5kg
52539	Iodine Resublimed AR	7553-56-2	99.8%	25kg
64857	Iron Metal Powder (Electrolytic)	7439-89-6	99.5%	25kg
69931	Isoamyl Alcohol extrapure AR	123-51-3	99%	25lit
98646	Isobutanol extrapure AR	78-83-1	99.5%	25lit
53502	Isooctane extrapure	540-84-1	99%	25lit
62986	Isopropanol (IPA) extrapure AR	67-63-0	99.5%	25lit
67800	Isopropanol (IPA) pure	67-63-0	99%	25lit
67208	Isopropyl-B-D-Thiogalactopyranoside (IPTG) (dioxan-free)for molecular biology	367-93-1	99%	1kg
25957	Lactose extrapure AR	64044-51-5	–	25kg
72518	Lead (II) Acetate Trihydrate pure	6080-56-4	99%	25kg
64972	Lead (II) Nitrate extrapure	10099-74-8	99%	25kg
90346	Lead (II) Acetate Basic extrapure	1335-32-6	33.0%	25kg
85187	L-Lysine Monohydrate (base) extrapure for biochemistry	39665-12-8	99%	25kg
28935	Magnesium Bromide Hexahydrate pure	13446-53-2	98.0%	25kg
69396	Magnesium Chloride Hexahydrate extrapure AR	7791-18-6	99%	25kg

Products in **Bulk**



Product Code	Product Name	CAS Number	Purity (min)	Pack size
59338	D-Maltose for bacteriology and biochemistry	6363-53-7	–	25kg
24248	D-Mannitol extrapure	69-65-8	98.5%	25kg
46989	Methanesulphonyl Chloride pure	124-63-0	98%	25lit
65524	Methanol extrapure AR	67-56-1	99.8%	25lit
19305	L-Methionine extrapure CHR	63-68-3	99%	5kg, 25kg
61929	Methyl Isobutyl Ketone (MIBK) extrapure AR	108-10-1	99.5%	25lit
72387	4-Methyl Morpholine pure	109-02-4	99%	25lit
51369	N-Methyl-2-Pyrrolidone (NMP) extrapure	872-50-4	99.5%	25lit
38516	N,N-Methylene Bisacrylamide (bis-Acrylamide) 3× cryst. extrapure AR	110-26-9	99.5%	25kg
90121	Metol extrapure	55-55-0	99%	5kg
27764	Molecular Sieve 13× purified	–	–	5kg
98254	Molecular Sieve 3A purified	–	–	5kg
72866	Molecular Sieve 4A purified	–	–	5kg
75690	Molecular Sieve 5A purified	–	–	5kg
44630	Morpholine extrapure	110-91-8	99%	25lit
26320	Naphthalene scintillation grade	91-20-3	99%	25kg
26759	ß-Nicotinamide Adenine Dinucleotide (Oxidized) (ß-NAD) extrapure	53-84-9	98%	500g
77268	ß-Nicotinamide Adenine Dinucleotide (Reduced) Disodium Salt (ß-NADH) extrapure	606-68-8	98%	100g, 1kg
82819	ß-Nicotinamide Adenine Dinucleotide Phosphate Monosodium Salt (ß-NADP) extrapure	1184-16-3	98%	25g
99197	ß-Nicotinamide Adenine Dinucleotide Phosphate Reduced Tetrasodium Salt (ß-NADPH) extrapure	2646-71-1	98%	25g
88485	p-Nitrophenylphosphate Disodium Salt Hexahydrate(PNPP) Crystalline extrapure	4264-83-9	99%	1kg, 5kg
36678	Orthophosphoric Acid (85%) extrapure	7664-38-2	85%	25lit
50056	Orthophosphoric Acid (85%) extrapure AR, ACS	7664-38-2	85%	25lit
96096	n-Pentane extrapure	109-66-0	99%	25lit
47040	1,2-Pentanediol pure	5343-92-0	98%	25lit
95292	Peptone for bacteriology	73049-73-7	–	5kg, 25kg
17286	Phenol Crystalline for molecular biology	108-95-2	99.5%	5kg, 25kg
85081	L-Phenylalanine extrapure CHR	63-91-2	99%	5kg, 25kg
87606	Phenylmethane Sulphonyl Fluoride (PMSF) extrapure	329-98-6	99%	1kg, 5kg
90365	Phenylphosphate Disodium Salt Dihydrate (High Purity) extrapure AR (PMSF)	66778-08-3	98%	1 kg
57855	Phosphotungstic Acid extrapure AR	12501-23-4	–	5 kg
35139	L-Proline extrapure CHR	147-85-3	99%	5kg
30970	Polyethyleneglycol 4000 (PEG 4000)	25322-68-3	–	25kg
67429	Polyethyleneglycol 6000 (PEG 6000)	25322-68-3	–	25kg
28599	Polysorbate 20 extrapure (Tween 20)	9005-64-5	–	25kg
28940	Polysorbate 80 extrapure (Tween 80)	9005-65-6	–	25kg
80823	Potassium Bromide pure	7758-02-3	98.5%	25kg
38630	Potassium Chloride extrapure AR	7447-40-7	99.5%	25kg
80233	Potassium Dichromate extrapure AR	7778-50-9	99.9%	25kg
80633	Potassium Hydrogen Phthalate extrapure AR	877-24-7	99.9%	25kg
78269	Potassium Hydroxide Pellets extrapure AR	1310-58-3	85%	25kg
50451	Potassium Dihydrogen Orthophosphate extrapure AR	7778-77-0	99.5%	25kg
77012	Potassium Ethyl Xanthate (PEX) extrapure	140-89-6	98%	25kg
67864	Potassium Iodate pure	7758-05-6	99.5%	25kg
27874	Potassium Iodide extrapure AR	7681-11-0	99.8%	25kg
78240	Potassium Iodide pure	7681-11-0	99%	25kg
90654	Potassium Phosphate Dibasic Anhydrous pure	7758-11-4	99%	25kg
26253	Potassium Sulphate extrapure AR	7778-80-5	99.5%	25kg
12931	Propionic Acid extrapure	79-09-4	99%	25lit
30754	Propylene Glycol pure	4254-15-3	99%	25lit
59150	Pyruvic Acid pure	127-17-3	98%	25kg
11453	Salicylic Acid pure	69-72-7	99%	25kg
65856	Silica Gel 60-120 mesh	112926-00-8	–	25kg
95178	Silica Gel 100-200 mesh	112926-00-8	–	25kg
63025	Silica Gel 200-400 mesh	112926-00-8	–	25kg
96671	Silica Gel 230-400 mesh	112926-00-8	–	25kg
36834	Silica Gel 400-700 mesh	112926-00-8	–	25kg
51849	Silica Gel G for TLC	112926-00-8	–	25kg
52797	Silica Gel H for TLC	112926-00-8	–	25kg
74537	Sodium Acetate Anhydrous extrapure AR	127-09-3	99%	25kg
45437	Sodium Bicarbonate extrapure AR	144-55-8	99.5%	25kg
43471	Sodium Borohydride extrapure	16940-66-2	95%	5kg
50090	Sodium Caprylate BP	1984-06-1	99-101%	25kg
81340	Sodium Caprylate NF	1984-06-1	99-101%	25kg
64079	Sodium Carbonate Anhydrous extrapure AR	497-19-8	99.90%	25kg



Product Code	Product Name	CAS Number	Purity (min)	Pack size
41721	Sodium Chloride extrapure AR	7647-14-5	99.9%	25kg
29821	Sodium Fluoride extrapure AR	7681-49-4	99%	25kg
96311	Sodium Hydroxide Pellets 97% purified	1310-73-2	97%	25kg
77758	Sodium Iodide pure	7681-82-5	99%	25kg
54468	Sodium Lauryl Sulphate extrapure AR, ACS	151-21-3	99%	5kg, 25kg
32096	Sodium Lauryl Sulphate for molecular biology	151-21-3	99%	5kg
23621	Sodium Metaperiodate extrapure AR	7790-28-5	99.5%	5kg, 25kg
13547	Sodium Molybdate Dihydrate pure	10102-40-6	98%	5kg
87258	Sodium Phosphate Dibasic Dihydrate extrapure AR	10028-24-9	99.5%	25kg
27092	Sodium Phosphate Monobasic Dihydrate extrapure	13472-35-0	99%	25kg
22249	Sodium Phosphate Monobasic Anhydrous extrapure AR	7558-80-7	99%	25kg
63059	Sodium Potassium Tartrate Tetrahydrate pure	6381-59-5	99%	25kg
18241	Sodium Potassium Tartrate Tetrahydrate extrapure AR	6381-59-5	99%	25kg
59977	Sodium Sulphate Anhydrous extrapure AR	7757-82-6	99.5%	25kg
52304	Sodium Thiosulphate Pentahydrate extrapure	10102-17-7	99%	25kg
81499	Sodium Tungstate Dihydrate extrapure	10213-10-2	98%	25kg
59985	Sorbic Acid pure	110-44-1	98%	25kg
14418	Starch Soluble extrapure	9005-84-9	–	25kg
64698	Starch Soluble extrapure AR	9005-84-9	–	25kg
90701	Sucrose extrapure AR, ACS	57-50-1	–	25kg
84973	Sucrose pure	57-50-1	–	25kg
44445	5-Sulphosalicylic Acid extrapure	5965-83-3	99%	25kg
20669	Tetrabutylammonium Bromide pure	1643-19-2	98%	25kg
57594	Tetrabutylammonium Bromide extrapure AR	1643-19-2	99%	25kg
50283	Tetrabutylammonium Fluoride Trihydrate extrapure	87749-50-6	98%	25kg
91958	Tetrabutylammonium Hydrogen Sulphate pure	32503-27-8	98%	25kg
83955	Tetrabutylammonium Hydrogen Sulphate extrapure AR	32503-27-8	99%	25kg
32431	tert-Butylchlorodiphenylsilane (TBDPSCl) extrapure AR	58479-61-1	98%	5lit, 10lit
82863	Tetrahydrofuran (THF) pure	109-99-9	99.5%	25lit
84666	N,N,N,N-Tetramethyl Ethylenediamine (TEMED) extrapure AR	110-18-9	99%	25lit
35357	Thioglycolic Acid pure	68-11-1	~80%	25lit
85090	Thiomersal pure	54-64-8	98%	1kg
88196	Thiourea pure	62-56-6	98%	25kg
16994	Thiourea extrapure AR	62-56-6	99%	25kg
55788	Titanium Dioxide extrapure	13463-67-7	99%	25kg
85577	Toluene extrapure AR	108-88-3	99.5%	25lit
73222	Triacetin pure	102-76-1	99%	25lit
20779	Triethanolamine pure	102-71-6	97%	25lit
29306	Triethylamine pure	121-44-8	98%	25lit
20139	Trimethyl Chlorosilane pure	75-77-4	98%	25lit
68989	Trimethyl Orthoformate pure	149-73-5	98%	25lit
79420	Tris Buffer Superior extrapure AR, ACS	77-86-1	99.9%	25kg
71033	Tris Buffer AR, ACS for molecular biology	77-86-1	99.9%	25kg
99438	Tris Hydrochloride (Tris Hcl) extrapure AR	1185-53-1	99%	25kg
52682	Trypsin (0.2 Anson units/g) (2000 units/g) ex. Bovine Pancreas for biochemistry	9002-07-7	–	5kg
69120	Urea extrapure AR	57-13-6	99.5%	25kg
12859	L-Valine extrapure CHR	72-18-4	99%	5kg, 25kg
90998	Xylene extrapure AR	1330-20-7	99.8%	25lit
23749	o-Xylene pure	95-47-6	98%	25lit
24923	p-Xylene pure	106-42-3	99%	25lit
34266	Yeast extract for bacteriology	8013-01-2	–	5kg, 25kg
20050	Zinc Metal Dust extrapure AR	7440-66-6	95%	25kg
75738	Zinc Sulphate Heptahydrate extrapure AR	7446-20-0	99.5%	25kg

Biochemicals & & Bioreagents

Amino acids and Derivatives L,DL,D,BOC,FMOC,CBZ(Z) / Peptides

N-Acetyl-L-Alanine
N-Acetyl-L-Aspartic Acid
N-Acetyl-L-Cystine
N-Acetyl-L-Glutamine
N-Acetyl-L-Glutamic Acid
N-Acetyl Glycinamide
N-Acetyl Glycine
N-Acetyl-L-Leucine
N-Acetyl-DL-Methionine
N-Acetyl-L-Methionine
N-Acetyl-L-Proline
2-Acetyl-Pyridine
3-Acetyl-Pyridine
N-Acetyl-DL-Tryptophan
N-Acetyl-L-Tryptophan
N-Acetyl- L-Tyrosine
N-Acetyl-L-Tyrosine ethyl ester
N-Acetyl-L-Valine
S-(5'-Adenosyl)-L-homocysteine
S-(5'-Adenosyl)-L-methionine chloride
(S) Adenosyl-l-methionine-disulphate tosylate
S-(5'-Adenosyl)-L-methionine-p-toluenesulfonate salt
β-Alanine
D-Alanine
DL-Alanine
L-Alanine
L-Alanine benzyl ester HCl
L-Alanine benzyl ester para Toluene- sulfonate
L-Alanine-β-naphthylamide-hydrobromide
L-Alanyl-L-Alanine
Alanyl-L-Glutamine
L-Alanyl Glycine
L-Alanyl-L-Leucine
L-Alanyl-L-Leucine-L-phenylalanine
L-Alanyl Methylester hydrochloride
L-Alanyl-L-Tyrosine
Amino acids kit
L-Amino acids kit
4-Aminobutyric acid
DL-a-Aminobutyric acid
4-Aminohippuric acid
L-Arginine
D-Arginine (base)
L-Arginine ethyl ester - dihydrochloride
L-Arginine HCl
L-Arginine methyl ester
D-Aspargine
L-Asparagine
D-Aspartic acid
DL-Aspartic acid
L-Aspartic acid
L-Aspartic acid diethyl ester
L-Aspartic acid methyl ether
DL-7-Azatryptophane
S-Benzyl-L-(+)-cysteine
O-Benzyl-L-serine
BOC-S-Acetamidomethyl-L-cysteine
BOC-D-Alanine
BOC-L-Alanine
BOC-L-Alanine methyl ester
BOC-L-Amino acids kit
BOC-L-Arginine hydrochloride
BOC-D-Aspargine
BOC-L-Aspargine
BOC-D-Aspartic acid
BOC-L-Aspartic acid
BOC-L-Aspartic acid-4-benzyl ester
BOC-S-Benzyl-L-cysteine
N-BOC-O-Benzyl-L-serine
BOC-O-Benzyl-L-tyrosine
BOC-L-Cystine
BOC-D-Glutamic acid
BOC-L-Glutamic acid
BOC-D-Glutamine
BOC-L-Glutamine
BOC-Glycine
BOC-L-Glycine methyl ester
BOC-L-Histidine
BOC-Hypoxanthine
BOC-L-Hydroxyproline
BOC-D-Isoleucine
BOC-L-Isoleucine
BOC-D-Leucine
BOC-L-Leucine
BOC-L-Lysine
Na-BOC-Ne-Z-L-Lysine
N-α,ε-T-BOC-L-Lysine-dicyclohexylammonium
BOC-L-Methionine
BOC-L-Nitroarginine
BOC-4-Nitro-L-phenylalanine
BOC-4-Nitro-L-phenylalanine ethyl-ester
BOC-D-Phenylalanine
BOC-L-Phenylalanine
BOC-D-Phenylalanine methyl ester
BOC-L-Phenylalanine methyl ester
BOC-D-Phenylglycine
BOC-L-Phenylglycine
BOC-D-Proline
BOC-D-Proline methyl ester
BOC-L-Proline
BOC-L-Proline methyl ester
Boc-L-Prolinamide
BOC-D-Serine
BOC-L-Serine
BOC-L-Serine methyl ester
BOC-D-Threonine
BOC-L-Threonine
BOC-D-Tryptophan
BOC-L-Tryptophan
BOC-L-Tyrosine
BOC-L-Tyrosine methyl ester
BOC-D-Valine
BOC-L-Valine
BOC-L-Valine methyl ester
O-tert-Butyl-L-serine
Carbocysteine (S-carboxymethyl-L-cysteine)
L-Citrulline
L-Cysteine
L-Cysteine HCl
L-Cystine
L-Dopa
DL-Dopa
o-Fluoro-DL-phenylalanine
m-Fluoro-DL-phenylalanine
p-Fluoro-DL-phenylalanine
FMOC-S-Acetoamidomethyl-L-cysteine
FMOC-D-Alanine
FMOC-L-Alanine
FMOC-L-Amino acids kit
FMOC-2-Aminoisobutyric acid
FMOC-D-Arginine
FMOC-L-Arginine
FMOC-D-Aspargine
FMOC-L-Aspargine
FMOC-N-Trityl-L-asparagine
FMOC-L-Aspartic acid
FMOC-L-Aspartic acid-4-benzyl-ester
FMOC-S-Benzyl-L-cysteine
FMOC-O-Benzyl-L-serine
FMOC-O-Benzyl-L-tyrosine
FMOC-O-Tert-Butyl-D-threonine
FMOC-O-Tert-Butyl-L-serine
FMOC-O-Tert-Butyl-L-tyrosine
FMOC-D-Citrulline
FMOC-L-Citrulline
FMOC-L-Cysteine
FMOC-L-Glutamic acid
FMOC-D-Glutamic acid 5-tert-butyl ester
FMOC-L-Glutamic acid 5-tert-butyl ester
FMOC-L-Glutamic acid-γ-benzyl ester
FMOC-D-Glutamine
FMOC-L-Glutamine
Na-FMOC-No-Trityl-L-glutamine
FMOC-L-Glycine
Na-FMOC-N(im)-Trityl-L-histidine
FMOC-D-Isoleucine
FMOC-L-Isoleucine
FMOC-D-Leucine
FMOC-L-Leucine
FMOC-N-Epsilon-Z-L-lysine
Na-FMOC-Ne-BOC-L-lysine
FMOC-D-Methionine
FMOC-L-Methionine
N-a-FMOC-N-e-4-Methyltrityl-L-Lysine
FMOC-4-Nitro-L-phenylalanine
FMOC-D-Norleucine
FMOC-L-Norleucine
FMOC-D-Norvaline
FMOC-L-Norvaline
FMOC-D-Phenylalanine
FMOC-L-Phenylalanine
FMOC-D-Phenylglycine
FMOC-L-Phenylglycine
FMOC-D-Proline
FMOC-L-Proline
FMOC-D-Serine
FMOC-L-Serine
FMOC-D-Threonine
FMOC-L-Threonine
FMOC-D-Tryptophan
FMOC-L-Tryptophan
Na-FMOC-N(in)-BOC-D-tryptophan
FMOC-D-Tyrosine
FMOC-L-Tyrosine
FMOC-D-Valine
FMOC-L-Valine
D-Glutamic acid
L-Glutamic acid
L-Glutamic acid benzyl ester
L-Glutamic acid-monosodium
D-Glutamine
L-Glutamine
Glycine benzyl ester HCl
Glycine benzyl ester para toluene-sulfonate
Glycine ethyl ester HCl
Glycine-L-histidine-glycine
Glycine-L-histidine-L-lysine
Glycine-L-leucyl-L-phenylalanine
Glycyl-L-glutamine
Glycyl-glycyl-glycine
Glycyl-glycyl-L-leucine
Glycyl-glycyl-L-isoleucine
Glycyl-glycyl-L-valine
Glycyl histidine glycine
Glycyl-L-isoleucine
Glycyl-L-leucine
Glycyl leucine phenylalanine
Glycyl-L-tyrosine
Glycyl-L-valine
Hippuryl-L-phenylalanine
D-Histidine
L-Histidine
L-Histidine HCl
D-Homocitrulline
D-Homophenylalanine
L-Homophenylalanine
L-Hydroxyproline
5-Hydroxy-L-tryptophan
L-Leucinamide HCl
D-Isoleucine
L-Isoleucine
D-Leucine
L-Leucine
D-Leucyl-glycine
tert-DL-leucine
L-Leucyl-L-alanine
L-Lysine
D-Lysine HCl
L-Lysine mono HCl
D-Methionine
DL-Methionine
L-Methionine
L-Methionine sulphone
L-Methionine sulphoxide
Mimosine
4-Nitro-L-phenylalanine-monohydrate
DL-Norleucine
L-Norvaline
L-Ornithine mono HCl
D-Phenylalanine
DL-Phenylalanine
L-Phenylalanine
L-Phenylalanine benzyl ester HCl
L-Phenylalanine ethyl ester HCl
L-Phenylalanine methyl ester HCl
L-Phenyl glycine
N-Phthaloyl-L-alanine
N-Phthaloyl-L-glutamic acid
N-Phthaloyl-L-methionine

N-Phthaloyl-L-phenylalanine
N-Phthaloyl-L-valine
D-Proline
L-Proline
L-Proline benzyl ester HCl
L-Proline-β-naphthylamide-hydrobromide
L-Pyroglutamic acid
D-Serine
DL-Serine
DL-Serine Hydrazide Hydrochloride
L-Serine
L-Serine methyl ester HCl-
Taurine
L-Theanine
L-Thioproline
D-Threonine
DL-Threonine
D-Threoninol
L-Threonine
N-6-Trifluoroacetyl-L-lysine
N-Triphenyl methyl glycine
S-Trityl-L-cysteine
Tryptamine HCl
DL-Tryptophan
L-Tryptophan
L-Tryptophan methyl ester HCl
Tyramine HCl
D-Tyrosine
DL-Tyrosine
L-Tyrosine
D-Valine
DL-Valine
L-Valine
L-Valine benzyl ester HCl
L-Valine methyl ester HCl
L-Valinol
Z-β-Alanine
Z-D-Alanine
Z-DL-Alanine
Z-L-Alanine
Z-L-Amino acids kit
Z-L-β-Aminobutyric acid
Z-2-Aminoisobutyric acid
Z-D-Arginine
Z-L-Arginine
Z-D-Asparagine
Z-DL-Asparagine
Z-L-Asparagine
Z-D-Aspartic acid
Z-DL-Aspartic acid
Z-L-Aspartic acid
Z-L-Aspartic acid-4-benzyl ester
Z-O-Benzyl-L-Tyrosine
Z-N-ε-BOC-Lysine-dicyclohexylammonium
Z-D-Glutamic acid
Z-DL-Glutamic acid
Z-L-Glutamic acid
Z-L-Glutamic acid-γ-benzyl-ester
Z-D-Glutamine
Z-L-Glutamine
Z-Glycine
Z-DL-Histidine
Z-L-Histidine
Z-L-Hydroxyproline
Z-D-Isoleucine
Z-L-Isoleucine
Z-Isonipecotic acid
Z-D-Leucine
Z-DL-Leucine
Z-L-Leucine
Z-D-Lysine
Z-L-Lysine
Z-D-Methionine
Z-DL-Methionine
Z-L-Methionine
Z-Nipecotic acid
Z-D-Norleucine
Z-DL-Norleucine
Z-L-Norleucine
Z-D-Norvaline
Z-DL-Norvaline
Z-L-Norvaline
Z-L-Ornithine
Z-D-Phenylalanine
Z-DL-Phenylalanine
Z-L-Phenylalanine
Z-L-Phenyalanine methyl ester
Z-L-Phenylalanine -4-nitrophenyl-ester
Z-D-Phenylglycine
Z-L-Phenylglycine
Z-D-Proline
Z-L-Proline
Z-D-Serine
Z-L-Serine
Z-D-Threonine
Z-L-Threonine
Z-D-Tryptophan
Z-L-Tryptophan
Z-D-Tyrosine
Z-L-Tyrosine
Z-D-Valine
Z-DL-Valine
Z-L-Valine

Animal Cell Culture

N-Acetyl-DL-Tryptophan
Acid fuchsin
L-Alanine
Albumin bovine (pH 6-7) fraction V
Alcian blue
Aluminium potassium sulphate dodecahydrate
Amphotericin B (AMT) solution
L-Arginine (free base)
Bacitracin ex. Bacillus Licheniformis
BES buffer
Blasticidin S hydrochloride
Cetyltrimethyl ammonium bromide (CTAB)
Ciprofloxacin hydrochloride hydrate
Concanavalin A (Con A) Lectin ex. Canavalia Ensiformis (Jack bean) Type 1,2,3
Cresyl violet acetate
Crystal violet
L-Cysteine hydrochloride monohydrate
Dextrose
DL-Dithiothreitol (DTT)
Eosin yellow (water soluble)
Ethylene glycol monophenyl ether
Ferrous sulphate heptahydrate
Fluorescein sodium salt
Folic acid
Fuchsin basic
Giemsa stain
L-Glutamic acid monosodium salt monohydrate
L-Glutamine
Glycerol anhydrous
Glycine
HEPES buffer
L-Histidine (base)
L-Histidine hydrochloride
N-Hydroxycytidine (EIDD-1931)
Imiquimod
Inositol
L-Isoleucine
ß-NAD
ß-NADH.Na2
ß-NADP.Na2
ß-NADP.Na
ß-NMN
Jenners stain
L-Lysine (free base) anhydrous
Lysozyme (3x cryst) ex. egg white
Magnesium chloride anhydrous
Magnesium chloride hexahydrate
Magnesium sulphate dried
D-Maltose monohydrate
2-Mercaptoethanol
MES hydrate
L-Methionine
MOPS
Neomycin sulphate (NMS)
Nicotinamide
Nicotinic acid
Nystatin solution
L-Ornithine monohydrochloride
Oxalacetic acid
Phenol red sodium salt (water soluble)
L-Phenylalanine
Phenylmethane sulphonyl fluoride (PMSF)
Polymyxin B sulphate (Aerosporin, PXNS)
Polysorbate 80 (Tween 80)
Potassium chloride
L-Proline
Puromycin dihydrochloride
Pyridoxine hydrochloride
r-Trypsin 1x with EDTA solution in phosphate buffer
Riboflavin
Rifampicin
Safranine O
L-Serine
Sodium butyrate
Sodium chloride
Sodium phosphate dibasic anhydrous
Sodium phosphate dibasic dihydrate
Sodium phosphate monobasic anhydrous
Streptozotocin
Sucrose
L-Threonine
Toluidine blue O
TRICINE Buffer
Triptolide ex. tripterigium wilfordii
Tris
Trypsin ex. Bovine Pancreas
r-Trypsin - type standard ACF ex. porcine
Trypsin ex. porcine gastric mucosa
Trypsin 1:250 ex. bovine pancreas
L-Tyrosine
Urea
L-Valine
Vitamin B12
XTT Sodium
Zinc Chloride
Zinc sulphate heptahydrate

Antibiotics & Antimicrobials

Acarbose
Actinomycin D
Alexidine dihydrochloride
Amikacin free base
Amikacin sulphate
Amoxicillin trihydrate
Amphotericin B
Ampicillin sodium
Ampicillin trihydrate
Azaerythromycin (azathramycin)
Azithromycin dihydrate
Aztreonam
Bacitracin
Blasticidin S hydrochloride
Bleomycin sulfate
Bronidox
Carbenicillin disodium
Cefaclor
Cefadroxil
Cefaperzone sodium
Cefazolin sodium salt
Cefixime
Cefoxitin sodium
Cefsulodin sodium salt (CFS)
Ceftriaxone sodium
Cefuroxime sodium
Cephalexin hydrate
Cephalothin
Cephotaxime sodium
Chloramphenicol
5-Chloro-7-iodo-8-quinolinol
Ciprofloxacin hydrochloride
Clindamycin dihydrochloride
Cloxacillin
Colistin sulphate
Co-Trimoxazole
D-Cyclodextrin base
D-Cycloserine
Daidzin
Danofloxacin mesylate
5,7-Diiodo-8-quinolinol
Dopamine hydrochloride
Doxycycline hyclate
Enrofloxacin
Epirubicin hydrochloride
Erythromycin
Ethambutol dihydrochloride
Fluconazole
Furosemide
G-418 sulphate
Geldanamycin
Gentimicin sulphate
Histamine dihydrochloride

Hygromycin B
Isoniazid
Ivermectin
Kanamycin monosulphate
Levofloxacin
Lomefloxacin hydrochloride
Methotrexate
(+/-) Miconazole nitrate
Miglitol
Monensin sodium salt
Nalidixic acid free acid
Neomycine sulphate
Netilmicin
Nitrofurantoin
Norfloxacin
Novobiocin
Ofloxacin
Oxacillin sodium salt monohydrate
Oxolinic acid
Oxolinic acid sodium
Oxytetracycline dihydrate
Oxytetracycline hydrochloride
Paclitaxel
Paromomycin Sulfate
Penicillin G sodium
Phosphomycin Disodium Salt
Polymixin B Sulphate
Puromycin diHCl
Putrescine free base
Rifampicin
Rifaximin (RFX)
Sodium Fucidate
Streptavidin
Streptomycin sulphate
Streptozotocin
Sulfadiazine (SFD)
Sulphamethoxazole
Tetracycline hydrochloride
Ticarcillin disodium salt
Thiamphenicol
Tobramycin
Trimethoprim
Valinomycin
Vancomycin hydrochloride
Voglibose

Bile Salts & Derivatives

Cholic acid
Cholic acid Na
Deoxycholic acid
Deoxycholic acid Na
Deoxycholic acid sodium salt
Glycoursodeoxycholic Acid (GUDCA)
Lithocholic acid
Sodium glycochenodeoxycholate
Sodium glycocholate
Sodium glycocholate hydrate
Sodium taurochenodeoxycholate
Sodium taurocholate hydrate
Sodium taurodeoxycholate
Sodium taurodeoxycholate hydrate
Sodium tauroursodeoxycholate (TUDCA sodium)

Biological Buffers

ACES
N-Acetylimidazole
ADA
ADA monosodium
ADA disodium
AMPSO
BES
BES sodium
BICINE
Big CHAPS
BIS-TRIS
BIS-TRIS hydrochloride
BIS-TRIS propane
Boric acid
CAPS
CAPSO
CAPSO sodium
CHAPS
CHAPSO
CHES
Citric acid
Deoxy big CHAPS
DIPSO
DIPSO sodium
EPPS
Glycine
HEPBS
HEPES
HEPES sodium
Imidazole
Lithium acetate
Lithium citrate
MES
MES free acid
MES monohydrate
MES hemisodium
MES sodium
MOPS
MOPS hemisodium
MOPS sodium
MOPSO
MOPSO sodium
PIPES
PIPES dipotassium
PIPES disodium
PIPES sodium
PIPES sesquisodium
POPSO
POPSO sesquisodium
Sodium acetate
Sodium citrate
TAPS
TAPSO
TES
TES sodium
TRICINE
Tris
Tris acetate
Tris carbonate
Tris hydrochloride
Tris maleate
Tris nitrate
Tris oxalate
Tris phosphate dibasic
Tris phosphate monobasic
Tris succinate
Tris sulphate

Biological Test Diets

Salt Mixture B.T.M
Salt Mixture H.M.W
Salt Mixture U.S.P. XIV

Carbohydrates & Derivatives

Acetobromo-D-galactose
Acetobromo-D-glucose
N-Acetyl-D-galactosamine
N-Acetyl-D-glucosamine
1-O-Acetyl-2,3,5-tri-O-benzoyl-b-D-ribofuranose
1-O-Acetyl-2,3,5-tri-O-benzoyl-b-L-ribofuranose
1-O-Acetyl-2,3,5-tri-O-benzoyl-D-ribofuranose
1-O-Acetyl-2,3,5-tri-O-benzyl-b-D-ribofuranose
1-O-Acetyl-2,3,5-tri-O-benzyl-D-ribofuranose
Adonitol
D-Allose
L-Allose
Alloxan monohydrate
D-Altrose
D-Amygadlin
Arabic acid from gum arabic
D-Arabinose
L(+)-Arabinose
D(+) Arabitol
L-(-) Arabitol
Calcium alginate
Carbopol 934 & 940 (carboxy vinyl polymer)
Carbohydrates kit
Carbohydrate kit type-II
Carrageenan (Kappa) refined ex. cucheuma cottonii
D-Cellobiose
Cellulose
Chitin
a-Chloralose
2-Chloro-4-nitrophenyl-a-D-maltotrioside
2-Deoxygalactose
2-Deoxy-D-glucose
2-Deoxy-D-ribose
Dextrin
Dextrose
Dextrose monohydrate
Diacetone-D-glucose (DAG)
Digitonin
Digoxin
Erythritol
Esculin
Ethylidene glucose
D-Fructose
D-(+)Fucose
L-Fucose
D-Galactosamine HCl
D-Galactose
β–D-Galactose pentaacetate
β-D-Gentiobiose
Gitoxin
α-D-Glucose pentaacetate
D-Glucuronic acid
Guar gum
Gum acacia (gum arabic)
D-Glucono-1,5-lactone
Glycogen (ex-oyster)
Glycolic acid
Heparin sodium
Hyaluronic acid sodium
Inulin
Isomaltopentaose
Isomaltose
Isomaltotetraose
Isomaltotriose
Kojibiose
Lactose
D(-) Lyxose
L(+) Lyxose
Maltodextrin
Maltoheptaose
Maltohexaose
Maltopentaose
Maltose
Maltotetraose
Maltotriose
D-Mannitol
D-Mannose
D-Mannose pentaacetate
D-Mannose-6-phosphate Ba
D(+)-Melibiose
D(+)-Melzitose
1-O-Methyl-ß-D-glucuronic acid sodium
trans,trans-Muconic acid (ttMA)
p-Nitrophenyl ß-D-cellobioside
4-Nitrophenyl-4,6-ethylidene-a-D-maltoheptaoside (pNP-G7, EPS)
4-Nitrophenyl trans-ferulate
Pectic acid
Pectin
Potassium gluconate
Potato starch
Pullulan
D-Raffinose
L(+)-Rhamnose
D-Ribose
D-Ribose-5-phosphate Ba
D-(-)Salicin
Saponin
Sodium alginate
Sodium alginate HV
Sodium gluconate
Sodium starch glycolate
Sorbic acid
D-Sorbitol powder
L-(-)Sorbose
Starch corn/maize, potato
Stachyose
Starch soluble
Sucrose
Sucrose heptasulphate potassium
Sucrose octasulphate aluminium
Sucrose palmitate
1,2,3,5-Tetra-O-acetyl-b-D-ribofuranose
D-Trehalose dihydrate
Xanthan gum
Xylan
Xylitol
D-Xylose
L-(-) Xylose

Coenzymes

Acetylcoenzyme A tri Li
Coenzyme A free acid
Coenzyme A tri Li
Coenzyme Q10
Coenzyme A sodium salt hydrate

(CoA Na2)
Enzyme Co-Factor Kits (1,2,3&4)
FAD
NAD
NAD-Li
NAD.Na
NADH
NADP
NADP-K
NADPH
β-Nicotinamide adenine dinucleotide phosphate disodium salt
NMN
Riboflavine-5-phosphate

Coupling & Cross-Linking Reagents, Linkers, Ligands

9-BBN
N-(Benzoyloxy)succinimide (Bz-OSu)
3-(Benzylthio)-propionic acid
5-(Benzylthio)-1H-tetrazole (BTT activator)
BOP reagent
N-Bromosuccinimide
BOC Anhydride
N,N,-Carbonyldimidazole (CDI)
N-Chlorosuccinimide
CP-OSu
DABCYL-N-succinimidyl ester
DDAPS
DEPBT
DHP
Dicyclohexylcarbodimide (DCC)
DHOBT
Diisopropylcarbodiimide (DIPC)
DPPB
DPPE
DPPF
DPPP
EEDQ
N-Ethyl-N'-(3-dimethylaminopropyl)-N-ethylcarbodimide HCl (EDC)
5-(Ethylthio)-1H-tetrazole (ETT)
9-Flourenylmethyl chloroformate
FMOC-OSu
HATU
HBTU
HCTU
HMBA
HMPA
HOBT
Ramage
Rink Amide (Knorr)
Rink Amide MBHA resin
Sieber
S-Phos
TBTU
TNTU
TOTU
Tricyclohexylphosphine (Cy3P)
Tricyclohexylphosphine tetrafluoroborate
Trifluoroacetic acid
Wang resin
Weinreb
XantPhos
X-Phos
Z-OSu

Dextrans & Derivates

DEAE-Dextran 500
DEAE-Dextran HCl 500
Dextran Blue 5,40,110,500,2000
FITC-Dextran 4000, 40000, 70000,2000000
Dextran Phenyl 40
Dextran sulphate sodium salt 35-50
Dextran Tech 10, 40, 110, 250, 500

Electrophoresis & Immunoelectrophoresis Reagents & Buffers/ Agaroses

Acrylamide (powder and solutions)
Acrylamide / Bisacrylamide premix
Agaroses (LE, HE, ME, ultraphor, low melting, Low-6 & Low-8)
Agarose TAE mix
Agarose TBE mix
Albumin bovine solution
Albumin bovine solution (10% diluent in PBS)
Ammonium persulphate
Bis(acryloyl)cystamine
Brilliant blue G
Brilliant blue R
Bromophenol blue
Colloidal Protein staining solution
Coomassie Blue R-250 staining Solution
5M Diethanolamine (DEA) solution (5X)
1M Dithiothreitol solution
Ethidium bromide (powder and solution)
IPTG solution
Naphthol blue black B
N,N'- Methylene Bisacrylamide (powder and solution)
Lithium lauryl sulphate
2-Mercaptoethanol
10x MOPS buffer
1X & 10X Phosphate buffer saline
10X Phosphate buffer saline Tween-20
Remazol brilliant blue
Sodium lauryl sulphate
STET Lysis Buffer
Starch hydrolysed
20X SSC buffer
20X SSPE buffer
10X TAE buffer
50X TAE buffer
10X TBE buffer
50X TBE Buffer
10X TE buffer
N,N,N'-Trimethylethylenediamine
N,N,N,N'-Tetramethylethylenediamine (TEMED)
10X Tris acetate-SDS buffer
20X Tris acetate-SDS buffer
10X Tris buffer saline
10X Tris buffer saline Tween-20
10x Tris-glycine SDS buffer
10X Tris-glycine tank buffer
1M Tris hydrochloride buffer
1M Tris HCl buffer
10x Tris-tricine SDS buffer
0.4% Trypan Blue solution
r-Trypsin 1x solution with EDTA in phosphate buffer (AOF)
X-Gal solution

Enzymes / Modifying Enzymes

Acylase 1
Alkaline phosphatase
Alkalophilic proteinase
L-Alpha glycerophosphate oxidase
D-Amino acid oxidase
α-Amylase
Aprotinin
L-Ascorbate oxidase (type 1 & 2)
Avidin
Bilirubin oxidase
Bromelain
Butyrylcholine esterase
Catalase (type 1 & 2)
Cellulase
Cellulase (R-10, RS, FA)
Cholesterol esterase
Cholesterol oxidase
α-Chymotrypsin
α-Chymotrypsinogen A
Concanavalin
Creatininase
Creatinine deaminase
Deoxyribonuclease I (Type 1B,2B)
Diaphorase
Diastase fungal
Elastase
D-Fructose dehydrogenase
B-Galactosidase
Glucoamylase
β–Glucanase
Glucose dehydrogenase
Glucose oxidase
Glucose-6-phosphate-dehydrogenase
r-Glucose-6-Phosphate Dehydrogenase
α-Glucosidase
β-Glucosidase (Type 2A,2B)
B-Glucuronidase
Glutamate Dehydrogenase
Glutamic-oxaloacetic transaminase
Glycerol kinase
Glycerol-3-phosphate-dehydrogenase
Hexokinase
D-3-Hydroxybutyrate dehydrogenase
Invertase
r-Lactate dehydrogenase (thermostable)
D-Lactate dehydrogenase
L-Lactate dehydrogenase
Leucine dehydrogenase
Lipase
Lipoprotein Lipase
Lipoxidase
Lysozyme
Lysozyme (3x cryst)
Macerozyme "R-10"
Malate dehydrogenase (MDH)
r-Malate dehydrogenase (Thermostable) (MDH)
Mutarotase
Neuraminidase
Papain
Pancreatin
Pectinase
Pepsin
Pepsin 2x
Phosphoenolpyruvate carboxylase
Phospholipase D
Phosphorylase B
Peroxidase RZ 3.0 RZ 2.0
Gamma-POD (Recombinant peroxidase)
Proline specific endopeptidase
Protease
Proteinase K (ex. tritirachium album)
Proteinase K (ex. pichia pastoris recombinant)
Pyruvate dehydrogenase
Pyruvate kinase
Ribonuclease
Sarcosine oxidase
Streptavidin
r-Streptavidin
Trypsin
r-Trypsin
Trypsin inhibitor
Tyrosinase (polyphenol oxidase)
r-Uricase
Urease
r-Urease (thermostable)
Xylanase
Xanthine oxidase

Enzyme Substrates (Fluorogenic, Chromogenic)

ABTS
ABTS peroxidase stop solution (5% SDS solution)
ABTS substrate solution (single solution
S-Acetylthiocholine iodide
D-Alanine 7-amido-4-methylcoumarin free base
β-Alanine 7-amido-4-methylcoumarin trifluoroacetate
D-Alanine 7-amido-4-methylcoumarin trifluoroacetate
L-Alanine 7-amido-4-methylcoumarin trifluoroacetate
7-Amido-4-methylcoumarin
4-Amino-3-hydrazino-5-mercapto-1,2,4-triazole
BAEE
BANA
BAPNA
BCIP
5-Bromo-4-chloro-3-indolyl acetate (X-3-Acetate, X-Acetate)
5-Bromo-4-chloro-3-indoxyl-alpha-D-N-acetylneuraminic acid, sodium

5-Bromo-6-chloro-3-indolyl-caprylate
5-Bromo-4-chloro-3-indolyl-caprylate (X-caprylate)
5-Bromo-4-chloro-3-indolyl-β–D-cellobioside (X-cellobioside)
5-Bromo-4-chloro-3-indolyl-a-D-galactopyranoside (X-a-gal)
5-Bromo-4-Chloro-3-Indolyl-a-D-Glucopyranoside (X-a-Glc)
5-Bromo-4-chloro-3-indolyl-β-D-glucoronide sodium
5-Bromo-4-chloro-3-indolyl β-D-glucuronide sodium trihydrate
5-Bromo-4-chloro-3-indolyl β-D-glucuronide cyclohexylammonium
5-Bromo-4-chloro-3-indolyl β-D-ribofuranoside
5-Bromo-6-chloro-3-indolyl-ß-D-glucuronide cyclohexylammonium
5-Bromo-6-chloro-3-indolyl phosphate p-toluidine
5-Bromo-4-Chloro-3-Indoxyl-myo-inositol-1-phosphate ammonium salt (X-Phos-Inositol, X-IP)
5-Bromo-6-chloro-3-indoxyl-β-D-galactopyranoside
5-Bromo-6-Chloro-3-Indolyl-β-D-glucopyranoside
5-Bromo-3-Indolyl-β-D-galactopyranoside(bluo-gal)
6-Bromo-2-naphthyl-β-D-galactopyraniside
6-Bromo-2-naphthyl-β-D -glucopyranoside
6-Bromo-2-naphthyl-β-D-mannopyranoside
5-Bromo-3-indolyl-β-D-glucuronide cyclohexylammonium
5-Bromoindoxylacetate
5-Bromo-3-indoxyl phosphate p-toluidine
Butyrylcholine chloride
S-Butyrylthiocholine iodide
Casein acc. to hammarsten
1,2,3,4-Di-O-isopropylidene-β-D-galactopyranoside
6-Chloro-3-indoxyl-a-D-glucopyranoside (Salmon-a-D-Glc)
6-Chloro-3-indolyl-caprylate
6-Chloro-3-indolyl-β-D-galactopyranoside(salmon gal)
6-Chloro-3-indolyl-ß-D-Glucuronide cyclohexylammonium
2-Chloro-4-nitrophenyl α-L-fucopyranoside
Chlorophenol Red-ß-D-galactopyranoside
Coelenterazine native
o-Dianisidine nihydrochloride
n-Dodecyl-β-D-maltopyranoside
7-Ethoxycoumarin
Fast red TR salt hemi (zinc chloride) salt
D-Fruct-1,6-diphos tetraNa
D-Fruct-1,6-diphos triNa
D-Fruct-6-phosp diNa
5-Fluoroorotic acid (5-FOA)
5-Fluoroorotic acid hydrate/ monohydrate
D-Glucose-1-phos diK
D-Glucose-1-phos diNa
D-Glucose-6-phos Ba
D-Glucose-6-phos diNa
γ-L-Glutamic acid 7-amido-4-methylcoumarin
L-y-Glutamyl-p-nitroanilide HCl
Glycine 7-amido-4-methylcoumarin hydrobromide
Z-Glycyl-glycyl-L-arginine 7-amido-4-methylcoumarin hydrochloride
Glycyl-L-proline 7-amido-4-methylcoumarin hydrobromide
Indoxyl-β-D-galactopyranoside
3-Indoxyl phosphate diNa
IPTG
DL-Isocitrate triNa
α-Ketoglutaric acid
α-Ketoglutaric acid Na
L-Leucine-7-amido-4-methylcoumarin hydrochloride
L-Lysine-7-amido-4-methylcoumarin acetate
D-Luciferin (ex. firefly)
D-Luciferin potassium salt
D-Luciferin sodium salt
3-Methyl-2-benzothiazolinone hydrazone hydrochloride monohydrate
Methyl-α-D-Glucopyranoside
4-Methylumbelliferyl-b-D-glucuronide trihydrate
4-Methylumbelliferyl-N-acetyl-b-D-glucosaminide
4-Methylumbelliferyl-b-D-cellobioside
4-Methylumbelliferyl caprylate
4-Methylumbelliferyl α-L-iduronide
4-Methylumbelliferyl-β-D-galactopyranoside
4-Methylumbelliferyl-β-D-glucopyranoside
4-Methylumbelliferyl sulfate, potassium
Naphthol-AS-acetate
Naphthol-AS-phosphate
Naphthol AS-BI
Naphthol-AS-bi-phosphate
Naphthol-AS-bi-β-D-glucuronide
Naphthol-AS-TR-phosphate
α-Naphthyl acetate
β-Naphthyl acetate
1-Naphthyl Phosphate Na2
Nitro BT
p-Nitrophenylacetate
4-Nitrophenyl-N-acetyl-β-D-glucosaminide
p-Nitrophenyl-α-D-galactopyranoside
p-Nitrophenyl β-D-galactopyranoside
p-Nitrophenyl-β-D-glucopyranoside
p-Nitrophenyl β-D-glucuronide
p-Nitrophenyl phosphate ditris
Octyl α-D-galactopyranoside
Octyl β-D-galactopyranoside
ONPG
Oxalacetic acid
PEP monocyclohexylammonium
PEP tricyclohexylammonium
Phenolphthalein diphosphate Na
L-Phenylalanine 7-amido-4-methylcoumarin trifluoroacetate
Z-Phenylalanylarginine 7-amido-4-methylcoumarin hydrochloride
Phenyl α-D-galactopyranoside
Phenyl β-D-galactopyranoside
Phenylphosphate diNa
Phenyl β-D-thioglucopyranoside
PNP diNa
L-Proline 7-amido-4-methylcoumarin hydrobromide
Z-Proline-arginine 7-amido-4-methylcoumarin hydrochloride
L-Pyroglutamic acid 7-amido-4-methylcoumarin
Red gal
Sodium 2-naphthyl phosphate
Sodium pyruvate
(3-(2'-Spiroadamantane)-4-methoxy-4-(3''-phosphoryloxy)phenyl-1,2-dioxetane)
3,3,5,5 - Tetramethyl benzidine dihydrochloride
3,3',5,5'-Tetramethylbenzidine dihydrochloride anhydrous
2,3,5-TTC
Umbelliferone
X-Gal
X-Glu

Gel Filtration & Affinity Chromatography Reagents

Cyanogen bromide
Seralose CL-2B
Seralose CL-4B
Seralose CL-6B
Seralose-2B
Seralose-4B
Seralose-6B

General Biochemical & Chemical Reagents

4-Acetamido-2,2,6,6-tetramethylpiperidine 1-oxyl (TEMPO)
3-Amino-9-ethyl carbazol
Ammonium sulphate enzyme grade
Barfoed's reagent
Benedict's reagent (qualitative & quantitative)
Benzamidine hydrochloride hydrate
Bial's reagent
Bis-Maleimide
Biuret reagent
Blue tetrazolium
Bradford reagent for proteins
Bouins picro formal fixing solution
tert-Butyl carbazate
Chitosan and derivatives
4-Chloro-1-naphthol
Creatinine
Dansyl chloride
2,7-Dichlorofluorescein diacetate
3,5-Dinitrobenzoic acid
2,4-Dinitrophenylhydrazine reagent
3,5-Dinitrosalysilic acid reagent
N,N-Diethyl-p-phenylenediamine sulphate salt
N,N-Dimethyl-p-phenylenediamine
N,N-Dimethyl-p-phenylenediamine dihydrochloride
1,6-Diphenyl-1,3,5-hexatriene (DPH)
Dragendorff's reagent
DTE
DTT
DTNB
Ehrlich's aldehyde reagent
Ehrlich's amino sugar reagent
N-(Epsilon-maleimidocaproyloxy) succinimide (EMCS)
Fehling's solution
Fluorescamine
Folin & Ciocalteu's phenol reagent
Folin's uric acid reagent
Fouchet's reagent
Gaby-Hadley reagent A
Genipin
Glycolaldehyde
Guayule (DCPTA)
Gunzbern reagent
N-(2-Hydroxyethyl) ethylenediaminetriacetic acid (HEDTA)
INT
Iodine monochloride solution
IPTG
N-Isopropylacrylamide
Jack bean meal
Kovac's reagent
L-Leucine-b-napthylamide HCl
Lime water saturated solution
Lithium lactate
Luminol
Luminol peroxide chemimunisence solution
4-Maleimidobutyric acid N-hydroxysuccinimide ester (GMBS)
Molisch reagent
Nessler's reagent
Ninhydrin
Nystatin
N-Phenylmaleimide
Oxidase reagent (gordon-macleod reagent)
Phosphocholine chloride calcium
Phytic acid sodium
PMS
PVP(K-30)
Seliwanoff's reagent
Silicotungstic acid
Sodium polyanethol-sulphonate
Succinimidyl-4-(N-(N-maleimidomethyl)cyclohexane-1-carboxylate (SMCC)
2,2,6,6-Tetramethylpiperidine 1-oxyl (TEMPO)
Tetrazolium violet
Tris(2-carboxyethyl)phosphine hydrochloride (TCEP)
Thiazolyl blue
Thiazolyl blue formazan

Trichloroacetic acid 10% & 20% solution
1,3,5-Triphenyltetrazolium formazan
Thiomersal
o-Toluidine reagent
Urea
Uric acid
Vanadomolybdate reagent
Vanillylmandelic acid
Xanthurenic acid
XTT Sodium

Glucosinolates

Epiprogoitrin potassium
Glucobarbarin potassium
Glucocheirolin Potassium
Glucoerucin potassium
Glucoiberin potassium
Gluconapin potassium
Gluconasturtiin potassium
Glucoraphanin potassium
Glucoraphenin potassium
Glucosibarin potassium
Glucotropaeolin potassium
Progoitrin potassium
Rapeseed glucosinolate mixture
Sinalbin potassium
Sinigrin potassium

Lipids, Fatty acids & Derivates, Essential Oils & Extracts

Ajowan seed oil
Almond oil
Appleseed oil
Arachis oil (peanut oil)
Bees wax
Bergamot oil
Caprylic acid sodium
Castor oil
Cedarwood oil natural & synthetic
Cholesterol
Cholesteryl acetate
Citronella oil
Clove oil
Cumin seed oil
Cypriol oil
Elaidic acid
Emulsifying wax
Ethyl oleate
Eucalyptus oil
Jojoba oil
Lanolin anhydrous
Lanosterol
Lavender oil
Lauric acid
Lauric acid methyl ester
Lecithin ex. egg
Lecithin ex. soya
Linoleic acid
Linoleic acid methyl ester
L-α-Lysophosphatidylethanolamine (Egg Lyso PE)
Myristic acid
Myristic acid methyl ester
Myristyl alcohol
Oleic acid
Olive oil
Orange oil
Palmitic acid
Palmitic acid methyl ester
Paraffin wax (light, heavy, soft, yellow, pellets)
Peppermint oil
potassium ricinoleate
Rose oil
Sodium ricinoleate
Stearic acid
Stearic acid methyl ester
Trilaurin
Trimyristin
Triolein
Tripalmitin
Tristearin
Turpentine oil

Microbiology Reagents

Aerosil 200
Agar powder
Agar granulated
Bromothymol blue solution
Canada balsam natural
DPX mountant
Gelatin powder
Gelrite gellan gum
Immersion oil
Silicon antifoaming agent
Sodium malonate
Sodium selenite

Miscellaneous Biochemical Compounds

O-(2-Acetamido-2-deoxy-D-glucopyranosylidene)amino N-phenyl carbamate
Acetylcholine bromide
Acetyl choline chloride
Acetyl choline iodide
N-Acetylneuraminic acid
cis-Aconitric anhydride
Albumin egg flakes
Albumin egg powder
Alginic acid
Allopurinol
5-Amino levulinic acid HCl
Arachidonic acid
p-Arbutin
Asiatic acid
Bilirubin
Citral
Creatine
Creatine phosphate diNa
Creatinine
Cycloheximide
2,4-Diaminophenol dihydrochloride (Amidol)
Diethyl pyrocarbonate (DEPC)
1,2,3,4-Di-o-Isopropylidine-L-arabinopyranoside
N-Ethylmaleimide
Ferrozine Monosodium
Fluorescein isothiocyanate isomer I
Genepin
L-Gulono-1,4-lactone
D-Glucoheptonic acid-1,4-lactone
D-Glucono-1,4-lactone
L-Glucono-1,5-lactone
D-Glucorono-3,6-lactone
Glucosamine HCl
Glutathione oxidised
Glutathione reduced
Glycyl glycine
Guanidine HCl
Guanidine thiocyanate
D-Gulono-1,4-lactone
L-Gulono-1,4-lactone
Hemin
Hydrocortisone
2-Hydroxy-3,5-dichlorobenzene-sulphonic acid diNa
5-Hydroxymethylfurfural (HMF)
3-Hydroxy-2,4,6-triiodobenzoic acid
3-Hydroxy-2,4,6-tribromobenzoic acid
3-Indolxyl sulfate potassium salt
L-Lauroyl-rac-glycerol
α-Ketoglutaric acid disodium
Kinetin riboside
D-Mannosamine HCl
Melatonine
Mucic acid
Myricetin
Naringin
Naringenin
Nicotinamide
Pentetrazole
Phenol equilibrated
o-Phenylenediamine free base (OPD)
o-Phenylenediamine dihydrochloride
D-Prolinamide
L-Prolinamide
Protein A soluble
Pyruvic acid
Resorufin sodium
Scopoletin
Somastostain acetate
Sphingomyelin (Type I & II)
Spironolactone
Stigmasterol
Di-(N-Succinimidyl) carbonate
Syringaldazine
TMPPD
3,3'5,5'-Tetramethylbenzidine
1H-Tetrazole
DL-6,8-Thioctic acid
L-Thyronin
1,2,4-Triazole
Trifluoroacetic acid
3,3',5-Triiodothyronin
(+)-Usnic acid
WST-95

Molecular Biology Reagents / DNA Reagents

Acrylamide (powder and solutions)
Acrylamide / Bisacrylamide premix
Agaroses (LE, HE, ME, ultraphor, low melting, Low-6 & Low-8)
Agarose TAE mix
Agarose TBE mix
Ammonium acetate
Ammonium chloride
Ammonium persulphate
Ammonium sulphate
L-Ascorbic Acid
Boric acid
Brij-35® (main component & 30% aq soln)
Brij-30®
Brij-58®
Cesium chloride
Cesium sulphate
EDTA
Ficoll 400®
Glycerol
Glycine
Imidazole
Magnesium chloride
Magnesium sulphate heptahydrate
Octylphenyl polyethylene glycol (IGEPAL CA-630®)
Phenol
Phenol saturated
Phenol tris equilibrated
Phenol:Chloroform:Isoamyl alcohol (25:24:1),(125:24:1),(49.5:49.5:1)
Polyoxyethylene (5 & 9) nonylphenylether branched
Polyoxyl 40 hydrogenated castor Oil
Potassium acetate
Potassium chloride
Potassium dihydrogen orthophosphate
Sodium acetate anhydrous
Sodium acetate trihydrate
Sodium bicarbonate
Sodium chloride
Sodium citrate
Sodium lauryl sulphate
Sodium phosphate (monobasic and dibasic)
SPAN (20, 60, 80)
Sucrose
Tetradecyl sulphate sodium salt
Tris buffer
Tris hcl
Triton x-100
Urea

Nucleosides, Nucleotides, Purines,Pyrimidines, Nucleic acids

Adenine
Adenine sulphate
Adenosine
ADP
AMP
AMP 2',3'-cyclic
AMP 3',5'-cyclic acid
2-Aminopurine
ATP
5-Azacytidine
6-Azathymin
3'-Azido-3'-deoxythymidine
5-Bromo-2'-deoxyuridine
5-Bromouracil
5-Bromouridine
5-Carboxyuracil
6-Chloroguanine
6-Chloropurine
6-Chloropurine riboside

CMP
CTP
Cytidine
Cytosine
Cytosine arabinoside
dATP
dCTP
dGTP
dTTP
2'-Deoxyadenosine
2'-Deoxy AMP
2'-Deoxy CMP
2'-Deoxycytidine
2'-Deoxy GMP
2'-Deoxyguanosine Monohydrate (2dG)
2'-Deoxyinosine
2'-Deoxythymidine
2'-Deoxy UMP
2'-Deoxyuridine
2,6-Diaminopurine
Dibutyryl AMP
2',3'-Dideoxyadenosine
2',3'-Dideoxycytidine
2',3'-Dideoxyinosine
2',3'-Dideoxythymidine
2',3'-Dideoxyuridine
DNA free acid
DNA Sodium
5-Fluorocytidine
5-Fluorocytosine
5-Fluoro-2'-deoxyuridine
5-Fluorouracil
5-Fluorouridine
Guanine
Guanine HCl
Guanine sulphate
Guanosine
GMP
GTP
Hypoxanthine
IMP
Inosine
5-Iodouracil
Iodo-2'-deoxyuridine
N6-[2-Isopentyl] adenine
ITP
6-Mercaptopurine
5-Methyluridine
5-Nitrouracil
Nucleosides kits
Polyadenylic acid K
Polycytidylic acid K
Polyinosic acid K
Polyuridylic acid K
Ribonucleic acid sodium salt
RNA
THIO NAD
THIO NADH
2-Thiouracil
Thymidine
Thymine
TMP
5-Trifluorothymidine
UDPG
UMP
Uracil
Uridine
UTP
Xanthine

Plant Growth Regulators, Auxins & Mutagens

Abscisic acid
Alar
6-Benzyladenine
Brassinolide
Chitosan oligosaccharide
Chlorogenic acid
Chlorocholine chloride (CCC)
p-Chlorophenoxyacetic acid
2-(3-Chlorophenoxy)-propionic acid
Colchicine
DICAMBA
2,4-Dichlorophenoxyacetic acid (2,4-D)
Diethyl aminoethyl hexanoate
Diethyl sulphate
DL-Dihydrozeatin
Emamectin benzoate
Etherel
Ethyl methane sulphonate
Folcisteine
Forchlorfenuron
Gibberellic acid (GA3, GA4+7)
Glycine betaine
Humic acid potassium salt
Indole-3-acetic acid
Indole-3-acetic acid methyl ester
Indole-3-acetyl-L-phenylalanine
Indole-3-acetyl-L-valine
3-Indoleacrylic acid
Indole-3-butyric acid
Indole-3-propionic acid
N6-[2-Isopentenyl] adenine
N6-[2-Isopentenyl] adenosine
Jasmonic acid
Kinetin
1-Methylcyclopropene (1-MCP)
Methyl methane sulphonate
Naphthalene-1-acetic acid
2-Naphthoxyacetic acid
1-Naphthyl acetamide
Nitenpyram
Paclobutrazol
Phenoxyacetic acid
4-(Phenylmethylsulfanyl carbothioylamino)butanoic acid
Picloram
Gamma-Polyglutamic acid
Prohexadione-calcium
Thidiazuron
meta-Topolin
Triacontanol
2,3,5-Triiodobenzoic acid
Zeatin
Zeatin riboside

Proteins

Actin
Albumin bovine (pH 5.0-6.0, 6.0-7.0 & 7.0)(reagent and cohn)
r-Albumin human (HSA) (Types ACF, EG, LE, LL)
Azoalbumin (bovine)
Azocasein
Calcium Caseinate
Gamma-CRP (Recombinant C-reactive protein)
Casein
Collagen
Cytochrome C
Haemoglobin powder ex. bovine erythrocytes
Hemin chloride cryst. ex. porcine
Insulin
r-Insulin
Myosin II (in 4% SDS)
Ovalbumin (90% & 98%)
Sodium Caseinate

Sex Hormones (Sex Steriods)

Norethindrone acetate
Progesterone
Testosterone (free base)
Testosterone enanthate
Testosterone propionate

Scintillation Compounds

Anthracene
BBOT
Benzene
Cesium iodide
Cocktail 'O'
Cocktail 'T'
Cocktail 'W'
1,4-Dioxan
Naphthalene
POPOP
PPO
Toluene
Triton X-100

Vitamins

p-Aminobenzoic acid
L-Ascorbic acid
L-Ascorbic acid calcium
L-Ascorbic acid sodium
D-Biotin
Calciferol (Vitamin D2)
Calcium pantothenate
Cholecalciferol (Vitamin D3)
DL-α-tocopherol acetate (vitamin E acetate)
Folic acid
Inositol
Menadione Na bisulphite
Menadione O/S (Vitamin K3)
Nicotinic acid
Pyridoxal-5-phosphate
Pyridoxine HCl
Riboflavine
Rutin trihydrate
Thiamine HCl
Vitamin A acetate (retinyl acetate, vitamin B3)
Vitamin A palmitate (retinyl palmitate)
Vitamin B12
Vitamin K1

Organic Intermediates

Alkaloids

Ajmalicine
Ajmaline
Caffeine anhydrous
Colchicine
Corynanthine
Harmaline
Putrescine diHCl
Reserpine
b-Sitosterol ex. rice bran
b-Sitosterol ex. soyabean
a-Solamargine
Solasodine
Solasonine
Spermidine
Spermine free base
Spermine tetrahydrochloride
Theophylline anhydrous
Tribulus Terrestris Extract
Xanthohumol ex. hop
Yohimbine hydrochloride

Boronic Acids

4-Benzyloxy-phenylboronic acid
4-Bromophenylboronic acid
2-Bromopyridine-5-boronic acid
3-Carboxybenzeneboronic acid
4-Carboxyphenylboronic acid
4-Chlorophenylboronic acid
4-Cyanophenylboronic acid
3-Cyanophenylboronic acid
Cyclopropylboronic acid
3,4 Dichlorophenylboronic acid
2,4 Dichlorophenylboronic acid
2,4-Difluorophenylboronic acid
2-Ethylphenylboronic acid
5-Fluoro-2-methoxyphenylboronic acid
2-Fluorophenylboronic acid
3-Fluorophenylboronic acid
4-Fluorophenylboronic acid
3-Formylphenylboronic acid
3-(Hydroxymethyl)-phenylboronic acid
Isobutylboronic acid (2-methylpropylboronic acid)
Isopropylboronic acid
2-Methoxyphenylboronic acid
4-Methoxyphenylboronic acid
2-Methoxypyridine-5-boronic acid
3-Methylbutylboronic acid
3-Methylphenylboronic acid
2-Methylphenylboronic acid
3-Nitrophenylboronic acid
Phenylboronic acid
3-Pyridineboronic acid
Thiophene-2-boronic acid
m-Tolylboronic acid
3-Trifluoro methylphenylboronic acid

Buffer Solutions, Capsules, Tablets & Indicator Papers for Analysis

Buffer capsules for pH 4,6,7,9.2
Buffer solutions for pH 4,7,9.2
Brilliant yellow indicator papers
Bromothymol blue indicator papers
Chlorine test indicator papers
Congo red indicator papers
Indicator papers pH 1.0-14.0, 1.0-10.0, 2.0-4.5, 2.0-10.5, 3.5-6.0, 3.8-5.3, 3.8-5.4, 5.0-7.5, 6.5-9.0, 8.0-10.5, 2.0-4.5
Litmus blue indicator papers
Litmus red indicator papers
Methylene blue tablets
Phenolphthalein indicator papers
Starch indicator papers
Starch iodide indicator papers
Turmeric indicator papers

Chiral Compounds

(2S,5S) 2,5-Hexanediol
(2R,4R) 2,4-Pentanediol
(2S,4S) 2,4-Pentanediol

Dried / Anhydrous Solvents

Acridine orange hydrochloride hydrate
Acetic acid
Acetone
Benzene
Chloroform
Cyclohexane
Dichloroethane
Dichloromethane
Diisopropylether
Dimethylformamide
Dimethyl sulphoxide
1,4-Dioxane
Ethyl acetate
Ethyl ether
n-Hexane 99%
iso-Octane
Methanol
n-Propanol
Pyridine
Tetrahydrofuran
Toluene
Toluene dried special (low benzene, 25ppm)
Trichloroethylene
Xylene

Dyes, Stains & Indicators

Aceto orcein
Acid Fuchsin (Acid violet 19,Calcium salt)
Acridine yellow
Acriflavine neutral
Albert's stain solution (A & B)
Alcian blue (alcian blue 8 GX)
Aluminon auramine O (basic yellow 2)
Alizarin red S
Alizarin yellow GG
Amaranth (acid red 27)
Anilin blue (W/S)
8-Anilino-1-naphthalenesulphonic acid (ANS)
8-Anilino-1-naphthalene sulphonic acid ammonium salt hydrate (ANS Hydrate)
Arsenazo I
Arsenazo III free acid (high purity)
Azomethane H monosodium salt hydrate
Azure I (B)
Azure II
Azure A
Barium diphenylamine sulphonate
Borax carmine (grenacher)
Brilliant blue G
Brilliant blue R
Brilliant cresyl blue
Brilliant green
Bromocresol green
Bromocresol green sodium
Bromocresol purple
Bromocresol purple sodium
Bromophenol blue
Bromophenol red
Bromopyrogallol red
Bromothymol blue
Calmagite
Carbol fuchsin
Carmine
Celestine blue
Chloranitine fast red BB
Chlorophenol red
Chromazurol S
Chromotrope 2R
Chrysoidine R
Chrysoidine Y
Congo red
m-Cresol purple
Cresol red
Cresyl violet acetate
Curcumin
DAPI Dihydrochloride (powder & soln)
2,6 Dichlorophenol-indophenol Na
Diphenylcarbazone
Erichrome black T
Erioglaucine disodium salt
Eosin yellow
Eriochrome cyanine R
Erythrosin B
Evans blue
Fast blue B salt (DBB)
Fast blue BB salt hemi zinc chloride salt
Fast blue RR salt
Fast green FCF
Fluorescein Na
Fuchsin basic
Gention violet (crystal violet, methyl violet 10B)
Giemsa stain & solution
Gram's iodine
Hematoxylin monohydrate
Hematoxylin solution (Dalefield, Ehrlich, Harris & Mayer)
p-Hydroxyazobenzene
Hydroxynapthol blue
Indigo carmine
Jenner's stain
Janus green B
Leishman solution
Leishman stain
Light green SF yellowish
Lugols iodine 1%& 5% solution
Malachite green powder
Meldolas blue
p-Methoxyazobenzene
New methylene blue N
Methylene blue
Methylene blue (aqueous)
Methyl green
Methyl orange
Methyl red
Methyl red sodium salt
Murexide
Naphthol blue black
Neisser's Stain (A, B & C)
New methylene blue N zinc chloride double salt
Neutral red
Nigrosin (water soluble & alcohol soluble)
Nigrosin 10% w/v
Nile blue chloride
Nile blue sulphate
Nile red
Nuclear fast red
Oil red O
Orcein
Orange G
PAN
PAR
Phenol red
Phenol red sodium salt
Phenolphthalein
Phenolphthalein Solution
Phloxin B
Propidium iodide
Propidium iodide soln
Ponceau S
Ponceau S staining solution
Pyronin G
Quinaldine red
Reactive blue 21
Reactive orange 16
Reactive orange 107
Reactive red 21
Reactive red 35
Reactive red 120
Reactive red 180
Reactive violet 5
Reactive yellow 17
Resazurin
Resazurin sodium
Rhodamine B
p-Rosaniline HCl
Rose bengal
p-Rosolic acid (Aurin)
Ruthenium red
Safranine O
Safranine 0.5 w/v Aq. Solution
Silver proteinate
Solochrom dark blue (Calcon)
Sudan III
Sudan IV
Sudan black
Tartrazine
Thioflavin T
Thionin acetate
Thorin
Thymol blue
Thymol blue indicator solution
Thymol crystal
Thymolphthalein
Thymolphthelexone
Thymol violet
Titan yellow
Toluidine blue
Tropaeolin O
Trypan blue
Uranyl acetate dihydrate
Uranyl nitrate hexahydrate
Wright
p-Xylenol blue
Xylene cyanol FF
Xylenol orange
Zincon

GC Derivatization & Silylating Reagents

BSA+TMCS(3-5%)
BSA+TMCS+TMSI (3:2:3)
BSTFA+TMCS (99:1)
MSTFA+TMCS (99:1)
N-tert-Butyldimethylsilyl imidazole
tert-Butyldimethylsilyl trifluoromethanesulfonate (TBDMS triflate)
tert-Butyldimethylsilyl chloride (TBDMS.Cl)
Dimethyl dichlorosilane (DMDCS)
1,1,33,-Hexamethyldisilazane (HMDS)
N-Methoxymethyl-N-trimethylsilylmethyl-benzylamine
4-Nitrobenzoyl chloride
1,1,3,3-Tetramethyldisiloxane (TMDS)
o-Phthalaldehyde
N-(3-Trimethoxysilylpropyl) diethylenetriamine (TMSPD)
Trimethyl chlorosilane (TMCS)
N-Methyl-N-trimethylsilyl trifluoroacetamide (MSTFA)
N-(Trimethylsilyl)diethylamine (TMSDEA)
N-Trimethylsilylimidazole (TMSIM)
3-Trimethylsilylpropionic acid (TMSPA)

Insect Pheramones

Cuelure
Eugenol
Isoeugenol (mixture of cis and trans)
Methyl eugenol
Methylisoeugenol (mixture of cis and trans)

Ionic Liquids

1-Butyl-3-methylimidazolium chloride
1-Butyl-3-methylimidazolium dicyanamide
1-Butyl-3-methylimidazolium hexafluorophosphate

1-Butyl-3-methylimidazolium tetrachloroaluminate
1-Butyl-3-methylimidazolium tetrafluoroborate
1-Butyl-3-methylimidazolium trifluoromethanesulfonate
1-Butyl-1-methylpyrrolidinium bis(trifluoromethyl-sulfonyl)imide
1-Butyl-1-methylpyrrolidinium chloride
1-Butyl-1-methylpyrrolidinium hexafluorophosphate
1-Butyl-1-methylpyrrolidinium tetrafluoroborate
1-Dodecyl-3-methylimidazolinium hexafluorophosphate
1-(3-Cyanopropyl)-3-methylimidazolium dicyanamide
1-Ethyl-3-methylimidazolium chloride
1-Ethyl-3-methylimidazolium ethyl sulfate
1-Ethyl-3-methylimidazolium hexafluorophosphate
1-Ethyl-3-methylimidazolium tetrachloroaluminate
1-Ethyl-3-methylimidazolium tetrafluoroborate
1-Ethyl-3-methylimidazolium trifluoromethanesulfonate
1-Ethyl-1-methylpyrrolidinium bis(trifluoromethyl-sulfonyl)imide

Ion Pairing Reagents

Butane sulphonic acid Na
Dodecane sulphonic acid Na
Heptanesulphonic acid Na
Hexanesulphonic acid Na
Nonane sulphonic acid Na
Octanesulphonic acid Na
Pentanesulphonic acid Na

Organic Intermediates & Reagents Pure/Extrapure/AR/ACS/ ExiPlus™

AAPH
Acetamide
Acetanilide
Acetophenone
2-Acetonaphthone
Acetone sodium bisulfite
Acetoxime (acetone oxime)
Acrylamide
Acrylic acid
1-Actonapthone
2-Acetyl thiophene
Adipic acid
Adipic acid dihydrazide
AEBSF HCl
Alloxan monohydrate
Allylamine
Allyl bromide
Allyl chloride
Aluminium isopropoxide
1-Amino-2-naphthol-4-sulphonic acid
p-Aminoacetanilide
p-Aminoacetophenone
D-a-Amino adipic acid
L-a-Amino adipic acid
4-Aminoantipyrine (Ampyrone)
p-Aminoazobenzene
m-Aminobenzoic acid
m-Aminobenzoic acid (PABA)
2-Aminobenzophenone
6-Aminocaproic acid
2-Amino-5-chlorobenzophenone
2-Amino-3-hydroxypyridine
DL-3 -Aminoisobutyric acid
5-Aminoisophthalic Acid
2-Amino-2-methyl-1,3-propanediol
2-Amino-2-methyl-1-propanol
5-Aminonaphthalene-1-sulphonic acid
5-Aminonaphthalene-2-sulphonic acid
2-Amino-5-nitrobenzophenone
2-Aminophenylacetonitrile
2-Aminopyridine
3-Aminopyridine
4-Aminopyridine
1,3-Bis(3-Aminophenoxy) benzene (APB)
(3-Aminopropyl)triethoxysilane (APTES)
4-Amino-1,2,4-triazole
Ammonium acetate
Ammonium bismuth citrate
Ammonium citrate tribasic
Ammonium formate
Ammonium oxalate
Ammonium tartrate
1-Amino-1-cyclopropanecarbonitrile hydrochloride
Amyl acetate
Aniline
Aniline hydrochloride
Aniline Sulphate
Anisaldehyde
p-Anisic acid
p-Anisidine
Anisole
p-Anisyl alcohol
Anthraquinone
Anthrone
Antimony potassium tartrate
2,2 Azobis isobutyronitrile(AIBN)
Barium acetate
Bathocuproin
Bathocuproin disulphonate diNa
Bathophenanthroline
Bathophenanthroline disulphonate diNa
Behenyl alcohol
Bentonite
Benzalacetophenone
Benzaldehyde
Benzamide
Benzanilide
Benzenesulphonyl chloride
Benzhydroxamic acid
Benzil
Benzilic acid
Benzimidazole
Benzoic acid
Benzoic anhydride
Benzoin
α-Benzoinoxime
Benzophenone
Benzophenone hydrazone
Benzotriazole
1-Benzoylacetone
Benzylamine
Benzyl benzoate
Benzhydrylamine
Benzyltriethyl ammonium chloride
Benzyltrimethyl ammonium chloride
Benzyltrimethyl ammonium hydroxide
Bicinchoninic acid disodium salt
4,4-Bis(4-aminophenoxy)diphenyl sulfone
Bis(chloromethyl) ether
Biphenyl
Bismuth (III) gallate basic
Bisphenol A
2,2 Bipyridyl
N,N-Bis(hydroxymethyl)urea (DMU)
Biuret
BOC-Amide
N-BOC-4-Aminopiperidine
BOC-Cyclopropylamine
BOC-Isonipecotic acid
BOC-Isonipecotic acid methyl ester
BOC-Nipecotic acid
BOC-Nipecotic acid methyl ester
BOC-Pipecolic acid
BOC-Pipecolic acid methyl ester
1-BOC-Piperazine
1-BOC-4-Piperidone
Boron trifluoride etherate
Boron trifluoride in methanol (14%,50%) complex
Bromoacetic acid
3-Bromoacetophenone
Bromoacetaldehyde dimethyl acetal
2-Bromoacetamide
p-Bromoacetanilide
p-Bromoacetophenone
m-Bromoaniline
p-Bromoaniline
m-Bromoanisole
p-Bromoanisole
Bromobenzene
3-Bromobenzoic acid
p-Bromobenzophenone
p-Bromobenzyl bromide
2-Bromo-4'-chloroacetophenone
1-Bromo-4-chlorobenzene
1-Bromo-2-chloroethane
1-Bromo-3-chloropropane
1-Bromodecane
Bromodifluoroacetyl chloride
1-Bromo-2,4-difluorobenzene
2-Bromoethylamine hydrobromide
Bromodiphenylmethane
1-Bromododecane
Bromoform
1-Bromohexadecane
1-Bromoheptane
1-Bromohexane
4-Bromoindole
5-Bromoindole
2-Bromo ethyl ether
4-Bromo-2-fluorobiphenyl
1-Bromo-3-methylbutane
6-Bromo-2-naphthoic acid
6-Bromo-2-napthol
1-Bromonaphthalene
2-Bromonaphthalene
2-Bromo-2-nitro-1,3-propanediol
1-Bromooctadecane
1-Bromooctane
Bromophenol
1-Bromopentane
4-Bromophthalic anhydride
1-Bromotetradecane (myristyl bromide)
2-Bromothiophene
3-Bromothiophene
2-Bromotoluene
3-Bromotoluene
4-Bromotoluene
3-Bromophenol
p-Bromophenol
N-Butyl acrylate
N-Butylamine
tert-Butylamine
tert-Butylchlorodiphenylsilane
Butylated hydroxyanisole
Butylated hydroxytoluene
p-tert-Butyl benzoic acid
N-Butyl bromide
sec-Butyl bromide
tert-Butyl bromide
tert-Butyl chloride
p-tert-Butyl catechol
tert-Butyl hydroquinone (TBHQ)
N-Butyl iodide
sec-Butyl iodide
tert-Butyl methyl ether
p-tert-Butyl phenol
Di-N-Butyl phthalate
n-Butyric acid
n-Butyric anhydride
γ-Butyrolactone
Butyryl chloride
Cadaverin
Cadmium acetate
Caffeine anhydrous
Calamine
Calcein
Calcium citrate
Calcium formate
Calcium propionate
Calconcarboxylic acid
Camphor
ß-Carotene
1S-(+)Camphorsulphonic acid
D(-)Camphor sulphonic acid
Capric acid
Caproic acid
Caprylic acid
Carbazole
Carboxy methyl cellulose sodium salt (250-350 CPS, 400-800 CPS, 1100-1900 CPS
L-Carnitine
Cellulose acetate phthalate
Catechol
Cetostearyl alcohol

Cetyl alcohol
Cetyldimethyl benzyl ammonium chloride
Cetylpyridinium bromide
Cetylpyridinium chloride
p-Chloracetanilide
Chloramine-T trihydrate
p-Chloroacetophenone
2-Chloroacetophenone
Chloroanilic acid
m-Chloroaniline
o-Chloroaniline
o-Chlorobenzaldehyde
p-Chlorobenzaldehyde
4-Chlorobenzhydrol
o-Chlorobenzoic acid
m-Chlorobenzoic acid
p-Chlorobenzoic acid
p-Chlorobenzophenone
o-Chlorobenzylamine
4-Chlorobutyronitrile
4-Chlorobutyryl chloride
p-Chloro-m-cresol
4-Chloro-3,5-dimethylphenol (PCMX)
1-Chloro-2-4-dinitrobenzene
2-Chloro-3,5-dinitropyridine
2-Chloro-4,6 dimethoxy-1,3,5 triazine
3-Chloro-4-fluoroaniline
3-Chloro-2-fluorobenzoic acid
2-Chloro-4-fluorobenzoic acid
2-Chloro-5-fluorobenzoic acid
2-Chloro-6-fluorobenzoic acid
4-Chloromercuribenzene-sulphonic acid monosodium salt
1-Chloro-3-nitrobenzene
2-Chloro-5-nitrobenzoic acid
3-Chlorophenol
o-Chlorophenol
p-Chlorophenol
4-Chloro phenylacetic acid
3-Chloro-1-phenyl propanone
2-Chloropropionic acid
S-2-Chloropropionic acid
3-Chloropropiophenone
4-Chloropropiophenone
p-Chloromercuribenzoic acid Na
5-Chlorosalicylic acid
p-Chlorotoluene
Chromotropic acid diNa
Cinnamic acid
Cinnamonitrile
Cinnamoyl chloride
Citrazinic acid
Citric acid
Citric acid anhydrous
Cobalt (II) acetate tetrahydrate
2,4,6-Collidin
Collodion flexible
Coumarin
o-Cresol
o-Cresolphthalein
o-Cresolphthalein complexon
o-Cresolphthalein complexon sodium salt
m-Cresol
p-Cresol
Crotonic acid
18-Crown-6-ether
Cupric acetate monohydrate
3-Cyanoindole
5-Cyanoindole
Cyclohexanecarboxaldehyde
1,4-Cyclohexanedione
Cyclohexene
Cyclohexylamine
Cyclopentanone
Cyclopropanecarboxylic acid
p-Cymene
DAST (Diethylamino sulfurtrifluoride)
Decalin
1-Decanethiol
Decanoyl chloride
Decyl alcohol
Dess-martin periodinane
Diacetylmonoxime
1,4-(Diacryloyl)piperazine
3,3 Diaminobenzidine
3,3-Diaminobenzidine tetra HCl
3,5-Diaminobenzoic acid
3,5-Diaminobenzoic acid dihydrochloride
L-2,4-Diaminobutyric acid-monohydrochloride
1,1'-Dianthrimide
Dibenzoylmethane
Dibenzylamine
Dibenzyl ether
1,4-Dibromobenzene
1,4-Dibromobutane
1,3-Dibromo-5,5-dimethylhydantoin
1,2-Dibromoethane
3,5-Dibromophenol
1,3-Dibromopropane
Dichloroacetic acid
2,4-Dichloroacetophenone
o-Dichlorobenzene
2,3-Dichlorobenzoic acid
2,4-Dichlorobenzoic acid
3,4-Dichlorobenzoic acid
Dichloromethyl methyl ether
DDQ
2,5-Dichloronitrobenzene
2,4-Dichlorophenol
2,6-Dichlorophenol
2,6-Dichloroquinone-4-chlorimide (Gibbs reagent)
2,4-Dichloro-1,3,5-triazine
Dicyandiamide
Dicyclohexylamine
Dicyclopentadiene
Diethanolamine
Diethylamine
p-Diethylaminobenzaldehyde
2-Diethylaminoethanol
2-Diethylaminoethyl-1-chloride HCl
N,N-Diethylaniline
Diethyl carbonate
Diethylenetriamine
Diethylenetriaminepentaacetic acid (Pentetic acid)
Diethylenetriaminepentaacetic acid pentasodium salt (DTPA)
Diethyl ketone
Diethyl malonate
Diethyl oxalate
Diethyl phthalate
N,N-Diethyl-m-toluidine
2,4-Difluoroaniline
1,3-Difluorobenzene
2,4-Difluorobenzoic acid
2,4-Difluoronitrobenzene
2,3-Dihydropyran
2,4-Dihydroxyacetophenone
2,5-Dihydroxyacetophenone
2,6-Dihydroxyacetophenone
2,4-Dihydroxybenzoic acid
1,5-Dihydroxynaphthalene
1,6-Dihydroxynaphthalene
1,7-Dihydroxynaphthalene
2,7-Dihydroxynaphthalene
3,4-Dihydroxy-5-nitro benzaldehyde
2,6-Dihydroxytoluene
Diisopropylamine
2,5-Dimercapto-1,3,4-thiadiazole
2,5-Dimethoxyacetophenone
2,4-Dimethoxybenzaldehyde
2,2-Dimethoxypropane
4-Dimethylaminoantipyrine
N,N-Dimethyldodecylamine N-oxide (LDAO, DDAO) (30% & 95%)
1,3-Dimethyl-2-imidazolidinone
Dimethylamine 40% Solution
Dimethylglyoxime disodium
3,3-Dimethylnaphthidine
3,5-Dimethyl-4-nitroisoxazole
Dimethyl 5-nitroisophthalic acid
2,4-Dinitroaniline
3,5-Dinitrosalicylic acid (DNSA)
Sym-Diphenylcarbazide
Sym-Diphenylcarbazone
Diisopropylether
2,3-Dimercaptosuccinic acid (DMSA)
2,5-Dimethoxybenzaldehyde
1,2-Dimethoxyethane (ethylene glycol dimethyl ether)
p-Dimethylaminobenzaldehyde
5-(4-Dimethylaminobenzylidene) Rhodanine pure
p-Dimethylaminocinnamaldehyde
4-Dimethylaminopyridine
2,4 Dimethylaniline
2,6-Dimethylaniline
N,N-Dimethylaniline
Dimethyl carbonate
Dimethyl glyoxime
N,N'-Dimethylurea
2-Dimethylaminoethanol
2-Dimethylaminoethyl-chloride HCl
5,5-Dimethylhydantoin
Dimethyl malonate
2,5-Dimethylphenol
2,3-Dimethyl pyrazine
Dimidium bromide
2,4-Dinitrophenyl hydrazine
Dioctyl phthalate
Dioctyl sodium sulfosuccinate
1,3-Diphenylacetone
Diphenylacetonitrile
Diphenylamine
Diphenylcarbinol
Diphenyl ether
5,5-Diphenylhydantoin
Diphenyl hydrazine hydrochloride
Diphenylmethane
2,2-Diphenyl-1-picrylhydrazyl (DPPH)
Diphenyl thiourea
2,2-Diquinoyl
Disodium tartrate dihydrate calibration standard
Dithiooxamide
Dithiozone
Dithizone
Divinyl sulfone (DVS)
1-Dodecanol
Dodecanoyl chloride
Dodecylamine
EDTA dipotassium
EDTA disodium
EDTA Mg
EDTA ferric Na
EDTA tetrasodium
Emodin
Emulgen B-66 (Eumulgin B66)
Epichlorohydrin
1,2 Ethanedithiol (EDT)
Ethanolamine
Ethylacetoacetate
Ethylamine
Ethyl bromide
Ethyl chloroacetate
Ethyl 2-chloropropionate
Ethyl cyanoacetate
Ethylcyclohexane
Ethylene chlorohydrin
Ethylene diamine
3,4-Ethylenedioxythiophene (EDOT)
N,N-Ethylene thiourea
Ethylene glycol monophenyl ether
Ethyl ether (diethyl ether)
Ethyl formate
2-Ethylhexanoic acid
2-Ethyl-1-hexanol
2-Ethylhexyl acrylate
Ethyl iodide
5-Ethyl-2-methylpyridine
N-Ethyl piperazine
Ethyl-p-toluenesulfonate
Ethyltriphenylphosphonium bromide
Ethyl vanillin
Ferene disodium salt
Ferric citrate trihydrate
Ferroin solution
Ferrocene
Ferulic acid
Flavone
9-Fluorenylmethanol
4-Fluoroacetophenone
2-Fluoro aniline
3-Fluoro aniline
4-Fluoro aniline
2-Fluoroanisole
3-Fluoroanisole
4-Fluoroanisole
Fluorobenzene
4-Fluorobenzonitrile
1-Fluoro-2,4-dinitrobenzene

4-Fluorobenzaldehyde
4-Fluorobenzoic acid
4-Fluorobenzylamine
1-Fluoro-4-nitrobenzene
2-Fluorophenol
3-Fluorophenol
4-Fluorophenol
4-Fluorophenylacetic acid
4-Fluorotoluene
Fumaric acid
Furfurylamine
1-Furfurylpyrrole
2-Furoic acid
3-Furoic acid
2-Furoyl chloride
3-Furoyl chloride
Furylacrylic acid
Gallic acid
Guanidine carbonate
Glutaric acid
Glutaric anhydride
D-Glyceraldehyde
Glycerol
Glycerol tributyrate (tributyrin)
Glyoxal solution
Glycidyl methacrylate
Griess reagent
Guaiacol
Heptanoyl chloride
Hexachlorobenzene
Hexachloroethane
Hexadecylamine
Hexamine
Hexanoyl chloride
Hexylene glycol
4-Hexylresorcinol
Hippuric acid
Homophthalic acid
Homovanillic acid
Hydrazine dihydrochloride
Hydrazine sulphate
4-Hydrazinobenzoic acid
Hydrazobenzene
8-Hydroxyquinoline
Hydroquinone
Hydroquinone dimethyl ether
o-Hydroxyacetophenone
m-Hydroxyacetophenone
p-Hydroxyacetophenone
1-Hydroxyazobenzotriazole(HOAT)
m-Hydroxybenzaldehyde
p-Hydroxybenzaldehyde
p-Hydroxybenzoic acid
4-Hydroxy benzophenone
4-Hydroxy benzyl alchohol 98%
4-(2-Hydroxyethyl)morpholine
Hydroxypropyl-B-cyclodextrin
2-Hydroxypyridine-N-oxide(HOPO)
Hydroxylamine HCl
Hydroxylamine sulphate
N-Hydroxyphthalimide
2-Hydroxypyridine
3-Hydroxypyridine
4-Hydroxypyridine
N-Hydroxysuccinimide
Ichthamol
Imidazole
4-Imidazolecarboxaldehyde
1,3-Indanedione
2-Indanone
Iodocyclohexane (stabilized w/ Cu)
1-Iododecane
Iodoform
N-Iodosuccinimide
Indole
Indole-3-acetonitrile
Indole-3-carboxylic acid
3-Indolyldehyde
2-Iodobenzoic acid
Isobutyl acetate
Isobutyl benzene
Isobutyl bromide
Isobutyl iodide
Isobutyraldehyde
Isobutyric acid
Isobutyryl chloride
Isodecanol
Isophthalic acid
Isophthaloyl chloride
Isopropenyl acetate
Isopropyl acetate
Isopropyl bromide
Isopropyl chloroacetate
Isopropyl iodide
Isopropyl myristate
Isopropyl palmitate
Isovaleraldehyde
Isovaleryl chloride
Istatin
Itaconic acid
Karl fischer reagent (pyridine free)
2-Ketobutyric acid
Kojic acid
Lactic acid
Lanthanum oxalate
Lithium oxalate
N-Lauroylsarcosine sodium
Lead (II) acetate basic
Lead (II) acetate trihydrate
Magnesium acetate tetrahydrate
Magnesium citrate
Magnesium stearate
Maleic acid
Maleic anhydride
Maleic hydrazide
DL-Malic acid
Malonamide
Malonic acid
Malononitrile
Malonyl chloride
D-Mandelic acid
DL-Mandelic acid
L-Mandelic acid
Mangnese (II) acetate tetrahydrate
Marfy's reagent
MBTH
2-Mercaptoethanol
3-Mercapto-1,2-propanediol
Mercuric acetate
Mesitylene
Metanilic acid
1-Methylindole
Methyl-p-toluenesulfonate
Methyl salicylate
Metol
Morpholine
3-Mercaptopropionic acid
Mesitylene
Methanesulphonic acid
Methane sulphonic anhydride
Methanesulphonyl chloride
p-Methoxyacetophenone
3-Methoxy-4-hydroxy-5-nitro-benzaldehyde
Methyl acetoacetate
p-Methylacetophenone
N-Methylaniline
Methyl chloroacetate
Methyl dichloroacetate
3-Methyl-1,5-di-p-tolyl-1,4-pentazadiene
N-Methylformanilide
Methyl formate
Methyl-4-hydroxybenzoate
Methyl-4-hydroxybenzoate sodium salt
2-Methylimidazole
Methyl iodide
β-Methylumbelliferone
Methyl methanesulphonate
4-Methyl Morpholine
Methyl 2-naphthyl ether
N-Methyl piperazine
Methyl-N-propyl ketone
Methyl purple
2-Methyl pyrazine
N-Methyl-2-pyrrolidone
Methyltriphenylphosphonium bromide
Methyl vinyl ketone
Morin
Naphthalene-2-sulphonic acid
1,3,6-Naphthalenetrisulfonic acid trisodium salt hydrate
1,8-Naphthalic anhydride
α-Naphthoflavone
α-Naphthol
β-Naphthol
1,2-Napthoquinone-4-sulphonic acid Na
Naphthoresorcinol
1-Naphthylacetonitrile
N-(1-Naphthyl)ethylene diamine di HCl
Neocuproine
Neocuproine HCl
Neopentyl glycol
Neopentyl iodide
Nickel (II) acetate tetrahydrate
Nitrilotriacetic acid (NTA)
m-Nitroacetophenone
o-Nitroaniline
m-Nitroaniline
p-Nitroaniline
o-Nitrobenzaldehyde
p-Nitrobenzaldehyde
m-Nitrobenzaldehyde
Nitrobenzene
m-Nitrobenzenesulphonic-acid Na
m-Nitrobenzoic acid
p-Nitrobenzoic acid
p-Nitrobenzyl alcohol
p-Nitrobenzyl bromide
4(4-Nitrobenzyl)pyridine
o-Nitrochlorobenzene
5-Nitroisophthalic acid
Nitromethane
o-Nitrophenol
p-Nitrophenol
2-Nitrophenylacetic acid
p-Nitrophenylacetic acid
p-Nitrophenylhydrazine
3-Nitrophthalic acid
4-Nitrophthalic acid
Nitroso R-Salt
3-Nitrotoluene
2-Nonanone
Octadecylamine
Octanoyl chloride
Oleylamine
Orcinol
Orcinol anhydrous
Osmic acid
Oxalic acid
Pamoic acid
2,3,4,5,6-Pentafluorobenzoic acid
Pentafluorophenol (PFP)
1,2-Pentanediol
Perchloroethylene
1,10-Phenanthroline monohydrate
1,10-Phenanthroline hydrochloride monohydrate
Phenol
Phenylacetic acid
4-Phenylbutyric acid
2-Phenyl ethylamine
Phenylhydrazine HCl
Phenyl glycidyl ether (PGE)
Phenyl isothiocyanate
Phenylmercuric acetate
Phenylmercuric nitrate
Phenylmethane sulphonyl fluoride (PMSF)
N-Phenylthiourea
Phenyltrimethyl ammonium chloride
Phenyl Salicylate (Salol)
Phloroglucinol
Phthalic acid
Phthalic anhydride
Phthalide
Phthalamide
Phthalimide
α-Picolinic acid
Picric acid
Pimelic acid
Pinacol
Piperonylamine
Piprazine anhydrous
Pivaloyl chloride
Podophyllum resin
Polyethyleneglycol
Polysorbate
Potassium acetate
Potassium citrate
Potassium ethyl xanthate
Potassium hydrogen phthalate
Potassium hydrogen tartarate
Potassium oxalate
Potassium tert butoxide
Potassium thiocyanate
D-Prolinol
L-Prolinol
Propionaldehyde
Propionic acid
Propionic anhydride

Propionyl chloride
Propiophenone
n-Propylamine
N-Propyl bromide
Propylene carbonate
Propylene oxide
Propyl gallate
Propyl-4-hydroxybenzoate
Propyl-4-hydroxybenzoate sodium salt
N-Propyl iodide
Propyl propionate
Phthalyl hydrazide
Pyrazole
1-Pyrenebutanol
1-Pyrenecarboxylic acid
1-Pyrenemethylamine HCl (PyNH2)
Pyridazine
Pyridine (for karl fischer titration)
Pyridine-2,6-dicarboxylic acid
3(2-Pyridyl)-5,6-diphenyl-1,2,4-triazine
Pyridine-3-sulphonic acid (P3SA)
Pyridinium chlorochromate (PCC)
Pyridinium dichromate
Pyrogallol
Pyrollidine
2-Pyrollidone
Pyromellitic dianhydride
Pyrrole
Pyrrolidine
Quercetin dihydrate
Quinic acid
Quinoline
Resorcinol
Salicyldehyde
Salicylaldehyde azine
Salicylamide
Salicylic acid
Schiff's reagent
Sebacic acid
Semicarbazide hydrochloride
Silicone oil 330-370 CPS
Silver acetate
Silver diethyldithiocarbamate
Silver methanesulfonate
Silver sulfadiazine
Sodium diphenylamine sulphonate
Sodium acetate
Sodium benzoate
Sodium butyrate
Sodium cacodylate
Sodium cyanoborohydride
Sodium diphenyl reagent
Sodium dodecylbenzenesulfonate
Sodium ferrocyanide decahydrate
Sodium formaldehyde sulfoxylate
Sodium formate
Sodium fumarate
Sodium methoxide
Sodium lauryl sulphate (powder & needles)
Sodium lauryl ether sulfate
Sodium phosphate monobasic monohydrate
Sodium potassium tartarate
Sodium propionate
Sodium rhodizonate
Sodium salicylate
Sodium succinate
Sodium succinate hexahydrate dibasic
Sodium sulphide flakes
di-Sodium tartrate
Sodium tetraphenylborate
Sodium thioglycolate
Sodium triacetoxyborohydride
Sodium trifluoromethanesulfinate (langlois reagent)
SPADNS
Succinic acid
Succinic anhydride
Succinimide (butanimide)
Sulphanilamide
Sulphanilic acid
Sulpholane
5-Sulphosalicylic acid
Syringaldehyde
Tannic acid
D(-)-Tartaric acid
L-(+)-Tartaric acid
DL-Tartaric acid
Terephthalic acid
Terephthaloyl chloride
2,4,5,6-Tetrachloropyrimidine
1,2,3,4-Tetrahydroquinone
Tetralin
1-Tetralone
Tetra-N-butyl orthotitanate
3(2-Thenoyl)-1,1,1-triflouroacetone
Tetraethyl orthosilicate
1,1,3,3-Tetramethylguanidine
Thallium (I) acetate
Thioacetamide
Thioacetic acid
Thiocolchicoside
Thioglycolic acid
Thiomalic acid
Thiophene-2-acetic acid
Thiophene-2-carboxaldehyde
Thiophene-2-carboxylic acid
Thiosalicylic acid
Thiosemicarbazide
Thiourea
Tiglic acid
Titanium ethoxide
Titanium isopropoxide
TNTU
Togni's reagent
p-Toluenesulfonyl hydrazide
p-Toluenesulphonic acid
p-Toluenesulphonic acid Na
p-Toluenesulfonamide
o-Tolidine
o-Toluic acid
m-Toluic acid
p-Toluic acid
m-Toluidine
p-Toluidine
TOOS (3-(N-ethyl-m-toluidino)-2-hydroxypropanesulfonic acid sodium salt)
Triacetin
1,3,5-Tribromobenzene
Tributylamine
Tributylphosphate
1,3,5-Trichlorobenzene
Trichloroacetic acid
Triethanolamine
Triethanolamine HCl
Triethylene glycol
Triethylenetetramine
Triethylorthoformate
Trifluoroacetic acid
2, 2, 2-Trifluoroethanol
Trifluoromethanesulphonic acid
Trimesic acid
3,4,5-Trimethoxybenzaldehyde
1,3,5-Trimethoxybenzene
3,4,5-Trimethoxybenzoic acid
Trimethylamine
Trimethylsulfoxonium Iodide
Triphenylmethane
Triphenylphosphine
Triphenylphosphine hydrobromide
Triphenylphosphonium dibromide
2,4,6-Tri(2-pyridyl)-s-triazine (TPTZ)
Triton X-100
Triton X-405
Undecylenic acid
Uranyl magnesium acetate
Urea
Valeraldehyde
n-Valeric acid
Valeronitrile
Valerophenone
Valeroyl chloride
Vanadyl acetylacetonate
Vanillic acid
Vanillin
n-Veratraldehyde
Veratrole (1,2-dimethoxy benzene)
Zinc acetate
Zinc citrate

Quaternary Ammonium Compounds

Aliquat 336
Benzalkonium Chloride 50%
Benzethonium chloride (hyamine)
Cetrimide
Cetyltrimethyl ammonium bromide (CTAB)
Cetyltrimethyl ammonium chloride (CTAC)
Decyltrimethylammonium Bromide (DTMAB)
Dodecyltrimethylammonium bromide
Dodecyltrimethylammonium chloride
Ethylhexadecyldimethyl ammonium bromide
Tetrabutylammonium bromide
Tetrabutylammonium dihydrogen phosphate
Tetrabutylammonium fluoride
Tetrabutylammonium hydrogen sulphate
Tetrabutylammonium hydroxides
Tetrabutylammonium iodide
Tetradecylammonium bromide
Tetraethylammonium bromide
Tetraethylammonium chloride
Tetraethylammonium hydrogen sulphate
Tetraethylammonium iodide
Tetraheptylammonium bromide
Tetramethylammonium chloride
Tetramethylammonium hydroxides
Tetramethylammonium hydroxide pentahydrate
Tetramethylammonium iodide
2,2,4,4-Tetramethyl-1,3-cyclobutanediol (CBDO) (mixture of isomers)
Trimethyltetradecylammonium chloride
Tetrapropylammonium bromide
Tetrapropylammonium chloride
Tetrapropyl ammonium hydroxides
Trimethyloctylammonium chloride

Solvents & Reagents for HPLC, Spectroscopy & GC-HS

Acetic acid
Acetone
Acetonitrile
Acetonitrile (gradient grade)
Ammonium acetate
Ammonium phosphate monobasic
Benzene
Butyl acetate
n-Butyl alcohol
tert-Butyl alcohol
tert-Butylmethyl ether
Chloroform
Cyclohexane
1,2-Dichloroethane
Dichloromethane
Diethylamine
N,N-Dimethylacetamide
N,N-Dimethylformamide
1,3-Dimethyl-2-imidazolidinone (DMI)
Dimethylsulphoxide
1,4-Dioxane
Ethyl acetate
Ethyl ether
Formamide
n-Heptane
n-Hexane
1,1,1,3,3,3-Hexafluoro-2-propanol (HFIP)
Isobutanol
Isooctane
Isopropanol
Karl fischer reagent
Methanol
N-Methyl pyrollidone
1-Octanol
n-Pentane
Petroleum ether 60-80
Potassium dihydrogen orthophosphate
Potassium hydrogen phthalate
N-Propanol
Pyridine
Sodium acetate anhydrous
Sodium acetate trihydrate
Sodium chloride
Sodium phosphate dibasic dihydrate

Sodium lauryl sulphate
Sodium phosphate monobasic (anhydrous & monohydrate)
Tetrabutylammonium bromide
Tetrabutylammonium hydrogen-sulphate
Tetrachloroethylene
Tetrahydrofuran
Toluene
Triethylamine
Trifluoroacetic acid
Tris buffer
Water

Solvents & Liquids, AR Grade/Electronic Grade

Acetic acid glacial
Acetone
Acetonitrile
Acetophenone
Acetylacetone
Anisole
Benzaldehyde
Benzene
Benzyl alcohol
Benzylamine
Bromobenzene
N-Butyl acetate
N-Butyl alcohol
sec-Butyl alcohol
tert-Butyl alcohol
N-Butylamine
N-Butyric acid
N-Butyric anhydride
Carbon tetrachloride
Chlorobenzene
Chloroform
Cyclohexane
Cyclohexanone
Cyclohexylamine
o-Dichlorobenzene
1,2-Dichloroethane
Dichloromethane
Diethylamine
N,N'-Diethylaniline
Diethylene glycol
Diethyl malonate
1,3-Dioxolane
N,N-Dimethylacetamide
N,N-Dimethylformamide
Dimethylsulphoxide
1,4-Dioxane
Epichlorohydrin
Ethyl acetate
Ethylene chlorohydrin
Ethylene diamine
Ethylene glycol
Ethyl ether
Formamide
Formic acid
Furfural
Glycerol
N-Heptane
N-Hexane
Hexane
N-Hexanol
Isoamyl alcohol
Isobutanol
Isooctane
Isopropanol
Methanol
Methyl acetoacetate
Methyl cellosolve
Methyl isobutyl ketone
Morpholine
N-Pentane
Petroleum ether 60-80°C
N-Propanol
Propionic acid
Propylene glycol
Salicyladehyde
1,1,2,2-Tetrachloroethane
Tetrahydrofuran
Toluene
Toluene super dried
m-Toluidine
Trichloroethylene
Triethylamine
Triethylene glycol
Xylene

Solvents & Liquids, Pure & Extrapure Grade

Acetic acid
Acetone
Acetonitrile
Acetylacetone
Acrylonitrile
Allyl alcohol
N-Amyl alcohol
Benzyl alcohol
N-Butanol
sec-Butyl alcohol
tert-Butyl alcohol
tert-Butyl methyl ether
Chlorobenzene
Chloroform
Cyclohexane
Cyclohexanol
Cyclohexanone
m-Dichlorobenzene
1,2-Dichloroethane
Dichloromethane
Diethylene glycol
Diethylene glycol diethyl ether
Diethylene glycol dimethyl ether
Diethylene glycol monoethyl ether (DGMEE)
N,N-Diisopropylethylamine (DIPEA)
N,N-Dimethylacetamide
N,N-Dimethylformamide
Dimethylsulphoxide
1,2-Dimethoxyethane
1,4 Dioxane
Dipropylene glycol monomethyl ether
Ethyl cellosolve
Ethylene glycol
Ethyl vinyl ether
Formamide
Flycofurol
N-Heptane
N-Heptanol
N-Hexanol
hydrazine hydrate
Isobutanol
Isooctane
Isopropanol
Isopropylamine
Methyl cellosolve
Methyl cyclohexane
Methyl isobutyl carbinol
Methyl isobutyl ketone (MIBK)
2-Methyl tetrahydrofuran
N-Octyl alcohol
Orthophosphoric acid (85%)
N-Pentane
Petroleum ether 40-60, 80-100, 100-200
Polyphosphoric acid
N-Propanol
Propylene glycol
Propargyl alcohol
Pyridine
Tetrachloroethylene
Tetrahydrofuran
Triheptylamine
Trimethylorthoformate
Trioctylamine
m-Xylene
o-Xylene
p-Xylene

Solvents for Molecular Biology

Acetic acid glacial
Acetone
Acetonitrile
Chloroform
Dichloromethane
N,N-Dimethylformamide
Dimethyl sulphoxide
Formamide
Isopropanol
2-Mercaptoethanol
Methanol
N-Methyl-2-pyrrolidone
Tetrahydrofuran
Triethylamine
Xylene

Solvents for NMR Spectroscopy

Acetone-d6
Acetone-d6 with 1% TMS
Acetonitrile-d3
Benzene-d6
Chlorobenzene-d5
Chloroform-d with 1% TMS
Chloroform-d with 0.03% TMS
Chloroform-d w/o 1% TMS
Dichloromethane-d2
Dimethyl sulphoxide-d6
Methanol-d4
Pyridine-d5
Tetrahydrofuran-d8
Tetramethyl silane (TMS)
Toluene-d8

Inorganic Compounds

Standard Solutions: Atomic Absorption Std. Solutions (concentration 1000mg/litre)

Aluminium AAS soln.
Antimony AAS soln.
Barium AAS soln.
Bismuth AAS soln.
Boron AAS soln.
Cadmium AAS soln.
Calcium AAS soln.
Chromium AAS soln.
Cobalt AAS soln.
Copper AAS soln.
Gold AAS soln.
Indium AAS soln.
Iron AAS soln.
Lanthanum AAS soln.
Lead AAS soln.
Lithium AAS soln.
Magnesium AAS soln.
Manganese AAS soln.
Mercury AAS soln.
Molybdenum AAS soln.
Nickel AAS soln.
Palladium AAS soln.
Potassium AAS soln.
Selenium AAS soln.
Silicon AAS soln.
Silver AAS soln.
Sodium AAS soln.
Strontium AAS soln.
Tin AAS soln.
Tungsten AAS soln.
Vanadium AAS soln.
Zinc AAS soln.

Standard Solutions: Multi-Element Standards

(MES 1-18)

Standard Solutions: Volumetric Standard Solutions

Acetic acid 1N, 2.5M
Ammonium ceric nitrate 0.05N
Ceric sulphate 0.1N
Cupric chloride 0.3M
Cupric sulphate 0.1M
EDTA disodium salt 0.1M,0.01M,0.05M,0.5M
Hydrochloric acid 0.01M,0.05N, 0.1N,0.5N,1N,2N,3N,4N,5N,6N, 4M
Iodine 0.01N, 0.1N,1N
Lactic acid 0.1N,1N
Lanthanum nitrate 0.1M
Lithium chloride (1M solution in Acetic Acid, 1M solution in ethanol)
Magnesium chloride 0.5M,1M
Magnesium sulphate 0.1M,0.5M,1M
Potassium bromide 0.1M,0.5M,1M
Potassium iodide 0.1M,1M,3M
Silver nitrate 0.02N,0.1N,0.05N,1N
Sodium Chloride 1M in (in dichloromethane, heptane, toluene)
Sodium hydroxide 0.1N,0.2N,1N

Catalysts

Ammonium tetrachloropalladate (II)
Ammonium tetrachloroplatinate (II)
Bis(acetonitrile) dichloropalladium (II)
Bis(benzonitrile) palladium(II) Dichloride

Dinitrodiaminepalladium (II)
Hexachloroplatinic acid hexahydrate
Gold chloride trihydrate
Gold Chloride Hydrate (tetrachloroauric acid)
Gold potassium chloride
Nickel aluminium alloy
Palladium 10% on calcium carbonate
Palladium 5%,10% on activated charcoal
Palladium 5%,10% on activated charcoal (50% wet)
Palladium 5%,10% on asbestos
Palladium (II) acetate
Palladium (II) acetylacetonate (Pd(acac)2)
Palladium (II) chloride
Palladium (II) nitrate dihydrate
Palladium (II) sulphate
Palladium (II) oxide
Platinum (IV) oxide hydrate
Potassium tetrachloroplatinate (II)
Rhodium chloride
Rhodium (II) octanoate dimer
Ruthenium trichloride trihydrate
Silver hexafluoroantimonate(V)
Silver trifluoromethane sulphonate
Tetrakis(Triphenylphosphine) Palladium (0)
Triphenylphosphinegold(I) chloride ((Ph3P)AuCl)
Tris (2,2-bipyridine) ruthenium(II) hexafluorophosphate
Tris (2,2-bipyridyl) dichlororuthenium (II) hexahydrate
Tris (dibenzylideneacetone) dipalladium(0) (Pd2(dba)3)

Inorganic Salts & Reagents for Analysis, Pure/Extrapure/ AR/ACS/ExiPlus™

Aluminium ammonium sulphate
Aluminium acetate basic hydrate
Aluminium chloride hexahydrate
Aluminium hydroxide
Aluminium nitrate nonahydrate
Aluminium nitride
Aluminium potassium sulphate
Aluminium sulphate
Ammonia solution
Ammonium bicarbonate
Ammonium bichromate
Ammonium bifluoride
Ammonium bromide
Ammonium chloride
Aluminium chloride hexahydrate
Ammonium 15N chloride
Ammonium dimolybdate
Ammonium ferric citrate
Ammonium ferric sulphate dodecahydrate
Ammonium ferrous sulphate hexahydrate
Ammonium fluoborate
Ammonium fluoride
Ammonium formate
Ammonium iodide
Ammonium metavanadate
Ammonium molybdate
Ammonium nickel sulphate hexahydrate
Ammonium persulphate
Ammonium phosphate
Ammonium phosphomolybdate hydrate
Ammonium sulphamate
Ammonium sulphate
Ammonium thiocyanate
Antimony trioxide
Antimony pentoxide
Antimony trichloride
Antimony trisulphide
Barium acetate
Barium bromide
Barium carbonate
Barium chloride
Barium chromate
Barium fluoride
Barium hydroxide
Barium nitrate
Barium sulphate
Bismuth (III) carbonate
Bismuth (III) chloride
Bismuth (III) oxide
Bismuth (III) nitrate basic
Bismuth (III) nitrate pentahydrate
Bismuth (II) sulphate
Borax
Cadmium carbonate
Cadmium chloride
Cadmium iodide
Cadmium nitrate tetrahydrate
Cadmium oxide
Cadmium sulphate
Cadmium sulphide orange
Cadmium telluride
Calcium acetate
Calcium carbonate
Calcium chloride
Calcium fluoride
Calcium hydroxide
Calcium iodate anhydrous
Calcium Iodide
Calcium iodide Hydrate
Calcium nitrate tetrahydrate
Calcium phosphate monobasic monohydrate
Calcium phosphate tribasic
Calcium oxide powder
Calcium sulphate
Calcium sulphate dihydrate
Celite-545
Cesium bromide
Cesium carbonate
Cesium chloride
Cesium fluoride
Charcoal Activated (280,400,950)
Chromium (III) chloride
Chromium (III) nitrate nonahydrate
Chromium (III) sulphate basic
Chromium (IV) oxide
Cobalt (II) carbonate
Cobalt (II) chloride hexahydrate
Cobalt (II) nitrate hexahydrate
Cobalt (II,III) oxide
Cobalt (II) sulphate heptahydrate
Cupric bromide
Cupric carbonate basic
Cupric chloride
Cupric oxide
Cupric nitrate trihydrate
Cupric sulphate pentahydrate
Cuprous bromide
Cuprous chloride
Cuprous iodide
Cuprous oxide
Devardas alloy
Di-ammonium hydrogen phosphate anhydrous
Disodium dihydrogen pyrophosphate (SAPP)
Eschka's mixture
Ferric chloride anhydrous
Ferric chloride hexahydrate
Ferric nitrate nonahydrate
Ferric oxide red
Ferric sulphate hydrate
Ferrous chloride hydrate
Ferrous sulphate heptahydrate
Gallium (III) nitrate hydrate
Germanium dioxide
Hydrobromic acid
Hydroxylamine 50% soln. in water
Hypophosphorus acid (30-32%,50%)
Indium (III) chloride tetrahydrate
Indium(III) hydroxide
Indium (III) oxide
Indium (III) nitrate
Indium (III) sulphate anhydrous
Iodine monochloride
Iodine pentoxide
Iodine resublimed
Iodine trichloride
Iridium trichloride
Hydrazinium sulphate
Lanthanum chloride
Lathanum nitrate
Lanthanum oxide
Lead (II) chloride
Lead (II) chromate
Lead dioxide
Lead (II) fluoride
Lead (II) nitrate
Lead (II) sulphate
Lithium aluminium hydride
Lithium bromide
Lithium carbonate
Lithium chloride
Lithium hydroxide
Lithium hydroxide anhydrous
Lithium iodide
Lithium fluoride
Lithium nitrate
Lithium sulphate
Lithium tetraborate
Lithium tetraflouroborate
Magnesium bromide hexahydrate
Magnesium carbonate
Magnesium chloride (anhy & hexahydrate)
Magnesium fluoride
Magnesium nitrate hexahydrate
Magnesium sulphate anhydrous
Magnesium sulphate heptahydrate
Manganese (II) carbonate
Manganese (II) chloride tetrahydrate
Manganese (II) sulphate monohydrate
Manganese (IV) oxide
Magnesium oxide light
Magnesium oxide heavy
Mercuric acetate
Mercuric bromide
Mercuric chloride
Mercuric iodide red
Mercuric nitrate monohydrate
Mercuric oxide (red & yellow)
Mercuric sulphate
Mercuric thiocyanate
Mercurous chloride
Mercurous nitrate dihydrate
Methacrylic acid
Molybdenum disulfide
Molybdenum trioxide
Molybdic acid
Nickel (II) carbonate basic tetrahydrate
Nickel (II) carbonate basic hydrate
Nickel (II) chloride hexahydrate
Nickel (II) nitrate hexahydrate
Nickel (II) oxide black
Nickel (II) sulphate heptahydrate
Niobium pentoxide
Periodic acid
m-Phosphonic acid
Phosphorous acid crystals
Phosphorous red
Phosphomolybdic acid
Phosphotungstic acid hydrate
Potassium acetate
Potassium bicarbonate
Potassium bromate
Potassium bromide
Potassium carbonate
Potassium chloride
Potassium chloroplatinate
Potassium chromate
Potassium citrate
Potassium dichromate
Potassium dihydrogen-orthophosphate
Potassium ferricyanide
Potassium ferrocyanide
Potassium fluoride anhydrous
Potassium hexafluorophosphate
Potassium hexafluorotitanate
Potassium hexafluorozirconate
Potassium hydrogen sulphate
Potassium hydroxide
Potassium iodate
Potassium iodide
Potassium iodoplatinate
Potassium metabisulphite
Potassium metaperiodate
Potassium permanganate
Potassium persulphate
Potassium phosphate dibasic
Potassium phosphate tribasic anhydrous
Potassium pyroantimonate
Potassium pyrophosphate

Potassium sorbate
Potassium sulphate
Potassium tellurite
Potassium tetrafluoroaluminate
Potassium tetrafluoroborate
Potassium thiocyanate
Selenium dioxide
Selenium metal
Silver bromide
Silver carbonate
Silver chloride
Silver iodate
Silver iodide
Silver nitrate
Silver oxide
Silver phosphate
Silver sulphate
Silver vanadate
Soda lime with indicator
Sodium azide
Sodium bicarbonate
Sodium bifluoride
Sodium biselenite
Sodium borohydride
Sodium bromate
Sodium bromide
Sodium carbonate
Sodium chloride
Sodium chromate
Sodium cobaltinitrite
Sodium dichromate
Sodium fluoride
Sodium hexafluorosilicate
Sodium hexametaphosphate
Sodium hydroxide pellets
Sodium iodate
Sodium iodide
Sodium metabisulphite
Sodium metaperiodate
Sodium metasilicate nonahydrate
Sodium metasilicate pentahydrate
Sodium metavanadate
Sodium molybdate
Sodium nitrate
Sodium nitroprusside
Sodium persulphate
Sodium phosphate
Sodium phosphate dibasic dodecahydrate
Sodium phosphate dibasic peptahydrate
Sodium orthovanadate
Sodium oxalate
Sodium selenate anhydrous
Sodium selenite
Sodium sulphate
Sodium sulphite
Sodium tetraborate pentahydrate
Sodium tetrafluoroborate
Sodium thiocyanate
Sodium thiosulphate
Sodium trimetaphosphate
Sodium tripolyphosphate anhydrous
Sodium tungstate
Stannic chloride anhydrous
Stannous chloride dihydrate
Strontium carbonate
Strontium chloride
Strontium nitrate
Sulphamic acid
Tellurium dioxide
Tetrasodium pyrophosphate (TSPP anhy & decahyd)
Titanium (IV) chloride THF complex
Thallium (I) Sulphate
Thallium (III) oxide
Titanium (IV) oxide
Titanium tetrachloride

Thorium nitrate
Tungsten disulfide
Tungstic acid
Vanadium pentoxide
Vanadyl sulphate
Zinc bromide
Zinc carbonate
Zinc chloride
Zinc fluoride
Zinc nitrate hexahydrate
Zinc oxide
Zinc sulphate
Zinc sulphide
Zinc sulphite anhydrous/dihydrate
Zirconium nitrate
Zirconium oxide
Zirconium oxychloride
Zirconium sulphate

Rare Earth Salts & Compounds

Ammonium ceric nitrate
Ammonium ceric sulphate
Cerous nitrate hexahydrate
Ceric oxide
Ceric sulphate tetrahydrate
Cerium (III) trifluoromethanesulfonate
Cerous chloride heptahydrate
Erbium (III) chloride hexahydrate
Erbium (III) nitrate hexahydrate
Erbium (III) oxide
Erbium (III) trifluoromethanesulfonate
Europium (III) chloride hexahydrate
Europium (III) nitrate hexahydrate
Europium (III) oxide
Europium (III) trifluoromethanesulfonate
Gadolinium (III) chloride hexahydrate
Gadolinium (III) nitrate hexahydrate
Gadolinium (III) trifluoromethanesulfonate
Gadolinium (III) oxide
Lanthanum (III) trifluoromethanesulfonate hydrate
Lanthanum chloride heptahydrate
Lanthanum nitrate hexahydrate
Lanthanum oxalate hydrate
Lanthanum oxide
Neodymium (III) nitrate hexahydrate
Neodymium (III) trifluoromethanesulfonate
Neodymium (III) chloride anhydrous
Neodymium (III) chloride hexahydrate
Neodymium (III) oxide
Praseodymium (III) chloride hydrate
Praseodymium (III) nitrate hexahydrate
Praseodymium (III) trifluoromethanesulfonate
Praseodymium (III, IV) oxide
Samarium (III) nitrate hexahydrate
Samarium (III) oxide
Samarium (III) trifluoromethanesulfonate
Samarium (III) chloride hexahydrate
Scandium (III) trifluoromethanesulfonate
Scandium oxide
Terbium (III) chloride hexahydrate
Terbium (III) nitrate hexahydrate
Terbium (III) nitrate pentahydrate
Terbium (III) trifluoromethanesulfonate
Terbium (III,IV) oxide
Ytterbium (III) chloride anhydrous
Ytterbium (III) chloride hexahydrate
Ytterbium (III) nitrate pentahydrate
Ytterbium (III) oxide
Ytterbium (III) trifluoromethanesulfonate hydrate
Yttrium (III) chloride hexahydrate
Yttrium (III) nitrate hexahydrate
Yttrium (III) trifluoromethanesulfonate
Yttrium (III) chloride anhydrous

Yttrium (III) oxide

Metal/ Non-metal powders/ Ingots/Wire/ Sheets/ Turnings/ Lumps, Pure/Extrapure/ Ultrapure

Aluminium powder
Antimony ingot
Bismuth powder/ingot
Cadmium lumps
Cadmium metal powder
Calcium metal
Chromium powder
Cobalt metal powder -325mesh
Copper metal turnings, 40-100 mesh
Copper powder
Gadolinium oxide
Graphite synthetic (50, 100, 325, 625mesh)
Indium ingot
Indium powder
Indium wire
Iridium powder
Iron powder
Lead metal lumps
Lead powder
Lithium metal
Magnesium metal (powder & ribbon)
Magnesium turnings
Mercury
Molybdenum sheets
Nickel powder
Rhenium powder
Ruthenium metal powder
Selenium metal powder
Silicon powder
Silicon metal flakes
Silver powder
Tantalum sheets
Tellurium metal powder
Tin metal powder & granular
Tungsten powder
Vanadium metal powder
Zinc metal dust

Separating Materials

Chromatographic Adsorbents TLC/Column

Aluminium oxide
Aluminium oxide G
Florisil 60-100
Silica gel (5-8(blue),5-8(orange),60-120,60-200,100-200,230-400,200-400,400-700
Silica gel G
Silica gel GF254
Silica gel H
Silica gel HF254

Functionalized Silica Gel

Silica C18 bonded monomeric
Silica Carbonate bonded
Silica Cyano bonded
Silica Cysteine-functionalized
Silica Diol bonded
Silica DMT-functionalized
Silica DPP-Pd catalyst
Silica Imidazole-functionalized
Silica TAAcOH-functionalized
Silica TAAcONa-functionalized
Silica TEMPO catalyst
Silica Thiol-functionalized
Silica TMA Acetate bonded non-endcapped
Silica Tosic acid bonded

Ion Exchange Media

DEAE cellulose (11, 23, 32 & 52)
Hydroxylapatite
P11 (phospho cellulose)
Seralite SRA-400
Seralite SRC-120
Seralite WRC-50

Molecular Sieves

Molecular sieve 3A
Molecular sieve 4A
Molecular sieve 5A
Molecular sieve 13X



Part D

Dehydrated Culture Media

• Product Listing • Media Supplements
• ChroMed™ • Media Kits

Microbiological Products







SRL has always been on the forefront of breaking new threshholds, and developing new products for our educational & research based customers. Our expertise in microbiological products extend to all fields of Research, education, environment health & safety studies, life-form evaluations and pharmaceutical & food quality control. This attitude has helped us maintain the loyalty of some of the most prominent microbiologists, pathologists and diagnostic laboratories around the world. We still like to focus on the educational customer segment, for this is the core of creative & developmental science.

We continue to tighten our manufacturing and QC testing practices and are standardizing every aspect of our operational procedures to maintain absolute consistency of our products & services. Our CE certification reinforces our values and perhaps this is one the main reasons that we have a very extensive scientific base in European, Asian, Middle-Eastern and South-East Asian Countries where we compete with global players for our range of microbiology products. The ever-increasing customer confidence is a handsome feather in our cap.

Quality Control

We make sure to use only the best quality of raw materials, packaging material and testing organisms and conduct all stringent testing operations in climate controlled dehumidified facilities for the manufacture & storage of our products.

Our technical team utilizes state-of-the-art manufacturing facilities and periodically up-grade their knowledge base to incorporate newer and more advance testing methods & value-adding processes.



Our product range includes,

- **SRL** Dehydrated Culture Media:
  A range of almost 900 products for various microbiology & biotechnology applications.
- **SRL** Media Supplements:
  Includes a range of highly purified antibiotic and media supplements to give superior results.
- **SRL** ChroMed™ Range:
  For customers who need chromogenic media for multi-step analyses, this range is ideal.
- **SRL** Media Kits:
  One of our most popular & unique offerings especially designed for the waste-concious user, for educational & academic users and diagnostic laboratories. We are proud to have become a part of many schools and colleges across Asia who have adapted our innovative kits into their regular curriculum.
- Harmonized Media Range:
  This range of products are standardized especially (but not limited) to use in pharmaceutical laboratories and applications. The manufacture, testing and labeling is done in accordance to the methods specified in the USP, EP, BP and JP.

Write to us, share your thoughts and ideas on our products, or for solutions of technical queries.

Microbiology like all sciences, is undergoing major revolutions and we are excited to be part of that change.

Because SRL relies only on pure MICROBIOLOGY!






Harmonized Culture Media



In recent years, much of the focus has started shifing to newer methods of microbiological testing, led by the leading international pharmaceutical bodies across the world, namely European Pharmacopoeia, Japanese Pharmacopoeia and US Pharmacopoeia. These new methods include harmonization in microbiological testing and this will greatly simplify drug manufacturing norms.

SRL Harmonized Culture Media are manufactured, formulated, labelled and performance tested in compliance with the new harmonized standards.

SRL is ready to face the challenges of the future, be in Biotech, Pharmaceutical R & D, Diagnostics, or any application or research in Microbiology. We offer this new range of products to cater to the new demands that we will be fulfilling through this range.



Important highlights of our Harmonized Media:

- **The usage of only the Finest Quality of Bacteriological ingredients**
- **Strict quality control of Raw Material testing**
- **Highly trained microbiologists ensure that our Harmonized media are comparable to the best international products**
- **Very sensitive and precise instrumentation and media manufacturing equipments make sure that each batch is consistent in quality**
- **Constant R & D and customer interaction helps us to design appropriate products**

With our dedicated team of highly skilled microbiologists, an ISO 9001-2015 quality management system and our CE certification.

CE
Conformité Européenne

All **SRL** culture media products are CE certified and now meet EU consumer safety, health and environmental requirements.

All the manufacturing, testing parameters and packaging are done according to the CE norms.



Harmonized Culture Media


A comprehensive list of **SRL** harmonized media

Tests for Specified Microorganisms

Microorganism	Product Code	Product Name
Bile-Tolerant Gram negative bacteria	66070	Enterobacteria Enrichment Broth Mossel, **harmonized**
	89912	Violet Red Bile Glucose Agar, **harmonized**
Candida albicans	24613	Saburaud Dextrose Agar, **harmonized**
	24835	Saburaud Dextrose Broth, **harmonized**
Clostridia	11999	Reinforced Medium for Clostridia, **harmonized**
	21493	Columbia Agar Base, **harmonized**
Escherichia coli	37775	MacConkey Agar, **harmonized**
	44448	MacConkey Broth, **harmonized**
Pseudomonas aeruginosa	90465	Centrimide Agar, **harmonized**
Salmonella	59912	Rappaport Vassiliadis Salmonella Enrichment Broth, **harmonized**
	73111	Xylose Lysine Deoxycholate Agar, **harmonized**
Staphylococcus aureus	2362	Mannitol Salt Agar, **harmonized**

Microbial Enumeration Tests

Product Code	Product Name
89637	Buffered Sodium chloride – Peptone solution pH 7.0, **harmonized**
94111	Potato Dextrose Agar, **harmonized**
24613	Sabouraud Dextrose Agar, **harmonized**
24835	Sabouraud Dextrose Broth, **harmonized**
77892	Soyabean Casein Digest Agar, **harmonized**
10935	Soyabean Casein Digest Medium, **harmonized**



Microbial Enumeration Tests

Product Code	Product Name
46990	Fluid Thioglycollate medium, **harmonized**

Research Antibiotics



High purity antibiotics for biochemistry, biotechnology and microbiology research & studies. Refer to the 'Bioreagents, Biochemicals & Specialty Fine Chemicals' section of the catalogue for detailed specifications and packing sizes.

Product Code	Product Name
28269	Actinomycin D (AMD
81396	Amikacin (AMK)
18036	Amikacin Sulphate (AMKS)
24645	Amoxicillin Trihydrate (AMOT)
54713	Amphotericin B (AMT)
61314	Ampicillin Sodium (AMP-Na)
82904	Ampicillin Trihydrate (AMP)
59070	Azaerythromycin (Azathramycin) (AZAE)
17156	Azithromycin Dihydrate (AZA)
13741	Aztreonam (AZN)
17327	Bacitracin (BCT)
20899	Bleomycin Sulfate (BLM-S)
10566	Carbenicillin Disodium (CBC)
92063	Cefaclor (CFC)
15689	Cefadroxil (CFD)
85254	Cefaperzone Sodium (CFZ)
14299	Cefazolin Sodium (CFZL)
13910	Cefixime (CFX)
58597	Cefoxitin Sodium (CTX)
19660	Cefotaxime Sodium (Cephotaxime Sodium) (CFT)
79364	Ceftriaxone Sodium (Ceftriazone Sodium) (CFTZ)
84755	Cefuroxime Sodium (CFR)
56338	Cephalexin Hydrate (Cefalexin Hydrate) (CFL)
36413	Cephalothin Sodium (CF)
97686	Chloramphenicol (CFP)
78079	Ciprofloxacin Hydrochloride (CPFX)
11941	Clindamycin Dihydrochloride (CLM)
68636	Cloxacillin Sodium (CSX)
51681	Colistin Sulphate (CLS)
10408	Co-Trimoxazole (Trimethoprim-Sullfamethoxazole)(CTX)
76496	ß-Cyclodextrin base (BCD)
41269	D-Cycloserine (D-CSR)
90441	Danofloxacin Mesylate (DM)
65094	Doxycycline Hyclate (DXH)
20790	Enrofloxacin (EFX)
97857	Epirubicin Hydrochloride (EPR.HCl)
77688	Ethambutol Dihydrochloride (ETB.2HCl)
22239	Fluconazole (FLC)



Product Code	Product Name
18641	Furosemide (FRS)
58327	G-418 Sulphate (GNT)
23813	Geldanamycin (GLD)
37636	Gentamicin Sulphate (GM)
83597	Histamine Dihydrochloride (HSM)
67317	Hygromycin B (HGR)
18443	Ivermectin (IVM)
99311	Kanamycin Monosulphate (KM)
23467	Levofloxacin (LVX)
52737	Lomefloxacin Hydrochloride (LMF)
86596	Methotrexate Hydrate (MTR)
25828	(+/-)Miconazole Nitrate (MCN)
55690	Monensin Sodium Salt (MSN)
35282	Neomycin Sulphate (NMS)
60609	Netilmicin (Netilmicin Sulphate) (NTC)
43000	Norfloxacin (NFX)
27434	Novobiocin Sodium (NVB)
62799	Ofloxacin (OFX)
91088	Oxolinic Acid (OXO)
29779	Oxolinic Acid Sodium (OXO-Na)
12455	Oxytetracycline Hydrochloride (OTC)
42883	Paclitaxel (Taxol, PCXL)
27436	Paromomycin Sulfate (PRM)
40309	Penicillin G Sodium (PNL)
83011	Polymixin B Sulphate (PXNS)
93909	Puromycin Dihydrochloride (PRM)
12310	Rifampicin (Rifampin) (RFP)
36511	Sodium Fucidate (Fucidic Acid) (Na-FC)
87610	Streptavidin (STP)
91014	Streptomycin Sulphate (STM)
14653	Streptozotocin (STZ)
86684	Sulphamethaoxazole (SMX)
38614	Tetracycline Hydrochloride (TC)
79903	Thiamphenicol (TMP)
56183	Tobramycin (TBM)
18879	Trimethoprim (TMP)
40652	Valinomycin (VN)
224839	Vancomycin Hydrochloride (VNC)

For more details, please feel free to mail us at **marketing@srlchem.com**
All above listed products are strictly for laboratory and research purposes and NOT for medicinal use.



Anaerobic organisms

AM 014 Anaerobic Agar
AM 039 Anaerobic Egg Yolk Agar Base
AM 024 Anaerobic Agar (Brewer)
DM 018 Differential Reinforced Clostridial Broth, Base
FM 019 Fluid Thioglycollate Medium, Clear (U/P)
FM 012 Fluid Thioglycollate Medium, (U/P) (I/P)
FM 018 Fluid Thioglycollate Medium, harmonized
FM 015 Fluid Thioglycollate Medium w/Beef extract
PM 041 Perfringens Agar Base
RM 016 Reinforced Media for Clostridia

Bacillus

DM 023 Dextrose Tryptone Agar
BM 044 Bacillus Cereus Agar
TM 018 Tryptone Soya Broth

Biochemical/ Identification Media

BM 046 Bile Esculin Agar, Base
BM 040 Bile Esculin Azide Agar
KM 012 Kligler Iron Agar
KM 013 Kligler Iron Agar (I)
LM 022 Lysine Iron Agar
PM 012 Peptone Water
SM 017 Simmon's Citrate Agar
TM 014 Triple Sugar Iron Agar (I)
TM 024 Triple Sugar Iron Agar (B/S)
TM 039 Tryptophan Broth (I)
UM 011 Urea Agar Base (I) (B/S)
UM 014 Urea Agar Base
UM 012 Urea Broth, Base
CM 035 Christensen Citrate Agar
DM 021 Decarboxylae Media, Falkow
IM 011 Indole Nitrate Medium
KM 019 Kohn Two tube Medium No. 1 Base
KM 020 Kohn Two tube Medium No. 2 Base
LM 026 Lead Acetate Agar
MM 061 Malonate Broth
MM 069 Moeller Decarboxylase Broth Base
MM 077 Moeller Decarboxylase Broth with Lysine hydrochloride
MM 078 Moeller Decarboxylase Broth with Ornithine hydrochloride
MM 079 Moeller Decarboxylase Broth with Arginine hydrochloride
MM 084 Motlity GI Medium
MM 041 Motility Medium S, Base
MM 066 Motility Sulphide Medium
MM 017 Motility Test Medium
MM 018 MR-VP Medium
NM 013 Nitrate Agar
NM 014 Nitrate Broth (I) (B/S)
OM 011 OF Basal Medium
PM 021 Peptone water with Phenol Red
PM 022 Phenylalanine Agar
SM 017 Simmon's Citrate Agar
TM 024 Triple Sugar Iron Agar (B/S)
TM 015 Tryptone Broth
NM 020 Nutrient Gelatin
GM 011 Gelatin Iron Agar
KM 011 Koser Citrate Medium
PM 022 Phenylalanine Agar

Blood Agar Bases

BM 014 Blood Agar Base
BM 016 Blood Agar Base w/o sheep blood
BM 029 Blood Agar Base No. 2 (w/1.2% Agar)
BM 015 Blood Agar Base with Low pH (w/o sheep blood)
CM 050 Columbia Agar Base, harmonized
CM 017 Columbia Agar, Base
TM 047 Tryptose Blood Agar Base
SM 027 Soyabean Casen Digest Agar (U/P) (I/P)
SM 047 Soyabean Casen Digest Agar
SM 051 Soyabean Casen Digest Agar, Harmonized
HM 017 Heart Infusion Agar
HM 018 Heart Infusion Broth

Blood Culture Media

BM 021 Brain Heart infusion Broth
BM 018 Brain Heart infusion Agar
TM 018 Tryptone Soya Broth
HM 016 Hartley's Digest Broth

Breweries

WM 014 WL Nutrient Broth
WM 012 Wort Agar
YM 016 Yeast and Mould Agar
WM 013 WL Nutrient Agar
WM 015 WL Differential Agar

Clostridia

DM 018 Differential Reinforced Clostridial Broth, Base
DM 019 Differential Reinforced Clostridial Broth, Base (I)
RM 016 Reinforced Medium for Clostridia, harmonized
CM 027 Clostridium Botulinum Isolation Agar, Base

CM 040 Cooked Meat Medium (R.C.Medium)
PM 041 Perfringens Agar Base (O.P.S.P.)
PM 047 PE 2 Medium

Dairy

EM 012 Endo Agar
LM 012 Lactose Broth
LM 014 Lauryl Tryptose Broth (I) (B/S)
MM 038 Milk Agar
LM 017 Lactobacillus MRS Agar (I)
LM 031 Lactobacillus MRS Broth
PM 015 Potato Dextrose Agar
VM 012 Violet Red Bile Agar (B/S)
VM 015 Violet Red Bile Glucose Agar (I)
VM 018 Violet Red Bile Agar with MUG
WM 012 Wort Agar
YM 011 Yeast Extract Agar
CM 034 China Blue Lactose Agar
LM 015 Litmus Milk
LM 033 Litmus Lactose Agar
PM 044 PM Indicator Agar

Diluents/Isotonic solutions

BM 052 Buffered Sodium chloride-Peptone solution pH 7.0, harmonized
MM 036 Maximum Recovery Diluent
RM 011 Ringer Salt Solution Powder
PM 046 Phosphate Buffer pH 7.2 (APHA)

Enterobacteriaceae

BM 035 Brilliant Green Bile Broth 2%
EM 026 Enterobacteria Enrichment Broth Mossel, harmonized
EM 012 Endo Agar
EM 011 EMB Agar
EM 018 EMB Agar, Levine
CM 045 ChroMed Ecoli Agar
CM 046 ChroMed UTI Agar
LM 012 Lactose Broth
LM 014 Lauryl Tryptose Broth (I) (B/S)
MM 011 MacConkey Agar
MM 012 MacConkey Broth
MM 013 MacConkey Broth, Purple
VM 012 Violet Red Bile Agar (B/S)
VM 015 Violet Red Bile Glucose Agar (I)
VM 017 Violet Red Bile Glucose Agar, harmonized
VM 018 Violet Red Bile Agar with MUG

Food Microbiology

AM 035 APT Agar (APHA)
AM 034 APT Broth (APHA)
AM 043 Aeromonas Isolation Medium Base
BM 011 Baird-Parker Agar, Base (U/P) (I/P) (I)
BM 037 Baird-Parker Agar, Base (B/S)
BM 045 Bile Esculin Agar w/o azide (I)
BM 046 Bile Esculin Agar, Base
BM 040 Bile Esculin Azide Agar
BM 031 Brilliant Green Agar, Modified (I)
BM 035 Brilliant Green Bile Broth 2% (I)(B/S)
BM 020 Buffered Peptone Water
BM 036 Buffered Peptone Water (I/O) (B/S)
CM 033 Campylobacter Agar Base
DM 018 Differential Reinforced Clostridial Broth, Base
DM 019 Differential Reinforced Clostridial Broth, Base (I)
EM 029 EC Medium (EC Broth)
MM 053 MacConkey Sorbitol Agar
MM 054 MacConkey Sorbitol Agar Base (I)
CM 056 ChroMed TBX Agar
LM 014 Lauryl Tryptose Broth (I) (B/S)
LM 017 Lactobacillus MRS Agar (I)
LM 031 Lactobacillus MRS Broth
MM 087 MLCB Agar
PM 041 Perfringes Agar Base (O.P.S.P.)
PM 014 Plate Count Agar
PM 035 Plate Count Agar w/MUG
PM 026 Plate Count Agar (I)
PM 031 Plate Count Agar (B/S)
PM 029 Plate Count Agar, Special
PM 030 Plate Count Agar w/BCP
PM 015 Potato Dextrose Agar
PM 050 Potato Dextrose Agar, harmonized
PM 028 Pseudomonas Agar Base (I)
PM 019 Pseudomonas Isolatio Agar, Base
SM 034 Selenite Cystine Broth, Base w/o Selenite
SM 033 Selenite F Broth, Base w/o Selenite
MM 053 MacConkey Sorbitol Agar
MM 054 MacConkey Sorbitol Agar, Base (I)
VM 012 Violet Red Bile Agar (B/S)
VM 018 Violet Red Bile Agar with MUG
VM 015 Violet Red Bile Glucose Agar (I)
WM 012 Wort Agar
XM 011 XLD Agar (U/P) (I/P)
XM 014 Xylose Lysine Deoxycholate Agar
XM 012 XLT 4 Agar Base
KM 023 Kaper's Medium
TM 022 Tributyrin Agar Base w/o Tributyrin

Molecular Biology

LM 020 Luria Bertani Agar, Lennox
LM 018 Luria Bertani Agar, Miller



LM 021 Luria Bertani Broth, Lennox
LM 019 Luria Bertani Broth, Miller
TM 033 Terrific Broth
MM 081 M9CA Medium
MM 082 M9 Minimal Salts 5X
YM 020 Yeast Peptone Dextrose Agar
YM 022 YPD Broth

Sterility Testing

AM 013 Alternative Thioglycollate Medium, (I/P) (U/P)
BM 038 Brewer Thiolgycollate Medium
FM 019 Fluid Thiolgycollate Medium, Clear (U/P)
FM 012 Fluid Thiolgycollate Medium, (U/P) (I/P)
FM 018 Fluid Thiolgycollate Medium, harmonized
FM 015 Fluid Thiolgycollate Medium w/Beef extract
SM 027 Soyabean Casen Digest Agar (U/P) (I/P)
SM 051 Soyabean Casen Digest Agar, harmonized
SM 047 Soyabean Casen Digest Agar
SM 050 Soyabean Casen Digest Medium, harmonized
SM 018 Soyabean Casen Digest Medium (U/P) (I/P)
SM 048 Soyabean Casen Digest Medium
TM 013 Thioglycollate Medium w/o Indicator
TM 018 Tryptone Soya Broth

Total Viable Counts

MM 038 Milk Agar
PM 014 Plate Count Agar
PM 035 Plate Count Agar with MUG
PM 026 Plate Count Agar (I)
PM 031 Plate Count Agar (B/S)
PM 029 Plate Count Agar, Special
PM 030 Plate Count Agar w/BCP
RM 013 R2A Agar
TM 017 Tryptone Soya Agar
YM 011 Yeast Extract Agar
YM 013 Yeast Mannitol Agar

Yeasts and Moulds

DM 024 Dermatophyte Test Agar Base
MM 059 Malt Extract Agar
PM 015 Potato Dextrose Agar
PM 050 Potato Dextrose Agar, harmonized
PM 033 Potato Dextrose Broth
PM 032 Potato Dextrose Rose Bengal Agar
PM 034 Potato Malt Agar
SM 011 Sabouraud Dextrose Agar
SM 046 Sabouraud Dextrose Agar
SM 052 Sabouraud Dextrose Agar, harmonized
SM 053 Sabouraud Dextrose Broth, harmonized
SM 012 Sabouraud Glucose Broth
SM 021 Sabouraud Maltose Agar
SM 037 Sabouraud Maltose Broth
YM 016 Yeast and Mould Agar

Biological Ingredients

Animal origin

Biological ingredients are complex ingredients providing source of nitrogen, amino acids and crucial growth supporting properties to microorganisms. Thus, the choice of biologicals is crucial to the end result of the final media. Some of the high quality biologicals offered by **SRL** are,

50362 Bile Salts
64944 Brain Heart Infusion
75750 Gelatin Peptone
43172 Gelatin Special
28551 Heart Infusion
87566 Liver Extract
44697 Neopeptone (Peptone Special)
95292 Peptone
23136 Peptone Granulated
70376 Peptonized Milk
41406 Proteose Peptone
32007 Tryptone
12514 Tryptose
34266 Yeast Extract
89463 Yeast Extract tech

Vegetable/Non-animal origin

An alternative to animal based peptones is petones from vegetable sources. It is possible to get comparable growth and yield from non-animal based peptones. Due to increasing awareness about TSE/BSE, selection of the correct raw materials has become critical and the use of non-animal based biological ingredients has increased. The entire list of non-animal based ingredients we have are listed here,

85473 Agar
24970 Agar Bacto
51942 Agar Granulated Bacto
68806 Casamino Acids
72689 Casitone
72394 Gelrite Gellan Gum
63026 Lactalbumin Hydrolysate
83358 Malt Extract
69285 Potato Starch
89320 Soya Lecithin (30%)
20626 Soyatone
58254 Starch Corn
64698 Starch Soluble




code	product name	application/description	gm/lit	unit	unit price ₹
38515	**A1 Broth** (A1-Medium)	For the detection of fecal coliforms in foods, treated wastewater and seawater by most-probable number (MPN) method.	31.50	100 gms 500 gms	1360.00 5730.00
26408	**AATCC Bacteriostasis Agar** (FDA Agar) (ATCC Medium 182)	For the maintenance of *E.coli* and *S.aureus* and for detecting antibacterial activity of fabrics.	35.00	100 gms 500 gms	1290.00 3860.00
49025	**AATCC Bacteriostasis Broth** (FDA Broth)	For testing the antibacterial activities of antiseptics and disinfectants.	20.00	100 gms 500 gms	1070.00 3820.00
59235	**Acetamide Agar**	For the differentiation of non-fermentative gram negative bacteria, especially, *Pseudomonas aeruginosa.*	24.70	100 gms 500 gms	1060.00 3980.00
20605	**Acetamide Broth**	For the confirmation of *Pseudomonas aeruginosa* in bottle water	17.20	100 gms 500 gms	940.00 3630.00
64773	**Acetate Differential Agar** (Sodium Acetate Agar)	For the differentiation of *Shigella* species from those of the *Escherichia* genus.	29.18	100 gms 500 gms	1170.00 3800.00
31257	**Acetobacter Agar (Glucose)**	Used for the cultivation and maintenance of glucose positive *Acetobacter* species.	38.00	100 gms 500 gms	1090.00 4050.00
85514	**Acid Broth**	For the isolation of acid tolerant bacteria from canned foods.	27.50	100 gms 500 gms	1010.00 3590.00
15126*	**Actinomyces Broth**	Used for the maintenance and cultivation of *Actinomyces* species.	57.22	100 gms 500 gms	1060.00 3570.00
24729	**Actinomycete Isolation Agar**	For the isolation and cultivation of *Actinomyces* species from soil and water.	21.70	100 gms 500 gms	1170.00 3860.00
31047	**Adams Agar**	Used for examining sporulation in yeasts.	22.70	100 gms 500 gms	950.00 3630.00
59640	**A. K. Agar No. 2** (Sporulating Agar, Arret & Kirshbaum Medium)	For production of spores of *Bacillus subtilis*	30.80	100 gms 500 gms	1230.00 4190.00
55418	**Aeromonas Isolation Medium Base**	For the selective differentiation and isolation of *Aeromonas hydrophila* and other *Aeromonas* species from clinical specimens and foods.	56.30	100 gms 500 gms	1410.00 5140.00
63013*	**Aeromonas Selective Supplement (2.5mg/vl)**	For the selective isolation and cultivation of *Aeromonas* species.		5 vl	1130.00
34609	**Aero Pseudo Selective Agar (GSP Agar)**	Used for detection of *Aeromonas* & *Pseudomonas* in food, as well as in equipments and water supplies of food industry.	44.86	100 gms 500 gms	1170.00 4680.00
77981 [9002-18-0]	**Agar powder for microbiology**			100 gms 500 gms 2.5 Kg	1760.00 6780.00 32710.00
36191	**Algae Culture Agar**	Used for the isolation and cultivation of algae from soil, water and sewage.	16.87	100 gms 500 gms	930.00 3920.00
72439	**Algae Culture Broth**	Used for the isolation and cultivation of algae from soil, water and sewage.	1.87	100 gms 500 gms	850.00 3800.00
45712	**Alicyclobacillus Detection Agar** (Alicyclobacillus Agar)	Used for the detection of *Alicyclobacillus* in fruit juices.	29.00	100 gms 500 gms	2010.00 7410.00
80501	**Alkaline Peptone Water**	For the cultivation of *Vibrio* species from sea food and clinical specimens.	20.00	100 gms 500 gms	650.00 2580.00
84893	**Alkaline Peptone Water (I)**	Used for the enrichment of *Vibrio* species.	50.00	100 gms 500 gms	660.00 2630.00
83863	**Alkaline Peptone Water (B/S)**	Used for enrichment medium for *Vibrio* species.	15.00	100 gms 500 gms	660.00 2630.00
58784	**Alkaline Saline Peptone Water (I)**	Used for the enrichment of *Vibrio* species from food and water samples.	40.00	100 gms 500 gms	820.00 3230.00

* store at 2°-8°C



code	product name	application/description	gm/lit	unit	unit price ₹
44860	**AC Agar (All Culture Agar)**	For growth of aerobic, anaerobic and microaerophilic organisms. Recommended for sterility testing of solutions and materials not containing mercurial preservatives.	35.20	100 gms 500 gms	820.00 3740.00
87091	**AC Broth (All Culture Broth)**	For growth of aerobic, anaerobic and microaerophilic organisms. Recommended for sterility testing of solutions and materials not containing mercurial preservatives.	34.20	100 gms 500 gms	770.00 3510.00
52023	**Alternative Thioglycollate Medium, (I/P)(U/P)** (NIH Thioglycollate Broth)	Used for medium for sterility testing of biological products which are turbid or viscous.	29.00	100 gms 500 gms	390.00 1380.00
39422	**Alternative Thioglycollate Medium, Sterile**	Gamma irradiated sterile powder, used for sterility testing of biological products which are turbid or viscous.	29.00	100 gms 500 gms	490.00 2060.00
98349	**Amies Transport Medium w/ Charcoal**	For the transport of swab specimens to prolong the survival of microorganisms, especially *Neisseria gonorrhoeae*.	20.00	100 gms 500 gms	1010.00 3310.00



24193	**Amies Transport Medium w/o Charcoal**	For the transport of swab specimens to prolong the survival of microorganisms, especially *Neisseria gonorrhoeae.*	9.75	100 gms 500 gms	990.00 3300.00
90600	**Ammonium Phosphate Agar**	For the detection of microorganisms that can use ammonium phosphate as nitrogen source.	26.45	100 gms 500 gms	1120.00 5310.00
78162*	**Ampicillin Supplement (10mg/vl)**	Used for the selective isolation of *Aeromonas* species.		5vl	1290.00
12213	**Anaerobic Agar**	For the cultivation of anaerobic bacteria, especially *Clostridium* species.	58.00	100 gms 500 gms	1030.00 4230.00
19422	**Anaerobic Egg Yolk Agar Base**	Used for detection of *Clostridium* species, especially from food samples.	55.00	100 gms 500 gms	1190.00 4440.00
20911	**Anaerobic Agar (Brewer)**	For the isolation and sensitivity testing of facultative and obligatory anaerobes.	53.00	100 gms 500 gms	1190.00 4240.00
59821	**Anaerobic Agar w/o Dextrose**	For the cultivation of variety of anaerobic bacilli, especially *Clostridium* species.	38.00	100 gms 500 gms	1090.00 4050.00
85198	**Anaerobic Tryptone Soya Agar**	Used for screening of anaerobes in cosmetics (Talcum powder)	50.41	100 gms 500 gms	1110.00 3920.00
87878	**Antibiotic Assay Medium No. 1** (Penassay Seed Agar, Seed Agar, Agar Medium A)	For antibiotic assay testing, detection of antibiotics in milk, and determination of the antimicrobial effectiveness of antibiotics.	30.50	100 gms 500 gms	940.00 4440.00
50741	**Antibiotic Assay Medium No. 2** (Penassay Base Agar) (Base Agar)	For use as a base layer in antibiotic assay testing.	25.50	100 gms 500 gms	1060.00 4680.00
66729	**Antibiotic Assay Medium No. 3 (Penassay Broth) (U/P)(I/P)**	Used for microbiological assay of antibiotics.	17.50	100 gms 500 gms	820.00 2930.00
70197	**Antibiotic Assay Medium No. 5** (Streptomycin Assay Agar w/ Yeast Extract)	For antibiotic assay testing. For streptomycin assay using *Bacillus subtilis* as the test organism.	25.50	100 gms 500 gms	1030.00 4680.00

* store at 2°-8°C




code	product name	application/description	gm/lit	unit	unit price ₹
24301	**Antibiotic Assay Medium No. 8** (Base Agar w/Low pH)	For antibiotic assay testing. Used as a base and seed agar in plate assay of tetracycline.	25.50	100 gms 500 gms	1030.00 4680.00
52812	**Antibiotic Assay Medium No. 9** (Polymyxin Base Agar)	Used as base agar for the plate assay of Carbenicillin, Colistimethate and Polymixin B.	50.00	100 gms 500 gms	940.00 3780.00
26751	**Antibiotic Assay Medium No. 10** (Polymixin Seed Agar)	Used as seed agar for plate assay of Carbenicillin, Colistimethate and Polymixin B.	52.00	100 gms 500 gms	1210.00 3790.00
10892	**Antifungal Assay Agar**	For assaying antifungal activity.	75.76	100 gms 500 gms	1110.00 3920.00
12797	**APRY Agar Base**	For the cultivation of acid resistant yeasts.	107.50	100 gms 500 gms	920.00 3760.00
26126	**APT Agar (APHA)**	Used for the cultivation of heterofermentative lactobacilli requiring high thiamine content.	61.18	100 gms 500 gms	1060.00 3980.00
31990	**APT Broth (APHA)**	Used for the cultivation of heterofermentative lactobacilli requiring high thiamine content.	46.18	100 gms 500 gms	1000.00 3740.00
22599	**Aqua Test E.Coli Medium**	A simple and rapid test medium for testing suitability of potable/drinking water.		100 gms	7140.00
41524	**Arabinose Agar Base**	Used for selective isolation of *Enterococcus* faecium from faeces, sewage & water samples.	54.10	100 gms 500 gms	1100.00 4590.00
85908	**Arginine Dihydrolase Broth**	Used for detection of arginine dihydrolase producing microorganisms.	19.31	100 gms 500 gms	940.00 4030.00
15577	**Aseptic Commissioning Medium (Aseptic Packing Line Medium)**	It is an ideal medium used for validation of aseptic packing and filling lines.	17.50	100 gms 500 gms	1060.00 3860.00
64778	**Ascospore Agar**	For the enrichment of ascosporogenous yeasts.	43.50	500 gms	3920.00
88277	**Ashby's Glucose Agar**	For the cultivation of *Azotobacter* species that can utilize glucose as carbon and atmospheric nitrogen as nitrogen source.	40.70	100 gms 500 gms	1110.00 4150.00
26569	**Ashby's Mannitol Agar**	For the cultivation of *Azotobacter* species that can utilize mannitol as carbon and atmospheric nitrogen as nitrogen source.	40.70	100 gms 500 gms	1110.00 4150.00
75830	**ASLA Agar**	Used for isolation and cultivation of Propionibacterium species from foods.	8.10	100 gms 500 gms	1010.00 3980.00
53903	**Asparagine Nitrate Medium**	Recommended media for isolation and cultivation of denitrifying bacteria.	27.70	100 gms	2900.00
69318	**Asparagine Proline Broth**	For cultivation of *Pseudomonas aeruginosa* by membrane filter technique.	14.50	100 gms 500 gms	1060.00 3980.00
95670	**Asparagine Proline Broth BioVeg**	For cultivation of *Pseudomonas aeruginosa* by membrane filter technique.	14.50	100 gms 500 gms	1140.00 4410.00
		For Agar powders & Agar granulated – Please refer to other sections/parts of the Catalogue. **For Amino acids** – Please refer to other sections/parts of the Catalogue. **For Antibiotics** – Please refer to other sections/parts of the Catalogue.			
92301	**Ayers and Johnson Agar** (Stock Culture Agar)	Used for maintaining stock cultures of bacteria,particularly streptococci.	50.00	100 gms 500 gms	1120.00 4170.00
94692	**Azide Blood Agar Base**	Used for isolation of streptococci and staphylococci; with added blood may be used for determination of hemolytic reactions.	33.00	100 gms 500 gms	1120.00 4050.00
47479	**Bacillus Differentiation Agar**	Used for the differentiation between *Bacillus cereus* and *Bacillus subtilis* based on mannitol fermentation.	22.00	100 gms 500 gms	1410.00 4790.00
74664	**Bacillus Cereus Agar**	Used for the isolation and enumeration of *Bacillus cereus*.	40.97	100 gms 500 gms	930.00 4090.00
51747	**Bacillus Medium**	Recommended medium for cultivation of *Bacillus licheniformis*.	7.50	100 gms 500 gms	750.00 3220.00

* store at 2°-8°C

code	product name	application/description	gm/lit	unit	unit price ₹
83141*	**Bacteroides Selective Supplement (50mg/vl)**	Used for the selective isolation of *Bacteroides* species.		5 vl	990.00
50222	**Baird-Parker Agar, Base (U/P)(I/P)(I)**	Used as base for egg-tellurite-glycine agar for the selective isolation of coagulase-positive staphylococci from food, skin, soil, air and other materials.	63.00	100 gms 500 gms	820.00 3740.00
		 Coagulase positive *Staphylococcus aureus* ATCC 25923 indicating black colonies with lecithinase halo.			
24562	**Baird-Parker Agar, Base (B/S)**	Recommended medium for isolation and enumeration of coagulase-positive staphylococci from food and other specimens.	65.00	100 gms 500 gms	850.00 3800.00
21748	**Baird-Parker Agar Base w/Sulpha**	Recommended medium for isolation and enumeration of coagulase positive staphylococci for food and other materials.	63.05	100 gms 500 gms	1290.00 4790.00
26267	**B.C. Motility Medium**	Used for examination of motility of Bacillus cereusstrains.	23.00	100 gms 500 gms	890.00 3400.00
97676	**B.C.P. - D.C.L.S. Agar** (Bromocresol Purple-Deoxycholic Acid-Citrate-Lactose-Sucrose Agar)	Used for the selective isolation of *Salmonella* and *Shigella* species	67.52	100 gms 500 gms	1080.00 4290.00
69574	**Beef Extract Agar (ex. Buffalo)**	For the cultivation and maintenance of a wide variety of microorganisms.	33.00	100 gms 500 gms	880.00 3690.00
39359	**Beef Extract Broth (ex. Buffalo)**	For the cultivation of a wide variety of microorganisms.	18.00	100 gms 500 gms	710.00 3160.00
60856	**Beef Extract ex. Buffalo BactoBio for bacteriology**	A dehydrated extract of bovine tissue, used generally to compliment the nutritive properties of peptone.		500 gms 5 kg	1720.00 15940.00
57542	**Beijerinckia Medium**	Used for the isolation of *Beijerinckia* species	3.60	100 gms 500 gms	1110.00 4510.00
29141	**BIGGY Agar** (Nickerson Agar)	For the detection and isolation of *Candida* species.	45.00	100 gms 500 gms	970.00 4190.00
49319	**Bile Broth Base**	For the culture of blood clots from patients with suspected enteric fever.	30.00	100 gms 500 gms	1160.00 4620.00
66013	**Bile Esculin Agar w/o azide (I)**	For the isolation and presumptive identification of Group D streptococci.	64.50	100 gms 500 gms	3120.00 12050.00
66572	**Bile Esculin Agar, Base**	For the isolation and presumptive identification of Group D streptococci.	63.50	100 gms 500 gms	2000.00 9240.00
34963	**Bile Esculin Azide Agar**	For the isolation and presumptive identification of group D streptococci.	56.65	100 gms 500 gms	2100.00 8190.00
79630	**B.D.G.Broth, Hajna**	For the selective enrichment and cultivation of enteric bacilli from food and in treated drinking water.	35.60	100 gms 500 gms	1010.00 3540.00
64104	**Bile Salts Agar**	For the isolation and cultivation of bile tolerant enteric bacilli.	43.00	100 gms 500 gms	1040.00 4620.00
50362	**Bile Salts BactoBio for bacteriology**	Used in microbiological culture media as a selectively inhibitory agent.		100 gms 500 gms 5 kg 10 kg	3050.00 14700.00 POR POR

* store at 2°-8°C

code	product name	application/description	gm/lit	unit	unit price ₹
18276	**Bile Salts No. 3 BactoBio for bacteriology**	Bile Salts No.3 is a refined bile salt for use as a selective inhibitory agent in bacteriological culture media. It consists of a specially modified fraction of bile acid salts (comprising mainly sodium cholate and sodium deoxycholate).		500 gms	6310.00
69577	**Bile Salts Brilliant Green Starch Agar**	For the isolation and identification of *Aeromonas hydrophila* from food and environmental samples.	45.00	100 gms 500 gms	1870.00 5260.00
56175	**Bile Salts Mixture BactoBio for bacteriology**	Used as an inhibitory agent for gram positive organisms in microbiological media		100 gms	3860.00
79665	**Bile Tolerant Gram negative bacteria Test Kit**	Used for isolation, identification and cultivation of Bile tolerant gram negative bacteria.		1 Kit	1050.00
92875	**Biochemical Test Kit - I**	Used for biochemical identification of gram negative enteric bacteria based on tests like carbohydrate utilization, H_2S production, phenylalanine deaminase and urease production.		1 Kit	2260.00
65896	**Biochemical Test Kit - II**	Used for biochemical identification of microorganisms based on tests - nitrate reduction, malonate utilisation, gelatin liquefaction and starch hydrolysis.		1 Kit	2100.00
55785	**Bio Peptone (Mixture of Casein & Meat Peptone) BactoBio for bacteriology**	Provides broad spectrum of peptides and amino acids, hence can be used for cultivation of fastidious microorganisms & other products of microbiological origin.		500 gms 5 Kg 10 Kg	2630.00 21030.00 40300.00
55369	**Bismuth Sulfite Agar (I)**	For the selective isolation and identification of *Salmonella typhi* and other enteric bacilli.	63.40	100 gms 500 gms	710.00 3280.00
48794	**Blood Agar Base** (Infusion Agar)	For preparation of blood agar by the addition of sheep blood.	40.00	100 gms 500 gms	710.00 3280.00
90935	**Blood Agar Base (w/o sheep blood)**	For the isolation, cultivation and detection of hemolytic activity of streptococci and other fastidious microorganisms.	40.00	100 gms 500 gms 5 kg	730.00 3310.00 31540.00
67644	**Blood Agar Base No.2 (w/ 1.2% Agar)**	For the isolation, cultivation and detection of hemolytic activity of streptococci, pneumococci and other particularly fastidious microorganisms.	39.50	100 gms 500 gms	830.00 3280.00
74999	**Blood Agar, Base with Low pH (w/o sheep blood)**	For the isolation and growth of a wide variety of microorganisms. The slightly acid pH of this medium enhances distinct hemolytic reactions.	40.00	100 gms 500 gms	820.00 3340.00
81083 **new**	**Blood Free Campylobacter Selectivity Agar Base**	Used for the selective isolation and differentiation of Campylobacter species from food and animal feeding stuffs.	45.50	100 gms 500 gms	1300.00 4900.00
71476	**BG-11 Broth** (Blue-Green Medium)	For culture and maintenance of cyanobacteria.	1.627	100 gms 500 gms	1280.00 4500.00
85308	**Bordet - Gengou Agar, Base (w/o rabbit blood)**	For the detection and isolation of *Bordetella* species from clinical specimens.	40.00	100 gms 500 gms	1120.00 4500.00



Black coloured colonies of *Salmonella typhimurium* ATCC 14028

* store at 2°-8°C



code	product name	application/description	gm/lit	unit	unit price ₹
15097*	**B.P. Sulpha Supplement (50mg/vl)**	Used for suppressing the growth of *Proteus* species on Baird Parker Agar Base.		5 vl	1050.00
91661	**BPL Agar** (Brilliant Green Phenol Red Agar)	For isolation and identification of Salmonellae except *S.typhi* in faeces, urine,milk and other materials.	40.04	100 gms 500 gms	1120.00 4070.00
64944	**Brain Heart Infusion Powder (BHI Powder) BactoBio for bacteriology**	A highly nutritious mixture of calf brain infusion and beef heart infusion.		500 gms 5 kg	2690.00 25700.00
94124	**Brain Heart Infusion Agar (BHI Agar)**	For the cultivation of wide variety of fastidious bacteria, yeasts and molds from clinical and non-clinical specimens.	52.00	100 gms 500 gms 5 kg	710.00 3040.00 29670.00
82856	**Brain Heart Infusion Agar, Modified (BHI Agar Modified)**	For the cultivation of a wide variety of fastidious bacteria, yeasts and molds from clinical and non-clinical specimens.	53.00	100 gms 500 gms 5 kg	880.00 3450.00 32130.00
84560	**Brain Heart Infusion with 0.1% Agar (BHI w/0.1% Agar)**	For the cultivation of fastidious pathogenic microorganisms.	38.00	100 gms 500 gms	940.00 3510.00
26671	**Brain Heart Infusion w/ PABA and Agar (BHI Agar w/PABA)**	For the detection of fastidious microorganisms from blood containing sulfonamides.	38.00	100 gms 500 gms	1070.00 4270.00
87864	**Brain Heart Infusion Broth (BHI Broth)**	For the cultivation of variety of fastidious and non-fastidious aerobic and anaerobic microorganisms.	37.00	100 gms 500 gms 5 kg	710.00 2810.00 26870.00
25357	**Brain Heart Infusion Broth w/6.5% NaCl (BHI Broth w/6.5% NaCl)**	Nutritive medium used for cultivation of salt tolerant microorganisms.	97.00	100 gms 500 gms	870.00 3360.00
33355	**Brewer Thioglycollate Medium**	For sterility testing of biological products and other materials.	40.50	100 gms 500 gms	580.00 2470.00
65774	**Brilliant Green Agar**	For the selective isolation of *Salmonella* other than *S.typhi* from feces, food and dairy products.	55.09	100 gms 500 gms	750.00 3090.00
14980	**Brilliant Green Agar, Modified (I)** (Brilliant Green Agar with Phosphates)	Used for the selective isolation of salmonellae from feces, water, food and dairy products.	52.00	100 gms 500 gms	750.00 3090.00
18545	**Brilliant Green Bile Broth 2% (I)(B/S)**	Used for detection and confirmation of coliforms from water, waste water, foods, milk and dairy products.	40.00	100 gms 500 gms	1080.00 5040.00
98383	**Brilliant Green Bile Agar**	For the detection and enumeration of coliform bacteria in materials of sanitary importance such as water, sewage and foods.	20.69	100 gms 500 gms	800.00 3730.00
39284	**Brilliant Green Sulfa Agar** (B.G. Sulfa Agar)	For the selective isolation of *Salmonella* species other than *Salmonella typhi* from food, dairy products, eggs, egg products and feed.	59.09	100 gms 500 gms	850.00 4090.00



Pinkish white colonies of *Salmonella typhimurium* ATCC 14028.



Uninoculated

Escherichia coli ATCC 25922 (gas production)

* store at 2°-8°C

code	product name	application/description	gm/lit	unit	unit price ₹
32445	**Bolton Broth Base**	A medium for the selective pre-enrichment of *Campylobacter* species in food samples.	27.60	100 gms 500 gms	960.00 4330.00
55582*	**Bolton Selective Supplement**	This supplement is recommended for selective enrichment of Campylobacter species from food samples.		5 vl 5 X 5 vl	1540.00 7020.00
66006*	**Bordetella Selective Supplement (20mg/vl)**	Used for the selective isolation of *Bordetella* species.		5 vl	1260.00
26384*	**Bromocresol Purple Supplement (15mg/vl)**	Used for isolation and identification of faecal streptococci.		5 vl	700.00
49977	**Bromocresol Purple Azide Broth**	For the confirmation tests for presence of fecal streptococci in water and wastewater.	35.93	100 gms 500 gms	980.00 3670.00
19202	**Bromocresol Purple Lactose Broth** (BCP Lactose Broth, Yeast Fermentation Broth Base)	Used as presumptive medium for the detection of coliform bacteria in water.	28.02	100 gms 500 gms	820.00 3380.00
53213	**Bromocresol Purple Lactose Broth w/o Sodium Chloride**	For the detection of coliform bacteria in water.		100 gms 500 gms	800.00 3160.00
46172*	**Bromothymol Blue Supplement (20mg/vl)**	Used for differentiating microflora from urine samples.		5 vl	490.00
19814	**B.T.B. Lactose Agar** (Bromothymol Blue Lactose Agar)	For the isolation and cultivation of pathogenic staphylococci.	33.17	100 gms 500 gms	990.00 3980.00
28540*	**B12 Culture Agar, (U/P)***	For the cultivation and maintenance of *Lactobacillus leichmannii* ATCC 7830 to be used as the test organism in the vitamin B12 assay.	42.10	100 gms	1520.00
79328*	**B12 Inoculum Broth, (U/P)***	For the preparation of inoculum cultures of *Lactobacillus leichmannii* ATCC 7830, which is used as the test organism in the vitamin B12 assay.	32.10	100 gms 500 gms	1460.00 6530.00
21700	**Buffered Glycerol Saline Base**	Used with added glycerol, in collection and transportation of faecal specimens.	8.30	100 gms	770.00
72993	**Buffered Peptone Water**	A pre-enrichment medium for the isolation of *Salmonella*, especially injured microorganisms from food sources.	20.00	100 gms 500 gms	520.00 2580.00
88680	**Buffered Peptone Water (I/O) (B/S)**	Used for pre-enrichment of injured *Salmonella* species from foods, before selective enrichment and isolation.	25.50	100 gms 500 gms	590.00 2630.00
12995	**Buffered Peptone Water w/ NaCl**	An isotonic agent recommended for use as a diluent in performing microbial examination of nonsterile products.	16.09	100 gms 500 gms	880.00 2630.00
22197	**Buffered Peptone Water BioVeg**	A pre-enrichment medium, manufactured from animal free bases for the isolation of Salmonella, especially injured microorganisms from various food sources.	20.00	100 gms 500 gms	590.00 2630.00
93439	**Buffered Peptone Water w/ Casein**	A pre-enrichment medium, for the isolation of Salmonella, especially from cocoa (chocolates and confectionary).	20.00	100 gms 500 gms	780.00 3120.00
85268	**Buffered Tryptone Glucose Yeast Extract Broth**	Used for the isolation of *Clostridium perfringens* from food.	85.00	100 gms 500 gms	910.00 3460.00
70054	**Buffered Yeast Agar**	For cultivating yeasts and molds and for controlling bottle washing operations in soft drinks and related industries.	41.00	100 gms 500 gms	820.00 3510.00
89637	**Buffered Sodium Chloride-Peptone Solution pH 7.0, *Harmonized***	Used as diluent in pharmaceutical testing according to harmonized methods.	16.10	100 gms 500 gms	590.00 2580.00


* store at 2°-8°C



code	product name	application/description	gm/lit	unit	unit price ₹
73461	**Burk's Medium**	Used for isolation and cultivation of nitrogen fixing bacteria such as *Azotobacter* species from soil.	21.30	100 gms 500 gms	1100.00 3650.00
32639	**Bushnell - Haas Agar**	For examining fuels for microbial contamination and for studying hydrocarbon utilization by microorganisms.	18.27	100 gms 500 gms	880.00 3740.00
14509	**Bushnell - Haas Broth**	For examining fuels for microbial contamination and for studying hydrocarbon utilization by microorganisms.	3.27	100 gms 500 gms	640.00 3160.00
16574	**CAE Agar Base** (Citrate Azide Enterococcus)	Used for identification of Enterococci in meat, dairy and other food products.	58.40	100 gms 500 gms	950.00 3800.00
95845	**Calcium Caseinate Agar**	For the detection and enumeration of proteolytic microorganisms in foodstuffs and other materials.	30.19	100 gms 500 gms	1290.00 4400.00
25867	**Campylobacter Agar Base**	Used with addition of blood and antibiotics in isolation and cultivation of *Campylobacter* species.	39.50	100 gms 500 gms	1110.00 4480.00
36198	**Candida BCG Agar, Base**	For use with added Neomycin for isolation and differentiation of *Candida* from primary specimens.	66.02	100 gms 500 gms	1120.00 4230.00
95160	**Candida Isolation Agar (Candida Agar)**	For the isolation and differentiation of *Candida albicans*.	41.10	100 gms 500 gms	1120.00 4230.00
45568	**Candida Albicans Test Kit**	Used for isolation, identification and cultivation of *Candida albicans*.		1 Kit	1050.00
92558	**Carbohydrate Fermentation Test Kit - I**	For the differentiation of microorganisms on the basis of various carbohydrate fermentation reactions. (sucrose, lactose, maltose, inositol, mannitol, galactose and sorbitol)		1 Kit	3390.00
40071	**Carbohydrate Fermentation Test Kit - II**	For the differentiation of microorganisms on the basis of various carbohydrate fermentation reactions. (raffinose, arabinose, dulcitol, salicin and rhamnose)		1 Kit	6600.00
54951	**Carbon Utilisation Agar**	used for characterization of *Streptomyces* on the basis of carbon utilization studies	24.83	500 gms	2030.00
24715	**Cary - Blair Transport Medium, Base (w/o charcoal)**	As a holding medium for transport of clinical specimens during collection or shipment.	12.60	100 gms 500 gms	910.00 3970.00
68806	**Casamino Acid (Asicase, Casein Acid Hydrolysate) BactoBio for bacteriology**	Acid digest of casein, a rich source of nitrogen.		500 gms 2 kg 5 kg	3050.00 12080.00 28350.00
95305	**Casein Acid Hydrolysate (Asicase) Technical for bacteriology**	Acid digest of casein used in antibiotic sensitivity testing media.		500 gms 2 kg 5 kg	2520.00 9980.00 23100.00
68211	**Casein Magnesium Broth** (NZM Broth)	Used in the cultivation of recombinant strains of *Escherichia coli.*	16.00	100 gms 500 gms	1210.00 4930.00
61796	**Casein Peptone BactoBio for bacteriology**	An enzymatic digest of casein, rich in amino acids & peptides.Used as a nitrogen source in microbiological media.		500 gms 5 Kg	1750.00 16240.00
79033	**Casitose Soya Agar, Modified** (Casein Soya Agar, Modified)	For the growth of wide variety of organisms.	40.00	100 gms 500 gms	1140.00 3770.00
49946	**Casitose Agar w/ 1.5% Agar**	Used as a general purpose medium.	35.50	500 gms 5 Kg	3680.00 34610.00
72689	**Casitone (Casitose) BactoBio for bacteriology**	A hydrolysed casein used as an ingredient in microbiological culture media requiring free amino acids, especially for toxin and vaccine production.		500 gms	2110.00
13927	**Casitose Soya Blood Agar Base (Casein Soya Blood Agar Base)**	Recommended for the cultivation of fastidious microorganisms, and detection of their hemolytic activity.	40.00	100 gms 500 gms	1140.00 4110.00

* store at 2°-8°C

code	product name	application/description	gm/lit	unit	unit price ₹
91254	**Casman Agar Base**	Used with addition of blood, for isolation and cultivation of fastidious microrganisms from clinical specimes.	43.00	100 gms 500 gms	980.00 3770.00
18871*	**CBI Supplement**	Used for the selective isolation of *Clostridium botulinum*.		5 vl	1310.00
90465	**Cetrimide Agar Base, *Harmonized***	Used for selective isolation and identification of *Pseudomonas aeruginosa* in pharmaceutical testing according to harmonized methods.	45.30	100 gms 500 gms	720.00 3160.00
45470	**Cetrimide Agar, Base**	For the selective isolation, cultivation and identification of *Pseudomonas aeruginosa*.	45.30	100 gms 500 gms	680.00 2930.00
93927	**Cetrimide Agar BioVeg**	For the selective cultivation & identification of *Pseudomonas aeruginosa*.	46.70	100 gms 500 gms	720.00 3160.00
31199	**Cetrimide Broth (U/P)**	Used for the cultivation of *Pseudomonas aeruginosa*.	25.30	100 gms 500 gms	710.00 2870.00
94532*	**Cetrinix Supplement**	Used for selective isolation of *Pseudomonas* species.		5 vl 5 × 5 vl	1620.00 4070.00
70984*	**CFC Supplement**	Used for the selective isolation of *Pseudomonas* species.		5 vl 5 × 5 vl	1430.00 4450.00
11507	**Chapman Stone Agar**	For the isolation of staphylococci from a variety of specimens.	202.50	100 gms 500 gms	940.00 3510.00
58323	**Charcoal Agar**	For the cultivation and maintenance of fastidious microorganisms, especially *Bordetella pertussis,* for production of vaccines.	62.50	100 gms 500 gms	1030.00 3800.00
52057	**China Blue Lactose Agar**	Used for differentiating lactose fermenters and non fermenters and also in enumeration of bacteria in milk.	38.30	100 gms 500 gms	970.00 4080.00
52665	**Chloramphenicol Yeast Glucose Agar BioVeg**	Used for the isolation and enumeration of molds in milk and milk products.	40.00	100 gms 500 gms	680.00 3180.00
27880*	**ChroMed® Aureus Agar**	A chromogenic medium used for the identification of *Staphylococcus* species.	63.10	100 gms 500 gms	2080.00 9640.00
78355*	**ChroMed® Bacillus Cereus Agar**	A Chromogenic medium used for the isolation of *Bacillus cereus* organism.	49.22	100 gms 500 gms	1290.00 5330.00
42436*	**ChroMed® Chromogenic Coliform Agar (CCA) (I)**	For detection of *Escherichia coli* & coliforms in water samples as per ISO standards 9308-1:2014.	30.92	50 gms 100 gms 500 gms	3030.00 5630.00 26690.00
19440*	**ChroMed® Chromogenic Coliform Agar w/SLS (CCA w/SLS)**	For detection of *Escherichia coli* & coliforms in water samples.	27.00	50 gms 100 gms 500 gms	2400.00 4330.00 17060.00
96599*	**ChroMed® ECC Agar**	Differential medium recommended for presumptive identification of *Escherichia coli* & other coliforms in food and environmental samples.	55.83	100 gms 500 gms	4090.00 15690.00
75955*	**ChroMed® E.coli Agar**	A chromogenic medium used for detection & enumeration of *E.coli* and other coliforms from food samples.	36.57	100 gms 500 gms	2820.00 12600.00
46706*	**ChroMed® Klebsiella Selective Agar Base**	Selective isolation and detection of *Klebsiella* species from water and other sources. This medium can also be used in membrane filteration procedure.	40.80	100 gms 500 gms	1970.00 8360.00



Bluish green colonies of *Escherichia coli* ATCC 25922.

* store at 2°-8°C



code	product name	application/description	gm/lit	unit	unit price ₹
45615*	**ChroMed® Listeria Agar (I)**	Selective &differential medium recommended for rapid and direct identification of Listeria species.	36.63	100 gms 500 gms	1760.00 7460.00
38284*	**ChroMed® Listeria Agar Base, Modified**	For selective identification and differentiation of *Listeria monocytogenes*.		100 gms 500 gms	1760.00 7250.00
65621*	**ChroMed® MeReSA Agar**	Recommended media for isolation & identification of Methicillin Resistant *Staphylococcus aureus* (MRSA) from clinical specimens.	41.65	100 gms 500 gms	2700.00 11530.00
75213*	**Chromed® M-Lauryl Sulfate Agar (MLGA)** (as per ISO 17025:2005) (Membrane lactose glucuronide agar)	For the differentiation and enumeration of *Escherichia coli* and other coliforms by membrane filter technique.	88.00	100 gms 500 gms	5050.00 20450.00
90219*	**ChroMed® OGYE Agar Base (I)** (as per ISO 17025:2005)	Selective and differential medium for isolation of yeasts & moulds from milk and milk products.	37.10	100 gms 500 gms	3690.00 16240.00
92671*	**ChroMed® Salmonella Agar**	A chromogenic medium used for the identification of *Salmonella* species.	27.90	100 gms 500 gms	10080.00 47410.00
52496*	**ChroMed® TBX Agar (E.coli Agar Modified)**	A selective, chromogenic medium for the detection and enumeration of *Escherichia coli* in food.	36.57	100 gms 500 gms	2150.00 9900.00
42979*	**ChroMed® UTI Agar**	A chromogenic medium used for the presumptive identification and differentiation of microorganisms causing urinary tract infections.	32.45	100 gms 500 gms	2900.00 13930.00
80559	**CHO Medium, Base** (Carbohydrate Medium, Base)	For use as a basal medium to which carbohydrates are added for fermentation studies of anaerobic bacteria.	26.11	100 gms 500 gms	870.00 3390.00
28850	**Chocolate Agar, Base**	For the isolation and cultivation of a variety of fastidious microorganisms.	36.00	100 gms 500 gms	1000.00 3770.00
14602*	**Chloramphenicol Selective Supplement (50mg/vl)**	Used for the selective isolation and cultivation of yeasts and moulds.		5 vl 5 × 5 vl	1040.00 3110.00
60822	**Chloramphenicol Yeast Glucose Agar (I)**	Used for selective enumeration of fungi, yeasts and molds in milk and milk products.	40.00	100 gms 500 gms	680.00 3280.00
93306	**Christensen Citrate Agar**	For the differentiation of enteric pathogens based on their ability to utilize citrate as a carbon source.	24.81	100 gms 500 gms	880.00 3980.00
55769	**CLED Agar** (Brolacin Agar)	For the isolation, enumeration and presumptive identification of microorganisms from urine.	36.14	100 gms 500 gms	820.00 3280.00
88366	**CLED Agar with Andrade Indicator**	For differentiating various microoganisms depending on their colony characteristics.	36.14	100 gms 500 gms	820.00 3280.00
40980	**Clostridium Botulinum Isolation Agar, Base**	For the isolation, cultivation and differentiation of *Clostridium botulinum* from food samples.	74.00	100 gms 500 gms	970.00 4010.00
93834*	**Clostridium Difficile Supplement**	Used for the selective isolation of *Clostridium difficile*.		5 vl 5 × 5 vl	1150.00 3440.00
12655	**Clostridium Test Kit**	Used for isolation, identification, and cultivation of *Clostridium* species.		1 Kit	1050.00
64078*	**CNA Supplement**	Recommended for the selective isolation of anaerobic gram-positive cocci.		5 vl	1480.00
19156	**Coagulase Mannitol Agar Base**	For the cultivation and differentiation of *S.aureus* from other *Staphylococcus* species, based on coagulase production and mannitol fermentation.	47.02	100 gms 500 gms	960.00 4170.00
52655	**Coliform Medium (CM, Coliform Broth)**	For the isolation and cultivation of coliform organisms from raw milk, cream, yogurt.	57.13	100 gms 500 gms	810.00 3140.00
21493	**Columbia Agar Base, *Harmonized***	Used in the isolation of fastidious and non-fastidious microorganisms in pharmaceutical testing according to harmonized methods.	44.00	100 gms 500 gms	770.00 3280.00

* store at 2°-8°C




code	product name	application/description	gm/lit	unit	unit price ₹
45481	**Columbia Agar, Base**	For the isolation and cultivation of fastidious and non-fastidious microorganisms.	42.50	100 gms 500 gms	770.00 3280.00
97789	**Columbia C.N.A. Agar Base**	Used as a selective medium for the isolation of gram-positive micro-organisms, especially *staphylococci & streptococci* from clinical specimens.	44.02	100 gms 500 gms	2170.00 9140.00
23588	**Conn's Agar**	Used for the cultivation of fungi.	38.10	100 gms 500 gms	1930.00 8300.00
16340	**Corn Meal Agar w/ Dextrose**	Used for the cultivation of phytopathological and other fungi.	19.00	100 gms 500 gms	870.00 3840.00
26998	**Corn Meal Agar**	For chlamydospore production by *Candida albicans* and maintenance medium for fungal stock cultures.	17.00	100 gms 500 gms	870.00 3840.00
60277	**Corn Meal Peptone Yeast Agar**	Used for chlamydospore production and also for maintenance of fungal stock cultures.	64.00	100 gms 500 gms	1030.00 3810.00
73398	**Cooke Rose Bengal Agar Base**	Used for the selective cultivation and isolation of fungi.	36.54	100 gms 500 gms	1460.00 5340.00
45455	**CPC Agar Base**	For cultivation and differentiation of *Vibrio* species from food samples.	65.08	100 gms	5680.00
65165*	**CPC Supplement**	For isolation and enumeration of *Vibrio species* from foods.		5 vl	2030.00
48743	**Craigs Medium**	For the cultivation of *Vibrio cholerae* while testing their enterotoxigenicity.	34.50	100 gms 500 gms	1110.00 3490.00
70952	**CRAMP Agar Base**	For the cultivation of *Yersinia* species with plasmids.	32.54	100 gms	4740.00
27793	**Cystine Tryptone Agar** (Cystine Tryptic Agar)	Used for the maintenance, subculturing and detection of motility of various bacteria.	28.51	100 gms 500 gms	820.00 3280.00
77853	**Crystal Violet Agar** (Crystal Violet Lactose Agar)	For the differentiation of pathogenic and non-pathogenic staphylococci.	33.00	100 gms 500 gms	1030.00 3860.00
57485	**Crystal Violet Lactose Broth**	For the detection of coliforms in water filtration control works.	16.00	100 gms 500 gms	1230.00 3370.00
91022	**Crystal Violet Tetrazolium Agar, Base**	Used for detection of gram-negative psychrotrophic bacteria causing food spoilage.	23.50	100 gms 500 gms	950.00 4040.00
29212	**Czapek - Dox Agar**	For the cultivation of fungi and bacteria capable of utilizing sodium nitrate as the sole source of nitrogen.	49.00	100 gms 500 gms	710.00 2930.00
93812	**Czapek - Dox Agar Modified**	For the cultivation and maintenance of numerous fungal species, also for chlamydospore production by *Candida albicans*.	45.36	100 gms 500 gms	1000.00 3740.00
74367	**Czapek - Dox Broth**	For the cultivation of fungi and bacteria capable of utilising sodium nitrate as the sole source of nitrogen.	35.01	100 gms 500 gms	630.00 2560.00
95417	**Czapek Malt Agar**	For the isolation and cultivation of saprophytic fungi.	89.10	100 gms 500 gms	780.00 3330.00
61195	**Dairy Sample Testing Kit**	Used for identification and enumeration of microorganisms from dairy products.		1 Kit	1780.00
96640	**Decarboxylase Test Medium Base (Falkow)** (Decarboxylase Basal Medium)	For the differentiation of bacteria based on their ability to decarboxylate the amino acid.	9.00	100 gms 500 gms	830.00 3270.00


* store at 2°-8°C



code	product name	application/description	gm/lit	unit	unit price ₹
47129	**Deoxycholate Agar**	Differential medium for direct counts of coliforms from dairy products and for the isolation of enteric microorganisms from clinical and non-clinical specimens.	45.03	100 gms 500 gms	770.00 3510.00
20023	**Deoxycholate Citrate Agar (I/P)**	Used for the selective isolation and cultivation of enteric pathogens, especially *Salmonella* and *Shigella* species.	52.00	100 gms 500 gms	1230.00 5610.00
38695	**Deoxycholate Lactose Agar**	For the isolation and differentiation of Gram-negative enteric bacilli and for enumeration of coliforms from water, waste water, milk and dairy products.	42.53	100 gms 500 gms	1060.00 3860.00
18752	**Dermatophyte Test Agar Base** (D.T.M. Agar Base)	For the isolation and cultivation of dermatophytic fungi.	40.20	100 gms 500 gms	1000.00 4090.00
68650	**DEV Nutrient Agar**	To determine total germ count in water acc. to the "Deutschen Einheitsverfahren" regulations for drinking water.	43.00	100 gms 500 gms	930.00 3460.00
22438	**DEV Tryptophan Broth**	Used for subcultivation for coliform differentiation, and for indole testing in the bacteriological examination of water as per German Standard methods.	16.00	100 gms 500 gms	640.00 2560.00
15923	**Dextrose Agar**	For the cultivation of a wide variety of microorganisms and used as a base for blood agar and for general laboratory purposes.	43.00	100 gms 500 gms	750.00 3430.00
64098	**Dextrose Broth**	For the isolation and enrichment of fastidious or damaged microorganisms.	23.00	100 gms 500 gms	600.00 2400.00
83607	**Dextrose Mannitol Agar (Gillies Agar No.1)**	Recommended medium for primary isolation of *Salmonella* and *Shigella* species, by detection of urease production, dextrose and mannitol fermentation.	46.05	100 gms 500 gms	1140.00 4170.00
98009	**Dextrose Proteose Peptone Agar Base**	Used in combination with blood and tellurite for the isolation of *Corynebacterium diphtheriae*.	42.00	100 gms 500 gms	940.00 3500.00
11581	**Dextrose Salt Agar**	For the enumeration of yeasts and molds in butter and dairy products.	35.00	100 gms 500 gms	970.00 3860.00
87461	**Dextrose Salt Broth**	For the enumeration of yeasts and molds in butter and dairy products.	20.00	100 gms 500 gms	810.00 3200.00
44486	**Dextrose Starch Agar**	For the cultivation and maintenance of *Neisseria gonorrhoeae* and other fastidious micro organisms.	65.00	100 gms 500 gms	990.00 3800.00
50223	**Dextrose Tryptone Agar** (Dextrose Casein Peptone Agar)	For the isolation and cultivation of mesophilic and thermophilic aerobic microorganisms related to food spoilage.	30.00	100 gms 500 gms	960.00 3630.00




Pink coloured colonies of *Escherichia coli* ATCC 25922 with bile precipitate



* store at 2°-8°C


code	product name	application/description	gm/lit	unit	unit price ₹
78209	**Dey-Engley Neutralizing Broth**	For the testing and neutralization of antiseptics and disinfectants.	39.00	100 gms 500 gms	1010.00 3980.00
73318	**Diamalt Agar**	Used for isolation and identification of yeasts from water samples in accordance with APHA.	170.00	100 gms 500 gms	1230.00 4610.00
66473	**Differential Reinforced Clostridial Agar**	For the cultivation of clostridia from water samples.	42.50	100 gms 500 gms	1060.00 3790.00
27548	**Differential Reinforced Clostridial Broth, Base**	For the cultivation of clostridia from water samples.	29.00	100 gms 500 gms	650.00 2490.00
52978	**Differential Reinforced Clostridial Broth, Base (I)**	Used for cultivation of clostridia from water samples.	29.00	100 gms 500 gms	710.00 2870.00
88167	**Differential Reinforced Clostridial Broth, Base BioVeg**	Used for cultivation of clostridia from water samples.	29.00	100 gms 500 gms	760.00 3090.00
63899	**Dihydrolase Broth, Base**	Used for studying dihydrolase reaction of *Vibrio parahaemolyticus*.	43.03	100 gms 500 gms	1100.00 3650.00
14912	**Diluting Fluid A**	Used for the sterility testing of Pharmaceuticals.	1.00	100 gms 500 gms	680.00 2710.00
23121	**Diluting Fluid D**	Used for the sterility testing of Pharmaceuticals.	2.00	100 gms 500 gms	770.00 2950.00
53277	**Diluting Fluid K**	Used for the sterility testing of Pharmaceuticals.	18.00	100 gms 500 gms	820.00 2710.00
82965	**Disinfectant Test Broth, AOAC**	For the determination of phenol coefficient of disinfectants.	20.00	100 gms 500 gms	870.00 3430.00
82359	**DNase Test Agar Base**	Used for differentiation of microorganisms based on their production of deoxyribonuclease.	42.00	100 gms 500 gms	3280.00 14020.00
78317	**DNase Test Agar w/Methyl Green**	Used for differentiation of microorganisms based on deoxyribonuclease activity.	42.05	100 gms 500 gms	3740.00 14610.00
88941	**Drakes Medium 10**	Recommended for isolation of *Pseudomonas* species from water samples.		100 gms 500 gms	1300.00 4600.00
53292	**DRBC Agar (Dichloran Rose Bengal Chloramphenicol Agar) Base**	For selective isolation and enumeration of yeasts and moulds of significance in food spoilage.	31.50	100 gms 500 gms	1290.00 4850.00
84127	**Drigalski Lactose Agar**	Used for the selective isolation of enterobacteria.	49.09	100 gms 500 gms	1390.00 4480.00
56107	**Drigalski Litmus Lactose Agar**	Used as a non-selective differential medium for the detection of enteric pathogens.	41.20	100 gms 500 gms	1140.00 3980.00
49763	**E. Coli Test Kit**	Used for isolation, identification, and cultivation of *Escherichia coli*.		1 Kit	1210.00
25549	**EC Medium** (EC Broth)	Used for differentiation and enumeration of coliforms in water, wastewater, shellfish and foods.	37.00	100 gms 500 gms	770.00 3140.00
66389	**EC Medium w/MUG**	Used for the fluorogenic detection of *Escherichia coli* in water,food and milk.	37.05	100 gms 500 gms	1260.00 5040.00
54723	**Elliker Broth** (Lactobacilli Broth)	Used for cultivation of streptococci and lactobacilli especially in dairy procedures.	48.50	100 gms 500 gms	870.00 3360.00
11983	**Eijkman Lactose Medium** (Eijkman Lactose Broth)	For the cultivation and differentiation of *Escherichia coli* from other coliform organisms based on their ability to ferment lactose and produce gas.	28.50	100 gms 500 gms	940.00 3190.00

* store at 2°-8°C

code	product name	application/description	gm/lit	unit	unit price ₹
95514	**EMB Agar** (Eosin Methylene Blue Agar)	For the isolation, cultivation and differentiation of Gram-negative enteric bacteria based on lactose fermentation.	35.96	100 gms 500 gms	680.00 3040.00
		 Blue-black with dark centres, with green metallic sheen of *Escherichia coli* ATCC 25922			
46675	**EMB Agar, Levine** (Eosin Methylene Blue Agar, Levine)	For the isolation, cultivation and differentiation of Gram-negative enteric bacteria based on lactose fermentation.	37.46	100 gms 500 gms	680.00 3040.00
51207	**EMB Broth** (Eosin Methylene Blue Broth)	For the differentiation of Gram-negative enteric bacteria from clinical and non-clinical specimens.	22.50	100 gms 500 gms	650.00 2810.00
65512	**Emerson Agar**	Used for isolation and cultivation of Actinomycetaceae, Streptomycetaceae, fungi & moulds.	13.01	100 gms 500 gms	1130.00 3830.00
85046	**Endo Agar**	For the selective isolation, cultivation & differentiation of coliforms and other enteric microorganisms based on their ability to ferment lactose.	41.50	100 gms 500 gms	730.00 2980.00
		 Pink to red colonies with metallic sheen of *Escherichia coli* ATCC 25922			
81496	**Endo DEV Agar**	Used for selection and differentiation of Ecoli acc. to the to the "Deutschen Einheitsverfahren" regulations for drinking water.		100 gms 500 gms	950.00 3510.00
95904	**Enriched Thioglycollate Medium, Base** (Thioglycollate Medium, Enriched)	For the isolation, cultivation and identification of a wide variety of obligate anaerobic bacteria.	30.01	100 gms 500 gms	660.00 3270.00
33945	**Enteric Fermentation Media**	For the cultivation and differentiation of a variety of bacteria based on their ability to ferment different carbohydrates.	18.00	100 gms 500 gms	880.00 2630.00
71611	**Enterobacteria Enrichment Broth Mossel, *Harmonized*** (EE Broth Mossel)	Used for selective enrichment of Enterobacteriaceae in pharmaceutical testing according to harmonized methods.	45.01	100 gms 500 gms	940.00 4330.00
58444	**Enterococcus Confirmatory Agar**	For the identification of enterococci from water by the confirmatory test.	30.41	100 gms 500 gms	820.00 3570.00
64819	**Enterococcus Confirmatory Broth**	For the identification of enterococci from water by the confirmatory test.	80.41	100 gms 500 gms	770.00 3330.00
47082*	**Enterococcus Selective Supplement**	Used for the selective isolation and cultivation of enterococci.		5 vl 5 × 5 vl	1460.00 4950.00
60312	**Esculin Iron Agar**	For cultivation and identification of enterococci based on their ability to hydrolyze esculin.	16.50	100 gms 500 gms	3680.00 16280.00
27131*	**Esculin Supplement (0.5gm/vl)**	Used for detection of Group D streptococci on the basis of esculin hydrolysis.		5 vl	2460.00
69404	**Ethyl Violet Azide Broth** (E.V.A. Broth)	For the isolation, cultivation and enumeration of enterococci from water and other specimens.	35.80	100 gms 500 gms	970.00 3100.00
48357	**Eugonic Agar (B/S)**	Used for cultivation and maintenance of a variety of fastidious microorganisms.	44.40	100 gms 500 gms	1020.00 4040.00
66070	**Eugonic Broth**	Used for cultivation and maintenance of a variety of fastidious microorganisms.	29.40	100 gms 500 gms	1010.00 3380.00

* store at 2°-8°C

code	product name	application/description	gm/lit	unit	unit price ₹
78507*	**FGTC Antibiotic Supplement (2.5mg/vl)**	Used for the selective isolation and cultivation of enterococci.		5 vl	990.00
93466	**Fluid Sabouraud Medium**	For the cultivation of yeasts, molds and aciduric microorganisms.	30.00	100 gms 500 gms	440.00 1940.00
93023	**Fluid Thioglycollate Medium, Clear (U/P)**	A clear medium used for sterility testing of variety of samples in pharmaceutical testing.	29.75	100 gms 500 gms	450.00 1580.00
42917	**Fluid Thioglycollate Medium, (U/P) (I/P)**	Used for the cultivation of anaerobic, microaerophilic and aerobic organisms. For use in sterility testing of a variety of samples.	29.75	100 gms 500 gms	450.00 1580.00



46990	**Fluid Thioglycollate Medium, *Harmonized***	Used for sterility testing of variety of samples in pharmaceutical testing according to harmonized methods.	29.75	100 gms 500 gms	450.00 1580.00
76037	**FNA Medium** (Fluorescein Denitrification Agar)	Recommended for the differentiation of Pseudomonas from other bacilli by their ability to reduce nitrates or nitrites to nitrogen gas (denitrification), and also for detecting fluorescein pigment.	30.50	100 gms 500 gms	890.00 3690.00
46142	**Forget Fredette Agar**	Used for isolation and cultivation of anaerobic microorganisms.	40.05	100 gms 500 gms	1010.00 4110.00
33696	**Formate Ricinoleate Broth**	For detection of coliform bacteria in milk, water & other material of sanitary importance.	16.00	100 gms 500 gms	1020.00 4230.00
37593	**Fraser Broth Base**	Recommended selective, enrichment medium for the isolation of *Listeria* species from food and environmental samples.	54.90	100 gms 500 gms	860.00 3760.00
97539 new	**Fraser Supplement (250mg/vl)**	Used for the selective isolation and enumeration of Listeria monocytogenes from food, animal feeds etc.		5 vl	1000.00
52071*	**Fraser Selective Supplement**	Used for selective isolation and cultivation of *Listeria monocytogenes* from food and environmental specimens.		5 vl	1370.00
83831	**Fuchsin Lactose Broth**	Used for the determination of the coliform titre in the bacteriological examination of water & other materials	13.01	100 gms 500 gms	860.00 3510.00
68653	**Fungal Agar with Low pH** (Mycological Agar with Low pH)	For the selective isolation, cultivation and maintenance of pathogenic fungi.	35.00	100 gms 500 gms	1070.00 4230.00
62729	**Fungal Broth (Mycological Broth)**	For cultivation and maintenance of fungi.	50.00	500 gms	3900.00
90195	**Fungi Cultivation Kit**	Used for cultivation and isolation of fungi, yeasts and moulds.		1 Kit	1210.00
94016	**Gassner Lactose Agar**	Used for the detection and isolation of pathogenic Enterobacteriaceae from food.	76.87	100 gms 500 gms	960.00 3980.00
72464	**GC Agar Base**	Used for isolation and cultivation of *Gonococci*.	72.00	100 gms 500 gms	710.00 3000.00
10474	**Gelatin Agar DEV**	Used in water and waste water testing for the determination of total microbial count & detection of gelatin-liquefying microorganisms.	50.00	100 gms 500 gms	810.00 3380.00
23942	**Gelatin Iron Agar**	For the detection of gelatin liquefaction and production of H_2S.	159.00	100 gms 500 gms	850.00 3870.00

* store at 2°-8°C




code	product name	application/description	gm/lit	unit	unit price ₹
75750	**Gelatin Peptone BactoBio for bacteriology**	An enzymatic digest of gelatin used in preparation of microbiological media. Also used as media ingredient in fermentation studies.		500 gms 5 kg	2080.00 19400.00
43172	**Gelatin Powder Special ex. Porcine (Type B), 120g Bloom**	Gelatin for bacteriology is a special bacteriological grade readily soluble in water to give a clear solution.		500 gms	1290.00
24426	**Gelatin Powder Special Clear ex. Bovine (Type B), 200-250g Bloom for bacteriology**	Gelatin for bacteriology is a special bacteriological grade, readily soluble in water to give a clear solution.		500 gms	1870.00
78334*	**Gentamicin Selective Supplement (20mg/vl)**	Used for isolation and detection of Clostridium perfringens.		5 vl	800.00
50084*	**Genta-Oxy Selective Supplement**	Used for the selective isolation and enumeration of yeasts and moulds.		5 vl 5 × 5 vl	1410.00 3400.00
39238	**General Purpose Kit – I**	Nutrient Agar cultivates a wide variety of microorganisms and MacConkey Agar is used in isolation of gram negative enteric bacteria.		1 kit	970.00
84905	**General Purpose Kit – II**	Nutrient Agar cultivates a wide variety of microorganisms, MacConkey Agar aids in isolation of gram negative enteric bacteria and Blood Agar Base is used in detecting hemolytic activity of fastidious microorganisms.		1 kit	1210.00
15628	**Giollotti Cantoni Broth Base**	Used for the cultivation and enrichment of *Staphylococcus aureus* from foods.	54.20	100 gms 500 gms	1140.00 3620.00
68382	**Gluconate Test Medium**	Used for detection of gluconate-oxidizing microrganisms.	43.50	100 gms 500 gms	770.00 3140.00
35070	**Glucose Salt Teepol Broth (Twin Pack)**	Used for enrichment of *Vibrio parahaemolyticus* and marine isolates	(48.00 of Part A +4.0 ml of Part B)	100 gms 500 gms	850.00 3920.00
58174	**Glucose Yeast Extract Agar**	For cultivation of lactobacilli, especially in pharmaceutical preparations.	28.32	100 gms 500 gms	990.00 3980.00
17991	**Glucose Yeast Peptone Agar**	For the isolation of yeasts from soil specimens.	50.00	100 gms 500 gms	1020.00 3980.00
11266	**Glutamate Starch Phenol Red Agar Base** (as per ISO 17025:2005)	Used for detection of *Pseudomonas & Aeromonas* in foodstuffs, wastewater and equipment in food industry.	44.86	100 gms 500 gms	1060.00 3620.00
86016	**Gluten Hydrolysate ex. Maize BactoBio for bacteriology** (Peptone from Corn)	Enzymatic digest of corn protein. Recommended for use in microbial or fermentation media.		100 gms 500 gms	840.00 2840.00
79127	**GN Broth, Hajna** (Gram-Negative Broth, Hajna)	For the selective cultivation of gram negative microorganisms.	39.00	100 gms 500 gms	670.00 2590.00
30963*	**GTC Supplement (1.25mg/vl)**	Used for the selective isolation and cultivation of enterococci.		5 vl	720.00
61655	**Gum Listeria Medium**	Recommended for the isolation of *Listeria monocytogenes* from clinical and non-clinical samples.	18.44	100 gms 500 gms	940.00 3890.00
72275	**H Broth**	For the preparation of H agglutination antigen used in the differentiation & identification of *Salmonella* species types and subtypes.	21.50	100 gms 500 gms	1010.00 3550.00
85012	**Hartley's Digest Broth**	For the cultivation of a variety of microorganisms from blood, especially fastidious streptococci and *Corynebacterium diphtheriae*.	29.00	100 gms 500 gms	760.00 3190.00
41861*	**Haemoglobin Powder**	Specially prepared hemoglobin for use in culture media.		50 gms	1230.00

* store at 2°-8°C


code	product name	application/description	gm/lit	unit	unit price ₹
47704	**Heart Infusion Agar (HI Agar)**	Used for isolation and cultivation of a wide variety of fastidious microorganisms. Also used as a base for preparation of blood agar in determining haemolytic reactions.	40.00	100 gms 500 gms	910.00 4050.00
75134	**Heart Infusion Broth (HI Broth)**	Used for isolation and cultivation of a wide variety of fastidious microorganisms. Also used as a base for preparation of blood agar in determining haemolytic reactions.	25.00	100 gms 500 gms	860.00 3710.00
28551	**Heart Infusion Powder (HI Powder) BactoBio for bacteriology**	Used in preparation of vaccines and cultivation of fastidious micro organisms.		500 gms 2.5 kg	2250.00 10040.00
68100	**Hektoen Enteric Agar**	Used for the isolation and cultivation of gram negative enteric microorganisms from a variety of clinical and non clinical specimens.	75.66	100 gms 500 gms	1060.00 4910.00
20852	**Hemmes Medium Base**	For the differentiation of Salmonella and Shigella species.	42.95	100 gms 500 gms	2000.00 6530.00
52740	**Hofer's Alkaline Medium**	Used for selective isolation of *Agrobacterium* species.	26.80	100 gms	1360.00
67658	**Horie Arabinose Ethyl Violet Broth**	Recommended for the enrichment & cultivation of *Vibrio* species.	43.03	100 gms 500 gms	1150.00 4560.00
46946	**Hoyle Medium, Base**	For the isolation and differentiation of *Corynebacterium diphtheriae*.	40.00	100 gms 500 gms	850.00 3600.00
79035	**High Plate Count Agar**	Recommended medium for obtaining higher colony counts by spread plate/ pour plate or membrane filter methods.	18.75	100 gms 500 gms	1020.00 4250.00
64068	**High Salt Nutrient Agar (I)**	Used for isolation and cultivation of salt tolerant *Vibrio* species.	55.00	100 gms 500 gms	840.00 3490.00
37353	**High Salt Nutrient Agar (B/S)**	Used for isolation and cultivation of salt tolerant *Vibrio* species.	53.00	100 gms 500 gms	840.00 3490.00
39147	**High Salt Peptone Yeast Extract Agar (I)**	Used for confirmation of *Vibrio* species.	65.30	100 gms 500 gms	820.00 3430.00
77707	**HS Medium** (Hydrosulphite of Sodium Medium)	Used for the cultivation of aerobic and anaerobic bacteria. It is also used for sterility testing.	29.50	100 gms 500 gms	880.00 2870.00
26221	**Hugh Leifson Medium(B/S)**	Used to distinguish between anaerobic and aerobic breakdown of carbohydrate.	20.33	100 gms 500 gms	900.00 3860.00
79544	**HYA Agar**	For differentiation of *Lactobacillus bulgaricus* and *Streptococcus thermophilus* on the basis of colony morphology.	36.00	100 gms 500 gms	1390.00 5680.00
21128	**Hydrolysate BioVeg BactoBio for bacteriology**	An alternative for animal based peptones, provides good source of nutrients to various microorganisms.		500 gms 5 kg	2220.00 18110.00
36873	**IMViC Test Kit**	Used for biochemical identification of gram negative enteric bacteria based on Indole production, Methyl Red and Voges Proskauer reactions and Citrate Utilization Test.		1 Kit	1050.00
12139	**Indole Nitrate Medium** (Tryptone Nitrate Medium)	For the identification of microorganisms by means of the nitrate reduction and indole tests.	25.00	100 gms 500 gms	690.00 2780.00
		For Inorganic Salts – Please refer to other sections/parts of the Catalogue.			
54336	**ISP Medium No. 1** (Tryptone Yeast Extract Broth)			100 gms 500 gms	1110.00 5040.00
76920	**ISP Medium No. 4** (Inorganic Salt Starch Agar)	Used for characterizing Streptomyces species according to the International Streptomyces Project (ISP).	37.00	100 gms 500 gms	1310.00 5480.00

* store at 2°-8°C

code	product name	application/description	gm/lit	unit	unit price ₹
91875	**ITC Broth**	Used for cultivation and isolation	44.11	100 gms 500 gms	1110.00 4390.00
42882	**IUT Medium, Base**	With added glycerol and egg yolk emulsion, used for cultivation of *Mycobacterium tuberculosis*.	7.30	100 gms 500 gms	1210.00 5590.00
70916	**Jensen's Medium** (Jensen's Agar)	Used for the cultivation of nitrogen fixing bacteria.	39.10	100 gms 500 gms	830.00 3470.00
87806	**Jensen's Broth**	Recommended for the detection and cultivation of nitrogen fixing bacteria.	24.10	100 gms 500 gms	1140.00 4170.00
55686	**Jensen Seedling Agar**	Used for growing plants for collection of root exudates and to study the nodulating ability of *Rhizobium* isolates.	16.70	100 gms 500 gms	920.00 3690.00
44485	**Kanamycin Esculin Azide Agar**	Used for the isolation of enterococci in foodstuffs.	42.60	100 gms 500 gms	2630.00 6830.00
60649*	**Kanamycin Sulphate Selective Supplement (10mg/vl)**	Used for the selective isolation and cultivation of enterococci.		5 vl	1170.00
96343	**Kaper's Medium**	Used for the isolation and identification of *Aeromonas hydrophila* froom foods.	37.92	100 gms 500 gms	1010.00 4340.00
33613	**Kenknight and Munaier's Medium**	Used for isolation of *Actinomyces* species from soil samples.	16.40	100 gms 500 gms	1030.00 4260.00
75772	**Ketogluconate Broth**	Used for the identification of bacteria that can utilize 2-ketogluconate.	37.40	100 gms 500 gms	1010.00 3160.00
64342	**KF Streptococcus Agar Base (APHA) (KF Streptococcal Agar Base)**	For the selective cultivation and enumeration of faecal streptococci.	76.40	100 gms 500 gms	840.00 3780.00
41924	**Kimmig Agar Base** (Fungi Agar Base Kimmig)	Used for cultivation and preservation of various fungi.	50.00	100 gms 500 gms	1010.00 4270.00
42820*	**Kimmig Selective Supplement**	Used for selective isolation of fungi.		5 vl	1940.00
11411	**King's Medium A Base**	For the non selective isolation, cultivation and pigment production of *Pseudomonas*.	46.64	100 gms 500 gms	770.00 3450.00
21694	**King's Medium B Base**	For the non selective isolation, cultivation and pigment production of *Pseudomonas*.	43.00	100 gms 500 gms	770.00 3450.00
29760*	**Klebsiella Selective Supplement (25mg/vl)**	Used for the selective isolation and detection of *Klebsiella* species.		5 vl	1110.00
33943	**Kligler Iron Agar**	For the differentiation and identification of Gram-negative bacilli based upon the fermentation of dextrose and lactose and production of H_2S.	57.52	100 gms 500 gms	750.00 3060.00
61860	**Kligler Iron Agar (I)**	Used for identification of *Pseudomonas* species. This can be used for differentiation & identification of Gram-negative enteric bacilli based on fermentation of dextrose, lactose and production of H_2S.	58.03	100 gms 500 gms	780.00 3440.00



Bluish green pigmented colonies of *Pseudomonas aeruginosa* ATCC 27853.



Greenish yellow pigmented colonies of *Pseudomonas aeruginosa* ATCC 27853.


* store at 2°-8°C



code	product name	application/description	gm/lit	unit	unit price ₹
25844	**Kligler Iron Agar BioVeg**	For the differentiation and identification of Gram-negative bacilli based upon the fermentation of dextrose, lactose & production of H_2S.	57.52	100 gms 500 gms	750.00 3060.00
44000	**Kohn Two Tube Medium No. 1 Base**	Used for identification of Enterobacteriaceae based on dextrose fermentation, mannitol fermentation and urease production.	46.05	100 gms 500 gms	2230.00 6060.00
58578	**Kohn Two Tube Medium No. 2 Base**	Used for identification of Enterobacteriaceae based on sucrose fermentation, salicin fermentation, motility, hydrogen sulphide and indole production.	48.12	100 gms 500 gms	5680.00 21310.00
65373	**Koser Citrate Medium**	For the differentiation of *E.coli* and *Enterobacter aerogenes* on the basis of citrate utilization.	5.70	100 gms 500 gms	690.00 3000.00
77760	**Kundrat Agar**	For the routine qualitative detection of residues from antibiotics, sulfonamides and other chemotherapeutical agents in animal-derived food according to Kundrat.	40.41	100 gms 500 gms	1140.00 4160.00
70663*	**KV Supplement**	Recommended for selective isolation of gram-negative anaerobes.		5 vl	1480.00
52911	**Lachica's Medium Base**	Used for isolation and cultivation of *Aeromonas hydrophila* from foods stored under different temperature conditions	43.00	100 gms	3660.00
63026	**Lactalbumin Hydrolysate BactoBio for bacteriology**	A hydrolysate obtained by enzymatic degradation of protein, Lactalbumin.Used primarily in the preparation of tissue culture media.		500 gms	3900.00
24806*	**L-Lactic acid 10% Solution*** (10 ml per vial)	Used for adjusting pH in acidic range.		5 vl 5 × 5 vl	940.00 3100.00
37985	**Lactic Agar**	Recommended for enumeration and identification of lactic *Streptococci* and *Lactobacilli* by pour plate method.	63.50	100 gms	1410.00
68888	**Lactic Bacteria Differential Agar**	Used for differentiation of homofermentative and heterofermentative lactic acid bacteria.	35.56	100 gms 500 gms	990.00 4080.00
84282*	**Lactic Supplement**	For the isolation of lactic acid bacteria in beer and brewing process.		5 vl	1180.00
79562*	**Lactobacillus MRS Agar (I)*** (MRS Agar)	Used for the isolation and enumeration of lactic acid bacteria from meat and meat products.	65.25	100 gms 500 gms	850.00 3280.00
50871	**Lactobacillus MRS Agar BioVeg**	Recommended for the cultivation, isolation and enumeration of all *Lactobacilli*.	67.15	100 gms 500 gms	870.00 3840.00
47192	**Lactobacilli Agar, AOAC**	For the cultivation and maintenance of stock cultures used in microbiological assays of vitamins and amino acids.	48.00	100 gms 500 gms	1700.00 5260.00
39785*	**Lactobacilli Supplement (50mg/vl)**	used for isolation of *Lactobacilli* from wine.		5 vl 5 x 5 vl	1420.00 4420.00
18659	**Lactobacillus Selection Agar**	Used for isolation, cultivation and enumeration of lactobacilli.	84.70	100 gms 500 gms	1030.00 4210.00
49190	**Lactobacillus MRS Broth (MRS Broth)**	Used for cultivation of lactobacilli.	55.15	100 gms 500 gms	770.00 3040.00
27750	**Lactobacillus MRS Broth BioVeg**	Used for cultivation of lactobacilli.	55.15	100 gms 500 gms	770.00 3260.00
46812	**Lactobacillus MRS Broth w/o Dextrose**	Used for the cultivation and enrichment of lactobacilli .		100 gms 500 gms	710.00 3100.00
66749	**Lactobacillus Selection Oxgall Agar Base** (LBS Oxgall Agar)	Used for the cultivation and enumeration of *Lactobacilli.*	86.23	100 gms 500 gms	1110.00 4090.00

* store at 2°-8°C

code	product name	application/description	gm/lit	unit	unit price ₹
97354	**Lactose Broth**	For the detection of lactose fermenting Gram-negative coliforms, as pre-enrichment broth for *Salmonella* species.	13.00	100 gms 500 gms	450.00 2200.00
77121	**Lactose Gelatin Medium (I)**	Used for the cultivation of *Clostridium perfringens*.	155.05	100 gms 500 gms	870.00 3520.00
24171	**Lactose Lecithin Agar**	Recommended for the isolation and differentiation of histotoxic clostridia.	58.48	100 gms 500 gms	1270.00 4290.00
88539 [10039-26-6, 64044-51-5]	**Lactose Monohydrate Sterile (gamma irradiated)**			500 gms 5 kg	850.00 8300.00
62367	**Lactose Peptone Broth**	Used for the detection of coliform organisms in water.	35.02	100 gms 500 gms	870.00 3110.00
71135	**Lactose Lecithin Agar**	Base medium used for cultivation of *Clostridium perfringens.*	20.30	100 gms 500 gms	820.00 3160.00
70637	**Lactose TTC Agar (w/ Tergitol 7) (I)** (Lactose Triphenyltetrazolium Chloride Agar)	For selective isolation and differentiation of *E.coli* and coliform bacteria in water by membrane filter technique.	56.15	100 gms 500 gms	820.00 3330.00
92343	**Lauryl Sulfate Broth w/MUG**	For the detection of coliform bacteria in water and food specimens by a fluorogenic procedure.	35.65	100 gms 500 gms	1050.00 4100.00
44956	**Lauryl Tryptose Broth (I)(B/S)** (Lauryl Sulfate Broth)	Used for the detection of coliform bacteria in a variety of specimens. Also for the enumeration of coliform bacteria by the multiple tube fermentation technique.	35.60	100 gms 500 gms	590.00 2580.00
94906	**Lauryl Tryptose Mannitol Broth w/Tryptophan**	For detection of *Escherichia coli* in water samples.	35.80	100 gms 500 gms	1070.00 3630.00
10517	**Lead Acetate Agar**	For the cultivation and differentiation of gram negative coliform bacteria based on H_2S production.	36.28	100 gms 500 gms	940.00 3720.00



82632	**Leptospira Medium Base**	Used for the cultivation of *Leptospira* species.	2.56	100 gms 500 gms	860.00 3540.00
59326	**Letheen Agar**	Used to determine the phenol coefficient of quaternary ammonium compounds using *Escherichia coli* or *Staphylococcus aureus*.	32.00	500 gms	4730.00
28685	**Listeria Enrichment Medium Base (UVM Medium)**	Recommended medium for use in qualitative procedures for the isolation of *Listeria monocytogenes* from food samples.	54.34	100 gms 500 gms	1320.00 6250.00
96310	**Listeria Identification Agar Base (PALCAM)**	Used for isolation of *Listeria sp*. from clinical and non-clinical samples.	68.80	100 gms 500 gms	1470.00 6830.00
96155 **new**	**Listeria Motility Medium (I)**	Recommended medium for testing motility of *Listeria monocytogenes*.	29.60	100 gms 500 gms	920.00 3850.00
15650*	**Listeria Moxalactum Supplement**	Recommended for the selective isolation and cultivation of *Listeria monocytogenes.*		5 vl	1420.00
76366	**Listeria Oxford Medium Base (Oxford Agar)**	Used for isolation of *Listeria species* from pathological samples.	55.60	100 gms 500 gms	950.00 4520.00
90345*	**Listeria Selective Supplement (PALCAM)**	Used for the isolation of *Listeria monocytogenes* and other species of Listeria from food products.		5 vl	1040.00


* store at 2°-8°C


code	product name	application/description	gm/lit	unit	unit price ₹
51864*	**Listeria UVM Supplement I**	Used for selective isolation and cultivation of *Listeria monocytogenes*.		5 vl	950.00
72547*	**Listeria UVM Supplement II**	Used for selective isolation and cultivation of *Listeria monocytogenes*, especially for clinical specimens.		5 vl	950.00
59797	**Litmus Lactose Agar**	For differentiation of lactose fermenting and non-lactose fermenting bacteria.	29.00	100 gms 500 gms	940.00 3740.00
96658	**Litmus Milk** (Litmus SM Broth)	For the maintenance of lactobacilli and differentiation of several bacteria, based on their action on milk.	101.00	100 gms 500 gms	910.00 3570.00
50037	**Liquoid Broth**	Used for the screening of blood specimens from suspected cases of bacteremia.	37.50	100 gms 500 gms	1010.00 3720.00
54004	**Littman Oxgall Agar Base**	With added streptomycin,used for isolation of fungi, especially dermatophytes.	55.01	100 gms 500 gms	1060.00 3860.00
87566	**Liver Extract Powder BactoBio for bacteriology**	Liver Extract Powder is efficient in providing growth and amino acids to fastidious microorganisms.		500 gms 5 kg	1600.00 14170.00
81322	**Liver Hydrolysate BactoBio for bacteriology** (Peptone from Liver, Liver Peptone)	Used as a source of nutrients in microbiology culture media.		500 gms	2630.00
68861	**Liver Infusion Agar (LI Agar)**	Used for cultivation of Brucella and other pathogenic anaerobic bacteria.	55.00	100 gms 500 gms	860.00 3420.00
96453	**Liver Infusion Broth (LI Broth)**	Used for cultivation of Brucella and other pathogenic anaerobic bacteria.	35.00	100 gms 500 gms	690.00 2840.00
98858	**Liver Meat Glucose Cysteine Broth**	Recommended for enrichment and cultivation of fastidious anaerobic microorganisms.	35.00	100 gms 500 gms	1000.00 4120.00
79612	**LM Agar (Meat Liver Agar)** (Liver Meat Agar)	Used for the cultivation of anaerobic microorganisms, specially for the sulphite reducing Clostridia and Clostridium perfringens in water and milk.	34.20	500 gms	3790.00
69741	**Lowenstein - Jensen Medium, Base** (L.J. Medium Base)	For the cultivation and differentiation of *Mycobacterium* species.	37.24	100 gms 500 gms	680.00 2460.00
27888 **new**	**LPM Agar Base** (Lithium Phenylethanol Moxalactam)	Recommended medium for use in qualitative procedures for selective isolation of *Listeria monocytogenes*.	50.50	100 gms	2890.00
97970	**Luria Bertani Agar (LB Agar) w/o Sodium Chloride**	Used for maintaining and propogating *Escherichia coli* in molecular microbiology procedures.	30.00	100 gms 500 gms	1110.00 4090.00
22006	**Luria Bertani Broth (LB Broth) w/o Sodium Chloride**	Used for maintaining and propogating *Escherichia coli* in molecular microbiology procedures.	15.00	100 gms 500 gms	770.00 3390.00
46502	**Luria Bertani Agar, Lennox** (Luria Agar)(LB Agar, Lennox)	Used for maintaining and cultivating recombinant strains of *Escherichia coli.*	35.00	100 gms 500 gms	820.00 3570.00
47436	**Luria Bertani Agar, Miller** (LB Agar, Miller)	Used for maintaining and propagating *Escherichia coli* in molecular microbiology procedures.	40.00	100 gms 500 gms	770.00 3390.00
14593	**Luria Bertani Broth, Lennox** (Luria Broth) (LB Broth, Lennox)	Used for maintaining and propagating *Escherichia coli* in molecular microbiology procedures.	20.00	100 gms 500 gms 2 kg	710.00 2980.00 9820.00
29817	**Luria Bertani Broth, Miller** (LB Broth, Miller)	Used for maintaining and propagating *Escherichia coli* in molecular microbiology procedures.	25.00	100 gms 500 gms 2 kg	710.00 2980.00 9820.00
40826	**Luria Bertani Agar, Miller BioVeg** (LB Agar, Miller BioVeg)	Used for maintaining and propagating *Escherichia coli* in molecular microbiology	40.00	100 gms 500 gms	770.00 3390.00
17320	**Luria Bertani Broth, Miller BioVeg**	Used for maintaining and propagating *Escherichia coli* in molecular microbiology.	25.00	100 gms 500 gms 2 kg	710.00 2980.00 9820.00
90769	**Lysine Arginine Iron Agar**	For the cultivation and differentiation of bacteria based on their ability to decarboxylate lysine,arginne and produce H_2S.	44.56	100 gms 500 gms	710.00 2980.00

* store at 2°-8°C




code	product name	application/description	gm/lit	unit	unit price ₹
16624	**Lysine Decarboxylase Broth w/o Peptone (I)**	Used for distinguishing *Salmonella* serotype Arizonae from the Bethesda Ballerup group of Enterobacteriaceae.	9.00	100 gms 500 gms	650.00 2810.00
71125	**Lysine Iron Agar**	For the differentiation of enteric organisms, especially *Salmonella*, based on lysine decarboxylation / deamination and H_2S production.	34.56	100 gms 500 gms	770.00 2810.00
82502	**M2 Agar**	A semisynthetic culture medium, used as a general purpose plate count agar.	40.15	100 gms 500 gms	920.00 3790.00
24415	**M17 Agar Base**	For improved growth of lactic streptococci and their bacteriophages.	33.25	100 gms 500 gms	940.00 3630.00
13297	**M17 Broth Base**	For improved growth of lactic streptococci and their bacteriophages.	37.25	100 gms 500 gms	770.00 3430.00
76875	**MacConkey Agar**	For the selective isolation, cultivation and differentiation of coliforms & enteric pathogens based on the ability to ferment lactose.	50.03	100 gms 500 gms	640.00 2930.00
96871	**MacConkey Agar BioVeg**	For the selective isolation, cultivation and differentiation of coliforms & enteric pathogens based on ability to ferment lactose.	51.50	100 gms 500 gms	640.00 2930.00
37775	**MacConkey Agar, *Harmonized***	Used for selective isolation and differentiation of *Escherichia coli* and coliform bacteria in pharmaceutical testing according to harmonized methods.	50.03	100 gms 500 gms	640.00 2930.00
80302	**MacConkey Agar w/ MUG**	For the isolation and detection of lactose fermenting coliforms by fluorogenic procedure.	51.63	100 gms 500 gms	1320.00 5570.00
71117	**MacConkey Agar (B/S)**	Used for isolation and differentiation of enteric bacteria based on lactose fermentation.	55.07	100 gms 500 gms	640.00 2930.00
83870	**MacConkey Agar, Base**	Used for studying carbohydrate fermentation reactions of coliforms by adding desired carbohydrates.	40.00	100 gms 500 gms	640.00 2930.00
26823	**MacConkey Agar Medium**	For the isolation and differentiation of enteric bacteria, on the basis of lactose fermentation and also for isolation of fecal streptococci.	55.37	100 gms 500 gms	730.00 2970.00
95199	**MacConkey Agar, Modified**	For isolation of *Klebsiella* species from water and other specimens.	50.00	100 gms	2690.00
98384	**MacConkey Agar w/ Bromothymol Blue**	For the detection of enteric bacteria, on the basis of lactose fermentation.	51.53	100 gms 500 gms	850.00 3280.00
58370	**MacConkey Agar with 0.15% Bile salts, C.V. and NaCl (U/P)**	Selective medium for Gram-negative organisms by suppressing the growth of Gram-positive bacteria.	51.50	100 gms 500 gms	670.00 3160.00




Pink colonies of *Escherichia coli* ATCC 25922, pink-mucoid colonies of *Klebsiella pneumoniae* ATCC 13883, colourless colonies of *Salmonella typhimurium* ATCC 14028

* store at 2°-8°C


code	product name	application/description	gm/lit	unit	unit price ₹
33759	**MacConkey Agar w/o C.V., w/ 1.2% Agar**	For selective isolation and differentiation of enteric bacteria, on the basis of lactose fermentation.	48.53	100 gms 500 gms	820.00 3510.00
50372	**MacConkey Agar without C.V., NaCl, with 0.5% Sodium Taurocholate**	Differential medium for detection and isolation of enteric organisms by restricting the swarming of *Proteus* species.	55.00	100 gms 500 gms	1000.00 3490.00
79447	**MacConkey Agar w/o C.V. w/ 0.15% Bile Salts**	For selective isolation of members of Enterobacteriaceae on the basis of lactose fermentation.	51.53	100 gms 500 gms	590.00 2580.00
64300	**MacConkey Agar w/o C.V. w/ 0.5% Bile Salts**	For isolation and detection of coliforms and enteric pathogens.	52.00	100 gms 500 gms	670.00 3020.00
64030	**MacConkey Agar w/o C.V., NaCl w/ 0.5% Bile Salts**	For the isolation and detection of coliforms and enteric pathogens. Provides a low electrolyte medium on which most *Proteus* species will not swarm, thus preventing overgrowth of the plate.	47.00	100 gms 500 gms	670.00 3020.00
64024	**MacConkey Agar w/o C.V., NaCl, w/0.0075% NR, 1.2% Agar BioVeg**	Differential medium for detection and isolation of enteric organisms by restricting the swarming of *Proteus* species.	47.00	100 gms 500 gms	710.00 2930.00
72074	**MacConkey Agar No.3**	For the selective isolation, cultivation and differentiation between coliforms and non-lactose fermentors.	51.53	100 gms 500 gms	990.00 3620.00
74726	**MacConkey Broth**	For the selective isolation and cultivation of coliforms in milk and water.	40.07	100 gms 500 gms	610.00 2520.00
44448	**MacConkey Broth, *Harmonized***	Used for identification of coliforms in pharmaceutical testing according to harmonized methods.	35.01	100 gms 500 gms	610.00 2520.00
54056	**MacConkey Broth w/ Neutral Red (B/S)**	Used for selective enrichment and enumeration of coliforms.	40.07	100 gms 500 gms	610.00 2520.00
20309	**MacConkey Broth, Double Strength w/ Neutral Red**	For the selective isolation and cultivation of coliforms in milk and water from large samples.	80.15	100 gms 500 gms	580.00 2310.00
92933	**M-MacConkey Broth**	For detecting and enumerating lactose fermenting enteric bacteria from milk and water by the membrane filter method.	49.12	100 gms 500 gms	630.00 2940.00
42944	**MacConkey Broth, Purple**	Selective medium for isolation and cultivation of coliforms in milk and water.	40.01	100 gms 500 gms	590.00 2580.00
38989	**MacConkey Broth Purple w/BCP (I)**	Used for presumptive identification of coliforms from water, milk and food samples.	40.00	100 gms 500 gms	580.00 2310.00
90084	**MacConkey Broth Purple w/BCP (I/P)**	Used for presumptive identification of coliforms from water, milk and food samples.	35.00	100 gms 500 gms	580.00 2310.00
51545	**MacConkey Broth Purple w/BCP (B/S)**	Used for presumptive identification of coliforms from water, milk, food etc.	40.02	100 gms 500 gms	580.00 2310.00
57608	**MacConkey Broth - Purple, Double Strength w/ BCP**	For the primary isolation of coliforms from large samples.	80.02	100 gms 500 gms	690.00 2790.00
98664	**MacConkey Sorbitol Agar** (Sorbitol Agar)	For the isolation and identification of pathogenic *Escherichia coli*.	50.00	100 gms 500 gms	1150.00 3860.00




* store at 2°-8°C



code	product name	application/description	gm/lit	unit	unit price ₹
57340	**MacConkey Sorbitol Agar, Base (I)**	Used for selective isolation and detection of *Escherichia coli* 0157:H7 from food and animal feed stuff.	50.03	100 gms 500 gms	1060.00 3740.00
99130	**Malachite Green Broth**	Used for cultivation of *Pseudomonas aeruginosa*.	25.13	100 gms 500 gms	870.00 2860.00
51517	**M-Brilliant Green Broth**	For the selective isolation and differentiation of *Salmonella* from polluted water by the membrane filter method.	76.18	100 gms 500 gms	1070.00 3590.00
10054	**McBride Listeria Agar Base**	Moderately selective medium for isolation of *Listeria monocytogenes.*	46.00	100 gms 500 gms	1050.00 4300.00
70317*	**McBride Listeria Supplement**	Recommended for the selective isolation of *Listeria species*.		5 vl	1210.00
50642	**McClung Toabe Agar Base**	Moderately selective medium for isolation of *Listeria monocytogenes.*	75.10	100 gms 500 gms	1060.00 4390.00
87015	**M-EC Test Agar**	Recommended medium for testing of E coli in water samples using membrane filter technique.	45.26	100 gms 500 gms	950.00 3620.00
66805	**M-Endo Agar LES**	For the enumeration of coliforms in water by the membrane filtration method.	51.05	100 gms 500 gms	790.00 3360.00
57906	**M-Endo Broth**	For the cultivation and enumeration of coliform bacteria in water by the membrane filter method.	61.50	100 gms 500 gms	850.00 3500.00
33919	**M-Enrichment Broth**	For enumerating bacteria by membrane filter technique and also for preliminary enrichment of microorganisms on membrane filter before use of selective media.	54.00	100 gms 500 gms	850.00 3500.00
52295	**M-FC Agar Base**	For the cultivation and enumeration of faecal coliforms by membrane filter technique at elevated temperatures.	52.10	100 gms 500 gms	1030.00 4300.00
76439	**M-FC Broth Base**	For cultivation and enumeration of faecal coliforms using the membrane filteration technique.	37.10	100 gms 500 gms	1010.00 3580.00
51072	**M-HPC Agar, Base** (Heterotrophic Plate Count Agar, Base)	For the cultivation and enumeration of heterotrophic organisms from potable water sources, swimming pools and other water specimens by the membrane filter method.	60.00	100 gms 500 gms	880.00 3820.00
14750	**M-Lauryl Sulfate Broth (I)**	Used for enumeration of *E.coli* and coliform in water by membrane filter technique.	77.20	100 gms 500 gms	1010.00 3580.00
21051	**M-Staphylococcus Broth**	Used for detection and isolation of Staphylococciby membrane filter technique.	104.55	100 gms 500 gms	860.00 3120.00
51416	**MLCB Agar Mannitol Lysine Crystal Violet Brilliant Green Agar** (Mannitol Lysine Agar)	For the isolation of salmonellae other than *Salmonella typhi* or *Salmonella paratyphi* A.	49.02	100 gms 500 gms	1070.00 4170.00




Yellow colonies of *Staphylococcus aureus* ATCC 25923



Light blue coloured colonies of *Escherichia coli* ATCC 25922

* store at 2°-8°C

code	product name	application/description	gm/lit	unit	unit price ₹
99505	**Malonate Broth**	Used for differentiating *Enterobacter* and *Escherichia coli* based on malonate utilization.	8.00	100 gms	3670.00
76507	**Malt Agar**	For the cultivation of yeasts and molds.	45.00	100 gms 500 gms	1240.00 4980.00
84980	**Malt Extract Agar**	For the isolation, cultivation and enumeration of yeasts and molds.	33.63	100 gms 500 gms	1060.00 4210.00
42936	**Malt Extract Agar Base, Modified as per Thom & Church**	Used for isolation,detection and enumeration of yeasts and moulds.	31.28	100 gms 500 gms	1150.00 4440.00
83358	**Malt Extract BactoBio for bacteriology**	For the cultivation of yeasts and molds.		500 gms 5 kg	1070.00 10350.00
67973 **new**	**Malt Extract Broth Base for bacteriology**	Used for the detection, isolation and enumeration of yeasts and moulds.	20.00	100 gms 500 gms	1150.00 4700.00
48330	**Mannitol Agar w/ Prilion**	Recommended for selective isolation and differentiation of Salmonellae from Proteus species	54.50	100 gms 500 gms	4290.00 17040.00
75485	**Mannitol Lysine Agar**	Selective media for the isolation of Salmonella sps., other than S.Typhi and S.Paratyphi A.	49.02	100 gms 500 gms	950.00 3990.00
92493	**Mannitol Motility Test Medium**	Used for the determination of motility and mannitol fermentation.	26.04	100 gms 500 gms	970.00 3240.00
48939	**Mannitol Nitrate Motility Medium**	Used for rapid identification of Enterobacteria based on motility, mannitol utilization and nitrate reduction.	22.04	100 gms 500 gms	810.00 3230.00
60062	**Mannitol Salt Agar (U/P)**	Used for selective isolation, cultivation and enumeration of staphylococci from clinical and non-clinical specimens.	111.02	100 gms 500 gms	650.00 2630.00
23626	**Mannitol Salt Agar, *Harmonized***	Used for isolation and cultivation of staphylococci in pharmaceutical testing according to harmonized methods.	111.02	100 gms 500 gms	650.00 2630.00
55066	**Mannitol Salt Broth**	For the selective isolation and cultivation of staphylococci.	96.02	100 gms 500 gms	710.00 2840.00
62331	**Mannitol Selenite Broth Base** (Selenite Mannitol Broth)	A modification of Selenite F Broth used for selective enrichment of salmonellae.	19.00	100 gms 500 gms	1070.00 4270.00
40828	**D-Mannitol Sterile (Gamma Irradiated)**	For use in microbiological applications using D-Mannitol Sterile (gamma irradiated) and in Media Fill Runs in dry injectables.		500 gms 5 kg	3160.00 30370.00
25511	**Marine Agar 2216 (Zobell)**	Used for cultivation of heterotrophic marine bacteria.	55.25	100 gms 500 gms	1030.00 4270.00
54174	**Marine Broth 2216 (Zobell)**	Used for cultivation of heterotrophic marine bacteria.	40.25	100 gms 500 gms	970.00 4110.00
34832	**Maximum Recovery Diluent**	Physiologically isotonic and protective medium for maximum recovery of microorganisms from a variety of sources.	9.50	100 gms 500 gms	880.00 3020.00
78784	**Meat Extract BactoBio for bacteriology**	Used to complement nutritive properties of peptone.		500 gms 5 kg	2460.00 22200.00
70117	**Meat Extract Powder BioVeg BactoBio for bacteriology**	Used to complement nutritive properties of peptone.		500 gms 5 kg	2190.00 18110.00



Black centred, purple coloured colonies of *Salmonella typhimurium* ATCC 14028.

* store at 2°-8°C




code	product name	application/description	gm/lit	unit	unit price ₹
17585	**Meat Extract w/ Peptone**	Used to complement nutritive properties of peptone.		100 gms 500 gms	900.00 3630.00
11980	**Meat Peptone BactoBio for bacteriology**	A highly nutritious enzymatic digest of meat.		500 gms	2630.00
91980	**Meat Peptone Type P BactoBio for bacteriology**	Pancreatic Digest of meat used as nutritive source in microbiological media.		500 gms	3490.00
11828	**Meat Peptone Type T BactoBio for bacteriology**	Tryptic Digest of meat used as nitrogen source in microbiological media.		500 gms	3570.00
28238	**Micro Inoculum Broth** (Micro Vitamin Test Inoculum Broth)	For the preparation of inocula in microbiological assays and cultivation of lactobacilli.	37.10	100 gms 500 gms	980.00 4670.00
63261	**Microbial Content Test Agar**	For use in the microbial content test of water soluble cosmetic products. Also used for determining the efficiency of sanitization of containers, equipment and environmental surfaces.	45.70	100 gms 500 gms	1330.00 5550.00
61200	**Milk Agar** (Modified Plate Count Agar)	For the enumeration of microorganisms in milk, icecreams, whey, etc.	24.00	100 gms 500 gms	1110.00 4410.00
18789	**Milk Agar w/ Cetrimide (Twin Pack)** (Modified Pseudomonas Selective Agar w/Cetrimide)	Used for detection and enumeration of *Pseudomonas aeruginosa* in water samples.	26.40 of part B + 133.00 of part A	100 gms 500 gms	1160.00 4850.00



93957	**Milk Medium w/Reducing Agent** (Modified Litmus Medium w/Reducing Agent)	For the determination of litmus reaction of Clostridium sps.	115.50	100 gms 500 gms	880.00 3990.00
17595	**Milk Salt Agar, Base** (Modified Salt Agar Base for Staphylococci)	Used for selective isolation and cultivation of staphylococci.	88.00	100 gms 500 gms	1120.00 4170.00
20767	**Minimal Agar, Davis**	For the isolation, cultivation and characterization of nutritional mutants of *Escherichia coli*.	26.60	100 gms 500 gms	1110.00 4560.00
39821	**Minimal Broth, Davis**	For the isolation, cultivation and characterization of nutritional mutants of *Escherichia coli*.	11.60	100 gms 500 gms	940.00 3280.00
24911	**Minimal Broth, Davis without Dextrose**	Used for isolation and characterization of nutritional mutants of *Escherichia coli* and *Bacillus subtilis.*	10.60	100 gms 500 gms	940.00 3280.00
88736	**MIO Medium** (Motility Indole Ornithine Medium)	For the differentiation of *Enterobacteriaceae* based on their motility, indole production and ornithine decarboxylase activity.	31.02	100 gms 500 gms	870.00 3540.00
46584	**Mitis Salivaris Agar Base**	Used for the isolation of *streptococci* and *enterococci* from clinical specimens	99.00	500 gms	4100.00
16309	**MIU Medium Base** (Motility Indole Urea Medium)	Used for detection of motility, urease and indole production.	18.00	100 gms 500 gms	1040.00 4010.00
62811	**M-Nutrient Broth**	For enumerating bacteria by membrane filter technique.	46.00	100 gms 500 gms	1010.00 3350.00
85769	**Modified Rappaport Vassiliadis Medium**	Used as a selective enrichment medium for the isolation of *Salmonella* species from food and environmental specimens.	30.07	100 gms 500 gms	1110.00 4150.00
82453	**Modified Skim Milk Agar** (Modified SM Agar)	For cultivation and enumeration of microorganisms encountered in dairy industry.	24.50	100 gms 500 gms	1480.00 4730.00

* store at 2°-8°C

code	product name	application/description	gm/lit	unit	unit price ₹
89414	**Modified Tergitol-7 Agar, Base (I)** (Tergitol-7 Agar, Base, Modified)	Used for selective isolation and enumeration of coliforms in water by membrane filter method.	57.15	100 gms 500 gms	1130.00 4390.00
30066	**Moeller Decarboxylase Broth Base** (Decarboxylase Broth Base, Moeller)	With the addition of L-lysine/L-arginine/ L-ornithine used for the differentiation of bacteria on the basis of their ability to decarboxylate the amino acid.	10.52	100 gms 500 gms	1860.00 7600.00
18124	**Moeller Decarboxylase Broth w/ Lysine hydrochloride**	Used for differentiation of bacteria on the basis of their ability to decarboxylate L-lysine hydrochloride.	20.52	100 gms 500 gms	2600.00 12660.00
27510	**Moeller Decarboxylase Broth w/ Ornithine hydrochloride**	Used for differentiation of bacteria on the basis of their ability to decarboxylate L-ornithine hydrochloride.	20.52	100 gms 500 gms	2680.00 13120.00
69483	**Moeller Decarboxylase Broth w/ Arginine hydrochloride**	Used for differentiation of bacteria on the basis of their ability to decarboxylate L-arginine hydrochloride.	20.52	100 gms 500 gms	2600.00 12660.00
34452	**Monsur Medium Base**	For the isolation of *Vibrio cholerae* from faecal specimens.	71.00	100 gms 500 gms	850.00 3720.00
68957	**M9CA Medium**	For the cultivation of recombinant strains of *Escherichia coli.*	15.30	100 gms 500 gms	2400.00 9860.00
23184	**M9 Minimal Salts 5X**	For the cultivation of recombinant strains of *Escherichia coli.*	56.40	100 gms 500 gms	1620.00 5680.00
42853	**Motility GI Medium**	Used for detection of motility of microorganisms.	81.40	100 gms 500 gms	2070.00 8600.00
90174	**Motility Medium S, Base** (Motility Nitrate Medium)	For the determination of bacterial motility by means of the TTC reduction.	60.00	100 gms 500 gms	740.00 3190.00
21740	**Motility Sulphide Medium**	For the determination of bacterial motility and the ability of bacteria to produce H_2S from L-Cystine.	104.40	100 gms 500 gms	870.00 3540.00
64421	**Motility Test Medium**	For the determination of bacterial motility.	20.00	100 gms 500 gms	830.00 3360.00
17624	**MPH Agar** (Standard Plate Count Agar) (Milk Protein Hydrolysate Agar)	For the enumeration of bacteria in water and dairy products.	25.00	100 gms 500 gms	1250.00 5120.00
14833	**MR - VP Medium** (Glucose Phosphate Broth, MRVP Broth) (Buffered Glucose Broth)	For the differentiation of bacteria based on acid production (Methyl Red Test) and acetoin production (Voges-Proskauer Reaction).	17.00	100 gms 500 gms	580.00 2460.00
79667	**M-TEC Agar**	Recommended medium for isolation, differentiation & enumeration of E.Coli from water by membrane filtration.	45.26	100 gms 500 gms	1020.00 3730.00
14443	**Multipurpose Test Kit**	Used for isolation, identification and cultivation of a wide variety of microorganisms.		1 Kit	3550.00
24756	**Mueller Hinton Agar (MH Agar)**	For antimicrobial susceptibility testing of a variety of bacteria.	39.00	100 gms 500 gms 2 kgs	780.00 3220.00 10710.00
26351	**Mueller Kauffman Tetrathionate Broth Base**	An improved enrichment medium for the isolation of salmonellae and the suppression of *Proteus* species.	82.05	100 gms 500 gms	740.00 2460.00



* store at 2°-8°C



code	product name	application/description	gm/lit	unit	unit price ₹
76135	**Mueller Kauffman Tetrathionate Novobiocin Broth Base (MKTTn)**	Used for selective enrichment for the isolation of Salmonella, when used with MKTT Novobiocin supplement.		100 gms 500 gms	980.00 3530.00
29465	**Mucate Broth**	Used for isolation and cultivation of enterovirulent *Escherichia coli* and *Shigella* species.	20.02	100 gms 500 gms	5970.00 27970.00
38800	**Mucate Control Broth**	Used for identification of enteropathogenic *Escherichia coli* and *Salmonella* species from milk and milk products.	10.00	500 gms	3140.00
25404	**Mueller- Hinton Agar No. 2**	For antimicrobial disc diffusion susceptibility testing by Bauer-Kirby method of a variety of bacteria.	38.00		Discontinued
49550	**Mueller Hinton Broth (MH Broth)**	For the cultivation of a wide variety of organisms and for antimicrobial susceptibility testing.	21.00	100 gms 500 gms 2 kgs	740.00 2940.00 8930.00
24698*	**MUG EC Broth**	For detection of *Escherichia coli* in water and food samples by fluorogenic method.	37.00	100 gms 500 gms	2110.00 6170.00
26834*	**MUG Supplement (50mg/vial)**	A fluorescent agent for the detection of *Escherichia coli.*		5 vl	1850.00
37346	**Fungal Agar (Mycological Agar)**	For selective isolation and maintenance of pathogenic fungi.	35.00	100 gms 500 gms	1040.00 4210.00
93411	**Fungal Agar w/ low pH (Mycological Agar w/ Low pH)**	For selective isolation and maintenance of pathogenic fungi.	35.00	100 gms 500 gms	1040.00 4210.00
26706	**Mycological Peptone BactoBio for bacteriology**	Used as a nutritive source for the isolation, cultivation & identification of saprophytic, dermatophytic fungi-yeast and moulds.		500 gms 5 kg	2580.00 19280.00
66739	**MYP Agar, Base (B/S)** (Phenol Red Egg Yolk Polymixin Agar, Base)	Used for isolation and identification of pathogenic staphylococci and bacilli.	46.03	100 gms 500 gms	900.00 3780.00
74997	**MYP Agar, Base (I)** (Phenol Red Egg Yolk Polymyxin Agar, Base)	Used for isolation and identification of pathogenic staphylococci and bacilli.	43.03	100 gms 500 gms	900.00 3780.00
67124*	**Nalidixic Selective Supplement (15mg/vl)**	Used for the selective isolation of *Pseudomonas aeruginosa.*		5 vl	990.00
77316*	**Neomycin Supplement (30mg/vl)**	Used for the selective isolation of various microorganisms.		5 vl	990.00
44697	**Neopeptone BactoBio for bacteriology** (Peptone Special)	An enzymatic digest of protein used for cultivation of fastidious bacteria.		500 gms	2110.00
79989	**Neutral Red Chalk Lactose Agar**	Used for the detection of lactic Streptococci in milk and milk products.	49.05	100 gms 500 gms	820.00 4040.00
65466	**NIH Agar**	For the cultivation and maintenance of microorganisms isolated from sterility testing of biological products.	43.05	100 gms 500 gms	730.00 3590.00
23527	**Nitrate Agar**	For the differentiation of aerobic and facultative Gram-negative microorganisms based on their ability to reduce nitrate.	21.00	100 gms 500 gms	1190.00 5410.00
48541	**Nitrate Broth (I) (B/S)**	Used for enumeration of *B.cereus* and also for differentiation of aerobic and facultative Gram-negative microorganisms based on nitrate reduction.	9.00	100 gms 500 gms	830.00 3620.00
44388	**Nitrofurantoin Broth Base**	Used for the selective enrichment and isolation of *Pseudomonas* species.	20.00	100 gms 500 gms	960.00 4000.00
34350*	**Non-Spore Anaerobic Supplement**	Used for selective isolation of nonsporing anaerobic bacteria.		5 vl	1290.00


* store at 2°-8°C



code	product name	application/description	gm/lit	unit	unit price ₹
18352*	**Novobiocin Supplement (5mg/vl)**	Used to enhance inhibition of Gram-positive organisms.		5 vl 5 x 5 vl	1170.00 3190.00
31601*	**Novobiocin MKTT Supplement (40mg/vl)**	Recommended for selective enrichment and isolation of salmonellae.		5 vl	1660.0
63971	**Nutrient Agar**	Used for the cultivation and maintenance of a wide variety of microorganisms.	28.00	100 gms 500 gms	650.00 2930.00
73478	**Nutrient Agar BioVeg**	General purpose medium for cultivation of microorganisms.	28.00	100 gms 500 gms	650.00 2930.00
18953	**Nutrient Agar (I)**	Used for cultivation and maintenance of a wide variety of microorganisms.	37.00	100 gms 500 gms	770.00 3100.00
18876	**Nutrient Agar 1.5% (I)**	Used for cultivation of fastidious microorganisms on addition of appropriate enrichment.	28.00	100 gms 500 gms	900.00 3560.00
84955	**Nutrient Agar 1.5%**	Used for the cultivation of fastidious microorganisms on addition of appropriate enrichment.	31.00	100 gms 500 gms	780.00 3400.00
48275	**Nutrient Agar for Oxidase (I)**	Used for confirmation of presence of oxidase in microorganisms in water.	22.00	100 gms 500 gms	970.00 3580.00
75435	**Nutrient Agar w/ Manganese**	Used for the cultivation of *Bacillus* species from canned foods. Also for enhancing spore production in *Bacillus* species.	23.03	100 gms 500 gms	840.00 3490.00
73153	**Nutrient Agar w/MUG**	Used for the detection of *Escherichia coli* by fluorogenic procedure especially from water and food samples.	23.10	100 gms 500 gms	1780.00 7560.00
50427	**Nutrient Agar w/ 1% Peptone**	A general purpose medium used for cultivation of a wide variety of microorganisms, by addition of blood or other biological fluids.	35.00	100 gms 500 gms	780.00 2930.00
70955	**Nutrient Agar No. 2 (B/S)**	Used for cultivation and maintenance of a wide variety of bacteria.	40.00	100 gms 500 gms	780.00 3300.00
17137	**Nutrient Agar No. 2**	For the cultivation and maintenance of a wide variety of bacteria.	40.00	100 gms 500 gms	780.00 3300.00
58561	**Nutrient Agar, pH 6.8**	For the cultivation and enumeration of organisms in water, sewage, feces and other materials.	23.00	100 gms 500 gms	790.00 3270.00
96434	**Nutrient Agar, pH 7.0 (I)**	Used for the cultivation of *Salmonella* species.	23.00	100 gms 500 gms	820.00 3500.00
38009	**Nutrient Agar, pH 7.0 (B/S)**	Used for the cultivation of *Salmonella* species.	23.00	100 gms 500 gms	820.00 3500.00
67948	**Nutrient Agar, pH 6 with 0.8 % NaCl**	For the cultivation of microorganisms that prefer a slightly acid nutrient agar.	31.00	100 gms 500 gms	790.00 3340.00
55427	**Nutrient Broth**	For the cultivation and maintenance of a wide variety of microorganisms.	13.00	100 gms 500 gms	500.00 2280.00
39905	**Nutrient Broth BioVeg**	For the cultivation and maintenance of a wide variety of microorganisms.	13.00	100 gms 500 gms	500.00 2280.00
97327	**Nutrient Broth No. 2**	For the cultivation and maintenance of less fastidious bacteria.	15.00	100 gms 500 gms	580.00 2540.00
63679	**Nutrient Broth w/ 1% Peptone (B/S)**	Used as a general purpose culture medium.	25.00	100 gms 500 gms	570.00 2480.00
93063	**Nutrient Broth w/ 1% Peptone (I/P)(B/P)**	Used for microbial limit test and recommended medium for sterility testing.	25.00	100 gms 500 gms	570.00 2480.00
66363	**Nutrient Broth, pH 6.9 w/o NaCl**	A general purpose medium for the cultivation of a wide variety of microorganisms.	8.00	100 gms 500 gms	550.00 2520.00

* store at 2°-8°C


code	product name	application/description	gm/lit	unit	unit price ₹
94007	**Nutrient Broth w/ 1% Yeast Extract**	For the cultivation and maintenance of a wide variety of microorganisms.	3.00	100 gms 500 gms	860.00 3410.00
22583	**Nutrient Gelatin**	For the detection of gelatin liquefaction by proteolytic microorganisms.	128.00	100 gms 500 gms	710.00 2840.00
50540	**N Z Broth**	Used a base media for propagation of bacteriophage lambda.	15.94	100 gms 500 gms	5130.00 8790.00
73438	**Oatmeal Agar**	Used for cultivation of fungi, particularly for macrospore formation.	72.50	100 gms 500 gms	1040.00 4230.00
25916	**Oatmeal Powder BactoBio for bacteriology**	Used as highly nutritious source for growth of fungi in media.		500 gms	1260.00
83951	**OF Basal Medium**	For use with added carbohydrate for differentiation of Gram-negative microorganisms based on oxidation-fermentation patterns.	9.38	100 gms 500 gms	740.00 3140.00



13566	**OGYE Agar Base (Oxytetracycline Glucose Yeast Extract Agar Base)**	With added Oxytetracycline used for selective isolation of yeasts and molds in foods.	37.00	100 gms 500 gms	1250.00 3530.00
14427	**Orange Serum Agar**	Used for the isolation and enumeration of spoilage organisms of citrus products and for examining fruit beverages.	45.50	100 gms 500 gms	1060.00 3980.00
57925	**Orchid Agar**	For the germination of orchid seeds.	37.03	100 gms 500 gms	1060.00 4320.00
34235 new	**Ornithine Decarboxylase Broth**	Used for the differentiation of gram-negative enteric bacilli based on ornithine decarboxylation	9.01	100 gms	2900.00
14792 new	**L-Ornithine Decarboxylase Broth (I)**	Recommended medium as mentioned in ISO/TS 22964: 2017, to be used for the detection of the ability of microorganisms to decarboxylate L- Ornithine.	14.02	100 gms	2950.00
57253*	**Oxacillin Resistant Selective Supplement**	Recommended for screening oxacillin resistant microorganisms		5 vl	1190.00
99455	**Ox Bile (Ox Gall) Powder BactoBio for bacteriology**	Dehydrated bile used in preparation of microbiological media.		100 gms 500 gms	3790.00 18390.00
42116*	**Oxford Listeria Supplement**	Used for selective isolation of Listeria species.		5 vl	1250.00
51521*	**Oxytetra Selective Supplement (50mg/vl)**	Used for the selective isolation of yeasts and moulds.		5 vl 5 × 5 vl	860.00 2830.00
35973	**Pagano Levin Base** (Pagano Levin Candida Test Medium)	Used for isolation and differentiation of *Candida* species.	66.00	100 gms 500 gms	740.00 2950.00
39992	**Pantothenate Culture Agar**	For the maintenance of *Lactobacillus plantarum*. Also used in the microbiological assay of pantothenic acid (pantothenate).	45.00	100 gms 500 gms	1450.00 6820.00
50769	**PE 2 Medium**	Used for the cultivation of *Clostridium* species from foods.	23.04	100 gms 500 gms	1010.00 3750.00
89858*	**PEMBA Supplement (10KU/vl)**	For the selective cultivation of *Bacillus cereus*.		5 vl	880.00
95292	**Peptone BactoBio for bacteriology**	Peptic digest of animal tissue used in microbiological culture media.		500 gms 5 kg 25 kg	1480.00 14170.00 62570.00

* store at 2°-8°C

code	product name	application/description	gm/lit	unit	unit price ₹
51960	**Peptone BioVeg BactoBio for bacteriology**	Peptic digest of animal tissue used in microbiological culture media.		500 gms 5 kg 10 kg	1930.00 16360.00 31540.00
23136	**Peptone, Granulated BactoBio for bacteriology**	A peptic digest of animal tissue used in various general and diagnostic media, also for large scale production of enzymes, vaccines, antibiotics, etc.		500 gms 5 kg	1520.00 14020.00
95672	**Peptone Special BactoBio for bacteriology**	Peptic digest of animal tissue used in microbiological culture media.		500 gms 5 kg 10 kg	2220.00 21030.00 39130.00
65059	**Peptone Iron Agar**	For the cultivation and differentiation of microorganisms based on their ability to produce H_2S.	36.58	100 gms 500 gms	1990.00 5610.00



21025	**Peptone Sorbitol Bile Broth**	For the selective enrichment of *Yersinia enterocolitica*.	30.93	100 gms 500 gms	1090.00 3960.00
55010	**Peptone Water**	For the cultivation of non-fastidious microorganisms, for carbohydrate fermentation tests and also for performing the indole tests.	15.00	100 gms 500 gms	590.00 2470.00
11522	**Peptone Water BioVeg**	For as general purpose growth medium and as the base of carbohydrate fermentation media	15.00	100 gms 500 gms	690.00 2850.00
56562	**Peptone Water with Phenol Red**	For the cultivation of non-fastidious microorganisms and as a base for carbohydrate fermentation tests.	15.02	100 gms 500 gms	600.00 2860.00




70376	**Peptonized Milk (Peptonized SM Agar) BactoBio for microbiology**	Peptonized milk is an enzymatic digest of milk solids. It contains peptones, polypeptides and amino acids derived from milk protein as well as other nutritive components of skim milk.		100 gms 500 gms	880.00 2930.00
17511	**Peptonized Milk Agar (Peptonized SM Agar)**	For cultivation of lactic acid bacteria and examination of dairy products.	27.00	100 gms 500 gms	1120.00 4620.00
66916	**Perfringens Agar Base (O.P.S.P.)**	For presumptive identification of *Clostridium perfringens* in foods.	50.50	100 gms 500 gms	1090.00 4350.00
11976*	**Perfringes Supplement - I (50mg/vl)**	Used for selective isolation of Clostridium perfringes.		5 vl 5 × 5 vl	860.00 2340.00
62598*	**Perfringes Supplement - II (50mg/vl)**	Used for selective isolation of Clostridium perfringes.		5 vl 5 × 5 vl	1110.00 3070.00
92096*	**Perfringens S.F.P. Supplement (S.F.P. Supplement)**	Used for the selective isolation of *Clostridium perfringens*.		5 vl 4 × 5 vl	1040.00 3540.00

* store at 2°-8°C



code	product name	application/description	gm/lit	unit	unit price ₹
55688*	**Perfringens T.S.C. Supplement (T.S.C. Supplement) (200mg/vl)**	Used for the selective isolation of *Clostridium perfringens*.		5 vl 4 × 5 vl	1110.00 3320.00
23504	**Pikovskaya's Agar**	Used for the detection of phosphate-solubilizing soil microorganisms	31.30	100 gms 500 gms	940.00 4000.00
52133	**Pikovskaya's Broth**	Used for detection of phosphate solubilizing microorganisms.	16.30	100 gms 500 gms	870.00 3900.00
59048	**Phenol Red Agar, Base**	For the determination of fermentation. reactions.	30.01	100 gms 500 gms	900.00 3700.00
14517	**Phenol Red Broth Base**	For the study of carbohydrate fermentations.	15.00	100 gms 500 gms	1070.00 3100.00
79054 new	**Phenol Red Dextrose Broth**	Used for the determination of fermentation of dextrose in the differentiation of microorganisms.	21.00	100 gms 500 gms	870.00 3550.00
35850 new	**Phenol Red Lactose Broth**	Used for the determination of fermentation of lactose in the differentiation of microorganisms.	21.00	100 gms 500 gms	900.00 3550.00
15572	**Phenol Red Tartrate Agar** (Jordan Tartrate Agar)	For the differentiation of Salmonella species based on their ability to ferment tartrate.	40.02	100 gms 500 gms	2960.00 14380.00
12168	**Phenolphthalein Phosphate Agar**	For identification of phosphatase positive *Staphylococcus aureus*.	28.01	100 gms 500 gms	1040.00 4260.00
92335	**Phenylalanine Agar** (Phenylalanine Deaminase Medium)	For the differentiation of enteric Gram-negative bacilli on the basis of their ability to produce phenyl pyruvic acid from phenylalanine.	26.00	100 gms 500 gms	960.00 4050.00



63532	**Phenylalanine Malonate Broth (Shaw and Clarke)**	Used as a test medium to detect the utilization of malonate and phenylalanine deamination.	11.03	100 gms 500 gms	4270.00 9930.00
34115	**P.E.A. (Phenylethyl Alcohol) Agar**	For the selective isolation of gram-positive organisms like staphylococci and strepococci.	42.50	100 gms 500 gms	2200.00 10280.00
21418	**Phosphate Buffer pH 7.2 (APHA)**	Used for preparation of dilutions and blanks in the examination of specimens like water, dairy products, foods, etc.	34.00	100 gms 500 gms	630.00 2050.00
69049	**Phosphate Buffer, pH 8.0**	Recommended for preparation of dilutions and blanks as per methods specified in pharmacopoeia.	17.25	100 gms 500 gms	710.00 3360.00
10453	**Plate Count Agar**	For the enumeration of viable bacteria in milk and dairy products, heterotrophic bacteria in water by pour plate technique	17.50	100 gms 500 gms	850.00 3740.00
52192	**Plate Count Agar BioVeg**	For the enumeration of viable bacteria in milk and dairy products, heterotrophic bacteria in water by pour plate technique	17.50	100 gms 500 gms	850.00 3740.00
36879	**Plate Count Agar w/MUG**	For the enumeration of viable bacteria in milk and dairy products by fluorogenic procedure.	23.60	100 gms 500 gms	1780.00 7880.00
21699	**Plate Count Agar (I)** (Standard Methods Agar)	APHA, FDA recommended medium for detecting plate counts of microorganisms in food, water and waste water.	23.50	100 gms 500 gms	940.00 4150.00
88393	**Plate Count Agar (B/S)**	Used for determination of plate counts of microorganisms in milk and dairy products by pour plate technique.	30.00	100 gms 500 gms	900.00 3930.00

* store at 2°-8°C

code	product name	application/description	gm/lit	unit	unit price ₹
78609	**Plate Count Agar, Special**	For the enumeration of viable bacteria in raw milk and other dairy products as recommended by Netherlands Dairy Association.	40.52	100 gms 500 gms	1560.00 6300.00
45218	**Plate Count Agar w/ BCP**	For the enumeration of lactobacilli in milk and dairy products.	24.64	100 gms 500 gms	1020.00 4010.00
25496	**PM Indicator Agar** (Penicillin in Milk Indicator Agar)	For the rapid detection of trace amounts of penicillin in milk using *Bacillus stearothermophilus* as per AOAC.	32.06	100 gms 500 gms	1110.00 4020.00
35980*	**Polymixin B Selective Supplement (50KU/vl)**	Used for the selective isolation of various microorganisms.		5 vl 5 × 5 vl	870.00 3030.00
81798	**Polysorbate 80 Agar (Twin Pack)**	A nutritional medium containing neutralizing agent, used commonly for cultivating microorganisms. (25.00 of Part A + 10.00 ml of Part B)		100 gms 500 gms	880.00 3490.00
14644*	**Potassium Lactate 50% (10 ml/vial)**	Used for isolation and enumeration of yeasts.		5 vl	1310.00
12370*	**Potassium Sorbate 10% (10 ml/vial)**	Recommended for the detection and isolation of acid resistant yeasts.		5 vl	1110.00
91488*	**Potassium Tellurite 1%* Supplement** (1 ml per vial)	Used for selective isolation of corynebacteria and staphylococci.		5 vl 5 × 5 vl	710.00 2550.00
99482*	**Potassium Tellurite 3.5%* Supplement** (1 ml per vial)	Used for selective isolation of corynebacteria and staphylococci.		5 vl	740.00
15344	**Potato Carrot Agar**	Used to enhance sporulation of a variety of fungi. Also recommended for sporangial production of Phytophthora species.	24.00	100 gms 500 gms	1410.00 4440.00
17235	**Potato Carrot Broth**	Recommended Broth media for the reproduction of Pyronema domesticum.	9.00	100 gms 500 gms	1300.00 4330.00
71788	**Potato Dextrose Agar (PDA Agar)**	For the cultivation of yeasts and molds from dairy products and foods. Also to induce sporulation in many fungi.	39.00	100 gms 500 gms 2 kg 5 kg	680.00 2810.00 10750.00 25700.00
94111	**Potato Dextrose Agar (PDA), *Harmonized***	Used for cultivation of yeasts and molds in pharmaceutical testing according to harmonized methods.	39.00	100 gms 500 gms	770.00 2930.00
91338	**Potato Dextrose Agar (PDA) BioVeg**	Used for the cultivation of yeasts and molds from dairy products and other foods. Used to induce sporulation in many fungi.	39.00	100 gms 500 gms	680.00 2810.00
63506	**Potato Dextrose Agar w/ Chloramphenicol (0.1g/lit) (PDA w/ 0.01% Chloramphenicol)**	Recommended as a general-purpose medium for cultivation and isolation of yeasts and molds from foods, dairy and cosmetics.	39.05	100 gms 500 gms	920.00 3900.00
72704	**Potato Dextrose Agar w/2% Glucose and 60% Sucrose** (PDA w/2% Glucose and 60% Sucrose)	For the isolation of Saccharomyces rouxii from chocolate syrup. (Potato Dextrose Sucrose Agar)	65.90	100 gms 500 gms	1070.00 4230.00
35208	**Potato Dextrose Broth (PDB)**	For the isolation, cultivation and enumeration of yeasts and molds from dairy and food products.	24.00	100 gms 500 gms	650.00 2580.00
74474	**Potato Dextrose Broth (PDB) BioVeg**	For the isolation, cultivation and enumeration of yeasts and molds from dairy and food products.	24.00	100 gms 500 gms	790.00 2940.00
69190	**Potato Dextrose Rose Bengal Agar**	Used for promoting ascospore production.	39.00	100 gms 500 gms	750.00 3700.00
60040	**Potato Infusion Powder (PI Powder) BactoBio for bacteriology**	For use as an ingredient in microbiological culture media, for enhanced sporulation and growth of fungal microorganisms.		100 gms 500 gms	2810.00 12270.00

* store at 2°-8°C



code	product name	application/description	gm/lit	unit	unit price ₹
43921	**Potato Malt Agar**	For the cultivation of fungi and other aciduric microorganisms.	105.00	100 gms 500 gms	930.00 3590.00
74426	**Presence - Absence Broth** (PA Broth)	For the detection of coliform bacteria in water from treatment plants or distribution systems using the presence - absence coliform test.	30.50	100 gms 500 gms	790.00 3200.00
41406	**Proteose Peptone BactoBio for bacteriology**	Enzymatic digest of protein, high in proteoses. Used in microbiological culture media and in bacterial toxin production.		500 gms 2 kg	2170.00 7030.00
93788	**Protose BactoBio for bacteriology**	Recommended for fermentation and vaccine industries and also in bulk production of antibiotics, enzymes, veterinary preparation, toxins, etc.		100 gms 500 gms	840.00 2680.00
90912	**Pseudomonas Agar Base (I)**	Used for the selective isolation of *Pseudomonas* species.	48.40	100 gms 500 gms	780.00 3560.00
49698	**Pseudomonas Agar for Fluorescein** (Pseudomonas Agar-F)	For the cultivation and observation of fluorescein production in *Pseudomonas* species.	38.00	100 gms 500 gms	820.00 3280.00
80358	**Pseudomonas Agar for Pyocyanin** (Pseudomonas Agar-P)	For the isolation, cultivation and differentiation of *Pseudomonas aeruginosa* on the basis of pyocyanin production.	46.40	100 gms 500 gms	710.00 2980.00
40976	**Pseudomonas Asparagine Broth (APHA)**	Used in the presumptive examination of *Pseudomonas aeruginosa* from natural and recreational waters.	4.50	100 gms 500 gms	3060.00 10260.00
55523	**Pseudomonas Isolation Agar, Base**	For the isolation and cultivation of *Pseudomonas* species	45.02	100 gms 500 gms	800.00 3740.00
36124	**Pseudomonas Isolation Agar, BioVeg**	For the isolation and cultivation of *Pseudomonas* species	45.02	100 gms 500 gms	800.00 3740.00
47758	**Pseudomonas Test Kit**	Used for isolation, identification and cultivation of *Pseudomonas* species.		1 Kit	3060.00
69827	**Purple Agar Base**	Used in the preparation of carbohydrate media especially for identification of pure cultures of members of Enterobacteriaceae, based on the fermentation studies.	31.02	100 gms 500 gms	1160.00 4840.00
98775	**Purple Broth Base**	Used in the preparation of carbohydrate media especially for identification of pure cultures of members of Enterobacteriaceae, based on the fermentation studies.	16.02	100 gms 500 gms	870.00 3760.00
29051	**PYR Agar**	Used for the isolation and identification of *Streptococcus pyogenes*.	52.00	100 gms 500 gms	1240.00 4610.00
10666	**Pyridoxine Assay Medium**	For the microbiological assay of pyridoxine using *Neurospora sitophila* as the test organism.	50.43	100 gms	3270.00
50846	**R2A Agar**	Used for enumerating heterotrophic bacteria from drinking water.	18.12	100 gms 500 gms	1100.00 4200.00
16437	**R3A Agar**	For the cultivation and maintenenance of heterotrophic bacteria from potable waters.	21.24	100 gms 500 gms	1320.00 4340.00
39167	**Rappaport Vassiliadis R 10 Broth**	Used for selective enrichment of *Salmonella* from meat and dairy products, feces and sewage polluted water.	26.62	100 gms 500 gms	870.00 3590.00
59912	**Rappaport Vassiliadis Salmonella Enrichment Broth, *Harmonized***	Used for selective enrichment of *Salmonella* species in pharmaceutical testing according to harmonized methods.	42.53	100 gms 500 gms	770.00 3190.00
22140	**Rappaport Vassiliadis Soyabean Meal Broth (RVSM Broth)**	Used for enrichment and isolation of *Salmonella* species.	26.75	100 gms 500 gms	1010.00 3630.00
18530	**Razi's Medium**	Recommended medium for maintenance of *Campylobacter* cultures..	40.00	100 gms 500 gms	1030.00 4270.00


* store at 2°-8°C

All products need to be stored at 8°-25°C

code	product name	application/description	gm/lit	unit	unit price ₹
78777	**Reinforced Clostridial Agar**	Used for the cultivation and enumeration of *Clostridium* species from clinical specimens and foods.	51.00	100 gms 500 gms	780.00 3140.00
11999	**Reinforced Medium for Clostridia, *Harmonized***	Used for cultivation and enumeration of clostridia in pharmaceutical testing according to harmonized methods.	38.00	100 gms 500 gms	650.00 2600.00
71467	**Rhizobium Medium**	Used for the cultivation of *Rhizobium* species.	31.80	100 gms 500 gms	1210.00 3870.00
63380	**Ringer Salt Solution Powder**	Used as isotonic diluent for food, milk and dairy products.	8.91	100 gms 500 gms	1390.00 6430.00
57672*	**Rosolic Acid Supplement (0.1gm/vl)**	Used for the selective isolation of coliforms.		5 vl	1110.00
76126	**SA Agar Base**	Used for isolation and differentiation of *Aeromonas hydrophila* from foods based on starch hydrolysis (as per APHA).	31.00	100 gms 500 gms	1640.00 5260.00
99752	**S. Aureus Test Kit**	Used for isolation, identification and cultivation of *Staphylococcus aureus*.		1 Kit	3550.00
67506	**SABHI Agar Base**	Used for the isolation and cultivation of fungi.	59.75	100 gms 500 gms	1230.00 4020.00
44970	**Sabouraud Chloramphenicol Agar**	For the cultivation of yeasts and molds.	65.00	100 gms 500 gms	920.00 3740.00
55941	**Sabouraud Chloramphenicol Agar BioVeg**	For the cultivation of yeasts and molds.	65.00	100 gms 500 gms	920.00 3740.00
19427	**Sabouraud Dextrose Agar (U/P)(I/P)** (Sabouraud Glucose Agar)	Used for the cultivation of dermatophytes, yeasts and filamentous fungi.	65.00	100 gms 500 gms	680.00 2930.00
		 *Saccharomyces cerevisiae* ATCC 9763			
28055	**Sabouraud Dextrose Agar**	Used for the cultivation of dermatophytes, yeasts and filamentous fungi.	65.00	100 gms 500 gms	640.00 2810.00
95430*	**Sabouraud Dextrose Agar Cycloheximide & Chloramphenicol (Mycobiotic Agar)**	For the isolation of fungal pathogens in highly contaminated samples.	35.50	50 gms 100 gms	3790.00 7030.00
24613	**Sabouraud Dextrose Agar, *Harmonized***	For cultivation and isolation of yeasts ,molds and aciduric microorganisms in pharmaceutical testing according to harmonized methods.	65.00	100 gms 500 gms	680.00 2930.00
88999	**Sabouraud Dextrose Agar BioVeg**	Used for the cultivation of dermatophytes, yeasts and filamentous fungi.	65.00	100 gms 500 gms	680.00 2930.00
24835	**Sabouraud Dextrose Broth, *Harmonized***	For cultivation and isolation of yeasts,molds and aciduric microorganisms in pharmaceutical testing according to harmonized methods.	30.00	100 gms 500 gms	410.00 1760.00
64402	**Sabouraud Dextrose Maltose Broth**	Used for the cultivation of moulds, yeasts & aciduric organisms as well as testing of antimycotic substances.	30.00	100 gms 500 gms	1010.00 4210.00

* store at 2°-8°C



code	product name	application/description	gm/lit	unit	unit price ₹
14506	**Sabouraud Glucose Broth** (Sabouraud Dextrose Broth)	For the cultivation of dermatophytes, yeasts and filamentous fungi.	30.00	100 gms 500 gms	340.00 1330.00
57791	**Sabouraud Maltose Agar**	For the cultivation and maintenance of yeasts, molds and a variety of fungi.	65.00	100 gms 500 gms	1040.00 4070.00
33387	**Sabouraud Maltose Broth**	Used for the cultivation of a wide variety of fungi.	50.00	100 gms 500 gms	870.00 3630.00
36370	**Saline Agar**	Used for detection of aplha -toxin in Clostridium perfringes.	23.50	100 gms 500 gms	1010.00 3730.00
39930	**SS Agar (Salmonella Shigella Agar)**	For the selective isolation and differentiation of pathogenic enteric bacilli especially *Salmonella* & *Shigella*.	60.02	100 gms 500 gms	770.00 3140.00
		 Black centred colourless colonies of *Salmonella typhimurium* ATCC 14028.			
36856	**SS Agar, Modified (Salmonella-Shigella Agar, Modified)**	A modified medium, which provides better growth of *Shigella* and *Salmonella* species.	57.02	100 gms 500 gms	900.00 3820.00
55521	**Salmonella Test Kit**	Used for isolation, identification and cultivation of *Salmonella species*.		1 Kit	1940.00
48589	**Salt Polymixin Broth, Base (I)**	Used with added polymixin for detection and enumeration of salt tolerant *Vibrio* species.	29.70	100 gms 500 gms	810.00 3480.00
22887	**Salt Polymixin Broth, Base (B/S)**	Used with added polymixin for detection and enumeration of salt tolerant *Vibrio* species.	33.00	100 gms 500 gms	810.00 3480.00
58249 **new**	**Schaedler Agar w/o Thioglycollate** (Schaedler Anaerobic Agar w/o Thioglycollate)	A medium free from thioglycollate for the growth of aerobic and anaerobic organisms.	40.00	100 gms 500 gms	1400.00 4300.00
16164 **new**	**Schaedler Agar** (Schaedler Anaerobic Agar)	Used for the enumeration of various aerobic and anaerobic bacterial species present in the gastrointestinal tract.	43.41	100 gms 500 gms	925.00 3850.00
87213	**Selenite Broth w/ Dulcitol (Twin Pack)**	For the enrichment of *Salmonella* species. (19.00 of part A+ 4.00 of part B)		500 gms	6490.00
16709	**Selenite Cystine Broth, Base w/o Selenite**	With addition of selenite,used for isolation and cultivation of *Salmonella* species from feces,dairy products and other specimens.	19.02	100 gms 500 gms	590.00 2930.00
83179	**Selenite F Broth, Base w/o Selenite**	With addition of selenite,used for isolation and cultivation of *Salmonella* species from feces,dairy products and other specimens.	19.00	100 gms 500 gms	590.00 2930.00
38926	**Selenite F Broth, Base w/ Selenite (Twin Pack)**	Selenite Broth is recommended as enrichment media for the isolation of Salmonellae from faeces, urine or other pathological materials.		100 gms 500 gms	960.00 3980.00
17458	**Semi-Solid Nutrient Agar (I)**	Used for detection of salmonellae on the basis of motility and production of H_2S.	12.00	100 gms 500 gms	970.00 3950.00
75917	**Semi-Solid Nutrient Agar (B/S)**	Used for detection of salmonellae on the basis of motility and production of H_2S.	12.00	100 gms 500 gms	950.00 4010.00
37963	**Semi-solid Rappaport Vassiliadis (MSRV) Medium Base**	A semi-solid medium used for the detection of motile Salmonella species from food and environmental samples.	31.65	100 gms 500 gms	1020.00 3880.00
84809	**Sensitest Agar**	For the performance of antibiotic sensitivity assay.	31.34	100 gms 500 gms	1860.00 7710.00

* store at 2°-8°C

code	product name	application/description	gm/lit	unit	unit price ₹
11580	**S.F.P Agar Base** (Shahidi Ferguson Perfringens Agar Base)	Used for the isolation and enumeration of *Clostridium perfringens* from foods.	47.00	100 gms 500 gms	970.00 4600.00
94074	**Shigella Broth Base**	Used for the isolation and cultivation of *Shigella* species from food.	31.50	100 gms 500 gms	950.00 3610.00
45290*	**Shigella Selective Supplement (0.55mg/vl)**	Used for the selective isolation and cultivation of *Shigella* species.		5 vl	1050.00
91694	**Slanetz and Bartley Medium**	For the detection and enumeration of enterococci by membrane filtration method.	41.50	100 gms 500 gms	920.00 3830.00
49810	**SIM Medium** (Sulfite Indole Motility Medium)	For the differentiation of members of the Enterobacteriaceae based on H_2S production, indole production and motility.	30.00	100 gms 500 gms	710.00 3040.00
57309	**SIM Medium BioVeg** (Sulfite Indole Motility Medium)	For the differentiation of members of the Enterobacteriaceae based on H_2S production, indole production and motility.	30.00	100 gms 500 gms	710.00 3040.00
59437	**Simmon's Citrate Agar** (Citrate Agar)	For the differentiation of Gram-negative bacteria on the basis of citrate utilization.	24.28	100 gms 500 gms	710.00 3510.00

Enterobacter aerogenes ATCC 13048 (citrate positive)



Uninoculated


28582	**Skim Milk Powder (SM Powder) BactoBio for bacteriology**	For the enumeration of bacteria in milk and dairy products.		500 gms	990.00
69372	**Skim Milk Plate Count Agar** (SM Plate Count Agar)	For the enumeration of bacteria in milk and dairy products.	20.00	100 gms 500 gms	2080.00 5220.00
41023	**Sorbitol Iron Agar**	Used for identification and differentiation of pathogenic strains of *E.coli*, which do not ferment sorbitol.	46.03	100 gms 500 gms	1220.00 4510.00
35979	**Soyabean Casein Digest Agar (U/P)(I/P)** (Tryptic Soy Agar) (ATCC Medium 77)	Used for the isolation and cultivation of a wide variety of fastidious as well as nonfastidious microorganisms.	40.00		Discontinued
77892	**Soyabean Casein Digest Agar, *(SCDA) (Tryptone Soya Agar, TSA), Harmonized***	For isolation and cultivation of fastidious and non-fastidious microorganisms in pharmaceutical testing according to harmonized methods.	40.00	100 gms 500 gms 2 kg	630.00 2940.00 10920.00
33291	**Soyabean Casein Digest Agar (SCDA) (Tryptone Soya Agar, TSA)**	Used for the isolation and cultivation of fastidious and non fastidious microorganisms.	40.00	100 gms 500 gms 2 kg	630.00 2940.00 10920.00
10935	**Soyabean Casein Digest Medium *(SCDM)* (Tryptone Soya Broth, TSB), *Harmonized***	Used for cultivation of wide variety of fastidious and non-fastidious microorganisms in pharmaceutical testing according to harmonized methods.	30.00	100 gms 500 gms 2 kg	420.00 1530.00 5360.00
28501	**Soyabean Casein Digest Medium (SCDM) (Tryptone Soya Broth, TSB)**	A nutritious general purpose medium used for the growth of wide variety of bacteria and fungi.	30.00	100 gms 500 gms 2 kg	420.00 1530.00 5360.00
47404	**Soyabean Casein Digest Medium (SCDM) (Tryptone Soya Broth, TSB), Sterile (Gamma Irradiated)**	Gamma irradiated sterile powder, used for the growth of wide variety of bacteria and fungi.	30.00	500 gms	1890.00
51993	**Soyabean Casein Digest Medium (SCDM) (Tryptone Soya Broth, TSB), BioVeg** (Soyabean Medium BioVeg)	For the cultivation of a wide variety of microorganisms.	30.00	100 gms 500 gms	480.00 1680.00

* store at 2°-8°C



code	product name	application/description	gm/lit	unit	unit price ₹
44520 new	**Soyabean Casein Digest Medium (SCDM) (Tryptone Soya Broth, TSB), (Gamma Irradiated)**	A nutritious general purpose medium, prepared by replacing animal based peptones with vegetable based peptones. It is gamma irradiated sterile powder, used in evaluation of sterility in manufacturing process.	30.00	500 gms	2420.00
89320 [8002-43-5]	**Soya Lecithin (30%) BactoBio for bacteriology**	A natural phospholipid made from non-GMO soya beans.		100 gms 500 gms	1600.00 3490.00
20626	**Soyatone BactoBio for bacteriology** (Soya peptone)	Papaic digest of soyabean meal, phytone, a peptone of plant origin.		500 gms 5 kg	1200.00 10890.00
24205	**Special YM Medium**	Used for cultivation and isolation of yeasts and molds.	61.00	100 gms 500 gms	890.00 3640.00
39778	**Spirit Blue Agar**	For the detection, enumeration and study of lipolytic microorganisms.	35.15	100 gms 500 gms	1170.00 4750.00
54880	**Sporulation Broth**	Medium used for promoting spoulation in Bacillus subtilis.	15.80	100 gms 500 gms	830.00 3340.00
31363*	**SPS Agar***	For the detection and enumeration of *Clostridum perfringens* in food.	40.00	100 gms 500 gms	1040.00 3770.00
14041	**Standard Methods Agar w /Tween 80 and Lecithin**	For the determination of sterility of surfaces.	29.20	100 gms 500 gms	2300.00 9420.00
92654	**Standard Nutrient Agar No. 1**	Used for the cultivation of fastidious bacteria.	37.00	100 gms 500 gms	980.00 3970.00
72899	**Standard Nutrient Agar No. 2**	Recommended for the cultivation and enrichment of less fastidious bacteria in meat.	25.00	100 gms 500 gms	1160.00 4950.00
68818	**Standard Nutrient Broth** (H.S. Vaccine Medium)	Used as nutritive medium for mass cultivation of bacteria for vaccine production.	25.00	100 gms 500 gms	710.00 2340.00
18247*	**Staph-Strepto Selective Supplement**	Used for the selective isolation of staphylococci and streptococci.		5 vl 5 × 5 vl	1450.00 3540.00
39726	**Staphylococcus Medium 110** (Stone Gelatin Agar) (Gelatin Mannitol Salt Agar)	For the isolation and enumeration of staphylococci based on mannitol fermentation, pigment formation and gelatinase activity.	149.50	100 gms 500 gms	810.00 3040.00
37547	**Starch Agar**	For the detection of starch hydrolysing microorganisms.	25.00	100 gms 500 gms	940.00 3980.00

Bacillus subtilis ATCC 6633
(Starch hydrolysis +ve)



Escherichia coli ATCC 25922
(Starch hydrolysis -ve)

78486 [9005-84-9]	**Starch Soluble Special (Cold Water Soluble) BactoBio for microbiology**	Special grade of Starch,manufactured by enhanced and different method to yield starch soluble in cold water. Suitable as ingredient in various microbiological applications.		100 gms 500 gms	1520.00 3510.00
76043	**Sterility Test Kit**	Used for sterility testing of products as per pharmacoepial standards.		1 Kit	970.00
11475*	**Strepto Supplement**	Used for the selection of *Streptococcus* species.		5 vl 5 × 5 vl	1170.00 3680.00
35140*	**Streptococcus Selective Supplement**	Used for the selective isolation and cultivation of *Streptococcus* species.		5 vl 5 × 5 vl	1530.00 3750.00
31025	**Streptococcus Thermophilus Isolation Agar**	For determining the ratio of Streptococcus thermophilus and Lactobacillus bulgaricus in yoghurt.	42.00	100 gms 500 gms	1110.00 4020.00

* store at 2°-8°C




code	product name	application/description	gm/lit	unit	unit price ₹
77304	**Streptomyces Agar**	For the cultivation and maintenance of *Streptomyces*.	32.00	100 gms 500 gms	940.00 3920.00
43048	**Stuart Transport Medium**	For the preservation of *Neisseria* species and other fastidious organisms during their transport from clinic to laboratory.	14.10	100 gms 500 gms	1250.00 5230.00
14840	**Sucrose Salicin Agar** (Gillies Agar No. 2)	For detection of motility, hydrogen sulphide, indole production, fermentation of sucrose and salicin during identification of *Salmonella* & *Shigella* species.		100 gms	5320.00
69237	**Sugar Free Agar (Count Agar Sugar-free)**	For the enumeration of psychotropic and mesophilic Gram-negative rods in butter and other dairy products, as per formula described by the International Dairy Federation.		100 gms 500 gms	1000.00 3740.00
49778	**Sulphite Agar**	For the detection of thermophilic, H_2S producing anaerobes.	31.00	100 gms 500 gms	1290.00 4210.00
84524	**Iron Sulphite Agar** (Sulphite Iron Agar)	Used for the detection of clostridia in the examination of meat and meat products.	40.50	100 gms 500 gms	880.00 3740.00
34050*	**Sulpha Supplement**	Used for selective isolation of *Salmonella* species.		5 vl	1550.00
68041	**Syncase Broth**	Used for the detection of coliforms in food samples.	37.21	100 gms 500 gms	1020.00 4220.00
23635	**T1N1 Agar** (Tryptone Salt Agar)	Used for the cultivation of *Vibrio cholerae* and other *Vibrio* species.	40.00	100 gms 500 gms	580.00 2580.00
65235	**T1N1 Broth** (Tryptone Salt Broth)	Used for the cultivation of *Vibrio cholerae* and other *Vibrio* species.	20.00	100 gms 500 gms	1030.00 4090.00
15600	**T.A.T. Broth Base** (Tryptone-Azolectin-Tween Broth Base)	Used for the cultivation of microorganisms from highly viscous or gelatinous materials.	25.00	100 gms 500 gms	750.00 3630.00
86626	**TCBS Agar** (Thiosulphate Citrate Bile salts Sucrose Agar)	For the selective isolation of *Vibrio cholerae* and *Vibrio parahaemolyticus* from a variety of clinical specimens.	88.08	100 gms 500 gms	820.00 3630.00
50165	**TCBS Agar (B/S)** (Thiosulfate Citrate Bile salts Sucrose Agar)	Used for selective isolation of enteropathogenic *Vibrio* species	89.08	100 gms 500 gms	850.00 3690.00
68331	**TCBS Agar BioVeg**	For the selective isolation of *Vibrio cholerae* and *Vibrio parahaemolyticus* from clinical specimens.	89.00	100 gms 500 gms	960.00 4050.00
15297*	**Tellurite Cefixime Supplement**	Used for the selective isolation and cultivation of *Escherichia coli* 0157:H7.		5 vl	1220.00
30431	**Tellurite Glycine Agar Base**	For the quantitative detection of coagulase positive staphylococci from foods and other sources.	62.50	100 gms 500 gms	880.00 4340.00
97630	**Tergitol- 7 Agar, Base (B/S)** (T7 Agar)	Used for selective enumeration and identification of coliform organisms.	33.13	100 gms 500 gms	950.00 4520.00
67662	**Tergitol-7 Agar H, Base** (T7 Agar, H)	For the isolation and differentiation of enteric bacteria from urine specimens.	34.13	100 gms 500 gms	1180.00 5190.00
99371	**Tergitol-7 Broth** (T7 Broth)	A selective and differential medium for detection and enumeration of coliforms.	18.13	100 gms 500 gms	870.00 3640.00
30086	**Terrific Broth (Tartoff-Hobbs Broth)**	For the cultivation of recombinant strains of *Escherichia coli*.	47.60	100 gms 500 gms	710.00 2930.00
40873*	**Tetracycline Selective Supplement**	Used for the selective isolation and cultivation of yeasts and moulds.		5 vl	1290.00
13112	**Tetrathionate Broth Base w/o Iodine & BG** (TT Broth Base)	For the enrichment of *Salmonella* species.	46.00	100 gms 500 gms	540.00 2200.00

* store at 2°-8°C




code	product name	application/description	gm/lit	unit	unit price ₹
81902	**Tetrathionate Broth Base (I)** (TT Broth Base)	Used for the enrichment of salmonellae.	77.40	100 gms 500 gms	610.00 2160.00
13727	**TGB Agar** (Tryptone Glucose Beef Extract Agar)	Recommended medium for enumeration of bacteria in water,milk and other dairy products.	24.00	100 gms 500 gms	820.00 3870.00
44521	**Thayer-Martin Medium, Base** (Thayer-Martin Agar, Modified)	For the isolation of *Neisseria* species from specimens containing mixed flora of bacteria and fungi.	42.00	100 gms 500 gms	760.00 3300.00
86908	**Thiobacillus Agar**	Used for the cultivation of *Thiobacillus* species.	22.70	100 gms 500 gms	1640.00 5340.00
65489	**Thioglycollate Agar**	Used for the growth and cultivation of anaerobic microorganisms.	49.00	100 gms 500 gms	980.00 3900.00
38136	**Thioglycollate Broth w/ Liver Extract** (B.Q. Vaccine Medium)	Used for cultivation of anaerobes on large scale.	30.00	100 gms 500 gms	710.00 2110.00
91690	**Thioglycollate Medium w/o Indicator** (Diagnostic Thioglycollate Medium)	For the cultivation of anaerobic, microaerophilic and aerobic microorganisms. For use in sterility testing of a variety of specimens.	29.00	100 gms 500 gms	740.00 2460.00
63270	**Thiol Broth**	For the cultivation of microorganisms from body fluids and other materials containing antibacterials such as Penicillin, Streptomycin or Sulphonamides.	29.00	100 gms 500 gms	1140.00 3380.00
67819*	**Ticarcillin Supplement (1mg/vl)**	Used for enrichment of *Yersinia enterocolitica*.		5vl	1170.00
29536	**TN Agar**	Used for the isolation and cultivation of Vibrios from food samples.	35.00	100 gms 500 gms	990.00 4080.00
11483	**Todd Hewitt Broth**	For the cultivation of Group A streptococci used in serological typing and for the cultivation of variety of pathogenic microorganisms.	30.00	100 gms 500 gms	750.00 3270.00
95197	**Toluidine Blue DNA Agar** (Dnase Test Agar with Toluidine Blue)	Used for the cultivation and differentiation of bacteria based on their production of deoxyribonuclease (DNase) activity.	42.10	100 gms 500 gms	6780.00 32710.00
74398	**Tomato Juice Agar**	Used for the cultivation of lactobacilli.	51.00	100 gms 500 gms	1490.00 4470.00
33544	**Transport Charcoal Medium**	Recommended medium for transportation of clinical specimens.	24.00	100 gms 500 gms	1060.00 4420.00
87704*	**Tributyrin Supplement** (10 ml per vial)	Used for detection of lipolytic microorganisms.		5 vl 5 × 5 vl	1540.00 6220.00
30842	**Tributyrin Agar Base w/o Tributyrin**	For the cultivation and enumeration of lipolytic microorganisms.	23.00	100 gms 500 gms	1040.00 4360.00
12081	**Triple Sugar Iron Agar (I)** (TSI Agar)	Used for the differentiation of members of Enterobacteriaceae on the basis of fermenting lactose, sucrose, glucose and H_2S production.	64.63	100 gms 500 gms	680.00 3040.00



55720	**Triple Sugar Iron Agar (B/S)**	Used for the differentiation of Enterobacteriaceae on the basis of fermenting lactose, sucrose, glucose and H_2S production.	64.63	100 gms 500 gms	680.00 3040.00

* store at 2°-8°C

code	product name	application/description	gm/lit	unit	unit price ₹
69309	**Triple Sugar Iron Agar BioVeg**	Used for the differentiation of Enterobacteriaceae on the basis of fermenting lactose, sucrose, glucose and H_2S production.	64.02	100 gms 500 gms	680.00 3040.00
32007	**Tryptone BactoBio for bacteriology** (Casitose)	Pancreatic digest of casein used for cultivation of fastidious and non-fastidious bacteria and fungi.		500 gms 5 kg	1780.00 17120.00
10396	**Tryptone Bile Agar (I)**	Used for rapid detection and enumeration of *Escherichia coli* in foods.	36.50	100 gms 500 gms	920.00 4090.00
62600	**Tryptone Broth** (Tryptone Water Broth)	For the detection of indole production by microorganisms.	15.00	100 gms 500 gms	580.00 2560.00




11947	**Tryptone Broth BioVeg (Tryptone Water Broth BioVeg)**	For the cultivation of production of indole by microorganisms.	15.00	100 gms 500 gms	590.00 2580.00
62087 **new**	**Tryptone Glucose Yeast Extract Broth**	Recommended for the enumeration of microorganisms from food samples by MPN method.	17.25	100 gms 500 gms	950.00 3300.00
45227	**Tryptone Phosphate Broth**	For the cultivation of enteropathogenic *E. coli*.	30.50	100 gms 500 gms	520.00 2460.00
73825	**Tryptone Salt Broth**	Tryptone-Salt Broth is a diluent used to prepare stock solutions of dairy products and other food products, cosmetics products for microbiological analysis.	9.50	100 gms 500 gms	570.00 2550.00
18039	**Tryptone Soya Broth (TSB) w/ 6.5% Sodium chloride** (Soyabean Casein Digest Medium (SCDM) w/ NaCl)	Used for differentiation between salt-tolerant and salt-intolerant species.	90.00	100 gms 500 gms	1110.00 2400.00
16684	**Tryptone Soya Broth (TSB) (TSB) (Soyabean Casein Digest Medium, SCDM) BioVeg**	For the cultivation of a variety of microorganisms.	30.00	100 gms 500 gms	480.00 1680.00
21091	**Tryptone Sucrose Tetrazolium Agar, Base (I)** (TSTA)	Used with added Triphenyltetrazolium chloride for isolation of *Vibrio* species.	85.50	100 gms 500 gms	960.00 3950.00
20407	**Tryptone Soya Agar (TSA)** (Soyabean Casein Digest Agar, SCDA)	For the cultivation and maintenance of a wide variety of microorganisms.	40.00	100 gms 500 gms 2 kg	630.00 2940.00 10920.00
32068 **new**	**Tryptone Soya Agar (TSA) BioVeg** (Soyabean Casein Digest Agar, SCDA)	For isolation and cultivation of fastidious and non-fastidious microorganisms with or without addition of blood. Semisolid medium recommended for testing of motility of Listeria monocytogenes, as recommended by ISO committee	40.00	100 gms 500 gms	850.00 3300.00
21794	**Tryptone Soya Agar (TSA) w/MUG** (Soyabean Casein Digest Agar w/MUG, SCDA MUG)	Used for the cultivation of fastidious and non fastidious microorganisms by fluorogenic procedure.	40.10	100 gms 500 gms	1260.00 5570.00
24392	**Tryptone Soya Broth (TSB)** (Soyabean Casein Digest Medium, SCDM)	For the cultivation of a variety of microorganisms.	30.00	100 gms 500 gms 2 kg	420.00 1530.00 5360.00

* store at 2°-8°C




code	product name	application/description	gm/lit	unit	unit price ₹
32347	**Tryptone Soya Broth (TSB) w/ SPS** (Soyabean Casein Digest Medium w/SPS, SCDM w/SPS)	Used as a a general purpose medium used for the cultivation of a wide variety of microorganisms.	30.30	100 gms 500 gms	740.00 3070.00
45511 **new**	**Tryptone Soya Yeast Extract Broth**	A highly nutritious non-selective medium for the cultivation of a wide variety of micro-organisms especially *Listeria monocytogenes*.	36.00	100 gms 500 gms	850.00 3100.00
83009	**Tryptone Tellurite Agar Base**	Used for selective isolation of pathogenic microorganisms from various clinical specimens.	47.00	100 gms 500 gms	960.00 4300.00
18528	**Tryptone Type I (Casitose) BactoBio for bacteriology** (Casein Enzymatic Hydrolysate (Type I))	Enzymatic digest of milk protein, rich in amino nitrogen source.		500 gms	2630.00
20483	**Tryptone Type II (Casitose) BactoBio for bacteriology** (Casein Enzymatic Hydrolysate (Type II))	Used in manufacturing of fermentation and microbiological media.		500 gms	2620.00
69165	**Tryptone Water Broth w/BCP**	Recommended for the cultivation of *Salmonella* species from food samples.	17.29	100 gms 500 gms	790.00 2930.00
79223	**Tryptone Yeast Extract Agar w/BCP (I)(B/S)**	Used for isolation and enumeration of Enterobacteriaceae and *Bacillus cereus*.	41.52	100 gms 500 gms	1060.00 4480.00
15965	**Tryptophan Broth (I)** (Tryptophan Medium)	Used for differentiation of bacteria on the basis of indole production.	16.00	100 gms 500 gms	610.00 2540.00
40626	**Tryptophan Broth BioVeg** (Tryptophan Medium)	Used for differentiation of bacteria on the basis of indole production.	16.00	100 gms 500 gms	710.00 2750.00
47253	**Tryptose Blood Agar Base**	For the cultivation and maintenance of a wide variety of fastidious microorganisms.	33.00	100 gms 500 gms	1110.00 4550.00
12514	**Tryptose BactoBio for bacteriology**	Mixed enzymatic hydrolysate.		500 gms	1880.00
48200	**Tryptose Phosphate Broth**	For the cultivation of a variety of fastidious bacteria.	29.50	100 gms 500 gms	590.00 2810.00
45989	**Tryptose Phosphate Broth BioVeg**	For the cultivation of a variety of fastidious bacteria.	29.50	100 gms 500 gms	700.00 2920.00
55052*	**TTC Solution 1%*** (10 ml per vial)	Used for detecting microorganisms on the basis of TTC reduction.		5 vl 5 × 5 vl	1060.00 3160.00
18339	**Urea Agar, Base (I) (B/S)**	Used for the detection of urease production by *Proteus* species and for identificaton of other members of Enterobacteriaceae.	24.00	100 gms 500 gms	1000.00 3740.00
88708	**Urea Agar Base**	Used for the detection of urease production by *Proteus* species and for the identification of other members of Enterobacteriaceae.	24.00	100 gms 500 gms	790.00 3280.00
42465	**Urea Agar Base (Christensen) BioVeg**	Used for the detection of urease production by *Proteus* species and for the identification of other members of Enterobacteriaceae.	24.00	100 gms 500 gms	870.00 3390.00
97438	**Urea Broth, Base**	For identifying bacteria on the basis of urea utilisation, for the differentiation of *Proteus* species from *Salmonella* and *Shigella* species.	9.00	100 gms 500 gms	710.00 3280.00



* store at 2°-8°C

code	product name	application/description	gm/lit	unit	unit price ₹
58028	**Urea Indole Medium**	Used for the differentiation of Enterobacteria on the basis of urease and indole production and the transdeamination of tryphophan.	30.00	100 gms 500 gms	940.00 3860.00
80192	**40% Urea Solution** (5 ml per vial)	Used for detection of urease activity.		5 vl 5×5vl	450.00 1910.00
26117*	**Vancomycin Supplement (3mg/vl)**	Used for the selective isolation of enterococci.		5 vl	1480.00
34123*	**VCN Supplement**	Used for selective isolation of *Neisseria* species.		5 vl 5×5vl	2170.00 7910.00
32249*	**VCNT Supplement**	Used for selective isolation of *Neisseria* species.		5 vl 5×5vl	2170.00 7910.00
78604	**V Infusion Agar** (Veal Infusion Agar)	Recommended for the cultivation of fastidious microorganisms.	40.00	100 gms 500 gms	1190.00 3790.00
86771	**V Infusion Broth** (Veal Infusion Broth)	Recommended for cultivation of fastidious.	25.00	100 gms 500 gms	980.00 3470.00
67389	**Veg Extract Agar BioVeg** (Equivalent to animal based Beef extract Agar)	Recommended for cultivation of non-fastidious bacteria.	33.00	500 gms	3940.00
55605	**Veg Extract Broth BioVeg**	Recommended for cultivation of non-fastidious bacteria.	18.00	500 gms	3940.00
53818	**Violet Red Bile Agar (B/S)**	Used for selective isolation, detection and enumeration of coliforms in water, milk and other dairy products.	41.53	100 gms 500 gms	720.00 3160.00

Escherichia coli ATCC 25922.



Pink w/bile precipitate colonies of *Escherichia coli ATCC 25922.*
Colourless colonies of *Salmonella enteritidis* ATCC 13076.

57081	**Violet Red Bile Agar (1.2%) (I)**	Used for selective isolation, detection and enumeration of coliforms in water, milk and other dairy products.	38.53	100 gms 500 gms	970.00 3320.00
33690	**Violet Red Bile Agar with MUG**	For the differentiation of *Escherichia coli* from dairy products and other foods by fluorogenic procedure.	41.63	100 gms 500 gms	1470.00 6510.00
88966	**Violet Red Bile Broth**	For the detection and enumeration of coliforms from water and foods.	26.53	100 gms 500 gms	740.00 2920.00
43459	**Violet Red Bile Dextrose Agar BioVeg**	Used for cultivation and isolation of Enterobacteriaceae.	41.53	100 gms 500 gms	1000.00 3260.00
55373	**Violet Red Bile Glucose Agar (I)** (Violet Red Bile Glucose Agar w/o Lactose)	Used for detection and enumeration of Enterobacteriaceae from foods.	38.53	100 gms 500 gms	780.00 3040.00
89912	**Violet Red Bile Glucose Agar, *Harmonized***	Used for cultivation and isolation of Enterobacteriaceae in pharmaceutical testing according to harmonized methods.	41.53	100 gms 500 gms	770.00 2980.00
34326*	**Vitamin K1 Supplement (10mg/vl)**	A vitamin growth supplement used for the isolation of anaerobic organisms.		5 vl	1050.00
38907	**Vogel and Johnson Agar, Base (U/P)(I/P)** (V.J.Agar, Base)	Used for the detection of coagulase-positive *Staphylococcus aureus*.	61.02	100 gms 500 gms	660.00 2810.00



Black w/yellow halo colonies of *Staphylococcus aureus* ATCC 25923

* store at 2°-8°C



code	product name	application/description	gm/lit	unit	unit price ₹
56055	**Water Agar**	Used for cultivation and observation of sporulation of some fungi and also for the enumeration of fungi according to MPN method.	20.00	100 gms 500 gms	1000.00 3570.00
23892	**Water (Faecal coliforms) Testing Kit**	For the enumeration and identification of faecal coliforms from water and waste water samples.		1 Kit	1590.00
55014	**Wilkins-Chalgren Agar** (Anaerobic Agar)	For the cultivation and maintenance of anaerobic bacteria. In susceptibility testing to determine minimum inhibitory concentrations (MICs) of antibiotics for anaerobic bacteria.	48.00	100 gms 500 gms	1030.00 3980.00
91753	**Willis and Hobbs Medium Base**	Used for the isolation and identification of *Clostridium* from foods	47.03	100 gms 500 gms	1030.00 4230.00
31560	**WL Differential Agar**	Used in isolating bacteria encountered in brewing and industrial fermentation processes.	80.25	100 gms 500 gms	900.00 3560.00
45086	**WL Nutrient Agar** (Wallerstein Laboratory Medium)	For the detection of bacteria and yeasts in industrial fermentation processes, particularly from beer processing.	80.25	100 gms 500 gms	1000.00 3630.00
78176	**WL Nutrient Broth** (Wallerstein Laboratory Nutrient Broth)	For cultivation of bacteria and yeasts in industrial fermentation processes, particularly from beer processing.	60.26	100 gms 500 gms	1070.00 3190.00
47617	**Wort Agar**	For the cultivation and enumeration of yeasts. It's low pH inhibits bacterial growth.	48.30	100 gms 500 gms	880.00 3980.00
26434	**Wurtz Medium**	Used for isolation and differentiation of lactose fermenting bacteria.	38.075	100 gms 500 gms	930.00 3780.00
53556	**Xylose Lysine Deoxycholate Agar (XLD Agar) (U/P) (I/P)**	Used for the isolation and differentiation of enteric pathogens, especially *Shigella* and *Providencia*.	56.68	100 gms 500 gms	820.00 3390.00
70791	**Xylose Lysine Deoxycholate Agar (XLD Agar)**	Used for isolation and identification of *Salmonellae* and *Shigellae*.	56.68	100 gms 500 gms	820.00 3390.00
89660	**XLT 4 Agar Base**	Used for isolation and identification of salmonellae from various samples.	59.03	100 gms 500 gms	1170.00 4970.00
16975*	**XLT4 Supplement** (100 ml per vial)	Used for selective isolation of *salmonella* species.		1 vl	1570.00
73111	**Xylose Lysine Deoxycholate Agar (XLD Agar), *Harmonized***	For cultivation and isolation of *Salmonella* species in pharmaceutical testing according to harmonized methods.	55.18	100 gms 500 gms	880.00 3510.00
67146	**Yeast Autolysate (Yeast Peptone) BactoBio for microbiology**	Used for the enrichment of *Neisseria* species.		100 gms 500 gms	680.00 2490.00
22176*	**Yeast Autolysate Supplement**	Used for the enrichment of *Neisseria* species.		5 vl 5 × 5 vl	1040.00 3480.00
51089	**Yeast and Mould Agar**	Used for isolation of yeasts, moulds and other aciduric microorganisms.	41.00	100 gms 500 gms	1040.00 4210.00
89463	**Yeast Extract for bacteriology**	Low pH, slightly turbid extract of autolyzed yeast cells used generally for technical purposes.		100 gms 500 gms 5 kg	520.00 1070.00 10400.00
34266	**Yeast extract BactoBio for bacteriology**	Water soluble portion of autolysed yeast especially rich in B-complex vitamins, used in microbiological and fermentation media.		100 gms 500 gms 5 kg 10 kg	710.00 2220.00 22200.00 42640.00
89957	**Yeast Extract Granulated BactoBio for bacteriology**	Granulated Water soluble portion of yeast, especially rich in B-complex vitamins. Used in microbiological and fermentation media.		500 gms	2050.00

* store at 2°-8°C

code	product name	application/description	gm/lit	unit	unit price ₹
52184	**Yeast Extract for cell culture**	Low pH, slightly turbid extract of autolyzed yeast cells used generally for technical purposes.		100 gms 500 gms	1000.00 2840.00
36504	**Yeast Extract Agar**	For the enumeration of microorganisms in potable and fresh water samples.	23.00	100 gms 500 gms	1420.00 5040.00
62332	**Yeast Lactose Agar**	For cultivation of soil microorganisms like Rhizobium sps.	26.80	100 gms 500 gms	1870.00 8180.00
49723	**Yeast Malt Agar** (YM Agar)	For the cultivation of fungi, including yeasts and other aciduric microorganisms.	41.00	100 gms 500 gms	940.00 4090.00
63973	**Yeast Malt Extract Broth** (YM Broth)	For the cultivation of fungi, including yeasts and other aciduric microorganisms.	21.00	100 gms 500 gms	740.00 3200.00
40965	**Yeast Mannitol Agar**	For the isolation and enumeration of soil microorganisms like *Rhizobium* species.	27.80	100 gms 500 gms	1030.00 4910.00
56342	**Yeast Mannitol Broth**	For the cultivation of soil microorganisms like *Rhizobium* species.	12.80	100 gms 500 gms	710.00 3360.00
51830	**Yersinia Isolation Agar**	For the isolation of *Yersinia* species from foods.	79.00	100 gms 500 gms	1110.00 4150.00
27810	**Yersinia Selective Agar Base**	For the isolation of *Yersinia enterocolitica*.	59.50	100 gms 500 gms	1110.00 4150.00
15061*	**Yersinia Selective (C.I.N.) Supplement**	Used for the isolation of *Yersinia enterocolitica*.		5 vl 5 x 5 vl	1340.00 3990.00
83385	**Yeast Glucose Chloramphenicol Agar (YGC Agar, Chloramphenicol Agar)**	Used for the isolation and enumeration of molds in milk and dairy products.	37.10	100 gms 500 gms	1110.00 3980.00
54250	**YPD Agar (Yeast Peptone Dextrose Agar, YEPD Agar)**	For maintaining and propagating "yeasts in molecular biology studies".	65.00	100 gms 500 gms	820.00 3630.00
66995	**YPD Broth (Yeast Peptone Dextrose Broth, YEPD Broth)**	For the maintenance and propagation of yeasts in molecular microbiology procedures.	50.00	100 gms 500 gms	1010.00 4430.00
98271	**YT Broth (2X YT Broth)**	Used for cultivation of recombinant strains of *Escherichia coli*.	31.00	100 gms 500 gms	800.00 3300.00
19510	**YXT Agar Base**	Used for detection of yeasts and molds, with or without added Tetracycline.	30.00	100 gms 500 gms	930.00 3890.00

* store at 2°-8°C

Our extensive range of Media Supplements are specially formulated to be used in conjunction with SRL Dehydrated Culture Media products.

Supplements are added into basal media to enhance bacterial growth or identification. They may also be added to suppress the growth of undesired bacteria and yeasts.

Please note, all Media Supplements are delivered with a detailed literature on the quantity usage with respective media.



code	product name	application/description	unit	unit price ₹
63013	**Aeromonas Selective Supplement (2.5mg/vl)**	For the selective isolation and cultivation of *Aeromonas* species.	5 vl	1130.00
78162	**Ampicillin Supplement (10mg/vl)**	Used for the selective isolation of *Aeromonas* species.	5vl	1290.00
83141	**Bacteroides Selective Supplement (50mg/vl)**	Used for the selective isolation of *Bacteroides* species.	5 vl	990.00
15097	**B.P. Sulpha Supplement (50mg/vl)**	Used for suppressing the growth of *Proteus* species on Baird Parker Agar Base.	5 vl	1050.00
55582	**Bolton Selective Supplement**	This supplement is recommended for selective enrichment of Campylobacter species from food samples.	5 vl 5 X 5 vl	1540.00 7020.00
66006	**Bordetella Selective Supplement (20mg/vl)**	Used for the selective isolation of *Bordetella* species.	5 vl	1260.00
26384	**Bromocresol Purple Supplement (15mg/vl)**	Used for isolation and identification of faecal streptococci.	5 vl	700.00
46172	**Bromothymol Blue Supplement (20mg/vl)**	Used for differentiating microflora from urine samples.	5 vl	490.00
18871	**CBI Supplement**	Used for the selective isolation of *Clostridium botulinum*.	5 vl	1310.00
94532	**Cetrinix Supplement**	Used for selective isolation of *Pseudomonas* species.	5 vl 5 × 5 vl	1620.00 4070.00
70984	**CFC Supplement**	Used for the selective isolation of *Pseudomonas* species.	5 vl 5 × 5 vl	1430.00 4450.00
14602	**Chloramphenicol Selective Supplement (50mg/vl)**	Used for the selective isolation and cultivation of yeasts and moulds.	5 vl 5 × 5 vl	1040.00 3110.00
93834	**Clostridium Difficile Supplement**	Used for the selective isolation of *Clostridium difficile*.	5 vl 5 × 5 vl	1150.00 3440.00
64078	**CNA Supplement**	Recommended for the selective isolation of anaerobic gram-positive cocci.	5 vl	1480.00
65165	**CPC Supplement**	For isolation and enumeration of *Vibrio species* from foods.	5 vl	2030.00
47082	**Enterococcus Selective Supplement**	Used for the selective isolation and cultivation of enterococci.	5 vl 5 × 5 vl	1460.00 4950.00
27131	**Esculin Supplement (0.5gm/vl)**	Used for detection of Group D streptococci on the basis of esculin hydrolysis.	5 vl	2460.00
78507	**FGTC Antibiotic Supplement (2.5mg/vl)**	Used for the selective isolation and cultivation of enterococci.	5 vl	990.00
97539 new	**Fraser Supplement (250mg/vl)**	Used for the selective isolation and enumeration of Listeria monocytogenes from food, animal feeds etc.	5 vl	1000.00

All products need to be stored at 2-8°C



code	product name	application/description	unit	unit price ₹
52071	**Fraser Selective Supplement**	Used for selective isolation and cultivation of *Listeria monocytogenes* from food and environmental specimens.	5 vl	1370.00
78334	**Gentamicin Selective Supplement (20mg/vl)**	Used for isolation and detection of Clostridium perfringens.	5 vl	800.00
50084	**Genta-Oxy Selective Supplement**	Used for the selective isolation and enumeration of yeasts and moulds.	5 vl 5 × 5 vl	1410.00 3400.00
30963	**GTC Supplement (1.25mg/vl)**	Used for the selective isolation and cultivation of enterococci.	5 vl	720.00
60649	**Kanamycin Sulphate Selective Supplement (10mg/vl)**	Used for the selective isolation and cultivation of enterococci.	5 vl	1170.00
42820	**Kimmig Selective Supplement**	Used for selective isolation of fungi.	5 vl	1940.00
29760	**Klebsiella Selective Supplement (25mg/vl)**	Used for the selective isolation and detection of *Klebsiella* species.	5 vl	1110.00
70663	**KV Supplement**	Recommended for selective isolation of gram-negative anaerobes.	5 vl	1480.00
24806	**L-Lactic acid 10% Solution** (10 ml per vial)	Used for adjusting pH in acidic range.	5 vl 5 × 5 vl	940.00 3100.00
84282	**Lactic Supplement**	For the isolation of lactic acid bacteria in beer and brewing process.	5 vl	1180.00
39785	**Lactobacilli Supplement (50mg/vl)**	used for isolation of *Lactobacilli* from wine.	5 vl 5 x 5 vl	1420.00 4420.00
15650	**Listeria Moxalactum Supplement**	Recommended for the selective isolation and cultivation of Listeria monocytogenes	5 vl	1420.00
90345	**Listeria Selective Supplement (PALCAM)**	Used for the isolation of *Listeria monocytogenes* and other species of Listeria from food products.	5 vl	1040.00
51864	**Listeria UVM Supplement I**	Used for selective isolation and cultivation of *Listeria monocytogenes*.	5 vl	950.00
72547	**Listeria UVM Supplement II**	Used for selective isolation and cultivation of *Listeria monocytogenes*, especially for clinical specimens.	5 vl	950.00
70317	**McBride Listeria Supplement**	Recommended for the selective isolation of *Listeria species*.	5 vl	1210.00
26834	**MUG Supplement (50mg/vial)**	A fluorescent agent for the detection of *Escherichia coli.*	5 vl	1850.00
67124	**Nalidixic Selective Supplement (15mg/vl)**	Used for the selective isolation of *Pseudomonas aeruginosa.*	5 vl	990.00
77316	**Neomycin Supplement (30mg/vl)**	Used for the selective isolation of various microorganisms.	5 vl	990.00
34350	**Non-Spore Anaerobic Supplement**	Used for selective isolation of nonsporing anaerobic bacteria.	5 vl	1290.00
18352	**Novobiocin Supplement (5mg/vl)**	Used to enhance inhibition of Gram-positive organisms.	5 vl 5 x 5 vl	1170.00 3190.00
31601	**Novobiocin MKTT Supplement (40mg/vl)**	Recommended for selective enrichment and isolation of salmonellae.	5 vl	1660.00
57253	**Oxacillin Resistant Selective Supplement**	Recommended for screening oxacillin resistant microorganisms	5 vl	1190.00
42116	**Oxford Listeria Supplement**	Used for selective isolation of Listeria species.	5 vl	1250.00
51521	**Oxytetra Selective Supplement (50mg/vl)**	Used for the selective isolation of yeasts and moulds.	5 vl 5 × 5 vl	860.00 2830.00
89858	**PEMBA Supplement (10KU/vl)**	For the selective cultivation of *Bacillus cereus*.	5 vl	880.00



code	product name	application/description	unit	unit price ₹
11976	**Perfringes Supplement - I (50mg/vl)**	Used for selective isolation of Clostridium perfringes.	5 vl 5 × 5 vl	860.00 2340.00
62598	**Perfringes Supplement - II (50mg/vl)**	Used for selective isolation of Clostridium perfringes.	5 vl 5 × 5 vl	1110.00 3070.00
92096	**Perfringens S.F.P. Supplement (S.F.P. Supplement)**	Used for the selective isolation of *Clostridium perfringens.*	5 vl 4 × 5 vl	1040.00 3540.00
55688	**Perfringens T.S.C. Supplement (T.S.C. Supplement) (200mg/vl)**	Used for the selective isolation of *Clostridium perfringens.*	5 vl 4 × 5 vl	1110.00 3320.00
35980	**Polymixin B Selective Supplement (50KU/vl)**	Used for the selective isolation of various microorganisms.	5 vl 5 × 5 vl	870.00 3030.00
14644	**Potassium Lactate 50% (10 ml/vial)**	Used for isolation and enumeration of yeasts.	5 vl	1310.00
12370	**Potassium Sorbate 10% (10 ml/vial)**	Recommended for the detection and isolation of acid resistant yeasts.	5 vl	1110.00
91488	**Potassium Tellurite 1% Supplement (1 ml/vial)**	Used for selective isolation of corynebacteria and staphylococci.	5 vl 5 × 5 vl	710.00 2550.00
99482	**Potassium Tellurite 3.5%* Supplement (1ml/vl)**	Used for selective isolation of corynebacteria and staphylococci.	5 vl	740.00
57672	**Rosolic Acid Supplement (0.1gm/vl)**	Used for the selective isolation of coliforms.	5 vl	1110.00
45290	**Shigella Selective Supplement (0.55mg/vl)**	Used for the selective isolation and cultivation of *Shigella* species.	5 vl	1050.00
18247	**Staph-Strepto Selective Supplement**	Used for the selective isolation of staphylococci and streptococci.	5 vl 5 × 5 vl	1450.00 3540.00
11475	**Strepto Supplement**	Used for the selection of *Streptococcus* species.	5 vl 5 × 5 vl	1170.00 3680.00
35140	**Streptococcus Selective Supplement**	Used for the selective isolation and cultivation of *Streptococcus* species.	5 vl 5 × 5 vl	1530.00 3750.00
34050	**Sulpha Supplement**	Used for selective isolation of *Salmonella* species.	5 vl	1550.00
15297	**Tellurite Cefixime Supplement**	Used for the selective isolation and cultivation of *Escherichia coli* 0157:H7.	5 vl	1220.00
40873	**Tetracycline Selective Supplement**	Used for the selective isolation and cultivation of yeasts and moulds.	5 vl	1290.00
67819	**Ticarcillin Supplement (1mg/vl)**	Used for enrichment of *Yersinia enterocolitica*.	5vl	1170.00
87704	**Tributyrin Supplement (10ml/vl)**	Used for detection of lipolytic microorganisms.	5 vl 5 × 5 vl	1540.00 6220.00
55052	**TTC Solution 1% (10ml/vl)**	Used for detecting microorganisms on the basis of TTC reduction.	5 vl 5 × 5 vl	1060.00 3160.00
80192	**40% Urea Solution (5ml/vl)**	Used for detection of urease activity.	5 vl 5 × 5 vl	450.00 1910.00
26117	**Vancomycin Supplement**	Used for the selective isolation of enterococci.	5 vl	1480.00
34123	**VCN Supplement**	Used for selective isolation of *Neisseria* species.	5vl 5 × 5vl	2170.00 7910.00
32249	**VCNT Supplement**	Used for selective isolation of *Neisseria* species.	5vl 5 × 5vl	2170.00 7910.00
34326	**Vitamin K1 Supplement (10mg/vl)**	A vitamin growth supplement used for the isolation of anaerobic organisms.	5 vl	1050.00
16975	**XLT4 Supplement (100ml/vl)**	Used for selective isolation of *salmonella* species.	1 vl	1570.00
22176	**Yeast Autolysate Supplement**	Used for the enrichment of *Neisseria* species.	5 vl 5 × 5 vl	1040.00 3480.00
15061	**Yersinia Selective (C.I.N.) Supplement**	Used for the isolation of *Yersinia enterocolitica*.	5 vl 5 x 5 vl	1340.00 3990.00

All products need to be stored at 2-8°C



The ChroMed Range of chromogenic culture media from SRL with improved sensitivity and specificity for better enumeration, identification and isolation of variety of organisms. Our expert technical team has revolutionized these media to give outstanding and stark organism differentiation.

We offer these products to those who wish to simplify and speeden the detection of specific bacteria using chromogenic substrates. Chromogenic media provide rapid and easy identification of organisms as compared to conventional methods.



product code	product name	application/description	gm/lit	unit	unit price Rs.
27880	**ChroMed® Aureus Agar**	A chromogenic medium used for the identification of *Staphylococcus* species.	63.10	100 gms 500 gms	2080.00 9640.00
78355	**ChroMed® Bacillus Cereus Agar**	A Chromogenic medium used for the isolation of *Bacillus cereus* organism.	49.22	100 gms 500 gms	1290.00 5330.00
42436	**ChroMed® Chromogenic Coliform Agar (CCA) (I)**	For detection of *Escherichia coli* & coliforms in water samples as per ISO standards 9308-1:2014.	30.92	50 gms 100 gms 500 gms	3030.00 5630.00 26690.00
19440	**ChroMed® Chromogenic Coliform Agar w/SLS (CCA w/SLS)**	For detection of *Escherichia coli* & coliforms in water samples.	27.00	50 gms 100 gms 500 gms	2400.00 4330.00 17060.00
96599	**ChroMed® ECC Agar**	Differential medium recommended for presumptive identification of *Escherichia coli* & other coliforms in food and environmental samples.	55.83	100 gms 500 gms	4090.00 15690.00
75955	**ChroMed® E.coli Agar**	A chromogenic medium used for detection & enumeration of *E.coli* and other coliforms from food samples.	36.57	100 gms 500 gms	2820.00 12600.00
46706	**ChroMed® Klebsiella Selective Agar Base**	Selective isolation and detection of *Klebsiella* species from water and other sources. This medium can also be used in membrane filteration procedure.	40.80	100 gms 500 gms	1970.00 8360.00
45615	**ChroMed® Listeria Agar (I)**	Selective &differential medium recommended for rapid and direct identification of Listeria species.	36.63	100 gms 500 gms	1760.00 7460.00
38284	**ChroMed® Listeria Agar Base, Modified**	For selective identification and differentiation of *Listeria monocytogenes.*		100 gms 500 gms	1760.00 7250.00
65621	**ChroMed® MeReSA Agar**	Recommended media for isolation & identification of Methicillin Resistant *Staphylococcus aureus* (MRSA) from clinical specimens.	41.65	100 gms 500 gms	2700.00 11530.00
75213	**Chromed® M-Lauryl Sulfate Agar (MLGA)** (as per ISO 17025:2005) (Membrane lactose glucuronide agar)	For the differentiation and enumeration of *Escherichia coli* and other coliforms by membrane filter technique.	88.00	100 gms 500 gms	5050.00 20450.00
90219	**ChroMed® OGYE Agar Base (I)** (as per ISO 17025:2005)	Selective and differential medium for isolation of yeasts & moulds from milk and milk products.	37.10	100 gms 500 gms	3690.00 16240.00
92671	**ChroMed® Salmonella Agar**	A chromogenic medium used for the identification of *Salmonella* species.	27.90	100 gms 500 gms	10080.00 47410.00
52496	**ChroMed® TBX Agar (E.coli Agar Modified)**	A selective, chromogenic medium for the detection and enumeration of *Escherichia coli* in food.	36.57	100 gms 500 gms	2150.00 9900.00
42979	**ChroMed® UTI Agar**	A chromogenic medium used for the presumptive identification and differentiation of microorganisms causing urinary tract infections.	32.45	100 gms 500 gms	2900.00 13930.00

BioVeg dehydrated media use vegetable sources of nutritional ingredients instead of animal based ingredients. Plant based Peptones are used as replacements for animal based ones.

BioVeg media eliminate the possibility of animal-borne contaminants interfering with accurate microbiological test results. These media formulations are tested for growth promoting properties with various microorganisms and found to be perfect, eco-friendly alternatives of animal based media.

Why use regular media?

Use BioVeg!



product code	product name	application/description	gm/lit	unit	unit price Rs.
95670	**Asparagine Proline Broth BioVeg**	For cultivation of *Pseudomonas aeruginosa* by membrane filter technique.	14.50	100 gms 500 gms	1140.00 4410.00
22197	**Buffered Peptone Water BioVeg**	A pre-enrichment medium, manufactured from animal free bases for the isolation of Salmonella, especially injured microorganisms from various food sources.	20.00	100 gms 500 gms	590.00 2630.00
93927	**Cetrimide Agar BioVeg**	For the selective cultivation & identification of *Pseudomonas aeruginosa*.	46.70	100 gms 500 gms	720.00 3160.00
52665	**Chloramphenicol Yeast Glucose Agar BioVeg**	Used for the isolation and enumeration of molds in milk and milk products.	40.00	100 gms 500 gms	680.00 3180.00
88167	**Differential Reinforced Clostridial Broth, Base BioVeg**	Used for cultivation of clostridia from water samples.	29.00	100 gms 500 gms	760.00 3090.00
21128	**Hydrolysate BioVeg BactoBio for bacteriology**	An alternative for animal based peptones, provides good source of nutrients to various microorganisms.		500 gms 5 kg	2220.00 18110.00
25844	**Kligler Iron Agar BioVeg**	For the differentiation and identification of Gram-negative bacilli based upon the fermentation of dextrose, lactose & production of H_2S.	57.52	100 gms 500 gms	750.00 3060.00
50871	**Lactobacillus MRS Agar BioVeg**	Recommended for the cultivation, isolation and enumeration of all *Lactobacilli*.	67.15	100 gms 500 gms	870.00 3840.00
27750	**Lactobacillus MRS Broth BioVeg**	Used for cultivation of *lactobacilli*.	55.15	100 gms 500 gms	770.00 3260.00
40826	**Luria Bertani Agar, Miller BioVeg** (LB Agar, Miller BioVeg)	Used for maintaining and propagating *Escherichia coli* in molecular microbiology	40.00	100 gms 500 gms	770.00 3390.00
17320	**Luria Bertani Broth, Miller BioVeg**	Used for maintaining and propagating *Escherichia coli* in molecular microbiology.	25.00	100 gms 500 gms 2 kg	710.00 2980.00 9820.00
96871	**MacConkey Agar BioVeg**	For the selective isolation, cultivation and differentiation of coliforms & enteric pathogens based on ability to ferment lactose.	51.50	100 gms 500 gms	640.00 2930.00
64024	**MacConkey Agar w/o C.V., NaCl, w/0.0075% NR, 1.2% Agar BioVeg**	Differential medium for detection and isolation of enteric organisms by restricting the swarming of *Proteus* species.	47.00	100 gms 500 gms	710.00 2930.00
70117	**Meat Extract Powder BioVeg BactoBio for bacteriology**	Used to complement nutritive properties of peptone.		500 gms 5 kg	2190.00 18110.00
73478	**Nutrient Agar BioVeg**	General purpose medium for cultivation of microorganisms.	28.00	100 gms 500 gms	650.00 2930.00
39905	**Nutrient Broth BioVeg**	For the cultivation and maintenance of a wide variety of microorganisms.	13.00	100 gms 500 gms	500.00 2280.00
51960	**Peptone BioVeg BactoBio for bacteriology**	Peptic digest of animal tissue used in microbiological culture media.		500 gms 5 kg 10 kg	1930.00 16360.00 31540.00

All products need to be stored at 2°-8°C



product code	product name	application/description	gm/lit	unit	unit price Rs.
11522	**Peptone Water BioVeg**	For as general purpose growth medium and as the base of carbohydrate fermentation media	15.00	100 gms 500 gms	690.00 2850.00
52192	**Plate Count Agar BioVeg**	For the enumeration of viable bacteria in milk and dairy products, heterotrophic bacteria in water by pour plate technique	17.50	100 gms 500 gms	850.00 3740.00
91338	**Potato Dextrose Agar (PDA) BioVeg**	Used for the cultivation of yeasts and molds from dairy products and other foods. Used to induce sporulation in many fungi.	39.00	100 gms 500 gms	680.00 2810.00
74474	**Potato Dextrose Broth (PDB) BioVeg**	For the isolation, cultivation and enumeration of yeasts and molds from dairy and food products.	24.00	100 gms 500 gms	790.00 2940.00
36124	**Pseudomonas Isolation Agar, BioVeg**	For the isolation and cultivation of *Pseudomonas* species	45.02	100 gms 500 gms	800.00 3740.00
55941	**Sabouraud Chloramphenicol Agar BioVeg**	For the cultivation of yeasts and molds.	65.00	100 gms 500 gms	920.00 3740.00
88999	**Sabouraud Dextrose Agar BioVeg**	Used for the cultivation of dermatophytes, yeasts and filamentous fungi.	65.00	100 gms 500 gms	680.00 2930.00
57309	**SIM Medium BioVeg** (Sulfite Indole Motility Medium)	For the differentiation of members of the Enterobacteriaceae based on H_2S production, indole production and motility.	30.00	100 gms 500 gms	710.00 3040.00
51993	**Soyabean Casein Digest Medium (SCDM) (Tryptone Soya Broth, TSB), BioVeg** (Soyabean Medium BioVeg)	For the cultivation of a wide variety of microorganisms.	30.00	100 gms 500 gms	480.00 1680.00
68331	**TCBS Agar BioVeg**	For the selective isolation of *Vibrio cholerae* and *Vibrio parahaemolyticus* from clinical specimens.	89.00	100 gms 500 gms	960.00 4050.00
69309	**Triple Sugar Iron Agar BioVeg**	Used for the differentiation of Enterobacteriaceae on the basis of fermenting lactose, sucrose, glucose and H_2S production.	64.02	100 gms 500 gms	680.00 3040.00
11947	**Tryptone Broth BioVeg** (Tryptone Water Broth BioVeg)	For the cultivation of production of indole by microorganisms.	15.00	100 gms 500 gms	590.00 2580.00
32068 **new**	**Tryptone Soya Agar (TSA) BioVeg** (Soyabean Casein Digest Agar, SCDA)	For isolation and cultivation of fastidious and non-fastidious microorganisms with or without addition of blood. Semisolid medium recommended for testing of motility of Listeria monocytogenes, as recommended by ISO committee	40.00	100 gms 500 gms	850.00 3300.00
16684	**Tryptone Soya Broth (TSB) (TSB) (Soyabean Casein Digest Medium, SCDM) BioVeg**	For the cultivation of a variety of microorganisms.	30.00	100 gms 500 gms	480.00 1680.00
40626	**Tryptophan Broth BioVeg** (Tryptophan Medium)	Used for differentiation of bacteria on the basis of indole production.	16.00	100 gms 500 gms	710.00 2750.00
45989	**Tryptose Phosphate Broth BioVeg**	For the cultivation of a variety of fastidious bacteria.	29.50	100 gms 500 gms	700.00 2920.00
42465	**Urea Agar Base (Christensen) BioVeg**	Used for the detection of urease production by *Proteus* species and for the identification of other members of Enterobacteriaceae.	24.00	100 gms 500 gms	870.00 3390.00
67389	**Veg Extract Agar BioVeg** (Equivalent to animal based Beef extract Agar)	Recommended for cultivation of non-fastidious bacteria.	33.00	500 gms	3940.00
55605	**Veg Extract Broth BioVeg**	Recommended for cultivation of non-fastidious bacteria.	18.00	500 gms	3940.00
43459	**Violet Red Bile Dextrose Agar BioVeg**	Used for cultivation and isolation of Enterobacteriaceae.	41.53	100 gms 500 gms	1000.00 3260.00

SRL has always contributed to the scientific field with products that are customer friendly, be it students, teachers, technologists, etc.

They say "from a small seed, a trunk grows". These kits have been designed keeping in mind the work structure of small labs and research & teaching institutes. It is our small contribution to all those dedicated and devoted educational practitioners and technologists who have ever thought to themselves, **"Why do I need to buy such a large quantity of product? Why can't I buy Just Enough?"** Well now is your chance.

SRL Culture Media Kits are the latest approach to economize and reduce wastage in your working/teaching methods. These kits are specifically designed with enough media to prepare 1 litre solutions of each component media, Just Enough for you to conduct your analysis and demonstrations.



No more wastage, no more excess stock! Just buy and consume!

code	product name application/description	contents		unit price ₹
79665	**Bile Tolerant Gram negative bacteria Test Kit** Used for isolation, identification and cultivation of Bile tolerant gram negative bacteria.	This Kit contains **Enterobacteria Enrichment Broth Mossel, *Harmonized*** **Violet Red Bile Glucose Agar, *Harmonized***	(for 1 litre media each) **45.01 gm** **41.53 gm**	1050.00
92875	**Biochemical Test Kit - I** Used for biochemical identification of gram negative enteric bacteria based on tests like carbohydrate utilization, H2S production, phenylalanine deaminase and urease production.	This Kit contains **Peptone Water (for carbohydrate utilization)** **Triple Sugar Iron Agar** **Phenylalanine Agar** **Urea Agar Base**	(for 1 litre media each) **15.00 gm** **64.63 gm** **26.00 gm** **24.00 gm**	2260.00
65896	**Biochemical Test Kit - II** Used for biochemical identification of microorganisms based on tests - nitrate reduction,malonate utilisation, gelatin liquefaction & starch hydrolysis.	This Kit contains **Nitrate Agar** **Malonate Broth** **Nutrient Gelatin** **Starch Agar**	(for 1 litre media each) **21.00 gm** **8.00 gm** **128.00 gm** **25.00 gm**	2100.00
92558	**Carbohydrate Fermentation Test Kit - I** For the differentiation of microorganisms on the basis of various carbohydrate fermentation reactions.	This Kit contains **Sucrose** **Lactose** **Maltose** **Inositol** **Mannitol** **Galactose** **Sorbitol** **Phenol Red Broth Base**	(media for 1 litre prep. each) **25.00 gm** **25.00 gm** **10.00 gm** **10.00 gm** **10.00 gm** **10.00 gm** **10.00 gm** **100.00 gm**	3390.00
40071	**Carbohydrate Fermentation Test Kit - II** For the differentiation of microorganisms on the basis of various carbohydrate fermentation reactions.	This Kit contains **Raffinose** **Arabinose** **Dulcitol** **Salicin** **Rhamnose** **Phenol Red Broth Base**	(media for 1 litre prep. each) **5.00 gm** **5.00 gm** **5.00 gm** **5.00 gm** **5.00 gm** **100.00 gm**	6600.00
45568	**Candida Albicans Test Kit** Used for isolation, identification and cultivation of *Candida albicans*.	This Kit contains **Sabouraud Dextrose Agar** **Sabouraud Dextrose Broth**	(for 1 litre media each) **65.00 gm** **30.00 gm**	1050.00
12655	**Clostridium Test Kit** Used for isolation, identification and cultivation of *Clostridium* species	This Kit contains **Reinforced Medium for Clostridia, *Harmonized*** **Columbia Agar Base, *Harmonized***	(for 1 litre media each) **38.00 gm** **44.00 gm**	1050.00
61195	**Dairy samples Testing Kit** Used for identification and enumeration of microorganisms from dairy products.	This Kit contains **Plate Count Agar** **MacConkey Agar** **Yeast and Mould Agar** **Lactobacillus MRS Agar (I)**	(for 1 litre media each) **17.50 gm** **50.03 gm** **41.00 gm** **65.25 gm**	1780.00



code	product name application/description	contents		unit price ₹
49763	**E. Coli Test Kit** Used for isolation, identification and cultivation of *Escherichia coli*.	This Kit contains **MacConkey Broth, *Harmonized*** **MacConkey Agar, *Harmonized*** **EMB Agar, Levine**	(for 1 litre media each) **35.01 gm** **50.03 gm** **37.46 gm**	1210.00
90195	**Fungi Cultivation Kit** Used for cultivation and isolation of fungi, yeasts and moulds.	This Kit contains **Sabouraud Dextrose Broth** **Sabouraud Dextrose Agar**	(for 1 litre media each) **30.00 gm** **65.00 gm**	1210.00
39238	**General Purpose Kit – I** Nutrient Agar cultivates a wide variety of microorganisms and MacConkey Agar is used in isolation of gram negative enteric bacteria.	This Kit contains **Nutrient Agar** **MacConkey Agar**	(for 1 litre media each) **28.00 gm** **50.00 gm**	970.00
84905	**General Purpose Kit – II** Nutrient Agar cultivates a wide variety of microorganisms, MacConkey Agar aids in isolation of gram negative enteric bacteria & Blood Agar Base is used in detecting hemolytic activity of fastidious microorganisms.	This Kit contains **Nutrient Agar** **MacConkey Agar** **Blood Agar Base**	(for 1 litre media each) **28.00 gm** **50.00 gm** **40.00 gm**	1210.00
36873	**IMViC Test Kit** Used for biochemical identification of gram negative enteric bacteria based on Indole production, Methyl Red and Voges Praskauer reactions & Citrate Utilization Test.	This Kit contains **Tryptone Broth** **MRVP Medium** **Simmons Citrate Agar**	(for 1 litre media each) **15.00 gm** **17.00 gm** **24.28 gm**	1050.00
14443	**Multipurpose Test Kit** Used for isolation, identification and cultivation of a wide variety of microorganisms.	This Kit contains **Violet Red Bile Glucose Agar, *Harmonized*** **Baird Parker Agar, Base (U/P), (I/P), (I)** **Brilliant Green Agar** **Columbia Agar Base, *Harmonized*** **Cetrimide Agar Base, *Harmonized*** **EMB Agar, Levine** **MacConkey Agar, Harmonized**	(for 1 litre media each) **41.53 gm** **63.00 gm** **55.09 gm** **44.00 gm** **45.30 gm** **37.46 gm** **50.03 gm**	3550.00
47758	**Pseudomonas Test Kit** Used for isolation, identification and cultivation of *Pseudomonas* species.	This Kit contains **Cetrimide Agar Base, *Harmonized*** **Pseudomonas Agar for Fluorescein** **Pseudomonas Agar for Pyocyanin**	(for 1 litre media each) **45.30 gm** **38.00 gm** **46.40 gm**	3060.00
99752	**S. Aureus Test Kit** Used for isolation, identification and cultivation of *Staphylococcus* aureus.	This Kit contains **Mannitol Salt Broth** **Vogel Johnson Agar Base (U/P) (I/P)** **Mannitol Salt Agar, *Harmonized*** **Baird Parker Agar, Base (U/P), (I/P), (I)**	(for 1 litre media each) **96.02 gm** **61.02 gm** **111.02 gm** **63.00 gm**	3550.00
55521	**Salmonella Test Kit** Used for isolation, identification and cultivation of *Salmonella* species.	This Kit contains **Rappaport Vassiliadis Salmonella Enrichment Broth, Harmonized** **Selenite F Broth Base w/o Selenite** **Brilliant Green Agar** **Xylose Lysine Deoxycholate Agar**	(for 1 litre media each) **42.53 gm** **19.00 gm** **55.09 gm** **56.68 gm**	1940.00
76043	**Sterility Test Kit** Used for sterility testing of products as per pharmacoepial standards.	This Kit contains **Fluid Thioglycollate Medium** **Soyabean Casein Digest Medium**	(for 1 litre media each) **29.75 gm** **30.00 gm**	970.00
23892	**Water (Faecal coliforms) Testing Kit** For the enumeration and identification of faecal coliforms from water and waste water samples.	This Kit contains **Lauryl Tryptose Broth (I) (B/S)** **MacConkey Broth** **M-FC Broth Base** **EMB Agar**	(for 1 litre media each) **35.60 gm** **40.07 gm** **37.10 gm** **35.96 gm**	1590.00



Microcentrifuge Tube and Screw Cap

Our gamma irradiated microcentrifuge tubes are highly recommended in the areas of Life Science, Industry or Chemistry for use in research and critical reagent packaging requirements.

Our tubes are designed with conical bottoms allowing for complete sample retrieval. Screw caps with O-rings guard against leakage by forming a positive seal against the rim of the tube. External ribs on the free standing microcentrifuge tubes allow for single-handed opening and closing when placed in racks with serrated holes. Screw Cap Microcentrifuge Tubes work with many automated systems. The O-ring is manufactured from durable ethylene polypropylene dimonomere compound.

Prdt. Code	Product Name	Packing Unit
31635	Microcentrifuge Tube and Screw Cap (0.5ml), Self Standing, Conical, O-Ring, Clear, Non-Hinged, Sterile, Molecular Grade	500 Nos.
60838	Microcentrifuge Tube and Screw Cap (1.5ml), Self Standing, Conical, O-Ring, Clear, Non-Hinged, Sterile, Molecular Grade	500 Nos.

* Bulk packs available on request



Product Features:

- Capacity: 0.5 ml & 1.5ml sizes
- Plastic (Polypropylene) clear colorless tube
- Self Standing Tubes with Screw Cap & O-Ring
- Sterile
- Operating range: –196°C to +121°C
- Autoclavable at 121°C
- Withstands maximum RCF of 20000× G
- No Graduations
- DNase & RNase Free





Part E

BioLit®

DNA & Protein Tools

PCR Products & Accessories
Ready-to-use DNA Molecular Weight Standards & Ladders
Reference Digests/Markers
RNA Accessory Reagents
Staining & Tracking Dyes
Restriction Enzymes
Ready-to-use Protein Molecular Weight Standards – Stained & Unstained
Cloning Vectors
Spin Columns
Research Kits
Teaching Kits

BioLit®

DNA & Protein Tools

Our BioLit® products range encompasses an assortment of DNA, protein markers & ladders; a variety of Taq polymerases; cloning vectors; an array of buffers, reagents & solutions; tools for DNA & protein purifications; and a medley of educational teaching kits. All these products are designed to be highly pure, precise, ready-to-use and have established a niche for their quality, precision and long-term stability.


Over the last few years, we have observed a gradual shift to more "Safe" and "Environmentally Friendly" technologies. In view of these industry developments, our team has introduced an entirely new range of offerings and product combinations suit these customer requirements. Some of the revolutionary products in this section of the catalogue are –

- FluroBronze Markers/Ladders – Fluorescent DNA ladders & markers
  These special DNA ladders and marker (RTU) packs contain, in addition to tracking dyes, a non-carcinogenic nucleic acid stain for detection of the ladder bands. This nucleic acid stain (FluroBronze Stain) replaces ethidium bromide (a known potential mutagen if not handled carefully) in agarose gel preparation.
- Restriction Enzymes
  Common and widely used restriction enzymes in appealing pack sizes, such as HindIII, EcoRI, EcoRV, BamHI, KpnI, PvuII, BglI, SmaI, PstI, EcoRV and DraI.
- Environmentally friendly Combo packs of DNA ladders & markers
  These combo packs contain regular or fluorescent ladders/markers accompanied with a special loading buffer which can be used for other nucleic acid samples.
- Environmentally friendly Stains and dyes
  We introduced the "environmentally friendly" SafeDye Stain and observed ecstatic feedback and response from our environmentally aware and health conscious researchers. We are now excited to introduce another stain (FluroBronze Stain) which is mixed, not with the agarose but with nucleic acid samples. This helps in minimizing the mix of stains with the agarose or the buffer and helps us in our stride towards a safer scientific world.
- Ready-to-use buffers
  To help students and first-time researchers we bring ready-to-use Gel Mixes for SDS-PAGE analysis. This prevents pipetting errors and minimizes the time in preparation of polyacrylamide gels.

BioLit products, with their consistently accurate results in a wide-range pack sizes, are designed to suit research institutes and educational laboratories, moderate and even small labs.

Our customers can seek any technical queries, clarifications and guidance from our user-friendly QC and customer service departments. Customization queries for select products are always entertained.

In-depth detail of our BioLit™ products can be availed from our website or at marketing@srlchem.com



code	product name	application/description	unit	unit price ₹

BioLit® PCR Products (Taq Polymerase, Buffers & Kits)

BioLit® TAQ Polymerases

Taq DNA Polymerases (offered in different concentrations) are enzymes used in Routine PCR. They are thermostable recombinant DNA polymerases derived from thermophilic bacterium *Thermus aquaticus*. They can amplify DNA target up to 5 kb (simple template) and have a 5' to 3' polymerase activity but lack 3' to 5' exonuclease activity that result in a 3'-dA overhang PCR product.

BioLit® Routine PCR

Applications - PCR amplification of DNA fragments as long as 5 kb, DNA labeling, DNA sequencing, PCR for cloning.

61524	**TAQ DNA Polymerase (1U/µl)**	Includes Taq DNA Polymerase (1U/µl) 10X PCR Buffer ($MgCl_2$ free), 25mM $MgCl_2$	500 units 1000 units 5000 units	2280.00 4320.00 21010.00
32976	**TAQ DNA Polymerase (3U/µl)**	Includes Taq DNA Polymerase (3U/µl) 10X PCR Buffer ($MgCl_2$ free), 25mM $MgCl_2$	500 units 1000 units 5000 units	2280.00 4320.00 21010.00
82487	**TAQ DNA Polymerase (5U/µl)**	Includes Taq DNA Polymerase (5U/µl) 10X PCR Buffer ($MgCl_2$ free), 25mM $MgCl_2$	500 units 1000 units 5000 units	2280.00 4320.00 21010.00
12816	**TAQ DNA Polymerase (5U/µl) (w/6X Buffer)**	Includes Taq DNA Polymerase (5U/µl) 10X PCR Buffer (Mg^{2+} Plus) 6X Loading Buffer	500 units 1000 units 5000 units	2840.00 4890.00 22150.00
51613	**TAQ DNA Polymerase (5U/µl) (w/6X Buffer, w/dNTP)**	Includes Taq DNA Polymerase (5U/µl) 10X PCR Buffer (Mg^{2+} Plus) 6X Loading Buffer dNTP mix (each 2.5 mM)	500 units 1000 units 5000 units	3070.00 5120.00 23280.00

A Thermostable recombinant DNA polymerase, useful in amplification of DNA fragments upto 6 kb from genomic DNA with high purity and specificity. Sources of template - plant genomic DNA , mouse cDNA, bacterial colony DNA , bacterial plasmid DNA , viral DNA and zygocity PCR templates. No loading buffers or tracking dyes required. Samples may be added directly to an agarose gel after PCR and visualized.

57694	**Red TAQ DNA Polymerase (1U/µl)**	Includes Red Taq DNA Polymerase (1U/µl) 10X Red Taq Buffer, 25 mM $MgCl_2$	500 units 1000 units	3980.00 6930.00
12192	**Roseate Taq DNA**		500 units 1000 units	3030.00 4980.00

Roseate Taq DNA Polymerase is a thermostable recombinant DNA polymerase derived from thermophilic bacterium Thermus aquaticus. Its molecular weight is 94 kDa. Taq DNA Polymerase can amplify DNA targets up to 5 kb (simple template). The elongation velocity is 0.9~1.2kb/min (70~75°C). It has 5' to 3' polymerase activity but lacks of 3' to 5' exonuclease activity that result ion a 3'-dA overhangs PCR product.

The buffer given is 10X Rosette PCR Buffer with Mg2+. This buffer has a roseate coloured dye enabling the researcher to load the sample directly after PCR into an agarose gel for electrophoresis.

Other different polymerases described below are useful when there is a need for higher specificity for primer incorporation, high fidelity with proof reading capability, amplifying long and complex templates & need for efficient and fast elongation, and DNA Polymerase which is suitable for Hot Start PCR. The polymerases here each have one of these features and can be chosen to suit the needs of the researcher.

BioLit® Hot Start PCR

This product is a DNA Polymerase coated with antibody, which is suitable for Hot Start PCR. There is no activity of this enzyme at room temperature, and the antibody can be inactivated rapidly at 70°C or above. This ensures that the enzyme is active only during PCR and prolonged heating or denaturation steps can be avoided.

81646	**Hot Start Taq Polymerase (5U/µl)**	Includes Includes HotStart Taq Polymerase (5U/µl) 10X HotStart buffer with Mg^{2+}, 2.5mM dNTP Mix	250 units 1000 units	7730.00 29530.00



code	product name	application/description	unit	unit price ₹

BioLit® High Specificity PCR

Can amplify DNA target up to 5 kb. The elongation velocity is 0.9~1.2kb/min. It has 5' to 3' polymerase activity but lacks 3' to 5' exonuclease activity that results in a 3'-dA overhang PCR product.

Applications - PCR amplification of DNA fragments as long as 5 kb, DNA labeling, DNA sequencing, PCR for cloning.

46033	**HSP TAQ DNA Polymerase (5U/µl)**	Includes HSP Taq DNA Polymerase (5U/µl) 10X HSP PCR Buffer (with Mg^{2+}) 6×Loading Buffer	500 units 1000 units	4780.00 8860.00

BioLit® High Fidelity PCR

Pfu DNA polymerase, derived from the hyperthermophilic archae Pyrococcus furiosus, has superior thermostability and proofreading properties. It can amplify DNA target up to 2 kb (simple template), possesses 3' to 5' exonuclease proofreading activity, generates PCR fragments will have fewer errors, results in blunt-ended PCR products, which are ideal for cloning into blunt-ended vectors
Applications - High-fidelity PCR and primer-extension reactions, High fidelity PCR for cloning into blunt-ended vectors, Site-directed mutagenesis.

22774	**Pfu DNA Polymerase (5U/µl)**	Includes Pfu DNA Polymerase (5U/µl) 10X Pfu Buffer (Mg^{2+}) 6X Loading Buffer	250 units 1000 units	6480.00 22720.00
49069	**Pfu DNA Polymerase (5U/µl) (w/dNTP)**	Includes Pfu DNA Polymerase (5U/µl) 10X Pfu Buffer (Mg^{2+}) 6X Loading Buffer dNTP mix (each 2.5mM)	250 units 1000 units	6710.00 23850.00

Taq Plus DNA Polymerase is a mixture of Taq and Pfu DNA polymerase that allows amplification of higher fidelity and longer templates Ideal for amplifying complex template, such as GC-rich template.
Applications - Amplification of long template up to 20kb, Amplification of complex template, High fidelity PCR

85737	**TAQ Plus DNA Polymerase (2.5U/µl)**	Includes Taq plus DNA Polymerase (2.5U/µl) 10X PCR Buffer (Mg^{2+} Plus) 6X Loading Buffer	250 units 1000 units	4090.00 14770.00
93561	**TAQ Plus DNA Polymerase (2.5U/µl) (w/dNTP)**	Includes Taq plus DNA Polymerase (2.5U/µl) 10X PCR Buffer (Mg^{2+}) 6X Loading Buffer dNTP mix (each 2.5mM)	250 units 1000 units	4320.00 15220.00

BioLit® Long PCR

Long Taq DNA Polymerase, a combination of two thermostable DNA polymerases, Taq and Pfu, is a special formulation designed for amplifying large fragments. This specially formulated Long Taq was shown to amplifiy long templates from λ phage genome of up to 40 kb. It is also a better choice for amplifying complex template, such as GC-rich template. Long Taq is suitable as a direct replacement for ordinary Taq Polymerase in most applications. Using Long Taq in your PCR results in PCR products with 3´-dA overhangs which can be used in TA clone.

15367	**Long TAQ DNA Polymerase (5U/µl)**	Includes Long Taq DNA Polymerase (5U/µl) 10X Long Taq Buffers I & II (Mg^{2+}) 6X Loading Buffer PCR Enhancer	250 units 1000 units	6820.00 24990.00
94126	**Long TAQ DNA Polymerase (5U/µl) (w/dNTP)**	Includes Long Taq DNA Polymerase (5U/µl) 10X Long Taq Buffers I & II (Mg^{2+}) 6X Loading Buffer PCR Enhancer dNTP mix (each 2.5mM)	250 units 1000 units	7160.00 26120.00

code	product name	application/description	unit	unit price ₹

BioLit® Fast PCR

FSP Taq DNA polymerase is the latest generation Taq-based DNA polymerase. It possesses high amplification efficiency as Taq polymerase and with fast elongation ability, it can be used in a variety of PCR. The FSP PCR Buffer, designed for FSP Taq DNA polymerase, can be used in fast amplification reactions.
The elongation rate of FSP Taq DNA polymerase is 2-fold higher than the one of regular Taq DNA polymerase, which shortens the amplification time by half.

58235	**FSP TAQ DNA Polymerase (5U/µl)**	Includes FSP Taq DNA Polymerase (5U/µl) 10X FSP Taq Buffer (with Mg^{2+}) 6X Loading Buffer	250 units 1000 units	3640.00 11360.00
70073	**FSP TAQ DNA Polymerase (5U/µl) (w/dNTP)**	Includes FSP Taq DNA Polymerase (5U/µl) 10X FSP Taq Buffer (with Mg^{2+}) 6X Loading Buffer dNTP mix (each 2.5 mM)	250 units 1000 units	3870.00 11820.00

BioLit® PCR Mixes

Routine PCR Master Mixes

Ready-to-use solutions containing the specific DNA Polymerase, dNTP, Mg^{2+} and Reaction Buffer at optimal concentrations for efficient amplification of DNA templates by PCR. This pre-mixed formulation saves time and reduces contamination due to the fewer pipetting steps. Includes Specific DNA Polymerase Mix, Water Nuclease Free.

50900	**Taq Mix (2X) (PCR Master Mix (2X))**	1ml (40 rxns) 5×1ml (200 rxns)	2730.00 12040.00
46503	**Roseate PCR Master Mix (2X) (Taq Mix (2X))**	1ml (40 rxns) 5×1ml (200 rxns)	2930.00 12440.00
94531	**Pfu Mix (2X)**	1ml (40 rxns) 5×1ml (200 rxns)	7330.00 28900.00
23782	**Plus Mix (2X)**	1ml (40 rxns) 5×1ml(200 rxns)	7460.00 28900.00
66677	**HSP Mix (2X)**	1ml(40 rxns) 5×1ml (200 rxns)	3670.00 15160.00
36250	**Long Taq Mix (2X)**	1ml (40rxns) 5×1ml (200 rxns)	7330.00 18120.00
11307	**FSP Taq Mix (2X)**	1ml (40 rxns) 5×1ml (200 rxns)	4890.00 21890.00
84729	**FSP Taq Mix Direct for blood (2X)**	1ml (40 rxns) 5×1ml (200 rxns)	7390.00 30660.00
20220	**FSP Taq Mix Direct for tissue (2X)**	1ml (40 rxns) 5×1ml (200 rxns)	7390.00 30660.00

Realtime PCR Master Mix (qPCR)

2X Master Mix for Real-Time PCR, contains all components, except the primer & template. This reagent is applicable for intercalation assay with FluroGreen dye which is similar to SYBR Green I. Reagent can be used in various detection devices. Also available with passive reference dye of low or high concentrations.
Includes FluroGreen qPCR Mix(2X)w/wt passive refrence dye, Nuclease Free Water .

60159	**BioLit FluroGreen qPCR Master Mix (2X)**	0.5ml (20 amps) 1ml (40 amps)	5630.00 9740.00
78797	**BioLit FluroGreen qPCR Master Mix (Low CAR) (2X)**	0.5ml (20 amps) 1ml (40 amps)	5950.00 10600.00



code	product name	application/description	unit	unit price ₹
38151	**BioLit FluroGreen qPCR Master Mix (High CAR) (2X)**		0.5ml (20 amps) 1ml (40 amps)	6710.00 11690.00

BioLit® PCR Accessory Reagents

Ready-to-use reagents for PCR for the user's convenience.

61318	**10X PCR Buffer with KCl (Mg^{2+}free)**		4×1.25ml	1460.00
41212	**10X PCR Buffer with 15mM Mg^{2+}**		4×1.25ml	1460.00
43386	**10X PCR Buffer with Mg^{2+} set**		6×1.25ml	1800.00
90508	**10X Roseate PCR Buffer with Mg^{2+}**	Ready-to-use reagent having two tracking dyes along with the buffer & MgCl2. After PCR, samples can be loaded directly onto the agarose gel for electrophoresis.	4×1.25ml	1410.00
86687	**25mM $MgCl_2$**		4×1.25ml	1650.00
66886	**DEPC-Treated Water**	Suitable in any application where RNA is involved and all molecular biology applications.	100 ml 500 ml	550.00 1710.00
96370	**Water, nuclease-free**	Suitable for use in all molecular biology applications.	5×1ml 100ml 500 ml	290.00 550.00 1710.00
20870	**PCR Enhancer**	Useful to optimize PCR of problematic and/or GC-rich templates. Offers higher primer specificity,and improved themostability of DNA polymerases.	0.5ml	3870.00
52531	**PCR Sample Preparation Solution**	Simple, all-inclusive sample preparation solutions for varied samples suitable for direct PCR techniques.	50 preps 200 preps	1710.00 6590.00
48044	**Glycogen (20mg/ml) Aq. Solution Ultrapure**		2×0.25 ml 1 ml	8400.00 13650.00
79326	**Shrimp Alkaline Phosphatase (rSAP) (1U/ul)**		500 units 1000 units	8660.00 16230.00

Shrimp Alkaline Phosphatase (r-SAP) is a heat labile alkaline phosphatase purified from a recombinant source. rSAP is identical to the native enzyme and contains no affinity tags or other modifications. rSAP nonspecifically catalyzes the dephosphorylation of 5´ and 3´ ends of DNA and RNA phosphomonoesters.

BioLit® NTP and dNTP Sets, Mixes & Solutions

NTP Set & Solutions (100mM each)

The set and individual solutions consist of 100mM aqueous solutions of ATP, TTP, CTP and GTP each supplied in separate vials. These ready-to-use solutions offer maximum flexibility for various molecular biology applications *viz. in vitro* transcription, RNA amplification.
Applications - for use in PCR, long PCR, RT-PCR, cDNA synthesis, primer extension, DNA sequencing, DNA labeling.

65240	**NTP Set Ultrapure (100mM each)**	4x0.25ml	7950.00
89889	**ATP Solution Ultrapure (100mM)**	0.25ml	1820.00
71636	**CTP Solution Ultrapure (100mM)**	0.25ml	1820.00
88705	**GTP Solution Ultrapure (100mM)**	0.25ml	1820.00
93633	**UTP Solution Ultrapure (100mM)**	0.25ml	1820.00

code	product name	application/description	unit	unit price ₹

dNTP Sets (100mM, 10mM)

The sets consists of 10mM/100mM aqueous solutions of dATP, dTTP, dCTP and dGTP, pH 7.0, each supplied in a separate vial. The dNTP Set offers maximum flexibility in preparation of reaction mixes for different molecular biology applications.
Applications - for use in PCR, long PCR, RT-PCR, cDNA synthesis, primer extension, DNA sequencing, DNA labeling.

94903	**dNTP Set Ultrapure (100mM each)**	4×0.25ml	7840.00
		4×1ml	27260.00
69478	**dNTP Set Ultrapure(10mM each)**	4×0.1ml	1710.00
		4×0.5ml	4550.00
		5x(4x0.2ml)	9090.00

dNTP Mixes

dNTP Mix is an aqueous solution at pH 7.0 containing dATP, dCTP, dGTP and dTTP, each at a final concentration of 2.5 mM/10mM/25mM. They are ready-to-use solutions designed to save time, provide higher reproducibility in PCR and other applications, reduce the number of pipetting steps and the risk of reaction set-up errors.
Applications - for use in PCR, long PCR, RT-PCR, cDNA synthesis, primer extension, DNA sequencing, DNA labeling.

70596	**dNTP Mix Ultrapure (2.5mM each)**	1ml	2390.00
		5×1ml	8520.00
18821	**dNTP Mix Ultrapure (10mM each)**	1ml	3190.00
		5×1ml	9660.00
14464	**dNTP Mix Ultrapure (25mM each)**	1ml	3750.00
		5×1ml	14770.00

dNTP Solutions

Each individual dNTP is supplied as a 100mM solution in sterile, deionized water at pH 7.0 and is prepared from monosodium salts of the free nucleotides.
Applications - for use in PCR, long PCR, RT-PCR, cDNA synthesis, primer extension, DNA sequencing, DNA labeling.

72009	**dATP (100mM Solution)**	0.2 ml	2500.00
		0.5 ml	4550.00
19809	**dCTP (100mM Solution)**	0.2 ml	2500.00
		0.5 ml	4550.00
47435	**dGTP (100mM Solution)**	0.2 ml	2500.00
		0.5 ml	4550.00
91474	**dTTP (100mM Solution)**	0.2 ml	2500.00
		0.5 ml	4550.00
71411	**dUTP (100mM Solution)**	0.25ml	11250.00

BioLit® RNA Accessory Reagents

75044	**Oligo (dT) 15 primer (50µM)**	A synthetic single-stranded 15-mer oligonucleotide with 5'- and 3'-hydroxyl ends. Supplied as an aqueous solution. Used for first strand cDNA synthesis synthesis in presence of reverse transcriptase	50 µl	2050.00
53704	**Random Hexamer Primer 6-mer (50µM)**	A mixture of single-stranded random hexanucleotides with 5'- and 3'-hydroxyl ends. Used during cDNA synthesis to produce cDNAs randomly scattered through mRNA resulting in short strands of cDNA.	50 µl	2050.00
96710	**Ribonuclease A Solution ex. Bovine Pancreas (RNAse A Soln) (10mg/ml) (DNase, Protease Free)**	RNase A is an endoribonuclease extracted from bovine pancreas that specifically degrades single-stranded RNA.	3 x1 ml 10 ml	3640.00 11360.00
38080	**Ribonuclease H (RNase H) (5U/ul)**	RNase H is a recombinant endoribonuclease that hydrolyses specifically the phosphodiester bonds of RNA hybridized to DNA and produces 5´ phosphate-terminated oligoribonucleotides and single-stranded DNA.	50 units 250 units	7580.00 22720.00
92030	**RNasin (RNase inhibitor) (40U/µl)**	Ribonuclease inhibitor purified from human placenta. It inhibits ribonuclease (RNase) activity of common eukaryotic enzymes such as RNaseA, RNase B, RNase C. Inhibits RNA degradation in the following procedures: in vitro transcription, cDNA synthesis, in vitro translation, isolation of mammalian cell fractions that contain mRNA-protein complex etc.	1000 units	4090.00



code	product name	application/description	unit	unit price ₹
71969	**RNA Stabilizing Solution**	An aqueous tissue storage reagent that stabilizes and protects cellular RNA in intact, unfrozen tissue samples. It eliminates the need to immediately process tissue samples or to freeze samples in liquid nitrogen. It does not jeopardize the quality or quantity of RNA in the sample.	5 x1 ml 100 ml 500 ml	2520.00 3360.00 7880.00
20310 **new**	**RNA Loading Buffer (5X)**	It is used to load RNA sample on a formaldehyde agarose gel. It consists of two tracking dyes, Bromophenol blue and Xylene cyanol.	1 ml 5 x1ml	1200.00 5500.00
98343 **new**	**T7 RNA Polymerase (50U/ul) (w/10X IVT Buffer)**	T7 RNA polymerase is a monomeric bacteriophage encoded DNA directed RNA polymerase which catalyzes the formation of RNA in the 5'-3' direction.	1000 units 5000 units	8000.00 39000.00
76516	**M-MLV (Recombinant) (200U/µl)**	A Reverse Transcriptase enzyme that generates first PCR strand cDNA for use in PCR, real-time. Includes 10X Reaction Buffer	5000 units 10000 units	9000.00 16000.00
94837	**RT-PCR Kit (First Strand cDNA Synthesis Kit)**	Reverse Transcriptase -PCR Kit is optimized to synthesize first-strand cDNA from purified poly (A)+ or total RNA. Includes - M-MLV (200U/µl), RNasin (40U/µl), Oligo(dT)15 (50µM), Random hexamer primer (50µM), 5X First-strand Buffer, RNase-free Water, dNTP mix (10mM each)	20 preps 40 preps 100 preps	7100.00 11930.00 28390.00
41066	**TRIzol-C Reagent**	Ready-to-use reagent for the isolation of high yields of total RNA from cells and tissues. As it is differently buffered from TRIzol-T reagent, the isolated RNA may interact with these metal ions if involved in downstream processes.	20 ml 100 ml	1820.00 6360.00
99359	**TRIzol-T Reagent**	Ready-to-use reagent for the isolation of high yields of total RNA from cells and tissues. Differs in the buffer of TRIzol-T reagent, and is innocuous to all downstream processes.	20 ml 100 ml	1600.00 6140.00

BioLit® Tracking dyes & Buffers

6x Gel Loading Dyes are pre-mixed loading buffers with tracking dye/s to be added to the nucleic acid samples for agarose and non-denaturing poylacrylamide gel electrophoresis.

78591	**6X Blue Loading Dye**	Contains Bromophenol blue as tracking dye.	5×1 ml	2770.00
83184	**6X DNA Loading Dye**	Contains Bromophenol blue and Xylene Cyanol FF as tracking dyes.	5×1 ml	2770.00
56885	**6X DNA Loading Dye & SDS solution**	Contains Bromophenol blue and Xylene Cyanol FF as tracking dyes. The buffer also contains SDS which results in sharper bands as some restriction enzymes remain bound to DNA following cleavage	5×1 ml	3120.00
46200	**6X Orange Loading Dye**	Contains Orange G and Xylene Cyanol FF as tracking dyes	5×1 ml	2770.00
55895	**6X TriColor Loading Dye**	Contains Orange G, Bromophenol Blue and Xylene Cyanol FF as tracking dyes	5×1 ml	2770.00
73530	**20X DoubleQuick DNA Electrophoresis Buffer**	An exceptionally 'swift' agarose gel tank buffer that electrophoreses the DNA samples in less than 10 minutes. Three times more effective as compared to TAE or TBE buffer.	250 ml 500 ml	4160.00 7530.00

BioLit® Staining Dyes for Nucleic Acids

Nucleic acid & protein staining dyes.

50358	**BioLit FluroBronze Stain**	A non-carcinogenic nucleic acid stain that is eco-friendly and replaces the use of ethidium bromide. Used for viewing nucleic acids on agarose gel. Advantage: The stain is not added to the gel matrix or the running buffers, but is mixed as a 6X loading buffer with the nucleic acid samples prior to loading onto the gel.	50 µl 250 µl 1 ml	1140.00 3640.00 11360.00
21156	**SafeDye Green Stain (20000X in Water)**		100 µl 500 µl 1 ml	6930.00 28350.00 50400.00

code	product name	application/description	unit	unit price ₹
25834	**BioLit SafeDye Stain**	SafeDye is a new, safe nucleic acid stain for the detection of double-stranded DNA, single-stranded DNA and RNA in Agarose gels. This dye replaces Ethidium Bromide (toxic, potential mutagen) commonly used in Agarose gel electrophoresis and assists in determining the size of PCR product, insert and restriction analysis. SafeDye emits green fluorescence when bound to dsDNA, ssDNA and RNA. This stain has a fluorescence excitation maxima when bound to nucleic acid at approx. 290-320nm and emits at 490nm.	50 µl 250 µl 1 ml	1030.00 3410.00 10230.00

BioLit® Reference Digests/Markers

87978	**ProxiB Lambda HindIII Digest Marker** Size range: 2.0 to 23kb	Lambda DNA is used routinely for measurement of restriction enzyme activities. Lambda-Hind III digestion is a useful demonstration experiment for restriction analysis and it is a substrate for checking DNA ligase. This is a ready-to-load marker and contains Bromophenol Blue as the tracking dye. (bands at 0.1 & 0.5kb although present, are very faint.)	50 µg 100 µg	2220.00 3860.00
90023	**ProxiB Lambda-EcoRI Digest Marker** Size range: 3.5 to 21kb	Lambda-EcoRI digest is a popular teaching tool to demonstrate the activity of restriction enzymes. This is a ready-to-load marker and contains Bromophenol Blue as the tracking dye.	50 µg 100 µg	2460.00 3980.00
53625	**ProxiB Lambda Double Digest Marker** Size range: 0.5 to 23kb	Lambda DNA double digest of Hind III/EcoRI is a popular teaching tool to demonstrate double-digests (i.e., the simultaneous use of two restriction enzymes). This is a ready-to-load marker and contains Bromophenol Blue as the tracking dye.	50 µg 100 µg	2600.00 4320.00
46658	**ProxiB Lambda BstEII Digest Marker** Size range: 0.1-8.4 kb		50 µg	3240.00
93663	**Lambda PstI Digest Marker** Size range: 0.25-11.5 kb		50 µg	3030.00

BioLit® Nucleic Acid

64438	**DH5α Competent Cells for Subcloning**		2 x0.1 ml 4 x0.5 ml	2630.00 18900.00
67291	**Lambda DNA**	Lambda DNA is a double stranded linear DNA of 48,502 base pairs in length. It is isolated from bacteriophage Lambda. The Lambda Phage is a bacterial virus (bacteriophage), that infects the bacterial species E. coli. The phage is isolated from the heat inducible lysogen *E. coli* strain. This NA is useful as size markers, in restriction enzyme assays and cloning. Concentration — 250ng/µl	100 µg 250 µg	3360.00 7410.00



code	product name	application/description	unit	unit price ₹

BioLit® Cloning Vectors

A cloning vector is a small piece of DNA into which a foreign DNA fragment can be inserted. The insertion of the fragment into the cloning vector is carried out by treating the vehicle and the foreign DNA with the same restriction vector, then ligating the fragments together. There are many types of cloning vectors. Genetically engineered plasmids are most commonly used for this purpose.

55912	**pBR322**	50 µg	4800.00
	pBR322 was the first artificial plasmid. It is a 4361 bp long plasmid and was originally developed for cloning. This low copy number plasmid contains tetracycline and ampicllin resistance-conferring genes. pBR322 remains a popular teaching aid for demonstration of plasmid isolation, restriction digestion and cloning.	100 µg	9080.00
93116	**pUC18**	50 µg	4800.00
	pUC18 vector is a circular double stranded DNA and is 2686 base pairs long. This plasmid possesses – i) ampicillin resistance gene ii) the origin of replication derived from pBR322 and iii) the lac Z gene derived from *E. coli*. Within the lac region is also found a polylinker sequence having unique restriction sites. It is a popular teaching aid for demonstrating plasmid DNA isolation, restriction digestion and cloning.	100 µg	9080.00
48402	**pUC19**	50 µg	4800.00
	pUC19 vector is also a circular double stranded DNA and is 2686 base pairs long. It is similar to pUC18, but possesses different restriction sites. This plasmid possesses – i) ampicillin resistance gene ii) the origin of replication derived from pBR322 and iii) the lac Z gene derived from *E. coli*. Within the lac region is also found a polylinker sequence having unique restriction sites. It is a popular teaching aid for demonstrating plasmid DNA isolation, restriction digestion and cloning.	100 µg	9080.00


code	product name	application/description	unit	unit price ₹

BioLit® Ready-to-use DNA Molecular Weight Standards

BioLit DNA markers come in many useful ranges to cover most of the requirements of researchers and students. The markers are provided in a ready-to-use format for convenience and high reproducibility. We recommend a volume of 10 µL (~1 µg total DNA) per load to ensure that distinct, prominent DNA bands are observed even with a less sensitive UV transilluminator or in a less than optimal dark chamber. Users might be able to load a volume less than that recommended (without compromising results) if a high-sensitivity gel documentation system is available.

The markers have been carefully prepared under sterile conditions and stored in 10 mM Tris-HCl, pH 7.5, 1 mM EDTA and 1 mg/ml sodium azide and are unstained markers. Stocks will be stable for several months if properly stored frozen or even refrigerated.


10344	**Low-Range DNA Marker: 0.1 – 1kb**	This marker range has been designed to assist in determining the size of PCR product, insert and restriction analysis. These ready-to-load DNA markers contain Bromophenol Blue as the tracking dye. Size range: 103 to 1074bp	15 µg 50 µg 100 µg	2050.00 5800.00 10910.00
12447	**Mid-Range DNA Marker: 0.5 – 5kb**	This marker range should facilitate the analysis of inserts cloned into commonly used plasmids and restriction digests. These ready-to-load DNA markers contain Bromophenol Blue as the tracking dye. Size range: 448 to 5024bp	15 µg 50 µg 100 µg	2050.00 5800.00 10910.00
45587	**Hi-Range DNA Marker: 2.0 – 25kb**	This marker range is useful for experiments involving mega plasmids or genomic analysis. These ready-to-load DNA markers contain Bromophenol Blue as the tracking dye. Size range: 2.0 to 25kb	15 µg 50 µg 100 µg	2050.00 3190.00 5800.00




These DNA markers are packaged in ready-to-use convenient quantities, 150, 500 & 1000µL, containing 15, 50 & 100 µg respectively, recommended for 15, 50 & 100 loadings respectively.

code	product name	application/description	unit	unit price ₹


BLM013



BLM014



BLM015



BLM016



54882	ProxiO DNA Marker 1 : 0.1-0.6kb	Size range: 100 to 600bp These ready-to load DNA markers contain Bromophenol Blue and Xylene Cyanol as the tracking dye. Accompanied by a vial of 6X Orange Loading Dye.	50 µg	7320.00
48234	ProxiO DNA Marker 2 : 0.1-1.2kb	Size range: 100 to 1200bp These ready-to load DNA markers contain Bromophenol Blue and Xylene Cyanol as the tracking dye. Accompanied by a vial of 6X Orange Loading Dye.	50 µg 3x50 µg	9060.00 23750.00
30219	ProxiO DNA Marker 3 : 0.2-4.5kb	Size range: 200 to 4500bp These ready-to load DNA markers contain Bromophenol Blue and Xylene Cyanol as the tracking dye. Accompanied by a vial of 6X Orange Loading Dye.	50 µg	7320.00
20082	ProxiO DNA Marker 4 : 0.5-10kb	Size range: 500 to 15000bp These ready-to load DNA markers contain Bromophenol Blue and Xylene Cyanol as the tracking dye. Accompanied by a vial of 6X Orange Loading Dye.	50 µg 3x50 µg	5710.00 15340.00

BioLit® FluroBronze™ DNA Marker Packs

The varying range of specially prepared DNA marker packs (ready-to-load) contain in addition to the tracking dyes, a non-carcinogenic nucleic acid stain (BioLit® FluroBronze™ Stain) for detection of the marker bands. This nucleic acid stain replaces ethidium bromide in agarose gel preparation thus simplifying the preparation of agarose gel sans a potentially mutagenic dye.

57939	**FluroBronze™ DNA Marker 1**	Size range: 100 to 600bp These ready-to-load DNA markers contain Bromophenol Blue & Xylene Cyanol as the tracking dye along with FluroBronze stain as the fluorescent dye. Accompanied by a vial of 6X FluroBronze Stain.	50 µg	12630.00
35412	**FluroBronze™ DNA Marker 4**	Size range: 500 to 15000bp These ready-to-load DNA markers contain Bromophenol Blue & Xylene Cyanol as the tracking dye along with FluroBronze stain as the fluorescent dye. Accompanied by a vial of 6X FluroBronze Stain.	50 µg	12630.00

code	product name	application/description	unit	unit price ₹
32462	**FluroBronze™ Mid Range DNA Marker**	Size range: 448 to 5,024bp These ready-to-load DNA markers contain Bromophenol Blue as the tracking dye along with FluroBronze stain as the fluorescent dye. Accompanied by a vial of 6X FluroBronze Stain	50 µg	10750.00
99331	**FluroBronze™ Hi-Range DNA Marker**	Size range: 2.0 to 25kb These ready-to-load DNA markers contain Bromophenol Blue as the tracking dye along with FluroBronze stain as the fluorescent dye. Accompanied by a vial of 6X FluroBronze Stain	50 µg	14370.00

BioLit® SafeDye DNA Marker Packs


The varying range of DNA marker packs (ready-to-load) are accompanied by a vial of SafeDye Stain, a non-carcinogenic nucleic acid stain mixed in a 6X loading buffer, for detection of the marker bands. This nucleic acid stain replaces ethidium bromide in agarose gel preparation thus eliminating a potentially mutagenic dye.

57493	**SafeDye™ DNA Marker 1**	Size range: 100 to 600bp These ready-to-load DNA markers contain Bromophenol Blue & Xylene Cyanol as the tracking dye. Accompanied by a vial of 6X SafeDye Stain.	50 µg	11210.00
21054	**SafeDye™ DNA Marker 4**	Size range: 500 to 15000bp These ready-to-load DNA markers contain Bromophenol Blue & Xylene Cyanol as the tracking dye. Accompanied by a vial of 6X SafeDye Stain.	50 µg	11210.00
81685	**SafeDye™ Mid range DNA Marker**	Size range: 448 to 5,024 bp These ready-to-load DNA markers contain Bromophenol Blue as the tracking dye. Accompanied by a vial of 6X SafeDye Stain.	50 µg	12960.00
56678	**SafeDye™ Hi-range DNA Marker**	Size range: 2.0 to 25kb These ready-to-load DNA markers contain Bromophenol Blue as the tracking dye. Accompanied by a vial of 6X SafeDye Stain.	50 µg	12960.00


code	product name	application/description	unit	unit price ₹

BioLit® DNA Ladders

These ready-to-load ladders are designed with precise DNA fragments for accurate quantification by agarose gel electrophoresis. The concentration of each band is kept uniform to give sharp bands. A single or multiple bands in the ladders are made intense to orient the user to the other bands in the ladder. Recommended Loading volume 3-5µl. The products are unstained DNA Ladders.




ProxiO 10bp DNA Ladder




5µl/Lane,
5% Agarose Gel


ProxiO 20bp DNA Ladder




ProxiO Low DNA Ladder



ProxiO 50bp DNA Ladder




ProxiO 50bp DNA Ladder Plus




code	product name	application/description	unit	unit price ₹


ProxiO 100bp DNA Ladder




ProxiO 100bp DNA Ladder Plus




ProxiO 200bp DNA Ladder




ProxiO 500bp DNA Ladder




ProxiO 1kb DNA Ladder




ProxiO 1kb DNA Ladder Plus




D2000 Ladder




D5000 Ladder



D10000 Ladder



D15000 Ladder



code old/new	product name	application/description	unit	unit price ₹
44897	**ProxiO 10bp DNA Ladder**	Size range: 80 to 300 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes. Accompanied by a vial of 6X Orange Loading Dye.	50 µg	9930.00
98628	**ProxiO 20bp DNA Ladder**	Size range: 60 to 300 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes. Accompanied by a vial of 6X Orange Loading Dye.	50 µg	8910.00
68905	**ProxiO Low DNA Ladder**	Size range: 25 to 700 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes. Accompanied by a vial of 6X Orange Loading Dye.	50 µg 5X 50 µg	7500.00 36770.00
82208	**ProxiO 50bp DNA Ladder**	Size range: 50 to 500 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes. Accompanied by a vial of 6X Orange Loading Dye.	50 µg 5X 50 µg	7070.00 23240.00
88417	**ProxiO 50bp DNA Ladder Plus**	Size range: 50 to 1,000 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes. Accompanied by a vial of 6X Orange Loading Dye.	50 µg 5X 50 µg	6770.00 23690.00
92972	**ProxiO 100bp DNA Ladder**	Size range: 100 to 1,500 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes. Accompanied by a vial of 6X Orange Loading Dye.	50 µg 5X 50 µg	5680.00 21990.00



code	product name	application/description	unit	unit price ₹
84628	**ProxiB 100bp DNA Ladder**	Size range: 100 to 1,500 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes.	50 µg 5X 50 µg	5680.00 21990.00
52075	**ProxiO 100bp DNA Ladder Plus**	Size range: 100 to 3,000 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes. Accompanied by a vial of 6X Orange Loading Dye.	50 µg 5X 50 µg	5680.00 21990.00
50255	**ProxiB 100bp DNA Ladder Plus**	Size range: 100 to 3,000 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes.	50 µg 5X 50 µg	5680.00 21990.00
37217	**ProxiO 200bp DNA Ladder**	Size range: 200 to 4,000 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes. Accompanied by a vial of 6X Orange Loading Dye.	50 µg	8680.00
93121	**ProxiO 500bp DNA Ladder**	Size range: 500 to 5,000 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes. Accompanied by a vial of 6X Orange Loading Dye.	50 µg	9130.00
48290	**ProxiO 1kb DNA Ladder**	Size range: 500 to 10,000 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes. Accompanied by a vial of 6X Orange Loading Dye.	50 µg 5X 50 µg	5560.00 23790.00
93406	**ProxiO 1kb DNA Ladder Plus**	Size range: 100 to 10,000 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes. Accompanied by a vial of 6X Orange Loading Dye.	50 µg 5X 50 µg	5560.00 23790.00
77305	**PCR Ladder**	This size marker covers the most common range encountered in PCR and shows an aesthetically pleasing ladder of five bands (50, 150, 300, 500, and 800 bp) that separate uniformly as shown. Contains Bromophenol Blue as the tracking dye.	10 µg 50 µg	1860.00 5910.00

BioLit® FluroBronze™ DNA Ladder Packs

The varying range of specially prepared DNA ladder packs (ready-to-load) contain in addition to the tracking dyes, a non-carcinogenic nucleic acid stain (BioLit FluroBronze Stain) for detection of the ladder bands. This nucleic acid stain replaces ethidium bromide in agarose gel preparation thus simplifying the preparation of agarose gel sans a potentially mutagenic dye.

76195	**FluroBronze™ PCR Ladder**	Size range: 50 to 800 bp Contains Bromophenol Blue as the tracking dye along with FluroBronze stain as the fluorescent dye. Also accompanied by a vial of 6X FluroBronze Stain.	50 µg	11070.00
39563	**FluroBronze™ 50bp Ladder Plus**	Size range: 50 to 1,000 bp Contains Bromophenol Blue & Xylene Cyanol as the tracking dyes along with FluroBronze stain as the fluorescent dye. Also accompanied by a vial of 6X FluroBronze Stain.	50 µg	12050.00
97958	**FluroBronze™ 100bp Ladder**	Size range: 100 to 1,500 bp Contains Bromophenol Blue & Xylene Cyanol as the tracking dyes along with FluroBronze stain as the fluorescent dye. Also accompanied by a vial of 6X FluroBronze Stain.	50 µg	10790.00

code	product name	application/description	unit	unit price ₹
72601	**FluroBronze™ 100bp Ladder Plus**	Size range: 100 to 3,000 bp Contains Bromophenol Blue & Xylene Cyanol as the tracking dyes along with FluroBronze stain as the fluorescent dye. Also accompanied by a vial of 6X FluroBronze Stain.	50 µg	10720.00
54896	**FluroBronze™ 500bp Ladder**	Size range: 500 to 5,000 bp Contains Bromophenol Blue & Xylene Cyanol as the tracking dyes along with FluroBronze stain as the fluorescent dye. Also accompanied by a vial of 6X FluroBronze Stain.	50 µg	14290.00
23416	**FluroBronze™ 1kb Ladder Plus**	Size range: 100 to 10,000 bp Contains Bromophenol Blue & Xylene Cyanol as the tracking dyes along with FluroBronze stain as the fluorescent dye. Also accompanied by a vial of 6X FluroBronze Stain.	50 µg	10230.00

BioLit® SafeDye™ DNA Ladder Packs

The varying range of DNA ladder packs (ready-to-load) contain DNA ladders accompanied by the BioLit SafeDye Stain, a non-carcinogenic nucleic acid stain mixed in a 6X loading buffer, for detection of the ladder bands. This nucleic acid stain replaces ethidium bromide in agarose gel preparation thus eliminating a potentially mutagenic dye.

64935	**SafeDye™ PCR Ladder**	Size range: 50 to 800 bp Contains Bromophenol Blue as the tracking dye. Also accompanied by a vial of 6X SafeDye Stain.	50 µg	10370.00
19262	**SafeDye™ 50bp Ladder Plus**	Size range: 50 to 1,000 bp Contains Bromophenol Blue & Xylene Cyanol as the tracking dyes. Also accompanied by a vial of 6X SafeDye Stain.	50 µg	10650.00
33902	**SafeDye™ 100bp Ladder**	Size range: 100 to 1,500 bp Contains Bromophenol Blue & Xylene Cyanol as the tracking dyes. Also accompanied by a vial of 6X SafeDye Stain.	50 µg	10790.00
53261	**SafeDye™ 100bp Ladder Plus**	Size range: 100 to 3,000 bp Contains Bromophenol Blue & Xylene Cyanol as the tracking dyes. Also accompanied by a vial of 6X SafeDye Stain.	50 µg	9110.00
27107	**SafeDye™ 500bp Ladder**	Size range: 500 to 5,000 bp Contains Bromophenol Blue & Xylene Cyanol as the tracking dyes. Also accompanied by a vial of 6X SafeDye Stain.	50 µg	12890.00
29877	**SafeDye™ 1kb Ladder Plus**	Size range: 100 to 10,000 bp Contains Bromophenol Blue & Xylene Cyanol as the tracking dyes. Also accompanied by a vial of 6X SafeDye Stain.	50 µg	10230.00

Surface Decontamination Spray

69341 **new**	**DNA Decontam Surface Decontamination Spray**	Eliminate unwanted DNA and DNase from glassware and plastic ware without affecting subsequent DNA samples and plastic ware without affecting subsequent DNA samples. Supplied in a spray bottle	250ml	3500.00
27248 **new**	**RNAse Decontam Surface Decontamination Spray**	A surface decontamination solution that destroys RNases on contact. Spray the Solution onto surfaces to be decontaminated and rinse off with RNase-free-water. Supplied in a spray bottle format.	250ml	4000.00



code	product name	application/description	unit	unit price ₹

BioLit® Restriction Enzymes

BioLit® Restriction Enzymes are highly purified and ensure that the integrity of your DNA is not compromised, making them the enzymes of choice for even the most demanding applications. All the Restriction Enzymes are accompanied with their specific reaction buffer to enable 100% enzyme activity.

85844	**AluI (10U/µl)**	100 unit	3860.00
51914	**BamHI (10U/µl)**	2500 unit	3000.00
32338	**BglI (10U/µl)**	1500 unit	6420.00
24848	**BglII (10U/µl)**	250 unit	2360.00
		500 unit	4280.00
78895	**BspTI (MspCI,AflII) (10U/µl)**	250 unit	2140.00
23203	**Eco91I (BstEII) (10U/µl)**	500 unit	3000.00
99402	**DraI (10U/µl)**	1000 unit	4710.00
91290	**EcoRI (10U/µl)**	4000 unit	2890.00
90279	**EcoRV (Eco321) (10U/µl)**	1500 unit	4280.00
61338	**HaeIII (BsuRI, BshFI) (10U/µl)**	3000 unit	3680.00
		10000 units	11550.00
44261	**HincII (HindII) (10U/µl)**	250 units	3150.00
		1000 units	11030.00
77976	**HindIII (10U/µl)**	2500 units	2040.00
		5000 units	3960.00
36322	**HinfI (10U/µl)**	750 unit	3210.00
15100	**KspAI (HpaI) (10U/µl)**	200 unit	3000.00
		500 unit	6000.00
47167	**KpnI (10U/µl)**	1000 unit	2730.00
		2000 unit	5140.00
65301	**MboI (10U/µl)**	300 unit	5520.00
		1100 unit	18900.00
79971	**NcoI (10U/µl)**	125 unit	3000.00
		300 unit	5250.00
75760	**NdeI (10U/µl)**	500 unit	2940.00
		2500 unit	13130.00
97361	**NotI (10U/µl)**	100 unit	3210.00
		250 unit	7490.00
94651	**PstI (10U/µl)**	1500 unit	2040.00
		4500 unit	5140.00
72649	**PvuII (10U/µl)**	2000 unit	4710.00
97505	**RsaI (10U/µl)**	250 unit	3590.00
		1000 unit	9210.00
27301	**SacI (10U/µl)**	750 unit	3780.00
		1250 unit	5780.00
10190	**SalI (10U/µl)**	500 unit	2570.00
		750 unit	3750.00

code	product name	application/description	unit	unit price ₹
74952	**Sau3AI (Bsp143I) (10U/µl)**		300 unit	4830.00
			1500 unit	22050.00
15231	**SmaI (10U/µl)**		500 unit	4710.00
49365	**SpeI (BcuI) (10U/µl)**		200 unit	4310.00
			400 unit	8190.00
40653	**SspI (10U/µl)**		250 unit	3360.00
			500 unit	6300.00
96600	**XbaI (10U/µl)**		750 unit	2890.00
			1250 unit	4180.00
71245	**XhoI (SlaI) (10U/µl)**		1000 unit	1680.00
			5000 unit	7560.00

BioLit® QuickRxn Restriction Enzymes

These restriction enzymes reduce digestion time and speed up the downstream processes.

15723	**QuickRxn HindIII**	250 units	3590.00
15918	**QuickRxn EcoRI**	250 units	3710.00


BioLit® Ligases

This DNA ligase, an ATP-dependent recombinant enzyme, isolated from Escherichia coli, is used for DNA cloning

85315	**T4 DNA Ligase VLC (20CEU/µl or 0.1 Weiss Unit/µl)**	T4 DNA ligase is a polypeptide that catalyzes the formation of phosphodiaster bonds between adjacent 3'-hydroxyl and 5'- phosphate termini in DNA. The enzyme is active on double-stranded DNA, nicked DNA and RNA substrates. One Weiss unit is equivalent to approximately 200 cohesive end ligation units (CEU) (Includes Reaction Buffer)	10000 Units (CEU) 40000 Units (CEU)	2500.00 5680.00
41686	**T4 DNA Ligase LC (200CEU/µl or 1 Weiss Unit/µl)**	T4 DNA ligase is a polypeptide that catalyzes the formation of phosphodiaster bonds between adjacent 3'-hydroxyl and 5'- phosphate termini in DNA. The enzyme is active on double-stranded DNA, nicked DNA and RNA substrates. One Weiss unit is equivalent to approximately 200 cohesive end ligation units (CEU) (Includes Reaction Buffer)	200 Units (Weiss) 1000 Units (Weiss) 5000 Units (Weiss)	2840.00 5120.00 8520.00
67428	**T4 DNA Ligase RC (1000CEU/µl or 5 Weiss Unit/µl)**	T4 DNA ligase is a polypeptide that catalyzes the formation of phosphodiaster bonds between The enzyme is active on double-stranded DNA, nicked DNA and RNA substrates. One Weiss unit is equivalent to approximately 200 cohesive end ligation units (CEU) (Includes Reaction Buffer)	250 Units (Weiss) 1000 Units (Weiss) 5000 Units (Weiss)	5680.00 9660.00 36340.00


code	product name	application/description	unit	unit price ₹

BioLit® Ready-to-use Unstained Protein Molecular Weight Standards




BioLit protein molecular weight standards cover the useful range of protein sizes that a researcher or student requires for routine experiments. The recommended loading volume is 20 µl, giving approximately 5 µg of each protein sufficient for detection by Coomassie blue staining. The products are unstained markers. The proteins have been dissolved and denatured in the standard SDS-PAGE sample-loading buffer. Prepared under sterile conditions, these markers have appropriate additives to ensure long-term stability when they are stored in a refrigerator or freezer and even with brief exposure to room temperature. Although boiling is not required prior to loading, doing so will not affect results.

33203	**Mid-Range 1 Protein Marker: 14-80kDa**	This ready-to-use marker covers the useful range of protein sizes of 14 - 80 kDa and contains Bromophenol Blue as the tracking dye. It has nine bands of varying molecular sizes that a researcher or student requires for routine experiments.	0.5 ml 1 ml 2.5 ml	2440.00 4400.00 9260.00




Profile in SDS-12% PAGE
(20 µl in a mini gel)

58511	**Mid-Range 3 Protein Marker: 14-95kDa**	This ready-to-use marker covers a slightly higher range of protein sizes of 14 - 95 kDa and contains Bromophenol Blue as the tracking dye. It has eight bands of varying molecular sizes that a researcher or student requires for routine experiments.	0.5 ml 1 ml 2.5 ml	2440.00 4400.00 9260.00






Profile in SDS-12% PAGE
(20 ml in a mini gel)

78084	**Popular-Range Protein Marker: 14-66kDa**	This molecular weight marker covers a general range of protein sizes 14-66 kDa that is typically used by a reseacher. It contains Bromophenol Blue as the tracking dye.	0.5 ml 1 ml	2440.00 4400.00



Profile in SDS-12% PAGE
(20 µl in a mini gel)

code	product name	application/description	unit	unit price ₹
59893	**Low-Range Protein Marker: 3-40kDa**  Profile in Tricine SDS-18% PAGE (20 µl in a mini gel)	This protein molecular weight standard includes proteins in the range of 2.5 - 40 kDa and contains Bromophenol Blue as the tracking dye. With the advent of proteomics and identification of many low molecular weight proteins and domains being involved in important functions, there is an emerging interest in polypeptides in this range. This is also a useful range for electrophoresis based peptide mapping, especially using Tricine SDS - PAGE.	0.5 ml 1 ml 2.5 ml	2440.00 4400.00 9260.00
12986	**High-Range 1 Protein Marker: 20-220kDa**  Profile in SDS-10% PAGE (20 µl in a mini gel)	This molecular range marker covers a larger range of molecular sizes - 20 to 220kDa and is helpful to researchers working on higher molecular weight proteins. It contains Bromophenol Blue as the tracking dye.	0.5 ml 1 ml	2780.00 5210.00
99625	**High-Range 2 Protein Marker: 14-220kDa**  Profile in SDS-10% PAGE (20 µl in a mini gel)	This molecular range marker covers a larger range of molecular sizes - 14 to 220kDa and is helpful to researchers working on higher molecular weight proteins. It contains Bromophenol Blue as the tracking dye.	0.5 ml 1 ml	2780.00 5210.00

Ready-to-use Prestained Protein Molecular Weight Standards

68894	**PreStained Blue Protein Marker: 14 - 66kDa**	Blue Prestained Protein Molecular Weight Standard, contains a mix of proteins, coupled with a blue chromophore. This marker has 6 bands in range of 14 to 66kDa.	0.5 ml	2550.00
93675	**PreStained Dual Coloured Protein Marker: 14 - 66kDa**	This Protein Molecular Weight Standard, contains a mix of proteins, coupled with blue and red chromophore. This marker has 6 bands in range of 14 to 66kDa.	0.25 ml 0.5 ml	2520.00 4200.00
27839	**PreStained High Range 1 Tri-Coloured Protein Ladder: 10-180kDa**	This Protein Ladder is a three-color protein standard with 10 bands in the range of 10 to 180 kDa. Proteins are covalently coupled with a blue chromophore except for two reference bands (one green and one red band at 25 kDa and 75 kDa respectively) when separated on SDS-PAGE (Tris-glycine buffer).	0.25 ml 1 ml	12150.00 35050.00



code	product name	application/description	unit	unit price ₹
67792	**PreStained High Range 2 Tri-Coloured Protein Ladder: 10-245kDa**	This Protein Ladder is a three-color protein standard with 12 bands in the range of 10 to 245 kDa. Proteins are covalently coupled with a blue chromophore except for two reference bands (one green and one red band at 25 kDa and 75 kDa respectively) when separated on SDS-PAGE (Tris-glycine buffer).	0.25 ml 1 ml	11450.00 43220.00
49772	**PreStained High Range 3 Tri-Coloured Protein Marker: 10-315kDa**	A ready-to-use Prestained protein marker giving 12 discrete fragments (in kDa): 315 (orange), 250, 180, 130, 95 (Blue) , 72 (orange), 52 (green), 43, 34, 26, 17 (blue), and 10 (green).	0.25 ml	42000.00

BioLit® Staining Dyes for Proteins

25437 Store at 2-8°C	**BioLit SpryBlue Stain for SDS PAGE**	A snappy stain for Polyacrylamide gels that accelerates the staining of proteins and eliminates the need for destains.	250 ml 500 ml	2440.00 4330.00

Buffers

85074 **new**	**Borate Buffer (20X) (Amine-free)**	Ideal buffer solution that is used in protein modification procedures requiring amine-free buffer at alkaline pH.	100 ml 500 ml	2200.00 7500.00
88480 **new**	**SDS PAGE Sample Buffer (2X) (Reducing) (Laemmli Buffer 2X)**	It is the most commonly used sample buffer for SDS-PAGE of denatured proteins it is a ready-to-use 2X solution. It can be used for SDS-PAGE protein loading of conventional proteins.	5 ml 20 ml	390.00 1500.00
99573 **new**	**SDS PAGE Sample Buffer (5X) (Reducing) (Laemmli Buffer 5X)**	It is the most commonly used sample buffer for SDS-PAGE of denatured proteins it is a ready-to-use 5X solution. It can be used for SDS-PAGE protein loading of conventional proteins.	5 ml 20 ml	480.00 1800.00
98786 **new**	**SDS PAGE Sample Buffer (5X) (Reducing) w/ DTT w/ BPB**	It is the most commonly used sample buffer for SDS-PAGE of denatured proteins it is a ready-to-use 5X solution. It can be used for SDS-PAGE protein loading of conventional proteins.	5 ml	2500.00
35974 **new**	**SDS PAGE Sample Buffer (5X) (Non-Reducing) w/o DTT w/ BPB**	It is the most commonly used sample buffer for SDS-PAGE of denatured proteins it is a ready-to-use 5X solution. It can be used for SDS-PAGE protein loading of conventional proteins.	5 ml	2500.00

BioLit® SDS PAGE Accessory Reagents

Ready-to-use Separating gel mix in a various percentage ranges and Stacking gel mix to simplify the process of SDS PAG preparation and eliminate pipetting errors.

91574	**Ready-To-Use Stacking Gel mix - 4%**	250 ml	2170.00
86325 **new**	**Ready-To-Use Stacking Gel mix - 4% (Coloured)**	100 ml	1040.00
24723	**Ready-To-Use Separating Gel mix - 10%**	100 ml	2440.00
80306	**Ready-To-Use Separating Gel mix - 12%**	100 ml	2440.00
88394	**Ready-To-Use Separating Gel mix - 15%**	100 ml	2440.00

BioLit® Protease for Recombinant Protein Fusion Tag Cleavage

86851	**TEV Protease (1U/µl)**	A highly sequence-specific cysteine protease from Tobacco Etch Virus (TEV). Removes affinity tags from purified recombinant fusion proteins and its specificity gives controlled cleavage. Effective over a broad range of temperature	1000 Units 5000 Units	10230.00 39750.00

code	product name	application/description	unit	unit price ₹

Antibodies

41262 **new**	**Express Coating Buffer (1X, pH 6.4) for Antigens & Antibodies**	A special coating buffer for rapid adsorptive immobilization of proteins, enzymes, antigens or antibodies on any plastic surface including ELISA plates. It coats the surface within 10-15mins.	100 ml 500 ml	2500.00 8000.00
37971	**Goat anti-Human IgG (affinity purified) (2mg/ml)**	Antiserum is produced in Goat using highly purified human IgG as the immunogen. Whole antiserum is fractionated and then further purified by affinity chromatography to provide the IgG fraction of antiserum.	1 ml	4820.00
77924	**Goat anti-Human IgG-HRP (1mg/ml)**	Purified IgG conjugated to Horseradish Peroxidase (HRP). Pooled antisera from goats hyperimmunized with human IgG	1 ml	12840.00
57404	**Goat anti-Mouse IgG-HRP (1mg/ml)**	Polyclonal Goat antibodies conjugated with HRP. Pooled antisera from goats hyperimmunized with Mouse IgG	1 ml	12840.00
54537	**Goat anti-Rabbit IgG (whole serum) (3mg/ml)**	Antiserum is produced in Rabbit using highly purified bovine IgG as the immunogen. Whole antiserum is fractionated and then further purified by affinity chromatography to provide the IgG fraction of antiserum.	1 ml 5 ml	3210.00 12840.00
88495	**Goat anti-Rabbit IgG-HRP (1mg/ml)**	Polyclonal Goat antibodies conjugated with HRP. Pooled antisera from goats hyperimmunized with Rabbit IgG.	1 ml	12840.00
68977	**Rabbit anti-Bovine IgG (whole serum) (2mg/ml)**	Antiserum is produced in Rabbit using highly purified bovine IgG as the immunogen. Whole antiserum is fractionated and then further purified by affinity chromatography to provide the IgG fraction of antiserum.	1 ml	2570.00
21105	**Rabbit anti-Bovine IgG-HRP (whole serum) (1mg/ml)**	Anti-Bovine secondary antibodies conjugated with HRP. Pooled antisera from cows hyperimmunized with rabbit IgG	1 ml	12840.00
57919	**Rabbit anti-Chicken IgY (whole serum)**		1 ml 5 ml	7490.00 23540.00
26249	**Rabbit Anti-Human IgG (whole serum)**		1 ml 5 ml	4280.00 19260.00

BioLit® Nucleic Acid Purification Aids

Spin Column Sets

A purification aid set comprising of Silica membrane spin column and a collection tube. Silica membrane in a column form is used for purifying/ extracting nucleic acids (DNA or RNA) of high quality. These columns are compatible with in-house buffers as well as store-brought ones.

39738	**Mini Silica Spin Column Set A (2ml SC w/ CT each)** Binding capacity — 45µg Supplied with 2ml Collection Tube (CT) Used in purifying nucleic acids of 65bp to 10kb size from PCR amplifications and agarose gel extractions.	50 nos 100 nos	5240.00 9760.00
89887	**Mini Silica Spin Column Set B (2ml SC w/ CT each)** Binding capacity — 50µg Supplied with 2ml Collection Tube (CT) Used in purifying nucleic acids of less than 10kb size from lysed cell cultures.	50 nos 100 nos	5240.00 9760.00
69516	**Mini Silica Spin Column Set C (2ml SC w/ CT each)** Binding capacity — 55µg Supplied with 2ml Collection Tube (CT) Used in purifying nucleic acids of less than 10kb size from lysed cell cultures.	50 nos 100 nos	5600.00 10470.00



code	product name	application/description	no. of experiments	unit	unit price ₹
34148	**Maxi Spin Column Set (50ml SC w/ CT each)** Binding capacity — 1000µg Supplied with 50ml Collection Tube (CT) Used in purifying nucleic acid of less than 300kb size from plasmid and genomic DNA lysed cultures. Each column can process 20-50 ml of cell cultures.			5 nos 20 nos	10790.00 39750.00
37351	**RNA Mini Spin Column Set (2ml SC w/ CT each)** Binding capacity — 40µg Supplied with 2ml Collection Tube (CT) Used in purifying RNA from agarose gel extractions.			50 nos 100 nos	7050.00 11930.00
Plastic Ware					
31635 **new**	**Microcentrifuge Tube and Screw Cap (0.5ml), Self Standing, Conical, O-Ring, Clear, Non-Hinged, Sterile, Molecular Grade** • Capacity - 0.5 ml • Self Standing Tube With Screw Cap & O-Ring • Sterile - Gamma Irradiated. • Operating range: -196 °C to +121°C. • Autoclavable at 121 °C • Withstands Maximum RCF of 20000X G • No Graduation			500 Nos	7350.00
60838 **new**	**Microcentrifuge Tube and Screw Cap (1.5ml), Self Standing, Conical, O-Ring, Clear, Non-Hinged ,Sterile, Molecular Grade** • Capacity - 1.5 ml • Self Standing Tubes With Screw Cap & O-Ring • Sterile - Gamma Irradiated. • Operating range: -196°C to +121°C • Autoclavable at 121°C • Withstands maximum of 20000X G • No Graduations			500 Nos	7880.00
41425	**Collection Tubes (CT) for DNA, RNA purification (2ml)**			50 nos 500 nos	440.00 4110.00

BioLit® Research Kits

A column based quick and easy method for DNA Extraction from bacteria/ tissue/whole blood yielding pure DNA useful for down-stream processes.

51826	**BioLit Genomic DNA Extraction Mini Kit (Research)** Kit contents : ● Spin Columns ● Buffers ● Proteinase K	Isolation of high quality genomic DNA using the silica spin columns from various sources - plasma, serum, body fluids, cultured cells, sputum and other body fluids.	25 Extractions 50 Extractions	7080.00 13680.00
75718	**BioLit Tissue DNA Extraction Mini Kit (Research)** Kit contents : ● Spin Columns ● Buffers ● Proteinase K	Isolation of high quality tissue DNA using the silica spin columns from soft and hard tissues samples like liver, spleen, thymus, heart, kidney, brain, etc	25 Extractions 50 Extractions	9040.00 15460.00
94733	**BioLit Whole Blood DNA Extraction Mini Kit (Research)** Kit contents : ● Spin Columns ● Buffers	Isolation of high quality DNA using the silica spin columns from human whole blood.	25 Extractions 50 Extractions	9280.00 17830.00
33981	**BioLit Tissue RNA Extraction Mini Kit (Research)** Kit contents : ● Spin Columns ● Collection Tubes ● Buffers ● Carrier RNA -Poly A	Tissue RNA can be purified from soft and hard tissues samples like liver, spleen, thymus, heart, kidney, brain, etc	25 Extractions 50 Extractions	13680.00 23540.00

code	product name	application/description	no. of experiments	unit	unit price ₹
87883	**BioLit Viral RNA Extraction Mini Kit (Research)** Kit contents : ● Spin Columns ● Collection Tubes ● Buffers ● Carrier RNA -Poly A	Viral RNA can be purified from plasma, serum and other cell body fluids.	25 Extractions 50 Extractions 1000 Extractions		5740.00 9920.00 18190.00
76108	**BioLit Whole Blood RNA Extraction Mini Kit (Research)** Kit contents : ● Spin Columns ● Collection Tubes ● Buffers ● ß-mercaptoethanol	A fast, easy method for the preparation of total cellular RNA from human whole blood. Multiple blood samples can be processed simultaneously in less than 1 hour.	25 Extractions 50 Extractions		10700.00 20810.00
91210	**BioLit Animal Tissue Direct PCR Kit (Research)** Kit contents : ● 2X Taq mix ● Buffers ● Sterile Water	Amplifies DNA directly from a wide variety of animal tissues including mice, fish, birds and insects.	50 Preps		25990.00
74578	**BioLit Gel Extraction Kit (Research)** Kit contents : ● Silica Spin Columns ● Buffers	Kit for quick and easy extraction of DNA fragment from Low melting agarose. Useful for various downstream processes.	50 Preps		10500.00
23512	**BioLit PCR and DNA Fragment Purification Kit (Research)**		50 Preps 100 Preps		11000.00 21460.00
62606	**BioLit Total RNA Extraction Kit from Plant (Research)** Kit contents : ● Spin Columns ● Buffers	Quick Total RNA extraction kit using silica gel columns. Purifies RNA from Plants and Fungi.	50 Preps		26820.00
86792	**BioLit Total RNA extraction Kit From Various Sources (Research)** Kit contents : ● Spin Columns ● Buffers	Isolates RNA from various sources - whole blood, animal and plant tissue, cultured cells and bacteria.	50 Preps		25630.00

BioLit® Teaching Kits

66602	**Agarose Gel Electrophoresis Kit (Teaching)** Kit contents : ● DNA Samples ● Loading Dye ● Agarose ● Ethidium Bromide ● Tank Buffer ● DNA Size Marker	The overall goal is to view different plasmid DNAs by their movement through a matrix viz agarose gel.	15	1 Kit	5150.00
64279	**Bacterial Transformation Kit - 1 (Teaching)** Kit contents : ● Host Cells ● Sterile LB Media ● LB agar mix ● Ampicillin ● $CaCl_2$ ● Plasmid DNA	Transformation is central to recombinant DNA technology. This highly self-contained Transformation Kit provides all the necessary materials including starter culture, sterile media, antibiotic & LB agar mix to perform competent cell preparation by $CaCl_2$ treatment and transformation within a day. Overnight incubation will reveal transformed colonies. Competent cells are provided as internal control.	15 30	1 Kit 1 Kit	9210.00 13040.00



code	product name	application/description	no. of experiments	unit	unit price ₹
28660	**Bacterial Transformation Kit – 2 (with blue white screening) (Teaching)**	Transformation is central to recombinant DNA technology. This highly self-contained Transformation Kit provides all the necessary materials including starter culture, sterile media, antibiotic & LB agar mix to perform competent cell preparation by $CaCl_2$ treatment and transformation within a day. Overnight incubation will reveal transformed colonies. Competent cells are provided as internal control. Blue white screening is also seen with the use of the X-Gal	15 30	1 Kit 1 Kit	10470.00 14920.00
		Kit contents : ● Host Cells ● Sterile LB Media ● LB agar mix ● Ampicillin ● X-gal ● IPTG ● $CaCl_2$ ● Plasmid DNA			
95043	**DNA Ligation Kit (Teaching)**	This DNA ligation Kit contains reagents for ligation of two Lambda digests using T4 DNA ligase These experiments constitute essential learning experiences for a student interested in cloning and recombinant DNA strategies.	10	1 Kit	6840.00
		Kit contents : ● Lambda DNA Digested with Appropriate Restriction Enzymes ● T4 DNA Ligase ● Ligase Buffer ● Agarose ● TAE buffer ● Gel Loading Dye ● Ethidium Bromide ● DNA Molecular Size Marker			
76941	**FITC Conjugation Kit (Teaching)**	Fluorescein isothiocyanate (FITC)is a fluorescent dye used in labeling antibodies and proteins. FITC is a derivative of fluroscein and reacts with the amines and sulphydryl groups on proteins. This kit provides components for conjugation of fluorescein isothiocyanate with antibodies or other proteins in a quick and easy manner.	5	1 Kit	8360.00
		Kit contents : ● FITC isomer I ● Buffers			
19317	**BioLit Gene Amplification Kit - PCR (Teaching)**	PCR or Polymerase Chain Reaction has become a mainstay in modern recombinant DNA technology. BioLit's PCR kit has been specifically designed and standardized to eliminate the initial pitfalls so that even a beginner can be successful in the first try itself. The kit allows students to vary cycle conditions and find their effects on yield of the amplified product, an E.coli gene	10 25	1 Kit 1 Kit	12180.00 17290.00
		Kit contents : ● Template ● Reaction Mix: containing dNTP mix, Buffer, primers and $MgCl_2$ ● TAQ DNA Polymerase ● Enzyme Diluent Buffer ● Dye ● Agarose ● TAE buffer ● Ethidium Bromide ● Marker			
83462	**BioLit Genomic DNA Extraction (from bacteria) Kit (Teaching)**	This genomic DNA extraction kit uses a rapid and simple technique.	15	1 Kit	7480.00
		Kit contents : ● Bacterial Cell Pellets ● Lysis Buffer ● Saturated Phenol ● Chloroform ● DNA Precipitation Solution ● TE Buffer ● Ethidium Bromide ● Agarose ● Gel Loading Dye ● Marker			
61498	**BioLit Genomic DNA Extraction (from leaves) Kit (Teaching)**	This genomic DNA extraction kit uses a rapid and simple technique ideal for school and college students.	15	1 Kit	10440.00
		Kit contents : ● Bacterial Cell Pellets ● Lysis Buffer ● Saturated Phenol ● Chloroform ● DNA Precipitation Solution ● TE Buffer ● Ethidium Bromide ● Agarose ● Gel Loading Dye ● Marker			
27725	**Plasmid Isolation Kit from Bacterial cells (Teaching)**	This plasmid mini-prep kit facilitates the rapid (~ 2 h) isolation of plasmid DNA from bacterial cells already transformed with a plasmid. The detailed instructions which accompanythe kit will allow typical school and college students to use the kit with no additional assistance.	15 25	1 Kit 1 Kit	6780.00 9200.00
		Kit contents : ● Bacterial Cell Pellets ● Alkaline lysis Reagents ● DNA Precipitation Solution ● Wash Solution ● TE Buffer, Gel Loading Dye ● Agarose ● TAE Buffer ● Ethidium Bromide ● Plasmid Control			

code	product name	application/description		unit	unit price ₹
31377	**Protoplast Fusion Kit from Plants (Teaching)**	Protoplast fusion kit is used as a means to generate hybrids with useful characteristics in plants.The method requires careful manipulations of plant parts like leaves, petals etc. to be digested with cell wall breaking enzymes. The separated and digested cells round up and in presence of polyethylene glycol fuse together which can be viewed under a microscope Kit contents : ● Osmotic Buffer ● Macrozyme ● PEG	15	1 Kit	9370.00
18450	**Restriction Digestion Kit (Teaching)**	This kit contains materials to teach the use of restriction enzymes HindIII and EcoRI & demonstrate restriction mapping of lambda DNA mapping. These experiments constitute essential learning experiences for a student interested in cloning and genetic mapping. Kit contents : ● Lambda DNA ● Agarose ● Restriction Enzymes ● Reaction Buffer ● Ethidium Bromide ● Gel Loading Dye ● TAE buffer ● DNA Molecular Size Marker	10 50	1 Kit 1 Kit	8440.00 16480.00
83775	**SDS PAGE Kit (Teaching)**	This kit teaches the technique of separation of proteins based on their size under denaturing conditions using sodium dodecyl sulphate (SDS) and beta mercaptoethanol (BME). SDS cleaves non ionic interactions while BME cleaves disulphide bonds. SDS also imparts a strong negative charge to the polypeptides thereby their charge to mass ratio is rendered uniform. This allows the polypeptides to be separated on the basis of only their size, which is read by comparison with a standard marker Kit contents : ● Bis Acrylamide Solution ● Separating and Stacking Buffer Solutions ● APS ● TEMED ● Protein Marker ● Protein Samples ● Stain and Destain Solutions	15	1 Kit	9990.00
31105	**Silver Staining Kit (Teaching)**	Silver staining is a rapid, easy and sensitive method used for staining proteins, DNA and RNA after polyacrylamide gel electrophoresis. Silver staining is a far more sensitive method of staining than Coomassie Brilliant blue and can detect protein & even polypeptides as low as 0.05 ng in concentration. Reagents sufficient for 15 reactions are enclosed. Kit contents : ● Fixing solution ● Silver nitrate ● Developing solution ● Stop solution	15	1 Kit	11870.00
46037	**Southern Blotting Kit (Teaching)**	E. M. Southern invented a technique to transfer separated DNA molecules to a membrane, which is capable of binding the DNA, and immobilizing it for further analysis. The technique named as Southern blotting, after its inventor, involves placing either a nitrocellulose or nylon membrane in contact with the agarose gel and facilitating the transfer process by capillary action. By drawing buffer from the gel to the membrane, the DNA fragments are forced to move with the buffer and deposit on the membrane. (Hydbridization not included) Kit contents : ● NC Membranes ● SSPE Buffer ● Filter Paper Wicks and Strips ● DNA Samples ● Marker ● Agarose ● Ethidium Bromide	5	1 Kit	11990.00
52166	**SpinCol Plasmid Miniprep kit from Bacterial cells (Teaching)**	A new teaching kit for isolation of plasmid DNA from E.coli cultures based on silica - membrane technology on a mini spin columns. This is a fast and efficient method and yields high quality plasmid DNA. Kit contents : ● Spin column ● Lysis buffer ● precipitating buffer● wash buffer ● elution buffer	20 50	1 Kit 1 Kit	5000.00 7090.00

Seraloses™

Media for Gel Filtration and Affinity Chromatography

Gel Filtration (Molecular Sieving or Size Exclusion Chromatography) and Affinity Chromatography are rapidly becoming indispensable to biochemists and molecular biologists. Gel Filtration is used for the separation of macromolecules from smaller molecules, for fractionation of mixtures of various biopolymers on the basis of molecular size, for characterizing macromolecules and determining molecular weights and molar masses, for pathological screening of body fluids and for structure determination studies. Affinity Chromatography, besides being put to many of the above uses, is mainly employed for the isolation and purification of biologically active substances like enzymes, antibodies, antigens, lectins, viruses and toxins. Affinity Chromatography has the advantage of being rapid and highly selective.



SRL Seraloses™	Particle size in wet state (microns)	Fractionation Range (as molecular weight)		Approximate Exclusion Limits (as molecular wight)		
		Proteins	Polysaccarides	Proteins	Polysaccarides	DNA (basis pairs-bp)
seralose™ 2B seralose™ Cl-2B	60-250	7.5×10^4 – 45×10^6	1×10^5 – 20×106	45×10^6	20×10^6	1353 bp
seralose™ 4B seralose™ Cl-4B	40-190	5×10^4 – 20×10^6	3×10^4 – 5×10^6	20×10^6	5×10^6	872 bp
seralose™ 6B seralose™ Cl-6B	40-190	1×10^4 – 5×10^6	1×10^4 – 1×10^4 –	5×10^6	10×10^6	194 bp

Detailed literature available on request

Seralite Products

Ion Exchange Resins

Our important range of Seralite products is very critical for ion exchange applications. These are acidic/basic exchange resins consisting of different polymers and copolymers. The particle size of these resins is between 20 – 50 mesh and are excellent for cross-linking. Typical application of these resins are for water conditioning, softening and deionionisation, removal of recovery of high molecular weight anions, fractional separation of organic acids, amino acids, metals, peptides, inorganic and rare earth metals. They can also be used for th treatment of sugar solutions, amino acids and enzymes. SRL Ion exchange resins are highly recommended products for critical separation work.

Product Name	Particle Size	Ion Exchange Capacity	pH Range	Ionoc Form
Seralite SRA-400	20 – 50 mesh BSS	3.0-3.5meq/g	0-14	Cl-
Seralite SRC-120	20 – 50 mesh BSS	min 4.5meq/g	0-14	H+
Seralite SRA-400	20 – 50 mesh BSS	min 10meq/g	5-14	H+

Our Seralite series is equivalent to the Amberlite series of the Rohm and Haas Company



Bio-Indenta®

Global searching station for Unlisted Compounds

Bio-Indenta®

Our Indenting division, "Bio-Indenta" has completed its third successful year of operation. Headquartered in Mumbai, we have been able to master the art of supply chain and global sourcing for our valued scientific researchers. We have contributed to the scientific community by making available complex niche chemicals and biochemicals to our Institutional and Industrial customers. We have efficient logistics systems in place and offer you the transparency and trust you need to make most well informed decisions for your R&D & production needs.

Bio-Indenta exists to connect you to your Principal product provider. We offer you the option of

– importing the products yourself or

– allowing Bio-Indenta to import them and supply them to you.

Transactions can be conducted in Indian Rupees or in any foreign currency.

Through Bio-Indenta, we have established Partnerships and Distributorships with selected pioneer biotech companies for their complete range of biochemicals, diagnostics and fine chemicals to serve scientific and R&D community.

Our partners in this endeavor are,

1. **Carbosynth** (UK)
2. **Biosynth** (Switzerland)
3. **Bachem** (Switzerland)
4. **Elicityl SA** (France)
5. **ACS Materials**(USA)

And Multiple Chinese and European specialty chemical companies who can supply a range of specialty chemicals and intermediates with all required documentations. Now you can choose your most preferred supplier. Take command of your sourcing...

Bio-Indenta®

All your inquiries can be mailed to bio-indenta@srlchem.com for immediate quotes and delivery schedules. Our offices are standing by to assist you in your requirements.

Authorized Distributors for

Carbosynth
UK
(www.carbosynth.com)

Carbosynth

Carbosynth Limited was established to provide the most comprehensive product range in the fields of carbohydrates and nucleosides for the international Life Science R&D communities. Carbosynth aims to support its clients from discovery to launch by offering cost effective solutions to their carbohydrate and nucleoside requirements.

Carbosynth offers over 2500 carbohydrates and nucleosides. This range includes monosaccharides, enzyme substrates, D- and L-sugars, oligosaccharides, detergents and nucleosides. The Carbosynth catalogue offers quantities for R&D, but many are produced in bulk. For example methyl-a-D-glucopyranoside, n-octyl-b-D-glucopyranoside, 3,4,6-tri-acetyl-D-galactal, gulon's-1000's of kilos.

Carbosynth also offers a range of allied fine chemicals many of which are versatile building blocks or have specialist applications ranging from biochemical reagents to natural antioxidants. Included in their product range are coupling agents, such as EDAC, or activators in peptide and oligonucleotide synthesis.

Custom synthesis is one of Carbosynths' fastest growing business sectors and they are committed to providing in-time development and delivery of quality compounds. Carbosynth is able to draw upon a wide range of chemical reactions and processes especially in the fields of carbohydrates and nucleosides.

The Carbosynth product range broadly includes –

- **Carbohydrates and Derivatives of Carbohydrates.**
- **Unnatural Sugars and Carbohydrate Building Blocks.**
- **Nucleosides and Nucleotide Building Blocks.**
- **Oligosaccharides and a range of other Fine Chemicals and Enzyme Substrates.**

Carbosynth Prominent Products

Carbosynth Prod. Code	Product Name
EA06838	O-(2-Acetamido-2-deoxy-D-glucopyranosylidene)amino N-phenyl carbamate
OA08244	N-Acetyl-D-lactosamine
MA00746	N-Acetylneuraminic acid
FA02773	2-Amino-3-chloropyrazine
MA03786	1,6-Anhydro-b-D-galactopyranose
EB06680	5-Bromo-4-chloro-3-indolyl b-D-galactopyranoside
FC06230	6-Chloro-2-cyano-3-nitropyridine
MC02788	1-Chloro-2-deoxy-3,5-di-o-toluoyl-a-Dribofuranose
EC05990	2-Chloro-4-nitrophenyl a-L-fucopyranoside
ND04237	2'-Deoxy-2',2'-difluoro-D-cytidine
MD04977	2-Deoxy-D-ribose
FD06223	4,4'-Dibromo-2,2'-bipyridine
FD04039	R)-2,5-Dihydro-3,6-dimethoxy-2-isopropylpyrazine
FD06273	Diphenylcyclopropenone
FD05800	N-Ethyl-N'-(3-dimethylaminopropyl)carbodiimide HCl
MG05201	D-Galactose
MG05247	L-Glucose
MD05002	1,2:5,6-Di-O-isopropylidene-a-D-allofuranose
MD06795	1,2:5,6-Di-O-isopropylidene-a-D-glucofuranose
EN06363	2-Nitrophenyl b-D-galactopyranoside
DO05161	Octyl b-D-glucopyranoside
MP06689	1,2,3,4,6-Penta-O-acetyl-b-D-galactopyranose
FQ02772	R-(-)-3-Quinuclidinol
FQ06985	S-(+)-3-Quinuclidinol
FT04400	2,2,6,6-Tetramethylpiperidine 1-oxyl, free radical - solid melt
MT04086	2,3,4,6-Tetra-O-benzyl-D-galactopyranose
MT06691	2,3,4,6-Tetra-O-benzyl-D-glucopyranose
MT05853	3,4,6-Tri-O-acetyl-D-galactal
MT00681	3,4,6-Tri-O-acetyl-D-glucal

Please inquire with us for their latest product catalogues & quotations

Authorized Distributors for

Bachem
Switzerland
(www.bachem.com)

Bachem is an independent, technology-based, public biochemicals company providing full service to the pharma and biotech industry. Bachem is specialized in the process development and the manufacturing of peptides and complex organic molecules as active pharmaceutical ingredients (APIs), as well as innovative biochemicals for research purposes. With headquarters in Bubendorf, Switzerland, and affiliates in Europe and the US, Bachem works on a global scale and holds a leading position in the field of peptides.

Bachem are world leaders in Peptides and in large scale GMP Peptide production. The product range includes,

- **Peptides and Bio-chemicals — Bioactive peptides and proteins, Enzyme substrates and Inhibitors, Organic compounds.**
- **Building Blocks — Amino acids, Amino acid derivatives, Linkers, Resins and Reagents.**
- Immunochemicals — Antibodies, Antisera and Assay Kits.

Product Lines
Amyloid ß-Protein Fragments and Related Peptides
Adrenomedullins
Amylins and Fragments
Angiotensins and Related Peptides
Bradykinins, Analogs and Sequences
Caspase-1 Inhibitors
Corticotropin-Releasing Factor (CRF) and Analogs
Endothelins and Related Peptides
ƒ,...-Diaminobutyric Acid
Fibronectin Fragments and Analogs
Ghrelins
HIV Proteases
Hydroxyproline
Isoleucine, allo-Isoleucine
Luteinizing Hormone-Releasing Hormone (LHRH) and Analogs
Melanin-Concentrating Hormones (MCH) and Related Peptides
Neuropeptide Y (NPY), Analogs and Fragments
Orexins
Ornithine
p-Alkoxybenzyl Alcohol Resin (-R)-Linked Fmoc-Amino Acids
pTH, Sequences and Analogs
Somatostatin and Analogs
Threonine, allo-Threonine
Vasopressin and Analogs

Authorized Distributors for

Elicityl SA
France
(www.elicityl-oligotech.com)

Based near Grenoble, France, ELICITYL is a biotech company devoted to complex sugar engineering and production. The company mission is to supply oligosaccharides and polysaccharides for biological applications targeting plant health, pharmacy, nutraceutics and cosmetics.

A few highlighted products offered
ABO, Lewis & P Histo-Blood Group Antigens
Human milk oligosaccharides - HMOs
Neutral, Acidic, Minor HMO"s
Oligosaccharides from other Mammalian species (cow, goat, sheep)
Human & Bacterial Lectins
Functionalized Oligosaccharides
Functionalized Blood group & Lewis antigens
Functionalized Ganglio-Series
Functionalized Globo-Series antigens
Functionalized Fucosylated Oligosaccharides
Functionalized Core structure
Tumor-associated carbohydrate antigens - TACAs
Natural polysaccharides and Oligosaccharides extracted from Biomass
Glycobricks® Building Blocks (Biotin,...)
Neoglycoproteins
Aminoglycoside derivatives

Please inquire with us for their latest product catalogues & quotations

Authorized Distributors for

Biosynth
Switzerland
(www.biosynth.com)

Biosynth is leading swiss specialty reagents manufacturer operating out of its plants in Switzerland and China. It began operations in 1966 as one of the few biochemical manufacturers of the world. It manufactures specialty products for the life-science and biotech industry. It's main core business areas include the production of chromogenic & fluorogenic substrates, organic synthesis products, API's, molecular biology,microbiology, biochemistry, cell science and genetic research products. Bio-Indenta is an exclusive channel partner of Biosynth in India.

A few highlighted products offered
API's
Chromogenic & Fluorogenic Substrates
Luminogenic Substrates
Organic Synthesis Products
Biochemistry, Molecular Biology & Genetic Research Products
Microbiology, Cell Science & In-Vitro Diagnostic Reagents
Imagining Probes
Dyes For Forensic Research
Products for Biomedical Research
Veterinary Science Products
Plant Biotechnology Products
Nutrition Research Products
Cosmetic Research Products

Authorized Distributors for

ACS Materials
USA
(www.acsmaterial.com)

ACS Materials is a high-tech enterprise, based in Pasadena, California (USA), involved in advanced nanomaterials development and production. The Company provides high quality nanomaterial products, service or technical products for research and allied applications.

A few highlighted products offered
Graphene (single-layer graphene, graphene oxide, graphene nanoplates, carboxyl graphene, graphite oxide)
Molecular sieves (SBA-15, MCM-41, MCM-48, SBA-3, ZSM-5)
Carbon series (activated carbon, graphite nanopowder, order mesoporous carbon CMK-3, High-order 3-D mesporous carbon (Ia3d), porous carbon)
Metal nanomaterials (antioxidation dispersible copper nanoparticles, copper colloidals, nickel nanoparticles, silver nanoparticles, silver nanowires)
Battery Materials (Si/C Composite , Silicon Monoxide, Silicon Nanoparticles)

Terms & Conditions of Sale

Prices: The Prices offered are net & subject to change without notice. Good shall be delivered subject to the availability of stocks & will be invoiced at prices ruling on the date of dispatch. The prices are unit prices exclusive of GST taxes & any levies.

Taxes: GST taxes & any other levies or charges in lieu of levies as applicable shall be charged extra as and where applicable at the prevailing rates. Customers seeking any exemption must submit the required form along with their orders. All Order must specify your GST registration number.

Delivery: Customers based in cities where SRL Depot's are located, are responsible to collect their ordered/invoiced goods from the respective SRL Depot. For all others customers in India, invoiced goods will be supplied C.P.T. destination by the cheapest mode of transport for invoice value of Rs. 20,000/- net or more. All invoice(s) below Rs. 20,000/- shall be executed on ex-godown basis, all expenses will be charged extra. In case of remote areas, please inform the nearest station of address where goods/ correspondence can be sent by courier. We reserve the right to make part supplies unless otherwise specified by the customers.

For invoices of temperature sensitive products below Rs. 5,000/- net, customers shall be charged additionally for dry ice, packing material, freight/courier, etc.

Special License Products: Methanol/Carbinol and all Pharmacopoeial labelled products of all grades required special permissions and are separately dispatched directly from our factory or respective warehouses which hold valid applicable licenses. Orders for Pharmacopoeial Grade Products must be accompanied with drug license no, date & validity. NMR Solvents require special End-Use certificates from customers and shall be supplied only against receipt of the same.

Shortage / Breakage: All products are packed with utmost care & forwarded at customer's risk. No claim for shortage / breakage, delay or damage will not be entertained if not informed to us in writing within seven days from the date of receipt of goods along with relevant evidences. Many of the products are very labile and likely to be damaged on prolonged storage. Many-a-times the products may get damaged during transit due to extreme condition of temperature, humidity, etc. Improper handling may also cause degradation of quality. Products should be stored in required conditions & protected from temperature, humidity, light, etc. Any complaint on quality of products should be intimated to us within 30 days from receipt of goods beyond which we shall not entertain complaints. No goods should be returned without our prior written consent. It is understood that buyers are aware of storage and handling condition of the products.

Amendment / Cancellation: Goods once sold will not be taken back. No amendment or cancellation of orders will be accepted once the goods have been packed for dispatch.

Warranty: In case of failure or rejection of any of our products for whatsoever reasons, our liability is expressly limited to the extent of its replacement or its cost and we shall not be responsible for any other damages or losses incurred directly or indirectly. All recommendation, information and description supplied with respect to any product are believed to be accurate and reliable, but do not constitute warranties.

Insurance: If expressly desired, goods can be insured at customer's cost at 1% premium on the invoice value.

Force Majeure Clause: Notwithstanding whatever is specified by the customers or mentioned herein, in the event due to reasons beyond our control such as war, riots, strikes, civil commotion, shortage of raw materials, natural calamities, Govt. restrictions, change in fiscal policies and budgetary changes by the Govt., etc. we or our authorised stockist/s will not be liable for any penalization for delay or non-supply of the products.

Products appearing in this catalogue are meant for laboratory use only.

All disputes are subject to Mumbai Jurisdiction.

Sisco Research Laboratories Pvt.Ltd.

The **Electrophoresis** Leaders of India



We are India's best company in the field of molecular biology since the last 40 years. Our expertise lies in the manufacture of reagents and buffers used in gel electrophoresis for nucleic acid, DNA/RNA and protein separation. Having the most extensive range of protein and nucleic acid electrophoresis applications, we are 100% sure that our products will be very important for you to conduct most critical molecular biology techniques such as electrophoresis of DNA and RNA, PFGE for large fragment analysis, PCR fragment analysis, cloning and recovery of DNA and RNA and various blotting techniques such as Northern & Southern blotting.

SRL is manufacturing few products in bulk scale to meet the following applications in molecular biology for critical applications:

- Gel Electrophoresis
- SDS Page Electrophoresis
- Pulse Field Gel Electrophoresis
- Immunoelectrophoresis
- Counter Current Electrophoresis
- Tissue Culture & Cell Culture Studies
- Forensic & Diagnostic Analysis
- Antigen Antibody Reaction Studies
- Molecular Weight Screening

SRL Special

Agarose Low-6 & Agarose Low-8 have been specially developed for molecular screening applications and improves resolution of small DNA fragments & PCR products

Product code	Agarose	Sulphate %	Gel strength (1.5% gel) gm/cm^2	Gelling temperature (1.5% soln)	Melting temperature (1.5% gel)	Electro-endosmosis (EEO)
60645	High EEO for MB	<0.3	>800	36°C (±1.5)	85 - 90°C	0.25 - 0.30
10423	Medium EEO for MB	<0.2	>1500	36°C (±1.5)	85 - 90°C	0.16 - 0.19
91466	Low EEO Regular grade (100bp-25kb)	<0.15	>1200	36°C (±1.5)	85 - 90°C	0.09 - 0.13
36601	Low EEO for MB (100bp-25kb)	<0.15	>1200	36°C (±1.5)	85 - 90°C	0.09 - 0.13
23287	Low EEO Superior grade for MB (100bp-25kb)	<0.15	>1500	36°C (±1.5)	85 - 90°C	0.09 - 0.13

Product code	Agarose (for Low Base Pairs)	Sulphate %	Gel strength (3% gel) gm/cm^2	Gelling temperature (3% soln)	Melting temperature (3% gel)	Electro-endosmosis (EEO)
32417	Low Melting for MB (10-1200bp)	<0.2	min 300	35°C (±1.5)	~ 65°C	max 0.1
27813	Metaphor (10-1200bp)	—	min 300	<35°C	<75°C	max 0.1
78711	Low-6 (10-1200bp)	<0.1	min 800	< 35°C	< 75°C	max 0.12
52734	Low-8 (10-1200bp)	<0.11	min 1500	<35.5°C	<80°C	max 0.12

Product code	Acrylamide	Solubility	Assay (Nitrogen)	pH (5% aq. soln)	A1% aq. 290nm
89314	1× Cryst. extrapure	30% aq. Clear & colourless	99.5%	min. 5.0	—
15657	3×Cryst. extrapure AR	60% aq. Clear & colourless	99.9%	min. 5.0	max. 0.5
61346	3× Cryst. for MB	30% aq. Clear & colourless	99.5%	min. 5.0	max. 0.5

Product code	Acrylamide/ Bis-acrylamide Premix	Solubility	pH (5% aq. soln)	Specific conductance (5% aq. soln)
24263	19:1	10% aq. Clear & colourless	5 – 8	min. 10μ mho/cm
10762	29:1	10% aq. Clear & colourless	5 – 8	min. 10μ mho/cm
74379	37.5:1	10% aq. Clear & colourless	5 – 8	min. 10μ mho/cm

Product code	N,N'-Methylene Bis Acrylamide	Solubility	Assay (CG)	pH (2.5% aq. soln)	A1% aq. 290nm
38516	3× Cryst. extrapure AR	2.5% aq.	99.5%	min. 5.0	max. 0.2
67320	3× Cryst. for MB	2.5% aq.	99.5%	min. 5.0	max. 0.1



SISCO RESEARCH LABORATORIES PVT. LTD.

Administrative Office:
608-B, Satellite Gazebo, Near Solitaire Corporate Park, Andheri Ghatkopar Link Road, Chakala, Andheri (East), Mumbai 400 099. India
Tel.: +91-22-4268 5800 • E-mail: info@srlchem.com, marketing@srlchem.com

Website: **www.srlchem.com**